IoT challenges

State of the art

Aghiles DJOUDI

LIGM/ESIEE Paris w& SIC/ECE Paris

July 12, 2019

Outline

1. Introduction

2. First contribution

3. Conclusion

Context

What is IoT ?



Figure 1: IoT platform.

Figure 2: IoT challenges.

Problematic

Where is the problem ?

1. How to Connect sensors to the best gateway?
   - ➠ Decision and optimisation problem.
   - ➠ Various network acces
   - ➠ Various configuration of each network acces
   - ➠ Lake of selection tools
2. How to connect sensors to this gateway with high Security level.
   - ➠ Technical problem.
   - ➠ Lake of selective tools
   - ➠ How to select the **best** access point
3. How to extract knowledge from sensors data [1].
   - ➠ a
   - ➠ Lake of selective tools
   - ➠ How to select the **best** access point



Figure 3: Key b
Industr

[a] **industrialinternetofthings**

[1] Pascal Thubert, Maria Rita Palattella, and Thomas Engel. “ 6TiSCH Centralized Scheduling: When SDN Meet IoT ”. In: *2015 IEEE Conference on Standards for Communications and Networking (CSCN)*. 2015 IEEE Conference on Standards for Communications and Networking (CSCN). 00035. Tokyo, Japan: Oct. 2015, pp. 42–47.

Problematic

Where is the problem [2] ?



Figure 4: Intel view.



Figure 5: Microsoft view.



Figure 6: SAP view.



Figure 7: WS2O view.

Problematic

Where is the problem [2] ?



Figure 8: ISO view.



Figure 9: ITU-T view.

Motivations

Why should we deal with such problems

1.
   - a
   - Lake of selective tools
   - How to select the **best** access point
2. QoS Analysis
   - a
   - Lake of selective tools
   - How to select the **best** access point
3. Threats
   - a
   - Lake of selective tools
   - How to select the **best** access point



Figure 10: Communication diversity.

Goal

Is it specific, measurable, achievable, réalistic, for 3 years ?

- 1. Allow heterogeneous network to communicate
  2. QoS Analysis
  3. Threats
- How to select the **best** access point
  1. Allow heterogeneous network to communicate
  2. QoS Analysis
  3. Threats

Figure 11: wsn-IoT.

Challenges

Where is the difficulty ?

1. Challenge 1
   - 6720 possible settings
   - Lake of selective tools
   - How to select the **best** configuration
2. Challenge 2
   - a
   - Lake of selective tools
   - How to select the **best** access point
3. Challenge 3
   - a
   - Lake of selective tools
   - How to select the **best** access point



Figure 12: tets.

Contributions

How could be addressed ?

1. Contribution 1
   - a
   - Lake of selective tools
   - How to select the **best** access point
2. Contribution 2
   - a
   - Lake of selective tools
   - How to select the **best** access point
3. Contribution 3
   - a
   - Lake of selective tools
   - How to select the **best** access point



Figure 13: tets.

Outline

1. Introduction

2. First contribution

3. Conclusion

Outline

1. Introduction

2. First contribution

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

3. Conclusion

Outline

1. Introduction

2. First contribution

3. Conclusion

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

Related work

Comparison

Paper	A1	A2	A3	A4

Table 1: An example table.

Related work

Comparison

Paper	A1	A2	A3	A4

Table 2: An example table.

Outline

1. Introduction

2. First contribution

3. Conclusion

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

Marcov chain

Methods

$$V(s,\pi) = \mathbb{E}_s^{\pi}\left(\sum_{k=0}^{\inf} \gamma^k \cdot r(s_k, a_k)\right), s \in \mathbb{S} \tag{1}$$

$$r(s_k, a_k) = G_k \cdot PRR(a_k) \tag{2}$$

$$\pi^* = \arg\max_{\pi} V(s,\pi) \tag{3}$$

$$PRR = (1 - BER)^L \tag{4}$$

$$BER = 10^{\alpha e^{\beta SNR}} \tag{5}$$

Genetic Algorithm

Methods

- S = SF12, BW125, 4/8, 17 dBm
- Input:
  - Problem: f(x) = max(x^2), x $\in$[0,32]
    - $x_1 : 01101_b$
    - $x_2 : 11000_b$
    - $x_3 : 01000_b$
    - $x_4 : 10011_b$
- Method: Genetic algorithm
  - Generate a set of random possible solution
  - Test each solution and see how good it is (ranking)
    1. Remove some bad solutions
    2. Duplicate some good solutions
    3. Make small changes to some of them (Crossover, Mutation)
- Output:
  - x_1: 01101 (169) (14.4)
  - x_2: 11000 (576) (49.2)
  - x_3: 01000 (64) (5.5)
  - x_4: 10011 (361) (30.9)

Game theory

Methods

- Players: $K = \{1, ..., K\}$
- Strategies: $S = S_1 \times \ldots \times S_K$
  - S_k is the strategy set of the k^{th} player.
- Rewards: $u_k : S \longrightarrow R_+$ and is denoted by $r_k(s_k, s_{-k})$
  - $s_{-k} = (s_1, \ldots, s_{k-1}, s_{k+1}, \ldots, s_K) \in S_1 \times \ldots \times S_{k-1} \times S_{k+1} \times \ldots \times S_K$

... (step 2)

Methods

... (step 3)

Methods

... (step 4)

Methods

Results

Comparison



Table 3

Outline

1. Introduction

2. First contribution

3. Conclusion

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

Experimentation

Experimentation

- a
- b



Figure 14: .

Outline

1. Introduction

2. First contribution

3. Conclusion

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

Results

Comparison

- a
- b



Figure 15: .

Outline

1. Introduction

2. First contribution

3. Conclusion

1. Related work
2. Contagion process
3. Experimentation
4. Results exploitation
5. Conclusion

Conclusion

- a
- b



Figure 16: .

Outline

1. Introduction

2. First contribution

3. Conclusion

Conclusion

Our main goal was

-
-

Our main contribution was

-
-

Our main results was

-
-

Future Challenges

Conclusion

Our future goal was

Future Challenges

Conclusion

Our future goal was

-
-

Thank you !

References

[1] Pascal Thubert, Maria Rita Palattella, and Thomas Engel. “ 6TiSCH Centralized Scheduling: When SDN Meet IoT ”. In: *2015 IEEE Conference on Standards for Communications and Networking (CSCN)*. 2015 IEEE Conference on Standards for Communications and Networking (CSCN). 00035. Tokyo, Japan: Oct. 2015, pp. 42–47 (p. 4).

[2] B. Di Martino et al. “ Internet of Things Reference Architectures, Security and Interoperability: A Survey ”. In: *Internet of Things* 1-2 (Sept. 2018). 00006, pp. 99–112 (p. 5, 6).