

PROJECT-General Description

PART #1

CS 586; Spring 2024

Deadlines:

Part #1: MDA-EFSM (5 points): Monday, April 1, 2024

Late submissions: 50% off

After **April 4** the MDA-EFSM will not be accepted.

This is an **individual** project, not a team project.

Submission: The MDA-EFSM assignment must be submitted on Blackboard. Your submission should be as a **single PDF-file** (otherwise, a 10% penalty will be applied). The hardcopy submissions will not be accepted.

The detailed description of Part #2 of the project will be posted later.

Goal:

The goal of this project is to design two different gas pump components using the Model-Driven Architecture (MDA) and then implement these gas pump components based on this design.

Description of the Project:

There are two gas pump components: *GP-1* and *GP-2*.

The gas pump **GP-1** component supports the following operations:

Activate (int a)	// the gas pump is activated where <i>a</i> is the price of the gas per liter
Start()	//start the transaction
PayCredit()	// pay for gas by a credit card
Reject()	// credit card is rejected
Cancel()	// cancel the transaction
Approved()	// credit card is approved
PayCash(int c)	// pay for gas by cash, where <i>c</i> represents prepaid cash
StartPump()	// start pumping gas
Pump()	// one liter of gas is disposed
StopPump()	// stop pumping gas

The **GasPump-2** component supports the following operations:

Activate (float a, float b, float c)	// the gas pump is activated where <i>a</i> is the price of Regular gas, <i>b</i> is //the price of Premium gas and <i>c</i> is the price of Diesel per Gallon
Start()	//start the transaction
PayCash(int c)	// pay for gas by cash, where <i>c</i> represents prepaid cash
Cancel()	// cancel the transaction
Premium()	// Premium gas is selected
Regular()	// Regular gas is selected
Diesel()	// Diesel gas is selected
StartPump()	// start pumping gas
PumpGallon()	// one Gallon of gas is disposed
Stop()	// stop pumping gas
Receipt()	// Receipt is requested
NoReceipt()	// No receipt

Both gas pumps are state-based components and are used to control simple gas pumps. Users can pay by cash or a credit card. The gas pump may dispose of different types of gasoline. The price of the gasoline is provided when the gas pump is activated. The detailed behavior of gas pump components is specified using EFSM. The EFSM of Figure 1 shows the detailed behavior of gas pump *GP-1* and the EFSM of Figure 2 shows the detailed behavior of gas pump *GP-2*. Notice that there are several differences between gas pump components.

Aspects that vary between two gas pump components:

- a. Types of gasoline disposed
- b. Types of payment
- c. Display menu(s)
- d. Messages
- e. Receipts
- f. Operation names and signatures
- g. Data types
- h. etc.

The goal of this project is to design two GP components using the Model-Driven Architecture (MDA) covered in the course. An executable meta-model referred to as MDA-EFSM of GP components should capture the “generic behavior” of two GP components and should be de-coupled from data and implementation details. Notice that in your design there should be **ONLY** one MDA-EFSM for two GP components. The meta-model (MDA-EFSM) used in the Model-Driven architecture should be expressed as an EFSM (Extended Finite State Machine) model. Notice that the EFSMs shown in Figure 1 and Figure 2 are **not acceptable** as a meta-model (MDA-EFSM) for this model-driven architecture.

MDA-ESM REPORT SUBMISSION

The MDA-EFSM model report for the *GP* components should contain:

- A class diagram
- A list of meta events for the MDA-EFSM
- A list of meta actions for the MDA-EFSM, where the responsibility of each action must be described
- A state diagram/model of the MDA-EFSM
- Pseudo-code of all operations of Input Processors of *GP-1* and *GP-2*




Figure 1: EFSM for gas pump GP-1




Figure 2: EFSM for GasPump-2