USGS Map Inventory Guide

Frank Donnelly, GIS & Data Librarian, Brown University
Aug 24, 2022

Workflow

Begin by pulling all maps from a drawer, or half of drawer for the USGS 24k series, and move them to the work area. Verify that they are sorted properly: by state, quad name, and year for the 24k and 25k metric series, and by quad name and year for the 100k and 250k series. Quads with multiple years of maps are sorted from newest year to oldest. If you prefer, you can speed up processing for series that contain many non-USGS maps by separating the USGS maps from other publishers, inventory each separately, then recombine when finished. In sorting, remove any maps that are misfiled (particularly maps that overlap states but have been filed in the wrong state).

- 1. Launch Python, load and run the bul_topo_tool.py inventory tool, select your initials.
- 2. Start with the first map. Check the following maps to see if they are duplicates of this one (be careful to look at map, revision, and print years). Process duplicates together.
- 3. Identify and select the scale and primary state of the map (never assume, always check).
- 4. Verify the publisher of the map, looking for the agency name, logo, or other clues related to scale or map style. Then:
 - (a) For USGS maps, select the quad name, map year, and print year.
 - (b) For BLM maps, select the quad name, then add an exception. Select BLM, enter a map year and print year.
 - (c) For AMS maps, see if a quad name exists. If so, select it, if not leave it blank. Add an exception, select AMS, type in a quad name if one did not exist, enter a map year. Some AMS maps have separate print years, but most don't.
 - (d) For DMA maps, add an exception. Select DMA, select a quad name if one exists, otherwise type one in, enter a map year. DMA maps do not have print years.
 - (e) If you are not sure how to identify the map, make a note in your logbook and set it aside, moving to the next one. Some USGS maps may not appear in the database, and can be logged as exceptions.
- 5. If there are duplicate maps, check the duplicate box.
- 6. Inspect the map and duplicates for significant damage (large tears, stains, writing on the map, water damage, modified with scissors) and check the box if any are damaged.

7. Hit record this map.

- (a) If prompted that there are different USGS maps that share the same map and print year, inspect the images of the map that the program presents, identify the one that matches the map in hand, and record the map. Look for differences in logos, presence or absence of barcodes, and map styling and shading.
- (b) It you realize that you made a mistake after recording a map, you can remove the map and do it over again.

8. Proceed to the next map.

If you have to stop work prior to completing the stack, make a note in your logbook indicating where you left off. Exit the program and Python when stopping. When the stack is complete, return the maps to the drawer, filing them as neatly as possible. If any maps are severely creased from being stuck in the drawer, set them aside so we can fix them. Note in your logbook which drawer and range of maps you've finished before moving on to the next drawer.

Publisher and Location Summaries

Most USGS maps are included in the database that's part of the map inventory software. Maps from the other publishers must be recorded as exceptions.

Publishers

USGS Topos: US Geological Survey. Found in all locations, multiple scales, all years.

AMS Topos: Army Map Service. Found in location 5 (mostly 25k, some 24k, 1940s) and location 13 (250k, 1940s and 1950s). Usually same quads as USGS. Must record series, sheet, and editions.

BLM Surface Maps: Bureau of Land Management. Found in location 8, 100k scale, all years. Always same quads as USGS.

DMA Topos: Defense Mapping Agency. Found in location 5, 50k scales, late 1970s. Quads not the same as USGS, but may have similar names. Must record series, sheet, and editions.

Locations

Location 5 USGS 24k: sorted by state, name, and year. USGS 24k in feet, some special 25k, USGS 31680 and older odd scales, AMS 25k (occasional odd 24k), DMA 50k.

Location 6 USGS 25k metric: sorted by state, name, and year. USGS 25k in meters.

Location 7 USGS county maps: skip - do not inventory.

Location 8 USGS 100k: sorted by name and year, USGS and BLM 100k topos.

Location 13 USGS 250k: sorted by name and year. USGS 250k and AMS 250k topos.

Map Identification

The inventory program relies on matching USGS maps to their scale, state, name, map and print year. Metadata usually appears at the bottom of the map. 1) Scale always appears in the center, 2) Quad name and state in the lower right-hand corner with the primary state listed first, 3) The original map year in bold, sometimes with a revision year used for sorting, and 4) a print year in small font under the map frame, either in the lower-right or left hand corner under the map frame.



Figure 1: Map Metadata on 24k USGS Map

On USGS maps, the map year appears prominently near the quad name. The print year usually appears just below the map frame in the lower right hand corner in small type. "None" is recorded in the database for USGS maps without a print year. If a map has been revised, the revision year is used for sorting the map, but the original year is still considered the map year. There are always exceptions; if you select the original map year in the program but don't see a corresponding print year, then see if the revision year appears in the map year dropdown, and if so see if it has a print year that corresponds with the map in hand.





Figure 2: USGS 24k and Variants

The location of the publication year for AMS and DMA is usually located on the bottom portion of the map, either near the quad name or the series details. DMA maps only have a map year, as do most (but not all) AMS maps.

F. Donnelly 3 Brown University





(a) AMS Map 1947

(b) DMA Map 1979

Figure 3: AMS 25k and DMA 50k

On the USGS and BLM 100k maps, and USGS 25k metric maps, the print year is often located in the lower left hand corner under the map frame in small print, while the map year appears in the lower right hand corner under the quad name. Like the USGS maps, the BLM maps usually have both map and print years.




Figure 4: USGS and BLM 100k, USGS 25k metric

The USGS 250k topos follow the same scheme as the 24k series, with map, print, and revision years. The AMS 250k series exhibit the same variety as the AMS 25k scale, and only have one "map" year. Sometimes this is written in month-date notation (we just record the year).




Figure 5: USGS and AMS 250k

Visit the USGS Inventory Project page on our internal wiki for more details. The code for the tool is hosted at https://github.com/Brown-University-Library/geodata_map_inventory.

F. Donnelly 4 Brown University