

ACTL3182 Cheatsheet

Andrew Wu

September 2021

NOTE: Theory sections are written to simplify the text for easy revision. Yours answers to exam questions may need to be more detailed than what is written here. This cheatsheet may be revised throughout the term, please check https://github.com/BrownianNotion/ACTL3182_21T3.git for the latest version.

1 Modern Portfolio Theory

1.1 Utility Theory

1.1.1 Utility Axioms

The expected utility theorem is a consequence of the following axioms:

1. **Completeness (Comparability):** For all decisions A, B , either $A \prec B$, $A \succ B$ or $A \sim B$
2. **Transitivity:** If $A \succ B$ and $B \succ C$, then $A \succ C$
3. **Independence:** If $A \sim B$ then for any C ,

$$G(A, C; \alpha) \sim G(B, C; \alpha)$$

4. **Measurability:** If $A \succ B \succ C$, there exists a unique α such that

$$B \sim G(A, C; \alpha)$$

5. **Ranking:** Suppose $A \succ B \succ D$, $A \succ C \succ D$, $B \sim G(A, D; \alpha_1)$ and $C \sim G(A, D; \alpha_2)$. Then, if $\alpha_1 \geq \alpha_2$, then $B \succ C$.
6. **Certainty Equivalent:** All gambles have a price.

1.1.2 Expected Utility Theorem

Assuming the utility axioms, W_1 is preferred over W_2 iff $\mathbb{E}[U(W_1)] \geq \mathbb{E}[U(W_2)]$

1.1.3 Non-Satiation

Individuals always prefer more wealth to less: $U'(w) > 0$.

1.1.4 Investor types

Type	Wealth Preference	Utility Preference	U''	Concavity
Risk-Averse	$\mathbb{E}[W] \succ W$	$U(\mathbb{E}[W]) > \mathbb{E}[U(W)]$	$U'' < 0$	concave
Risk-Neutral	$\mathbb{E}[W] \sim W$	$U(\mathbb{E}[W]) = \mathbb{E}[U(W)]$	$U'' = 0$	linear
Risk-Lover	$\mathbb{E}[W] \prec W$	$U(\mathbb{E}[W]) < \mathbb{E}[U(W)]$	$U'' > 0$	convex

1.1.5 Risk Premium

The amount $\pi(W)$ that an individual will pay to give up risk:

$$\pi(W) = \mathbb{E}[W] - c(W)$$

where $c(W) := U^{-1}(\mathbb{E}[U(W)])$ is the **certainty wealth equivalent**.

1.1.6 Risk Aversion

Absolute risk aversion $A(w)$ and relative risk aversion $R(w)$

$$A(w) = -\frac{U''(w)}{U'(w)}, \quad R(w) = -w \frac{U''(w)}{U'(w)}.$$

If $A(w)$ is decreasing, then an investor invests more \$ in risky assets as wealth increases.

If $R(w)$ is decreasing, an investor invests a higher proportion of wealth in risky assets as wealth increases.

1.2 Investment Risk Measures

1.2.1 Definition

A function $\theta : X \rightarrow \mathbb{R}$ that summarises an investment's risk with a single number.

1.2.2 Common Examples

1. Variance: $\int_{-\infty}^{\infty} (x - \mu)^2 f_X(x) dx$
2. Downside-Variance: $\int_{-\infty}^{\mu} (x - \mu)^2 f_X(x) dx$
3. Shortfall Probability: $\mathbb{P}(X \leq L)$
4. Expected Shortfall: $\int_{-\infty}^L (L - x) f_X(x) dx$
5. Shortfall Variance: $\int_{-\infty}^L (L - x)^2 f_X(x) dx$

1.2.3 Value-at-Risk:

The Value-at-risk **at level α** is the maximum possible loss from holding a portfolio over a **given time period** so that the **probability of a larger loss is $1 - \alpha$** .

In general,

$$\text{VaR}(\alpha) = \mu - X_{1-\alpha},$$

where $X_{1-\alpha}$ is the $(1 - \alpha)$ -quantile of X . If $X \sim \mathcal{N}(\mu, \sigma^2)$, then $\text{VaR}(\alpha) = \sigma Z_\alpha$.

1.3 Portfolio Optimisation

1.3.1 Two assets

Global Minimum Variance Portfolio:

$$w_A = \frac{\sigma_B^2 - \sigma_{AB}}{\sigma_A^2 + \sigma_B^2 - 2\sigma_{AB}}, \quad w_B = 1 - w_A$$

Portfolio Variance:

$$\sigma_P^2 = w_A^2 \sigma_A^2 + w_B^2 \sigma_B^2 + 2w_A w_B \sigma_{AB}$$

1.3.2 N-risky assets

Minimise $\sigma_P^2 = \mathbf{w}^\top \Sigma \mathbf{w}$, subject to $\mathbf{1}^\top \mathbf{w} = 1$ and $\mathbf{z}^\top \mathbf{w} = \mu$.

Lagrangian: $\mathcal{L}(\mathbf{w}, \lambda, \gamma) = \frac{1}{2} \mathbf{w}^\top \Sigma \mathbf{w} + \lambda(1 - \mathbf{1}^\top \mathbf{w}) + \gamma(\mu - \mathbf{z}^\top \mathbf{w})$

Constants:

$$A = \mathbf{1}^\top \Sigma^{-1} \mathbf{1}, \quad B = \mathbf{1}^\top \Sigma^{-1} \mathbf{z} = \mathbf{z}^\top \Sigma^{-1} \mathbf{1} \\ C = \mathbf{z}^\top \Sigma^{-1} \mathbf{z}, \quad \Delta = AC - B^2$$

Minimum Variance Portfolio:

$$\mathbf{w} = \lambda \Sigma^{-1} \mathbf{1} + \gamma \Sigma^{-1} \mathbf{z}$$

where

$$\lambda = \frac{C - B\mu}{\Delta}, \quad \gamma = \frac{A\mu - B}{\Delta}$$

Portfolio Variance:

$$\sigma_P^2 = \frac{A\mu^2 - 2B\mu + C}{\Delta}$$

Global Minimum Variance Portfolio:

$$\mathbf{w}_g = \frac{1}{A} \Sigma^{-1} \mathbf{1}$$

1.3.3 N-risky assets + risk-free

Minimise $\sigma_P^2 = \mathbf{w}^\top \Sigma \mathbf{w}$, subject to $(\mathbf{z} - r_f \mathbf{1})^\top \mathbf{w} = u - r_f$.

Lagrangian: $\mathcal{L}(\mathbf{w}, \lambda, \gamma) = \frac{1}{2} \mathbf{w}^\top \Sigma \mathbf{w} + \gamma(\mu - r_f - (\mathbf{z} - r_f \mathbf{1})^\top \mathbf{w})$

Minimum Variance Portfolio:

$$\mathbf{w} = \gamma \Sigma^{-1} (\mathbf{z} - r_f \mathbf{1})$$

where

$$\gamma = \frac{\mu - r_f}{Ar_f^2 - 2Br_f + C}$$

Portfolio Variance:

$$\sigma_P^2 = \frac{(\mu - r_f)^2}{Ar_f^2 - 2Br_f + C}$$

Tangency Portfolio:

$$\mathbf{w}_t = \gamma_t \Sigma^{-1} (\mathbf{z} - r_f \mathbf{1})$$

where

$$\gamma_t = \frac{1}{B - Ar_f}$$

1.3.4 Two Fund Theorem (N-risky assets)

All efficient portfolios are a linear combination of any two efficient portfolios.

1.3.5 One Fund Theorem (N-risky + risk-free)

All efficient portfolios are a linear combination of the tangent portfolio and the risk-free asset.

2 Asset Pricing Models

For all parts in section 2, i takes values $1, 2, \dots, N$ and indexes the assets in the market.

2.1 CAPM

2.2 CAPM Assumptions

1. Investors choose optimal portfolios based only on the mean and variance of returns. Justified if returns are normally distributed returns or utility functions are quadratic.
2. Homogeneity: Investors agree on the distribution of returns and plan over a single common period.
3. No Market Frictions (eg. taxes, short-selling restrictions, restricted information)
4. Investors can borrow or lend without limit at the risk-free rate.
5. Market Portfolio consists of all publicly traded assets.

2.2.1 Capital Market Line

$$\mu_e = r_f + \frac{\sigma_e}{\sigma_M}(\mu_M - r_f)$$

2.2.2 Security Market Line

$$\mu_i = r_f + \beta_i(\mu_M - r_f), \quad \text{where}$$

$$\beta_i = \frac{\sigma_{i,M}}{\sigma_M^2}$$

2.2.3 Risk Decomposition

$$\begin{aligned} \sigma_i^2 &= \beta_i^2 \sigma_M^2 + \sigma_{\xi_i}^2 \\ &= \text{Systematic Risk} + \text{Non-systematic Risk} \end{aligned}$$

2.3 Factor Models

2.3.1 Single Factor Model (SFM)

$$r_i = \alpha_i + \beta_i f + \epsilon_i,$$

where α_i, β_i are stock-specific constants, f is the factor capturing market-wide price movement and ϵ_i is a noise term reflecting firm-specific risk.

2.3.2 SFM Assumptions

1. (r_i, f) are jointly normal
2. $\epsilon_i \sim \mathcal{N}(0, \sigma_{\epsilon_i}^2)$
3. $\text{Cov}(\epsilon_i, f) = 0$
4. $\text{Cov}(\epsilon_i, \epsilon_j) = 0$ for $i \neq j$

2.3.3 Risk Decomposition and Covariance

$$\sigma_i^2 = \beta_i^2 \sigma_f^2 + \sigma_{\epsilon_i}^2 = \text{Systematic Risk} + \text{Non-systematic Risk}$$

$$\sigma_{i,j} = \beta_i \beta_j \sigma_f^2$$

2.3.4 Diversification

$$R_P^2 = \frac{\beta_P^2 \sigma_f^2}{\sigma_P^2} = \frac{\text{Systematic Risk}}{\text{Total Risk}}$$

Full diversification when $R_P^2 = 1$.

2.3.5 Multi-Factor Models

$$r_i = \alpha_i + \beta_{i,1}f_1 + \beta_{i,2}f_2 + \dots + \beta_{i,K}f_K + \epsilon_i$$

Factors f_i may include inflation, economic growth, interest rates etc.

2.4 APT

2.4.1 Assumptions

Replace rigid CAPM assumptions with more relaxed assumptions:

1. No arbitrage in the market
2. Large universe of securities
3. Returns follow a factor model

2.4.2 Single-Factor APT Assumptions

Assume returns follow the following factor model:

$$r_i = \alpha_i + \beta_i I + \epsilon_i$$

Define the standardised factor $f := (I - \mu_I)/\sigma_I$ ($\sim \mathcal{N}(0, 1)$) and assume:

1. $\mathbb{E}[\epsilon_i] = 0$
2. $\text{Cov}(\epsilon_i, \epsilon_j) = 0$ if $i \neq j$
3. $\text{Cov}(\epsilon_i, I) = 0$
4. Unlimited short-selling

2.4.3 Single-Factor APT Returns

$$r_i = a_i + b_i f + \epsilon_i$$

$$\mathbb{E}[r_i] = a_i, \quad \sigma_i^2 = b_i^2 + \sigma_{\epsilon_i}^2, \quad \sigma_{i,j} = b_i b_j$$

Under no-arbitrage,

$$a_i = \lambda_0 + \lambda_1 b_i,$$

where $\lambda_0 = r_f$ if there is a risk-free asset. The λ_i 's are called factor prices.

2.4.4 Multi-Factor APT Returns

$$r_i = a_i + b_{i,1}f_1 + b_{i,2}f_2 + \dots + b_{i,K}f_K + \epsilon_i$$

where

$$\mathbb{E}[r_i] = a_i = \lambda_0 + \lambda_1 b_{i,1} + \lambda_2 b_{i,2} + \dots + \lambda_K b_{i,K}$$

and $\lambda_0 = r_f$ if there is a risk-free asset.

2.5 Market Efficiency

2.5.1 Investment approaches

1. Technical analysis: Analyse historical data (price and volume).
2. Fundamental analysis: Measure intrinsic value of stocks and compare with market price.
3. Efficient market selection: Define acceptable risk level and form broad portfolio.

2.5.2 Types of market efficiency

1. Strong form: Market prices reflect all information including insider information.
2. Semi-strong form: Market prices reflect all publicly available information
3. Weak form: Market prices reflect all historical data

3 Discrete Time Derivative Pricing

3.1 Options

Let: S_t denote the time t stock price, c_t, p_t denote the time t European call/put prices, T denote the option's maturity, K denote its strike price and r denote the risk-free rate.

3.1.1 Vanilla Options

A vanilla European call/put gives the holder the right **but not obligation** to buy/sell the asset at maturity T for strike price K . American options are defined the same way except they can be exercised at **any time up to maturity**.

Moneyness	European Call	European Put
In the money	$S_T > K$	$S_T < K$
At the money	$S_T = K$	$S_T = K$
Out of the money	$S_T < K$	$S_T > K$

3.1.2 Payoff Functions and Price Bounds


Define $0 \leq U \leq T$ as the exercise time for an American option. $U := \infty$ if option not exercised.

Note: $(X)_+ := \max\{0, X\}$. Option bounds are for option prices at **time t** .


Option	Payoff	Lower Bound	Upper Bound
European Call	$(S_T - K)_+$	$S_t - Ke^{-r(T-t)}$	S_t
European Put	$(K - S_T)_+$	$Ke^{-r(T-t)} - S_t$	$Ke^{-r(T-t)}$
American Call	$(S_U - K)_+$	$S_t - Ke^{-r(T-t)}$	S_t
American Put	$(K - S_U)_+$	$K - S_t$	K

3.1.3 Position Diagrams


Long position = buy, short position = sell. Position diagrams graph the option payoff vs terminal asset price for a given position. Profit diagrams shift the position curves up/down as they account for the price of the option. Below are some position diagrams for European options.



Long Put



Short Put




3.1.4 Put-Call Parity

Under no arbitrage, for $0 \leq t \leq T$:

$$c_t + Ke^{-r(T-t)} = p_t + S_t$$

3.2 Discrete Time Pricing

3.2.1 One Period Binomial Model



The replicating portfolio (stocks, bonds) is:

$$\phi = \frac{f_3 - f_2}{s_3 - s_2}, \quad \psi = \frac{1}{B_0} e^{-r\delta t} (f_3 - \phi s_3)$$

The derivative price today is:

$$V_0 = \phi s_1 + \psi B_0$$

Rewriting with risk-neutral probabilities:


$$V_0 = e^{-r\delta t} (qf_3 + (1-q)f_2) = e^{-r\delta t} \mathbb{E}^Q[X]$$

where

$$q = \frac{s_1 e^{r\delta t} - s_2}{s_3 - s_2}.$$

3.2.2 Multi-Period Binomial Model

Apply the one-period Binomial model to each internal node and recurse work backwards to find price. As an example, below is the two-period binomial model price:



For $j = 1, 2, 3$:

$$q_j = \frac{s_j e^{r\delta t} - s_{2j}}{s_{2j+1} - s_{2j}}, \quad f_j = e^{-r\delta t} [q_j f_{2j+1} + (1 - q_j) f_{2j}]$$

Substituting f_2, f_3 into f_1 ,

$$f_1 = e^{-2r\delta t} [q_1 q_3 f_7 + q_1 (1 - q_3) f_6 + (1 - q_1) q_2 f_5 + (1 - q_1) (1 - q_2) f_4]$$

3.2.3 Risk-Neutral Probabilities

- Under risk neutral world, price = discounted expected value of payoff.
- Risk preference of investor no longer needs to be considered.
- We do **not** use real world probabilities to calculate the price

4 Continuous Time Derivative Pricing

4.1 Measure Theory

4.1.1 Equivalent Probability Measures

Measures \mathbb{P} and \mathbb{Q} are equivalent iff for all events A , $\mathbb{P}(A) > 0$ iff $\mathbb{Q}(A) > 0$.

4.1.2 Radon-Nikodym Derivative

The Radon-Nikodym Derivative (denoted by ζ or $\frac{d\mathbb{Q}}{d\mathbb{P}}$) is a function that allows the interchange between equivalent probability measures. If \mathbb{P} and \mathbb{Q} are equivalent, then for all events A :

$$\mathbb{Q}(A) = \mathbb{E}^{\mathbb{Q}}[1_A] = \mathbb{E}^{\mathbb{P}}[\zeta \cdot 1_A]$$

Furthermore, for any integrable random variable X ,

$$\mathbb{E}^{\mathbb{Q}}[X] = \mathbb{E}^{\mathbb{P}}[\zeta X].$$

4.2 Stochastic Processes

4.2.1 Definition

A stochastic process is a set of random variables $\{X_t : t \in \mathcal{I}\}$ where \mathcal{I} is usually a time-interval (eg. $[0, T]$). We usually abbreviate the process by the capital letter $X := \{X_t : t \in \mathcal{I}\}$.

4.2.2 Filtration

A filtration $\{\mathcal{F}_t : t \in \mathcal{I}\}$ is a set of information sets where $\mathcal{F}_s \subseteq \mathcal{F}_t$ for $s \leq t$ and \mathcal{F}_t contains the history of the process X_t up to time t .

4.2.3 Martingale

A stochastic process M is a martingale if for $s \leq t$,

$$\mathbb{E}[M_t | \mathcal{F}_s] = M_s$$

4.2.4 Brownian Motion

A stochastic process W is a \mathbb{P} -Wiener Process (Brownian Motion) iff under measure \mathbb{P} :

1. $W_0 = 0$ almost surely
2. W_t is continuous almost surely
3. $W_t - W_s \sim \mathcal{N}(0, t - s)$
4. $W_t - W_s$ is independent of \mathcal{F}_s

4.3 Stochastic Calculus

4.3.1 Stochastic Differential Equation

Suppose the stochastic process X can be written as

$$X_t = x_0 + \int_0^t a_s ds + \int_0^t b_s dW_s$$

where $a(\cdot), b(\cdot)$ are appropriate functions (possibly stochastic processes) and x_0 is a constant. This is abbreviated as

$$dX_t = a_t dt + b_t dW_t, \quad X(0) = x_0$$

and X is called an **Itô process**.

4.3.2 Itô's Lemma

Itô's Lemma tells us that smooth functions of Itô processes are also Itô processes as well as how they can be decomposed into a ds and dW_s integral term.

Specifically, if $f(x), F(t, x)$ are deterministic functions with continuous (partial) derivatives up to the second order, then

$$df(X_t) = f'(X_t) dX_t + \frac{1}{2} f''(X_t) dX_t dX_t$$

$$dF(t, X_t) = \frac{\partial F}{\partial t}(t, X_t) dt + \frac{\partial F}{\partial x}(t, X_t) dX_t + \frac{1}{2} \frac{\partial^2 F}{\partial x^2}(t, X_t) dX_t dX_t.$$

These equations can be simplified using the following multiplication table:

\times	dt	dW_t
dt	0	0
dW_t	0	dt

4.3.3 Radon-Nikodym Derivative Process

The Radon-Nikodym Derivative process allows the interchange between equivalent probability measures when dealing with **conditional** expectations. Define $\zeta_t = \mathbb{E}^{\mathbb{Q}}[\frac{d\mathbb{Q}}{d\mathbb{P}} | \mathcal{F}_t]$. For any integrable random variable X and $0 \leq t \leq T$,

$$\mathbb{E}^{\mathbb{Q}}[X | \mathcal{F}_t] = \frac{\mathbb{E}^{\mathbb{P}}[X \zeta_T | \mathcal{F}_t]}{\zeta_t},$$

where the above is an 'abstract' Bayes formula.

4.3.4 Girsanov-Theorem

Girsanov's Theorem allows us to obtain the stochastic differential equation for a stock under an different but equivalent measure.

Suppose W is a \mathbb{P} -Brownian Motion and $\gamma(\cdot)$ is a pre-visible process. Then there exists an equivalent measure \mathbb{Q} with Radon-Nikodym derivative

$$\zeta_T = \exp \left[- \int_0^T \gamma_s dW_s - \frac{1}{2} \int_0^T \gamma_s^2 ds \right]$$

such that the process $W^{\mathbb{Q}}$ is a \mathbb{Q} -Brownian Motion, where

$$W_t^{\mathbb{Q}} = W_t + \int_0^t \gamma_s ds.$$

4.4 Pricing Framework

4.4.1 Fundamental Theorem of Asset Pricing

The market has **no arbitrage** iff there exists a (unique) **equivalent martingale measure** \mathcal{Q} under which **discounted stock processes are martingales**. \mathcal{Q} is also called the risk-neutral measure.

4.4.2 Pricing Framework Summary

The following steps give a rigorous justification for derivative pricing under \mathcal{Q} .

1. Identify a measure \mathcal{Q} where the discounted stock process Z given by $Z_t = S_t/B_t$ is a \mathcal{Q} -martingale.
2. Let $Y_t = \mathbb{E}^{\mathcal{Q}}[X/B_T | \mathcal{F}_t]$. Under \mathcal{Q} , Y and Z are martingales so by the martingale representation theorem, there exists a pre-visible process ϕ such that

$$Y_t = Y_0 + \int_0^t \phi_s dZ_s.$$

3. Construct a portfolio ϕ_t units of Stock and $\psi_t := Y_t - \phi_t Z_t$ dollars of Bond.
4. The portfolio (ϕ_t, ψ_t) is self-financing and has the same payoff as the derivative at maturity.
5. By the Law of One Price, the prices must match at all times $0 \leq t \leq T$, so

$$\text{Price}_t = \mathbb{E}^{\mathcal{Q}}[X \cdot B_t/B_T | \mathcal{F}_t].$$

In other words, the price is the discounted expected value under measure \mathcal{Q} , taking into account current information \mathcal{F}_t .

4.5 Black-Scholes-Merton Model

4.5.1 Assumptions

1. No arbitrage
2. Unlimited borrowing and lending at the risk-free rate r
3. No Market frictions (eg. short selling restrictions, transaction fees)
4. The underlying stock does not pay dividends.
5. The stock process follows a Geometric Brownian Motion

$$S_t = S_0 e^{(\mu - \frac{1}{2}\sigma^2)t + W_t}$$

$$\iff dS_t = \mu S_t dt + \sigma S_t dW_t$$

6. The option is European

4.5.2 Put and Call Formulas

Define:

$$d_1 = \frac{\ln(S_t/K) + (r + \frac{1}{2}\sigma^2)(T-t)}{\sigma\sqrt{T-t}}, \quad d_2 = d_1 - \sigma\sqrt{T-t}$$

Then,

$$c_t = S_t N(d_1) - K e^{-r(T-t)} N(d_2)$$

$$p_t = K e^{-r(T-t)} N(-d_2) - S_t N(-d_1),$$

where $N(\cdot)$ is the cdf of the standard normal distribution.

5 Term Structure Modelling and Asset-Liability Management

5.1 Short-Rate Models

5.1.1 Merton Model:

$$dr_t = \alpha dt + \sigma dW_t$$

- Tractable
- r_t and $\int_0^t r_s ds$ are normally distributed.
- Unrealistic (no mean-reversion and allows negative values)

5.1.2 Vasicek Model:

$$dr_t = \alpha [\mu - r_t] dt + \sigma dW_t$$

- Mean-Reverting
- r_t and $\int_0^t r_s ds$ are normally distributed.
- Still allows negative values.

5.1.3 Hull White Model:

$$dr_t = \alpha_t [\mu_t - r_t] dt + \sigma_t dW_t$$

- Generalised version of Vasicek-Model
- α, σ no longer constant

5.1.4 CIR Model:

$$dr_t = \alpha [\mu - r_t] dt + \sigma \sqrt{r_t} dW_t$$

- Mean-Reverting
- Square root term keeps r_t positive

5.2 Ho-Lee Model

5.2.1 Definition

The Ho-Lee model models the short rate using a binomial tree.

$$r(k, s) = a(k) + b(k)s$$

where k = time and s = number of jumps.

$$\begin{array}{ccccccc}
 & & & r(2, 2) & & & a(2) + 2b(2) \\
 & & r(1, 1) & r(2, 1) & & a(1) + b(1) & a(2) + b(2) \\
 r(0, 0) & r(1, 0) & r(2, 0) & a(0) & a(1) & a(2)
 \end{array}$$

5.2.2 Calibration

In general,

$$b(k) = 2 \cdot \text{st.dev}(r(k))$$

The parameters $a(k)$ are found by equating with price of Zero-Coupon Bonds. Take $q = 1/2$ in most situations.

$$\begin{aligned}
 B(0, 1) &= \frac{1}{1 + a(0)} \\
 B(0, 2) &= \frac{1}{1 + a(0)} \left((1 - q) \frac{1}{1 + a(1)} + q \frac{1}{1 + a(1) + b(1)} \right)
 \end{aligned}$$