

B	7	123	31.5	2		184	B	7	16.6	1	NOVA
B	8	68	79	7		174	B	7	15	1	NOVA
B	8	99	X	X	DEAD	375	B	8	18.5	1	ULY
B	8	115				152	B	8	12	1	ULY
B	9	10	40	2							
B	9	50	28.6	4		163	B	9	12	2	ULY
B	9	56	29	3							
B	9	61	72	9							
B	9	71	28.4	1							
B	9	77	68.8	7							
B	9	78	44	4							
B	9	81	36	4							
B	10	5	66	3							
B	10	45	105	13							
B	10	47	24	4							
B	10	54	42	5							
C	1	105	65	6	SPLITN 1/2 by hufall	C	1	173	30	1	ULY in a grassfall
C	1	129	67	4		C1	→ hufall trap on c1/51 Bonner	trap			
C	1	131	21.5								
C	1	137	15	2							
C	2	88	33	4		C	2	196	16.2	2	ULY
C	2	96	45.3	2+1		C	2	200	43	6	ULY
C	3	55	19	2		C	3	179	7	1	NOVA
C	3	91	36	5							
C	3	95	13	1							
C	4	33	58.2	4							
C	4	37	68.2	6							
C	5					C	5	190	10	1	NOVA
C	6	35	18.8	2							
C	7	101	10.5	1							
C	8	8	17	2							
C	8	9	10	1							
C	8	52	18.6	2							
C	8	92	21.3	6							
C	8	100	17	1							
C	8	124	14.2	2							
C	8	143	12	1							
C	9	22	19	2							
C	9	69	33	4							
C	9	70	46	4							
C	9	79	30	4							
C	10	38	57	7		139	C	10	25	1	ULY
C	10	53	78	12							
C	10	57	30	1	mol falln tree						
D	1	89	70	6	Ropeo 441/330/280/031 1d						
D	1	108	66	5							
D	1	116	39.5	2							
D	1	121	31	4							
D	1	138	X	X	DEAD						
D	2	14	50.3	5							

XEROX 1