#### Interactr

Iteration 2

Jelle de Coninck, Hannes De Smet, Bruno Vandekerkhove, Shani Vanlerberghe April 26, 2018


KULeuven

#### **Table of contents**

- 1. Design
- 2. Extensibility
- 3. Testing
- 4. Project Management


# Design

### **Design - Domain Model (Mapping)**



- Low representational gap
- Virtually nothing changed
- Prefixes fixed

### Design - Typical Flow



#### Design - DiagramController

- Used to be quite central (managed Diagram itself)
- Has sorted list of subwindows which keep track of diagram views
- Each DiagramView manages the Diagram directly
- Synchronisation done with Observer pattern (see later)

Controller - Low Coupling

#### **Design - Subwindows**

DiagramController uses sorted list of subwindows (drawn in reverse order)


- Each subwindow has frame
- Responsible for moving and resizing this frame
- Responsible for selection and editing of the labels
- Use of bitflags
- ⇒ Sequence Diagram (Resize Subwindow)

### **Design - Drawing**

- SubWindow and DiagramView draw themselves.
- Use of clipping rectangle set on PaintBoard

Information Expert

#### **Design - Synchronisation**



Pure Fabrication - Observer (GoF)

#### **Design - GoF Patterns**

#### 4 patterns :

- PaintBoard : Facade
- proposedFigure(): Factory Method
- $\bullet$  DiagramNotificationCenter : Singleton & Observer

#### Design - Coding

- Refactored here and there (eg. Extract Method in response to Duplication)
- Defensive programming use of exceptions
- Everything is documented (informally)

### Design - Edit Label

 $\Rightarrow$  Sequence Diagram (Edit Label)

**Extensibility** 

#### **Extensibility - Observer**

#### 3 methods considered:

- DiagramObserver interface with one method diagramDidUpdate, passing along the update type and associated parameters (in a dictionary)
- Keeping SubWindow and DiagramView in separate lists as observers
- DiagramObserver interface with methods with default implementations

Second method currently in use, last two methods similar in terms of extensibility. First method causes messy code with lots of instanceof.

## **Testing**

#### **Testing - Methods**

#### Combination of:

- Recordings
- Step-by-step recordings
- Unit tests

## **Testing - Coverage**

Element	Class,%	Method, %	Line, %
domain	100% (8/8)	98% (53/54)	98% (187/189)
exceptions	100% (10/10)	100% (3/3)	100% (15/15)
purecollections	100% (27/27)	86% (137/158)	88% (367/416)
resources			
ui ui	96% (32/33)	87% (251/286)	85% (1067/1253)

**Project Management** 

## **Project Management - Overview**

- +- 50 hours per person
- Started early with design
- Code was nearly finished early on
- Last weeks were spent on refactoring and testing

## **Demonstration**