

Standard Normal Distribution

Objectives

- 1 Find the area under a normal curve given z score(s)
- 2 Find the z scores corresponding to a given area

Continuous Distributions

Continuous Probability Distribution

A **continuous probability distribution** is a probability distribution in which the observations are continuous variables.

Continuous Distributions


Continuous Probability Distribution

A **continuous probability distribution** is a probability distribution in which the observations are continuous variables.

In this section, we are going to discuss the **standard normal distribution**, whose histogram resembles a bell-shaped curve.

Equation and Graph of Standard Normal Distribution

$$f(z) = \frac{1}{\sqrt{2\pi}} e^{-z^2/2}$$



Properties of the Standard Normal Distribution

- The mean is 0 and the standard deviation is 1

Properties of the Standard Normal Distribution

- The mean is 0 and the standard deviation is 1
- The graph is symmetric about the mean

Properties of the Standard Normal Distribution

- The mean is 0 and the standard deviation is 1
- The graph is symmetric about the mean
- **The area under the curve represents the probability of obtaining a z score in that area.**

Properties of the Standard Normal Distribution

- The mean is 0 and the standard deviation is 1
- The graph is symmetric about the mean
- **The area under the curve represents the probability of obtaining a z score in that area.**
- The total area under the curve equals 1

Example 1


Find the area under the curve to the left of each of the following z scores.

(a) $z = 0$

Example 1

Find the area under the curve to the left of each of the following z scores.


(a) $z = 0$



Example 1

Find the area under the curve to the left of each of the following z scores.


(a) $z = 0$



Example 1

Find the area under the curve to the left of each of the following z scores.

(a) $z = 0$




0.5

$$P(z \leq 0) = 0.5$$


Example 1

(b) $z = -1$



Example 1


(b) $z = -1$



0.1587

Example 1

(b) $z = -1$




0.1587

$$P(z \leq -1) = 0.1587$$


Example 1

(c) $z = 1.75$



Example 1


(c) $z = 1.75$



0.9599

Example 1

(c) $z = 1.75$



0.9599

$$P(z \leq 1.75) = 0.9599$$

Example 2


Find the area under the curve to the right of each of the following z scores.

(a) $z = -0.25$

Example 2

Find the area under the curve to the right of each of the following z scores.


(a) $z = -0.25$



Example 2

Find the area under the curve to the right of each of the following z scores.

(a) $z = -0.25$




0.5987

Example 2

Find the area under the curve to the right of each of the following z scores.

(a) $z = -0.25$



$$0.5987$$


$$P(z \geq -0.25) = 0.5987$$

Example 2

(b) $z = 2$


Example 2

(b) $z = 2$



Example 2


(b) $z = 2$



0.0228

Example 2


(b) $z = 2$



0.0228

$$P(z \geq 2) = 0.0228$$

Finding the Area Between Two z Scores



Example 3


Find the area under the curve between the given z scores.

(a) $z = -1$ and $z = 1$

Example 3

Find the area under the curve between the given z scores.


(a) $z = -1$ and $z = 1$



Example 3

Find the area under the curve between the given z scores.

(a) $z = -1$ and $z = 1$




$$P(-1 \leq z \leq 1) = 0.6827$$

Example 3

(b) $z = -2$ and $z = 2$


Example 3

(b) $z = -2$ and $z = 2$



Example 3

(b) $z = -2$ and $z = 2$




$$P(-2 \leq z \leq 2) = 0.9545$$

Example 3

(c) $z = -3$ and $z = 3$


Example 3

(c) $z = -3$ and $z = 3$



Example 3

(c) $z = -3$ and $z = 3$



$$P(-3 \leq z \leq 3) = 0.9973$$

Empirical Rule

For normally distributed data, the Empirical (sometimes called 68-95-99.7 Rule) states that

Empirical Rule

For normally distributed data, the Empirical (sometimes called 68-95-99.7 Rule) states that

- About 68% of the data will lie within 1 standard deviation of the mean.

Empirical Rule

For normally distributed data, the Empirical (sometimes called 68-95-99.7 Rule) states that

- About 68% of the data will lie within 1 standard deviation of the mean.
- About 95% of the data will lie within 2 standard deviations of the mean.

Empirical Rule

For normally distributed data, the Empirical (sometimes called 68-95-99.7 Rule) states that


- About 68% of the data will lie within 1 standard deviation of the mean.
- About 95% of the data will lie within 2 standard deviations of the mean.
- About 99.7% of the data will lie within 3 standard deviations of the mean.

Total Outside Two z Scores

We can use the **complement rule** to find the total area under the normal curve *not between* two z scores:


Total Outside Two z Scores

We can use the **complement rule** to find the total area under the normal curve *not between* two z scores:



Total Outside Two z Scores


We can use the **complement rule** to find the total area under the normal curve *not between* two z scores:



$$P(|z| \geq 2) =$$

Total Outside Two z Scores


We can use the **complement rule** to find the total area under the normal curve *not between* two z scores:



$$\begin{aligned}P(|z| \geq 2) &= \\&= 1 - P(|z| \leq 2)\end{aligned}$$

Total Outside Two z Scores

We can use the **complement rule** to find the total area under the normal curve *not between* two z scores:



$$\begin{aligned}P(|z| \geq 2) &= \\&= 1 - P(|z| \leq 2) \\&\approx 0.0455\end{aligned}$$

Objectives

- 1 Find the area under a normal curve given z score(s)
- 2 Find the z scores corresponding to a given area

Finding z Score for a Given Area

This is just working backwards from the our previous examples.

Finding z Score for a Given Area

This is just working backwards from the our previous examples.

Keep in mind that most (not all) technology will ask you for the area to the *left* of the needed z score.

Example 4


Find the z score which has the given area to the left of it. Round to 3 decimal places.

(a) 0.05

Example 4

Find the z score which has the given area to the left of it. Round to 3 decimal places.


(a) 0.05



Example 4

Find the z score which has the given area to the left of it. Round to 3 decimal places.

(a) 0.05



$$z \approx -1.645$$

Area to the Left as a Percent


Since the area to the left of $z = -1.645$ in Example 4a is about 0.05, we would say that a z score of -1.645 is in the 5th percentile.

Example 4

(b) What z score is in the 90th percentile?


Example 4

(b) What z score is in the 90th percentile?



Example 4

(b) What z score is in the 90th percentile?



Example 4


Find the z score which has the given area to the *right* of it. Round to 3 decimal places.

(c) 0.3

Example 4

Find the z score which has the given area to the *right* of it. Round to 3 decimal places.


(c) 0.3



Example 4

Find the z score which has the given area to the *right* of it. Round to 3 decimal places.

(c) 0.3




$$z \approx 0.524$$

Example 4

(d) Area to the right is 0.5


Example 4

(d) Area to the right is 0.5



Example 4

(d) Area to the right is 0.5



Example 5


Find the z scores that separate the given middle percent of the data from the other values.

(a) 50%

Example 5

Find the z scores that separate the given middle percent of the data from the other values.


(a) 50%



Example 5

Find the z scores that separate the given middle percent of the data from the other values.

(a) 50%




$$z = \pm 0.674$$

Example 5

(b) The middle 95%


Example 5

(b) The middle 95%



Example 5

(b) The middle 95%




$$z = \pm 1.960$$

Example 5

(c) Find the z scores that separate the middle from the remaining 20%


Example 5

(c) Find the z scores that separate the middle from the remaining 20%



Example 5

(c) Find the z scores that separate the middle from the remaining 20%



$$z = \pm 1.282$$