	Logo	
3BR	STUDENT REPORT SO SELECTION OF	,
C030 3886	STUDENT REPORT STUDENT REPORT STAILS SHAPER SHAP	-3kCO;
/ .C	STAILS 38PA ³ ECO ^{3O} 3PA ³ ECO ^{3O} 3P	3BRD 3
DE	ETAILS SAN LEGAN AND AND AND AND AND AND AND AND AND A	\rightarrow
200	Name for a set of the	6030 3V
25	C NAAZNEEN	
273EC038	Roll Number 2 20 35 460 4813 20 35 460 20 20 20 20 20 20 20 20 20 20 20 20 20	
5	3BR23EC030	38R/V
ÊX	PERIMENT OF THE PROPERTY OF TH	330
Titl		°0;
_	e garant and	3R23E
236	38th, 030 3th of the same of t	5
38R13KC	3BR23EC030 (PERIMENT) (PERIM	C03038
	Tod die the head of the election committee in your village. Edon't children party is absociated with a unique number and the	COS
223EC035	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	
273	number. Return -1 if there is no party with a majority.	38R23
(Note: If only one vote is there he is the winner.	2,2
,c03038f	Input Format:	0
COL	input1: An integer value representing the number the number of voters	273EC0?
-4	input2: An integer array A representing the votes of the voters.	5,
03BR23K	output Format:	08
)	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	, co30 38
\mathrew{\gamma}{2}	Example 1:	7
R13EC035	Input:	2
, -	6	38K
36	112223	
,c03036	Output:	(G
•	2	838
2234	Explanation:	
3B,	As 2 got the most number of votes i.e 3.	and the second
	Example 2:	Soft
	Input:	٠
	6	36 B
	121122	32
	Output:	~
	-1	213 213
	Explanation:	100

Explanation:

Source Code:

d={ }

else:

n=int(input()) arr=list(map(int,input().split())) if n==1: print(arr[0]) for i in arr: if i not in d:

x=sorted(d.items(),key=lambda x:x[1], reverse =True) if x[0][1]==x[1][1]: print(-1) else:

RESULT

6 / 6 Test Cases Passed | 100 %

d[i]=1

d[i]+=1

print(x[0][0])

else: