
Behavioral Research Program

Webinar on Funding for Tobacco and HIV Research in Low and Middle Income Countries (LMICs)



Using WebEx and Webinar Logistics



- Submit questions at any time during the presentation. Type into the Q&A feature on the right of the interface and press "submit"
 - Closed captioning is available by selecting the Media Viewer Panel on the right hand side of your screen
- To connect to the live audio, we recommend having the system call you. Enter your telephone number (include area code) and select "Call Me" OR dial in to the session at:

Conference #: 1-855-244-8681

Access Code: 734 846 807

Webinar Format



Agenda

- Background
- FOA Details
- Resources
- Questions
 - Questions about specific aims or grant application details will not be addressed

Mark Parascandola, PhD, MPH Tobacco Control Research Branch National Cancer Institute

Background

Tobacco and HIV in Low and Middle Income Countries (LMICs)



NCI DCCPS Organizational Structure

Division of Cancer Control and Population Sciences (DCCPS)

Healthcare Delivery Research Program Behavioral Research Program Epidemiology and Genomics Research Program Surveillance Research Program

The Behavioral Research Program (BRP) initiates, supports, and evaluates a comprehensive program of research including basic behavioral and psychological science as well as the development, testing, and dissemination of interventions in cancer control areas such as tobacco use, diet and energy balance, and sun protection.

How We Fund Grants

- Although most of our portfolio consists of investigator-initiated (unsolicited) grants,
 BRP also supports grant applications in specific areas of interest
 - Requests for Applications (RFA)
 - Identifies the specific receipt date(s), the estimated amount of funds earmarked for the initiative, the number of awards likely to be funded, and any specific criteria for scientific peer review; applications received in response to a particular RFA are reviewed by an Institute's Scientific Review Group
 - Program Announcements (PA)
 - Most PA applications are submitted with a standing receipt date and are reviewed with all other applications received at that time using standard peer-review processes
 - Program Announcement (PAR)
 - Program announcements with special receipt, referral, and/or review considerations

Grant Mechanisms – R01 and R21

NIH Exploratory/Developmental Grant **NIH Research Project Grant** (R01) (R21) Used to support a discrete, specified, and Encourages new, exploratory, and circumscribed research project developmental research projects by providing support for early stages of project NIH's most commonly used grant program development No specific dollar limit unless specified in Sometimes used for pilot and feasibility Funding Opportunity Announcement (FOA) studies Advance permission required for \$500K or Limited to up to two years of funding more (direct costs) in any year Combined budget for direct costs for the Generally awarded for 3-5 years two-year project period usually may not exceed \$275,000 No preliminary studies are required

FOA Details

Tobacco and HIV in Low and Middle Income Countries (LMICs)



Funding Announcements

Tobacco Use and HIV in Low and Middle Income Countries (LMICs)

PAR-17-087 [R01]

https://grants.nih.gov/grants/guide/pa-files/PAR-17-087.html

PAR-17-086 [R21]

https://grants.nih.gov/grants/guide/pa-files/PAR-17-086.html

National Institute on Drug Abuse (NIDA) is participating with NCI

 Grants can be submitted to either NIDA or NCI, and either Institute can be named as a secondary assignment

Goals of Funding Announcement

Encourage research focused on tobacco use and HIV/AIDS in low and middle income countries (LMICs). In particular, applications are encouraged that focus on the development and evaluation of tobacco cessation interventions tailored to HIV positive populations, including those with co-morbidities such as tuberculosis (TB), in low-resource settings.

- Novel, transdisciplinary nature of addressing tobacco use in context of HIV in LMICs
- Bring together investigators from diverse disciplines and research foci to pool their efforts on this syndemic
- Encourage sharing of research strategies and data across disciplines and geographic regions
- Dedicated review group with experience in LMICs and both tobacco and HIV
 - PAR = no set aside funding

Background: Tobacco and HIV/AIDS

- Smoking prevalence higher among people living with HIV (PLHIV) compared with general population
- PLHIV who smoke tobacco suffer greater morbidity and mortality than non-smoking counterparts
- PLHIV who smoke have higher risk of infection, greater progression from HIV to AIDS, and weaker response to anti-retroviral therapy (ART)
- Introduction of ART has led to decline in AIDS mortality and increased life expectancy for PLHIV, increasing risk for NCDs and related behavioral risk factors

The "Syndemic" of Tobacco, HIV and TB

- 37 million people living with HIV, including 15.8 million on ART
 - 70% of HIV infections in Sub-Saharan Africa
- Tobacco use declining in HICs, but burden shifting to LMICs
 - 84% of world's 1.3 billion smokers live in LMICs
- Both tobacco use and HIV contribute to TB
 - One third of PLHIV are infected with latent TB
 - Tobacco use estimated to account for 25% of global TB mortality
- Existing HIV and TB prevention and treatment guidelines do not include a focus on tobacco use

Many Questions and Local Concerns

- Links among smoking and HIV acquisition, morbidity and mortality are poorly understood
- Many important variables vary by country or culture
 - Acceptability of tobacco use
 - Patterns of use
- Policies related to tobacco vary widely by country
 - Regulation of tobacco products
 - Funding and infrastructure for smoking cessation and prevention
 - Integration among different health care services related to HIV, TB & tobaccouse

Opportunities and Challenges

- HIV and TB treatment context provides opportunity to intervene around tobaccouse
 - Existing infrastructure for community interventions
 - Diagnosis of HIV/AIDS or TB provides teachable moment
- However, smoking cessation interventions for PLHIV present additional challenges
 - Lower cessation rates
 - Complications with other substance abuse, mental illness, socio-economic status
- Bulk of the evidence base for tobacco cessation comes from HICs
 - LMICs may have limited access to pharmacologic treatments, fewer trained health professionals, weaker tobacco control policies
 - Need for tailored interventions in LMIC context

Sample of Example Research Questions

- What types of tobacco cessation interventions are most effective in persons with HIV, with or without TB co-infection, to achieve improved tobacco abstinence as well as disease treatment outcomes in low-resource environments?
- What are the barriers to integrating tobacco control interventions into the existing HIV and TB prevention and treatment context in LMICs?
- What is the cost-effectiveness of integrating smoking cessation within HIV and TB treatment? What interventions can be effectively introduced to low-resource settings in LMICs?
- How does the social and behavioral context of tobacco use in PLHIV in LMICs, including the use and abuse of other substances, influence tobacco use behavior and cessation outcomes?
- What policy interventions could be embedded in HIV and TB control programs that would serve to improve the outcomes of cessation or prevention efforts at both a clinical and population level?

Evaluation Criteria

Standard Review Criteria:

Significance, Investigator(s), Innovation, Approach, Environment

Specific to this FOA:

- Is the study or intervention appropriate for LMIC settings?
- Can the intervention be scaled up and implemented in the setting in which it is being studied?
- Does the project provide a well-developed plan for dissemination of research results to the LMIC countries where the research is taking place?

Other Important Information

- Applications will be evaluated by reviewers with relevant expertise in HIV/AIDS, tobacco control, and global health
- R01s are 3-5 year grants, which require preliminary studies
- R21s are 2-year grants, which are considered exploratory and do not require preliminary studies
- Non-domestic (non-U.S.) Entities (Foreign Institutions) are eligible to apply.
- Grants with direct costs ≥ \$500,000 in any year <u>require</u> Program approval for submission
 - Submit materials to Program Director at least 8 weeks prior to receipt

Resources

Tobacco and HIV in Low and Middle Income Countries (LMICs)



Read the FOAs Very Carefully!

- Open Date (Earliest Submission Date): March 4, 2017
- Application Due Dates: April 4, 2017; November 1, 2017; April 4, 2018; November 1, 2018; April 4, 2019, November 1, 2019
- AIDS Application Due Dates: May 7, 2017; January 7, 2018; May 7, 2018; January 7, 2019; May 7, 2019
- Letter of Intent Due Date: 30 days prior to the application due date
- Earliest Start Date: October 2017; May 2018; October 2018; May 2019; October 2019; May 2020
- Expiration Date: January 8, 2020
- Start the process early! Allow time for registration in the System for Award Management, eRA Commons, and Grants.gov

Program Contacts

National Cancer Institute

Mark Parascandola, Ph.D.

National Cancer Institute (NCI)

Telephone: 240-276-6871

Email: Mark.Parascandola@nih.gov

National Institute on Drug Abuse

Richard Jenkins, Ph.D.

National Institute on Drug Abuse (NIDA)

Telephone: 301-402-1923

Email: jenkinsri@mail.nih.gov

Resources for New Funding Announcements

- Today's webinar and list of FAQs (both leading up to and following the webinar) will be posted online:
 - http://cancercontrol.cancer.gov/funding-foa-applicants.html
 - There, you can also find links to FOAs and Program Director contact information
- Connect with any BRP staff member via contact information listed on:
 - http://staffprofiles.cancer.gov/brp/
 - Email questions to BRP anytime at ncidccpsbrpadvances@mail.nih.gov
 - Subscribe or unsubscribe from NCI/BRP email updates at http://cancercontrol.cancer.gov/brp/e-newsletter/subscribe.html

Questions

Tobacco and HIV in Low and Middle Income Countries (LMICs)



Stay connected with us!

Sign up for our Scientific Advances e-Newsletter at: cancercontrol.cancer.gov/brp/e-newsletter/subscribe.html

Follow us on Twitter: @NCIBehaviors



U.S. Department of Health & Human Services National Institutes of Health | National Cancer Institute

cancercontrol.cancer.gov/brp

1-800-4-CANCER Produced February 2017