Volume 3: List of Multi-run Quadratizations

Nike Dattani and Andreas Soteriou (Dated: 22nd September 2019)

DECOMPOSITION OF A MONOMIAL

$$b_1 b_2 b_3 \dots b_k = \min (b_1 b_2 \dots b_{k_1}, b_{k_1+1} b_{k_1+2} \dots b_{k_2}, b_{k_2+1} b_{k_2+2} \dots b_{k_3}, \dots, b_{k_n+1} b_{k_n+2} \dots b_k)$$

$$(1)$$

 $b_1b_2b_3...b_k = \min(b_1, b_2, b_3, ..., b_k)$ (Example of Eq. 1: Linearization of a degree-k monomial). (2)

 $b_1b_2b_3b_4 = \min(b_1b_2, b_3b_4)$ (Example of Eq. 1: Quadratization of a degree-4 monomial). (3)

$$b_1b_2b_3b_4b_5b_6b_7b_8$$
: (4)

$$\longrightarrow 3b_a + b_1b_2 + b_1b_3 + b_1b_4 + b_2b_3 + b_2b_4 + b_3b_4 - 2b_a(b_1 + b_2 + b_3 + b_4)$$
(5)

$$\longrightarrow 3b_a + b_5b_6 + b_5b_7 + b_5b_8 + b_6b_7 + b_6b_8 + b_7b_8 - 2b_a(b_5 + b_6 + b_7 + b_8) \tag{6}$$

DECOMPOSITION OF BINOMIALS OF DEGREE-k TERMS

$$b_1b_2b_3b_4 + b_3b_4b_5b_6 = \min(b_2b_3 + b_3b_6, b_1b_4 + b_4b_5, b_1b_2 + b_5b_6 - b_3 - b_4 + 2)$$
 $(k, n) = (4, 6).$ (7)

$$b_1b_2b_3b_4 + b_4b_5b_6b_7$$
: $(k, n) = (4, 7).$ (8)

$$\longrightarrow b_2 b_3 + b_5 b_6 + b_a (1 - b_5 - b_6 + b_7) \tag{9}$$

$$\longrightarrow b_1b_4 + b_4 + b_a \tag{10}$$

$$\longrightarrow b_5 b_6 + b_1 + b_a (1 - b_5 - b_6 + b_7) \tag{11}$$

$$b_1b_2b_3b_4b_5 + b_3b_4b_5b_6b_7$$
: $(k,n) = (5,7). (12)$

$$\longrightarrow b_2b_5 + b_5b_6 + b_5b_7 + b_6b_7 + b_a(b_5 + b_6 + b_7 - 1) - b_5 - b_6 - b_7 + 1 \tag{13}$$

$$\longrightarrow b_1b_3 + b_3b_7 + b_a(1 + b_5 - b_7) - b_5 + 1 \tag{14}$$

$$\longrightarrow b_1b_4 + b_4b_6 - b_5b_6 + b_5b_a - b_5 + b_6 + 1 \tag{15}$$

$$b_1b_2b_3b_4b_5b_6 + b_2b_3b_4b_5b_6b_7$$
: $(k, n) = (6, 7).$ (16)

$$\longrightarrow 2b_3b_6$$
 (17)

$$\longrightarrow 2b_4b_5 - b_5b_6 + b_5$$
 (18)

$$\longrightarrow b_1b_4 - b_2b_5 + b_2b_6 + b_2b_7 + b_5b_7 - b_6b_7 - b_5 - b_6 + 2 \tag{19}$$

$$\longrightarrow b_1b_2 - b_1b_5 + b_1b_7 + b_2b_3 + b_3b_6 - b_3b_7 - b_4b_5 - b_5b_6 - b_3 + b_5 + 2 \tag{20}$$

(56)

 $\longrightarrow b_1b_4 + b_6b_7 + b_9b_a$

$$b_{1}b_{2}b_{3}b_{4}b_{5}b_{6}b_{7}b_{8}b_{9} + b_{2}b_{3}b_{4}b_{5}b_{6}b_{7}b_{8}b_{9}b_{10}: \qquad (k, n) = (9, 10). (80)$$

$$\longrightarrow b_{1}b_{6} + b_{6}b_{10} + b_{9}b_{a} \qquad (81)$$

$$\longrightarrow b_{4}b_{7} + b_{7}b_{8} \qquad (82)$$

$$\longrightarrow b_{4}b_{9} + b_{a}(b_{9} - b_{4}) + b_{4} \qquad (83)$$

$$\longrightarrow b_{2}b_{3} + b_{3}b_{8} + b_{9}b_{a} \qquad (84)$$

$$\longrightarrow b_{1}b_{5} + b_{2}b_{5} + b_{9}b_{a} \qquad (85)$$

$$\longrightarrow b_{2}b_{8} - b_{6}b_{7} + b_{8}b_{10} + b_{9}b_{a} + 1 \qquad (86)$$

$$\longrightarrow b_{2}b_{10} + b_{2} \qquad (87)$$

(109)

(110)

(111)

(121)

DECOMPOSITION OF DEGREE-k, EXACT-k-OF-n TRINOMIALS

 $\longrightarrow b_2b_3+b_3b_5+b_3$

 $\longrightarrow b_2b_7 + b_2 + b_{10}$

 $\longrightarrow b_1b_2 + b_2b_9 - b_5b_6 - b_5b_a + b_6b_9 + 2$

$$\begin{array}{lll} b_1b_2b_3b_4 + b_4b_5b_6b_7 + b_7b_8b_9b_{10}: & (k,n) = (4,10). & (122) \\ \longrightarrow b_3b_4 + b_4b_5 + b_8b_{10} + b_a(1-b_9) & (123) \\ \longrightarrow b_1b_2 + b_a(1+b_3-b_9) + b_5b_6 + b_7b_9 & (124) \\ \longrightarrow b_1b_3 + b_6b_7 + b_7b_{10} + b_a & (125) \\ \longrightarrow b_4b_6 + b_7b_9 + b_a(1-b_9) + b_4 & (126) \\ \longrightarrow b_2b_3 + b_5b_7 + b_8b_9 + b_a(1-b_9) & (127) \\ \longrightarrow b_2b_3 + b_8b_{10} + b_a(1-b_9) + b_6 - b_9 + 1 & (128) \\ \longrightarrow b_1b_2 + b_5b_7 + b_8b_{10} + b_a(1-b_9) - b_3 + 1 & (129) \\ \longrightarrow b_7b_8 + b_2 + b_7 & (131) \end{array}$$

$$b_{1}b_{2}b_{3}b_{4}b_{5} + b_{3}b_{4}b_{5}b_{6} + b_{4}b_{5}b_{6}b_{7}b_{8}: (k,n) = (5,8). (132)$$

$$\longrightarrow b_{2}b_{4} + b_{4}b_{6} + b_{4}b_{7} + b_{a}(b_{7} + b_{8}) (133)$$

$$\longrightarrow b_{1}b_{3} + b_{3}b_{6} + b_{6}b_{7} (134)$$

$$\longrightarrow b_{3}b_{5} + b_{4}b_{5} - b_{6}b_{8} + b_{5} + b_{8} + b_{9}(1 + b_{7}) (135)$$

$$\longrightarrow b_{2}b_{5} + b_{6}b_{8} + b_{6} (136)$$

$\longrightarrow b_1b_3 + b_3 + b_8 \tag{137}$

DECOMPOSITION OF DEGREE-k, EXACT-k-OF-n QUADRINOMIALS