

Putting the R in PhaRmacy

- ▶ Chris Beeley
- ▶ 9th November 2021

Tasks

- ▶ Database access
- ▶ Forecast
- ▶ Stock control
- ▶ Shiny

Database access

- ▶ Some of the tables are very large indeed
- ▶ Each run filters by date, site, and drug supplier
- ▶ We use `dbplyr` to do all the filtering on the SQL database rather than pulling it into R
- ▶ We avoid storing and preprocessing as much as possible but the transaction table requires storing so we just download new entries

Forecast

- ▶ Forecasting did not work very well
- ▶ I wrote some very neat and tidy code though 😊
- ▶ `make_tsibble()`, `forecast_series`, `plot_forecast`,
`show_accuracy`

forecast_series

```
forecast_series <- function(data, horizon, frequency = "Daily") {  
  
  if(frequency == "Daily"){  
  
    values <- c("week", "A")  
  } else {  
  
    values <- c("year", "N")  
  }  
  
  data %>%  
    fabletools::model("MEAN" = fable::MEAN(quantity),  
                      "SNAIVE" = fable::SNAIVE(quantity ~ 1),  
                      "ARIMA" = fable::ARIMA(quantity, appropr  
                      "ETS" = fable::ETS(quantity ~ season  
    fabletools::forecast(h = horizon)  
}
```

Stock control

- ▶ I didn't write any of this code
- ▶ But I did package it up neatly 😊
- ▶ Having the code in a package ensures that we are all running the same functions

Shiny

- ▶ I haven't written much Shiny as yet
- ▶ We are using `golem` (package, document, test)

Take home

- ▶ Don't email a load of code files around!
- ▶ Package and document your code
- ▶ Goldilocks functions- not too big, not too small