

Final Project Report

Jonah Schaechter (JS336)

Tue., Apr. 30

1 Introduction

1.1 Problem Statement

So far, our simulations have considered the Net Present Value of home elevation under the assumption that homeowners will pay for their home elevation out of pocket. In reality, people have to choose between paying out of pocket (if this is even something they can afford), taking out a loan, or saving up.

Each of these options has tradeoffs in total cost, yearly cost, the cost of damages, and in NPV. In this paper, we will analyze these tradeoffs.

1.2 Selected Feature

Describe the feature you have selected to add to the existing decision-support tool. Discuss how this feature relates to the problem statement and its potential to improve climate risk assessment.

The new feature I've chosen to implement is a struct called "Finance". This struct describes the financial conditions of the home, and the plan to elevate it. It includes a loan variable, that describes if the owners will take out a loan to finance the elevation, save up for it, or if they will pay out of pocket. It also contains a loan_rate variable for the interest on potential loans, loan_years, which describes how long homeowners will either save up for or pay out a loan for, paid_off_percent, the amount of the house that's paid off as a decimal, and paid_off_amnt (the total value of the home that's paid off in US dollars), and savings, the amount of money in the homeowners's savings account.

In addition to this new struct, run_sim has been modified to take it into account. So if we chose to save up, our action of elevating the home is delayed until enough money has been saved to do so, and the cost of construction will be increased with the discount rate of that scenario.

If we choose to take out a loan, we will elevate the home immediately, but then pay off the loan annually according to the pre-determined interest rate, and the discount rate will again be accounted for in the value of these payments.

If we pay out of pocket, then nothing changes, and run_sim operates as it did before, but we can't elevate above what we can afford in our savings account.

If we save up, then we make annual payments until we've saved up enough money to elevate. Whatever's already in the savings account acts as a base we can save on top of.

2 Literature Review

Provide a brief overview of the theoretical background related to your chosen feature. Cite at least two relevant journal articles to support your approach (see [Quarto docs](#) for help with citations). Explain how these articles contribute to the justification of your selected feature.

Whether this feature is used to inform policy or the decisions of individual property owners, it has justification in pre-existing literature.

Chenet et. Al (2021) [2] discusses how policy makers ought to take a precautionary approach to addressing the financial impacts of climate change, and that policy “should help justify immediate preventative action”. They argue for using scenario analysis and stress testing to evaluate potential policies. To this end, this feature could give policy makers a clearer picture about what they ought to do: give homeowners money to elevate their homes or force them to pay for home elevation, set up loan programs for home elevation, and forcing homeowners to save up for home elevation. This feature can be used to compare these three strategies.

Tools that communicate the property-level impacts of flooding to homeowners and community leaders are advocated for in [1]. This project can be thought of as an extension of this idea, that the same benefits that can be extracted from communicating the costs and benefits of home elevation can also be extracted from providing more information about how those costs and benefits change under different financial plans.

3 Methodology

3.1 Implementation

```
1 import Pkg
2 Pkg.status() # Note the paths for your local packages
3 Pkg.gc() # Garbage collect and delete cached package files
```

```
Status `C:\Users\Jonah\OneDrive\Documents\Rice PhD\Climate Damage Mitigation\final-project-js3
[336ed68f] CSV v0.10.13
[a93c6f00] DataFrames v1.6.1
[1313f7d8] DataFramesMeta v0.15.2
[31c24e10] Distributions v0.25.107
[49e40289] HouseElevation v0.1.0 `HouseElevation`
[7073ff75] IJulia v1.24.2
[b964fa9f] LaTeXStrings v1.3.1
[bcd8b8e0] Metaheuristics v3.3.5
[b6ca2b7d] ParkingGarage v0.1.0 `ParkingGarage`
[91a5bcd] Plots v1.40.2
[295af30f] Revise v3.5.14
[2913bbd2] StatsBase v0.34.3
[1986cc42] Unitful v1.19.0
[9a3f8284] Random

Info Packages marked with   have new versions available and may be upgradable.

Active manifest files: 10 found
Active artifact files: 121 found
```

```
Active scratchspaces: 2 found
Deleted no artifacts, repos, packages or scratchspaces
```

```
1 using CSV
2 using DataFrames
3 using DataFramesMeta
4 using Distributions
5 using LaTeXStrings
6 using Metaheuristics
7 using Plots
8 using Random
9 using Unitful
10
11 Plots.default(; margin=5Plots.mm)
```

```
1 using Revise
2 using HouseElevation
3 #include("Finance.jl")
4 #using house
```

We put in our house in galveston

Choosing Galveston Pier 21, Texas The guage is at 29° 18.6 N, 94° 47.6 W <https://maps.app.goo.gl/GyanSMA2fp9r>

Our building is 302 17th St, Galveston, TX 77550, Home area as estimated by google maps:
30ftx50ft home = 1500ft² Home value from zillow: 247,700 (Round up to 250,000)

The home is 4.41 feet or 1.34 meters above sea level in elevation. Looking at it on street view, the house appears to be on concrete blocks about 6 inches tall, giving it an effective height of 4.91 feet. Round this up to 5 so that it works.

Row 98 from the data is two-story, no basement in Galveston, so we'll be using that for our depth-damage curve. The home is on concrete blocks, so we can be confident that it doesn't have a basement.

```
1 house = let
2     haz_fl_dept = CSV.read("data/haz_fl_dept.csv", DataFrame) # read in the file
3     desc = "Two-story, no basement in Galveston"
4     row = @rsubset(haz_fl_dept, :Column1 == 98)[1, :,] # select the row I want
5     area = 1500u"ft^2"
6     height_above_gauge = height_above_gauge = 5u"ft"
7     House(row; area=area, height_above_gauge=height_above_gauge, value_usd=250_000)
8 end

1 slr_scenarios = let
2     df = CSV.read("data/slr_oddo.csv", DataFrame)
3     [Oddo17SLR(a, b, c, tstar, cstar) for (a, b, c, tstar, cstar) in eachrow(df)]
4 end

5
6 function draw_surge_distribution()
7     = rand(Normal(5, 1))
8     = rand(Exponential(1.25))
```

```

9     = rand(Normal(0.1, 0.05))
10    return GeneralizedExtremeValue( , , )
11 end
12
13 function draw_discount_rate()
14     return 0.055 #fix interest rate at 5.5%
15     #return rand(Normal(0.05, 0.03))
16 end
17
18 function draw_sow()
19     slr = rand(slr_scenarios)
20     surge_params = draw_surge_distribution()
21     discount = draw_discount_rate()
22     return SOW(slr, surge_params, discount)
23 end

```

Generate our possible states of the world

```

1 Random.seed!(421521)
2 N_SOW = 10
3 N_SOW_opt = 50 # to start
4 sows = [draw_sow() for _ in 1:N_SOW]
5 sows_opt = first(sows, N_SOW_opt)

```

10-element Vector{SOW{Float64}}:

```

SOW{Float64}(Oddo17SLR{Float64}(58.66628415, 2.709557857, 0.003600726, 2061.196955, 24.785578)
SOW{Float64}(Oddo17SLR{Float64}(33.33247304, 2.22256303, 0.002696663, 2019.563642, 7.70109861)
SOW{Float64}(Oddo17SLR{Float64}(17.79192072, 1.709726426, -0.000614246, 2023.462876, 21.69086)
SOW{Float64}(Oddo17SLR{Float64}(25.13154386, 2.037480231, 0.002113323, 2028.879, 25.92627768)
SOW{Float64}(Oddo17SLR{Float64}(28.67897009, 2.14841496, 0.002289295, 2046.357094, 34.5908960)
SOW{Float64}(Oddo17SLR{Float64}(40.9256403, 2.858600773, 0.008671168, 2024.544892, 18.7522310)
SOW{Float64}(Oddo17SLR{Float64}(40.57374578, 2.382721317, 0.003969053, 2030.295205, 17.021861)
SOW{Float64}(Oddo17SLR{Float64}(23.63225858, 2.054085462, 0.002399709, 2044.044368, 13.361031)
SOW{Float64}(Oddo17SLR{Float64}(27.54342393, 1.669043327, -0.002135507, 2036.034311, 26.04629)
SOW{Float64}(Oddo17SLR{Float64}(26.99654461, 2.09595483, 0.000472662, 2032.836775, 20.6220305)

```

Write our function we'll use to evaluate financial plans

3.2 Financial_NPVS function

```

1 #assume physical house and SLR scenarios stay constant, only financial conditions change
2 function financial_npvs(finance)
3     p = ModelParams(; house=house, years=2024:2083, finance=finance) #make our model
4
5     elevations_try = 0:0.5:14 #establish actions to try
6     actions_try = Action.(elevations_try)
7
8
9     if p.finance.loan == 1 #if taking out a loan

```

```

10     #Get all the construction costs we can afford through equity
11     construction_costs = [elevation_cost(house, elevation) for elevation in elevations_try]
12 elseif p.finance.loan == 0 #if paying out of pocket
13     #must have enough in savings to pay
14     construction_costs = [elevation_cost(house, elevation) for elevation in elevations_try]
15 else # if we're saving up, we can try all possible outcomes
16     construction_costs = [elevation_cost(house, elevation) for elevation in elevations_try]
17 end
18
19
20 actions_try = actions_try[1:length(construction_costs)] #get the list of actions we can afford
21 elevations_try = elevations_try[1:length(construction_costs)] #limit elevations as well as actions
22
23 #Run simulations
24 npvs_opt = [mean([run_sim(a, sow, p) for sow in sows_opt]) for a in actions_try]
25
26 #get height that minimizes NPV
27 min_npv, min_idx = findmax(npvs_opt)
28 minimizer = elevations_try[min_idx]
29
30 #return elevations we tried (x), npvs(y) and minimizing elevation
31 return elevations_try, npvs_opt, minimizer
32
33 end

```

financial_npvs (generic function with 1 method)

Basic financing, just paying up fronts

println(methods(Finance)) println(fieldtypes(Finance)) ## Finance_Basic

```

1 finance_basic = let
2     loan = 0
3     loan_years = 0
4     loan_rate = 0.0
5     paid_off_percent = 1.0
6     amnt_paid_off = paid_off_percent * house.value_usd # Calculate amnt_paid_off
7     savings = 250_000
8
9     # Create Finance object using keyword arguments
10    Finance(;
11        loan = loan,
12        loan_years = loan_years,
13        loan_rate = loan_rate,
14        paid_off_percent = paid_off_percent,
15        amnt_paid_off = amnt_paid_off,
16        savings = savings
17    )
18 end

```

```
Finance(0, 0, 0.0, 1.0, 250000.0, 250000.0)
```

Now lets calculate our basic finance options

```
1 elevations_tried, npvs, min = financial_npvs(finance_basic)

(0.0:0.5:14.0, [-994136.2797665314, -1.0039462753954036e6, -865807.0880606174, -728807.7632033
```

3.3 plot_many

Define our function to plot many financial scenarios

```
1 function plot_many(finance_list, initial_plot)
2
3
4     for finance in finance_list
5
6         #println(finance)
7         elevations_tried, npvs, min = financial_npvs(finance)
8         if finance.loan == 1 #if taking out a loan
9             label = "$((round(finance.loan_rate*100))%) loan over $(finance.loan_years) years"
10        elseif finance.loan > 1
11            label = "Saving over $(finance.loan_years) years"
12        else
13            label = "Paying out of pocket"
14        end
15        plot!(
16            initial_plot,
17            elevations_tried,
18            npvs ./ 1000;
19            xlabel="Elevation [ft]",
20            ylabel="NPV [1000 USD]",
21            label=label,
22            marker=:circle,
23            #color=line_color
24        )
25
26        #make the vertical line color the same as the horizontal line
27        line_color = initial_plot.series_list[end][:linecolor]
28        #line_color = plot_object.series_list[end].plotseries[:linecolor]
29        vline!([min]; label="$((min))ft elevation", linestyle=:dash, color=line_color)
30    end
31 end
```

plot_many (generic function with 1 method)

3.4 reasonable saving time

Generate many financial scenarios where we save up for different periods of time

```

1 finance_saving = []
2
3 for i in [2, 3, 5, 7]
4     #print(i)
5     paid_off_percent = 1.0
6     savings = 180_000
7     fin = Finance(; loan=2, loan_years=i, loan_rate=0.0, paid_off_percent=paid_off_percent,
8         amnt_paid_off=(house.value_usd*paid_off_percent), savings=savings
9     )
10    push!(finance_saving, fin)
11 end
12
13 println(finance_saving)

```

Any[Finance(2, 2, 0.0, 1.0, 250000.0, 180000.0), Finance(2, 3, 0.0, 1.0, 250000.0, 180000.0), Finance(2, 5, 0.0, 1.0, 250000.0, 180000.0), Finance(2, 7, 0.0, 1.0, 250000.0, 180000.0)]


Plot our saving options

```

1 p = plot(
2     elevations_tried,
3     npvs ./ 1000;
4     xlabel="Elevation [ft]",
5     ylabel="NPV [1000 USD]",
6     title="Out of Pocket Vs Various saving periods",
7     label="Out of pocket",
8     marker=:circle#, color=line_color
9 )
10
11
12 line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the horizontal
13 vline!([min]; label="$ (min) ft elevation", linestyle=:dash, color=line_color)
14
15 plot_many(finance_saving, p)
16 display(p)

```

Out of Pocket Vs Various saving periods



Results of this graph show two interesting things:

1. NPV of saving is always a lot lower than paying up front. This makes sense, since we're increasing construction cost with inflation, so the only change to the NPV will be more damages while we wait to elevate the house.
2. NPV results recommend lower elevations if we chose to wait. This seems strange at first, since most people might save money so they can elevate higher, and you'd think that if we do wait to elevate, it'd make more sense to do a higher elevation to compensate for the damages we experienced in the first few years.

But since we are doing this simulation over a fixed period of time, the longer we wait to elevate, the less value is gained by elevating, since we'll have spent less of our time avoiding damages. So assuming a non-infinite time duration for this experiment, the longer we wait to elevate, the lower the recommended elevation height gets.

We can demonstrate this more clearly by displaying some extremely long saving periods.

3.5 Long saving time

```
1 Long_Savings = []
2
3 for i in [10, 20, 30, 50]
4     #print(i)
5     paid_off_percent = 1.0
6     savings=180_000
7     fin = Finance(; loan=2, loan_years=i, loan_rate=0.0, paid_off_percent=paid_off_percent,
```



```

8      amnt_paid_off=(house.value_usd*paid_off_percent),
9      savings=180_000
10     )
11     push!(Long_Savings, fin)
12 end
13
14 println(Long_Savings)

```


Any[Finance(2, 10, 0.0, 1.0, 250000.0, 180000.0), Finance(2, 20, 0.0, 1.0, 250000.0, 180000.0)]

```

1 p = plot(
2     elevations_tried,
3     npvs ./ 1000;
4     xlabel="Elevation [ft]",
5     ylabel="NPV [1000 USD]",
6     title="Out of Pocket Vs Long saving periods",
7     label="Out of pocket",
8     marker=:circle#, color=line_color
9 )
10
11
12 line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the horizontal
13 vline!([min]; label="$ (min)ft elevation", linestyle=:dash, color=line_color)
14
15 plot_many(Long_Savings, p)
16 display(p)

```

Out of Pocket Vs Long saving periods



3.6 Different loan durations

Generate many financial scenarios with different years to pay off the loan at a 7% interest rate

```

1 finance_list_years = []
2
3 for i in [3, 5, 7, 10]
4     #print(i)
5     paid_off_percent = 0.7
6     savings=180_000
7     fin = Finance(; loan=1, loan_years=i, loan_rate=0.07, paid_off_percent=paid_off_percent,
8         amnt_paid_off=(house.value_usd*paid_off_percent), savings=savings
9     )
10    push!(finance_list_years, fin)
11 end
12
13 println(finance_list_years)

```

Any[Finance(1, 3, 0.07, 0.7, 175000.0, 180000.0), Finance(1, 5, 0.07, 0.7, 175000.0, 180000.0)]

Plot our scenarios of different years to pay off the loan

```

1 p = plot(
2     elevations_tried,
3     npvs ./ 1000;
4     xlabel="Elevation [ft]",


```

```

5     ylabel="NPV [1000 USD]",
6     title="Out of Pocket Vs Various payment periods",
7     label="First $(N_SOW_opt) SOWs, no loan",
8     marker=:circle#, color=line_color
9 )
10
11
12 line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the hor
13 vline!([min]; label="$(min)ft elevation", linestyle=:dash, color=line_color)
14
15 plot_many(finance_list_years, p)
16 display(p)

```

Out of Pocket Vs Various payment periods



3.7 Different interest rates

Generate many financial scenarios with different interest rates

```

1 finance_list_rates = []
2
3 for i in range(start=3, stop=9, length=4)
4     #print(i)
5     paid_off_percent = 0.7
6     savings = 180_000
7     fin = Finance(; loan=1, loan_years=5, loan_rate=i/100, paid_off_percent=paid_off_percent,
8                   amnt_paid_off=(house.value_usd*paid_off_percent), savings=savings

```

```


9         )
10     push!(finance_list_rates, fin)
11 end
12
13 println(finance_list_rates)

Any[Finance(1, 5, 0.03, 0.7, 175000.0, 180000.0), Finance(1, 5, 0.05, 0.7, 175000.0, 180000.0)]

1 #colors = [colorant"red", colorant"green", colorant"blue", colorant"orange", colorant"purple"]
2
3 #line_color = colors[1]
4
5 p = plot(
6     elevations_tried,
7     npvs ./ 1000;
8     xlabel="Elevation [ft]",
9     ylabel="NPV [1000 USD]",
10    title="Out of Pocket Vs Various 5 year loans",
11    label="First $(N_SOW_opt) SOWs, no loan",
12    marker=:circle#, color=line_color
13 )
14 #println(p.series_list[end][:linecolor] )
15
16 #colors = Plots.palette()
17
18 line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the horizontal
19 vline!([min]; label="$ (min)ft elevation", linestyle=:dash, color=line_color)
20
21 plot_many(finance_list_rates, p)
22 display(p)

```

Out of Pocket Vs Various 5 year loans



3.8 Compare NPVS and annual costs

Now we want to compare NPVS and annual costs for all of these scenarios

Make a function to get NPV, annual cost, and optimal elevation

```

1 function annual_loan_cost(p, r, n)
2     #P is principle amount, r is rate, n is number of years
3     a = p * ( r * ((1+r)^n) / ( (1+r)^n - 1 ) )
4     return a #a is annual payments
5 end
6
7
8 function annual_v_npv(finance)
9
10    elevations_tried, npvs, best_elevation = financial_npvs(finance)
11    #An engineer is not someone who makes things maximally efficient, but someone who makes th
12    best_npv, best_idx = findmax(npvs)
13
14    construction_cost = elevation_cost(house, best_elevation)
15    #println(elevation_cost(house, best_elevation))
16
17    if finance.loan == 0 #out of pocket
18        annual_cost = construction_cost
19    elseif finance.loan == 1 #taking out a loan
20        annual_cost = annual_loan_cost(construction_cost, finance.loan_rate, finance.loan_years)

```

```

21     else #saving up
22         annual_cost = construction_cost/finance.loan_years
23     end
24
25     return best_npv, annual_cost, best_elevation
26
27 end

```

annual_v_npv (generic function with 1 method)

```

1 function get_costs(finances)
2     figures = annual_v_npv.(finances)
3     best_npv = [fig[1] for fig in figures]
4     annual_costs = [fig[2] for fig in figures]
5     best_elevations = [fig[3] for fig in figures]
6
7     return best_npv, annual_costs, best_elevations
8 end
9
10
11 function plot_money_values(finance, initial_plot, label)
12
13     best_npv, annual_costs, best_elevations = get_costs(finance)
14     plot!(
15         initial_plot,
16         best_npv ./ 1000,
17         annual_costs ./ 1000;
18         xlabel="Optimized NPV [1000 USD]",
19         ylabel="Annual Costs [1000 USD]",
20         label=label,
21         marker=:circle,
22         #color=line_color
23     )
24
25 end

```

plot_money_values (generic function with 1 method)

get_costs(finance_list_rates)

```

1 optimal_npv, annual_cost, best_elevation = annual_v_npv(finance_basic)
2
3 Annual_v_npv_plot = plot(
4     [optimal_npv] ./ 1000,
5     [annual_cost] ./ 1000 ;
6     xlabel="Optimized NPV [1000 USD]",
7     ylabel="Annual Costs [1000 USD]",
8     title="NPV vs Yearly Costs",
9     label="Out of Pocket",


```

```

10     marker=:circle#, color=line_color
11 )
12 plot_money_values(finance_list_rates, Annual_v_npv_plot, "Loan, different interest rates")
13 plot_money_values(finance_list_years, Annual_v_npv_plot, "Loan, different years")
14 plot_money_values(finance_saving, Annual_v_npv_plot, "Saving for 2-7 years")
15 display(Annual_v_npv_plot)

```

NPV vs Yearly Costs




The chart changes radically when we display long savings times

```

1 plot_money_values(Long_Savings, Annual_v_npv_plot, "Saving for 10-50 years")
2 display(Annual_v_npv_plot)

```

NPV vs Yearly Costs



3.9 compare NPVS and construction heights for all these different scenarios

```

1 function general_plot(x, y, finance, initial_plot, label)
2     # 1 = best_npv, 2 = annual_costs, 3 = best_elevation
3     values = collect(get_costs(finance)) #get our values to plot.
4     #Using collect makes sure these values are in an array so we can use ./1000 later
5     #println(values)
6     #println(values[2])
7     values[1] = values[1] ./ 1000 #adjust npv and annual costs
8     values[2] = values[2] ./1000
9
10    plot!(
11        initial_plot,
12        values[x], #decide what to plot
13        values[y];
14        label=label,
15        marker=:circle,
16        #color=line_color
17    )
18 end

```

general_plot (generic function with 1 method)

```

1 height_v_npv_plot = plot(
2     [optimal_npv] ./ 1000,

```




```

3     [best_elevation] ;
4     xlabel="Optimized NPV [1000 USD]",
5     ylabel="Elevation [ft]",
6     title="NPV vs Elevation",
7     label="Out of Pocket",
8     marker=:circle,#, color=line_color
9     legend=:bottomright
10 )
11
12 general_plot(1, 3, finance_list_rates, height_v_npv_plot, "Loan, different interest rates")
13 general_plot(1, 3, finance_list_years, height_v_npv_plot, "Loan, different years")
14 general_plot(1, 3, finance_saving, height_v_npv_plot, "Saving for 2-7 years")
15 display(height_v_npv_plot)

```

NPV vs Elevation



3.10 compare annual costs and construction heights

```

1 height_v_npv_plot = plot(
2     [annual_cost] ./ 1000,
3     [best_elevation] ;
4     xlabel="Annual Cost [1000 USD]",
5     ylabel="Elevation [ft]",
6     title="Annual Cost vs Elevation",
7     label="Out of Pocket",
8     marker=:circle,#, color=line_color


```

```

9     legend=:bottomright
10 )
11
12 general_plot(2, 3, finance_list_rates, height_v_npv_plot, "Loan, different interest rates")
13 general_plot(2, 3, finance_list_years, height_v_npv_plot, "Loan, different years")
14 general_plot(2, 3, finance_saving, height_v_npv_plot, "Saving for 2-7 years")
15 display(height_v_npv_plot)

```

Annual Cost vs Elevation



3.11 Low and high savings and equity (LHSE) homes

Now that we're all set up, let's look at scenarios where we have high and low savings and high and low equity (LHSE).

We'll assume that market loans are run at 7% interest and not consider other interest rates, except for government loans for people with low equity and low savings at 7.5%.

Make a function that generates the finance outcomes for these different plans given a set equity and savings:

```

1 function gen_finances(equity, savings, house)
2
3     loan_finances = [] #7.0% bank loan
4     gov_loan = []    #7.5% government loan for those in need
5     saving_finances = []
6
7     for i in [2, 3, 5, 7] #saving scenarios

```

```

8         fin = Finance(; loan=2, loan_years=i, loan_rate=0.0, paid_off_percent=equity,
9             amnt_paid_off=(house.value_usd*equity), savings=savings
10        )
11        push!(saving_finances, fin)
12    end
13
14    for i in [3, 5, 7, 10] #bank loan scenarios
15        fin = Finance(; loan=1, loan_years=i, loan_rate=0.07, paid_off_percent=equity,
16            amnt_paid_off=(house.value_usd*equity), savings=savings
17        )
18        push!(loan_finances, fin)
19    end
20
21    for i in [3, 5, 7, 10] #government loan scenarios
22        fin = Finance(; loan=1, loan_years=i, loan_rate=0.075, paid_off_percent=1.0, #gov loan
23            amnt_paid_off=(house.value_usd*1.0), savings=savings
24        )
25        push!(gov_loan, fin)
26    end
27
28    # Our of pocket elevation
29    OOP = Finance(;
30        loan = 0,
31        loan_years = 0,
32        loan_rate = 0.0,
33        paid_off_percent = equity,
34        amnt_paid_off = (house.value_usd*equity),
35        savings = savings
36    )
37
38    return OOP, saving_finances, loan_finances, gov_loan
39
40 end

```

gen_finances (generic function with 1 method)

Now make a function that plots the outcomes for all of these scenarios:

```

1 function plot_LHSE_scenario(LHSE_options, title)
2
3     OOP, saving_finances, loan_finances, gov_loan = LHSE_options
4
5     optimal_npv, annual_cost, best_elevation = annual_v_npv(OOP)
6
7     Annual_v_npv_plot = plot(
8         [optimal_npv] ./ 1000,
9         [annual_cost] ./ 1000 ;
10        xlabel="Optimized NPV [1000 USD]",

```

```

11     ylabel="Annual Costs [1000 USD]",
12     title=title,
13     label="Out of Pocket",
14     marker=:circle#, color=line_color
15 )
16 plot_money_values(gov_loan, Annual_v_npv_plot, "Government Loan")
17 plot_money_values(loan_finances, Annual_v_npv_plot, "Bank Loan")
18 plot_money_values(saving_finances, Annual_v_npv_plot, "Saving for 2-7 years")
19 display(Annual_v_npv_plot)
20
21 end

```

plot_LHSE_scenario (generic function with 1 method)

You should make your modifications in either the `HouseElevation` or `ParkingGarage` module. Detail the steps taken to implement the selected feature and integrate it into the decision-support tool. Include code snippets and explanations where necessary to clarify the implementation process.

3.12 Validation

As we have seen in labs, mistakes are inevitable and can lead to misleading results. To minimize the risk of errors making their way into final results, it is essential to validate the implemented feature. Describe the validation techniques used to ensure the accuracy and reliability of your implemented feature. Discuss any challenges faced during the validation process and how they were addressed.

We can validate the finance feature by observing its impacts across the graphs we previously made for saving across several years, and taking out a loan.

```

1  p = plot(
2      elevations_tried,
3      npvs ./ 1000;
4      xlabel="Elevation [ft]",
5      ylabel="NPV [1000 USD]",
6      title="Out of Pocket Vs Various saving periods",
7      label="Out of pocket",
8      marker=:circle#, color=line_color
9  )
10
11
12  line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the hor
13  vline!([min]; label="$ (min)ft elevation", linestyle=:dash, color=line_color)
14
15  plot_many(finance_saving, p)
16  display(p)

```

```

1  p = plot(
2      elevations_tried,
3      npvs ./ 1000;
4      xlabel="Elevation [ft]",
5      ylabel="NPV [1000 USD]",

```

```

6     title="Out of Pocket Vs Various payment periods",
7     label="First $(N_SOW_opt) SOWs, no loan",
8     marker=:circle#, color=line_color
9 )
10
11
12 line_color = p.series_list[end][:linecolor] #make the vertical line color the same as the hor
13 vline!([min]; label="$(min)ft elevation", linestyle=:dash, color=line_color)
14
15 plot_many(finance_list_years, p)
16 display(p)

```

For both of these graphs, the outputs are consistent with what we would expect if we took these actions: NPV is lower, the actions we can take are limited by our finances, and the ideal elevation height is lowered. When we take out a loan this is due to the upfront cost of elevating being higher due to the interest rate on the loan, and when we save, this is due partly because elevation costs increase over time with inflation, and partly because the benefits of elevating are somewhat diminished after a few years of potential (or real) flooding are behind us.

4 Results

Present the results obtained from the enhanced decision-support tool. Use tables, figures, and visualizations to clearly communicate the outcomes. Provide sufficient detail to demonstrate how the implemented feature addresses the problem statement. Use the `#| output: false` and/or `#| echo: false` tags to hide code output and code cells in the final report except where showing the output (e.g., a plot) or the code (e.g., how you are sampling SOWs) adds value to the discussion. You may have multiple subsections of results, which you can create using `##`.

We'll present our results by looking at four scenarios: One where the homeowner has high equity and high savings, one where they have low equity and high savings, high equity and low savings, and low equity and high savings.

```

1 println("The cost to elevate our home 9.5 feet is ", elevation_cost(house, 9.5))

```

The cost to elevate our home 9.5 feet is 157620.0

Note that the cost to elevate our house 9.5 feet, what was previously considered optimal, is more than 157,000 US dollars, putting it even out of reach for out of pocket payment by our high-savings individuals.

Only the wealthiest 10% of americans have more than 111,000 USD in their bank accounts, so our high-savings individuals with more than 120,000 are doing fairly well, but still can't afford the "optimal" elevation. [3]

Also, it's worth pointing out that our "low savings" individual has 10k in their bank account, but this is still more than 60% of americans [3]

Our high-equity individuals will have 70% equity in their home, and low-equity will have 30%

```

1 #high equity, high savings
2 high_equity = 0.7

```

```

3 high_savings = 120_000
4
5 low_equity = 0.3
6 low_savings = 10_000
7 #10k is actually still more than 60% of americans according to the motley fool, which is... sad
8
9 ultra_high_savings = 250_000

```


250000

```

1 HEHS = gen_finances(high_equity, high_savings, house)
2 plot_LHSE_scenario(HEHS, "High Equity ($(high_equity*100)%), High Savings ($(high_savings/1000)K)

```

High Equity (70.0%), High Savings (120.0K)




```

1 HELS = gen_finances(high_equity, low_savings, house)
2 plot_LHSE_scenario(HELs, "High Equity ($(high_equity*100)%), Low Savings ($(low_savings/1000)K)


```

High Equity (70.0%), Low Savings (10.0K)



```
1 LEHS = gen_finances(low_equity, high_savings, house)
2 plot_LHSE_scenario(LEHS, "Low Equity ($(low_equity*100)%), High Savings ($(high_savings/1000)K)
```

Low Equity (30.0%), High Savings (120.0K)




```

1 LELS = gen_finances(low_equity, low_savings, house)
2 plot_LHSE_scenario(LELS, "Low Equity ($(low_equity*100)%), Low Savings ($(low_savings/1000)K)".

```

Low Equity (30.0%), Low Savings (10.0K)




It's notable that you need about 150k in your savings to have all elevation options open to you. We can see this if we make a chart for someone with very high savings.

```

1 HEUHS = gen_finances(high_equity, ultra_high_savings, house)
2 plot_LHSE_scenario(HEUHS, "High Equity ($(Int64(high_equity*100))%), Ultra High Savings ($(Int

```


High Equity (70%), Ultra High Savings (250K)



In spite of the high potential for NPV when paying out of pocket, in all of the other scenarios we looked at, the NPV of paying out of pocket was lower than that of saving up or taking out a loan. This is due to the high cost of construction making paying for an optimal elevation without some type of financial plan out of reach even for wealthy individuals. This is the only scenario where NPV of paying out of pocket is higher than loans or saving because it's the only one where this strategy was able to be used to its full potential.

5 Conclusions

5.1 Discussion

Analyze the implications of your results for climate risk management. Consider the context of the class themes and discuss how your findings contribute to the understanding of climate risk assessment. Identify any limitations of your approach and suggest potential improvements for future work.

The results indicate that although paying up front for elevation *can* return the highest Net Present Value, this is only true if the person paying to elevate their home has enough money to elevate it to an appropriate height.

This might incline someone to take out a loan instead of paying up front. And since taking out a loan increases the cost of elevation through incurring interest on the initial cost, the elevation that yields an ideal NPV is lower than what we previously saw when we were looking only at out-of-pocket elevation simulations.

While saving money may seem like a potential solution to this, since one does not incur interest if they do so, our simulations actually reveal it to be a very bad option. Saving to elevate devalues the

elevation itself because less years are spent out of harm's way, causing it to favor lower elevations while also having lower NPVs.

Our findings imply that if a government wanted to encourage people to elevate their homes to make their community more resilient to floods, the best way to do that in terms of return on total value is to pay for some or all of the cost of elevating people's homes. If this were not affordable however, then the next best option would be to offer sub-market rate loans that anyone can take out, so that even people with low equity can elevate their properties.

Future studies could investigate how savings interact with loans if people have the option to put their savings into their loans, thus reducing the amount they need to borrow and pay interest on.

A main limitation of this work is that it concludes that the solution to flood damage is government intervention either through direct payments or loans, but doesn't conduct an analysis on the costs and benefits of these options from a government's perspective. After a flood, great financial costs are incurred due to physical damages on the home, but there is also a cost in commerce and damage to the local economy when people are rebuilding their communities instead of engaging in status quo economic activities, like working and purchasing goods. Additionally, money that otherwise would've circulated in the local economy is spent on repairing homes. While the government would certainly unlock benefits from avoiding the opportunity cost in taxes from a flood damaged community, how large those benefits are in comparison to the costs of elevation could be analyzed in future work.

5.2 Conclusions

Summarize the key findings of your project and reiterate the significance of your implemented feature in addressing the problem statement. Discuss the broader implications of your work for climate risk management and the potential for further research in this area.

Our key findings are that paying to elevate your home up front is the best option, if you can afford it. Otherwise, the second best option is to take out a loan, and the worst option is to save up to elevate your home. These are real decisions that real people will need to make as our climate changes and storms become more intense, and analyzing how our models interact with household finances can help homeowners make better choices.

We also saw implications for government action, and that a government-backed loan for homeowners with low equity can have extremely positive impacts in helping people elevate their homes.

Further research could investigate how pre-existing savings interact with loans when the two are combined, and what the financial circumstances look like from the government's point of view; how the cost of paying to elevate a community or to give out a loan compares to the savings of not having that community's tax base harmed by flood damage.

References

- [1] Saman Armal et al. "Assessing Property Level Economic Impacts of Climate in the US, New Insights and Evidence from a Comprehensive Flood Risk Assessment Tool". In: *Climate* 8.10 (2020). ISSN: 2225-1154. DOI: [10.3390/cli8100116](https://doi.org/10.3390/cli8100116). URL: <https://www.mdpi.com/2225-1154/8/10/116>.

- [2] Hugues Chenet, Josh Ryan-Collins, and Frank van Lerven. “Finance, climate-change and radical uncertainty: Towards a precautionary approach to financial policy”. In: *Ecological Economics* 183 (2021), p. 106957. ISSN: 0921-8009. DOI: <https://doi.org/10.1016/j.ecolecon.2021.106957>. URL: <https://www.sciencedirect.com/science/article/pii/S092180092100015X>.
- [3] Kailey Hagen. *Here’s How Much the Average Rich Person Has in the Bank*. Nov. 1, 2023. URL: <https://www.fool.com/the-ascent/banks/articles/heres-how-much-the-average-rich-person-has-in-the-bank/> (visited on 04/25/2024).