

CFG NINJA AUDITS

Security Assessment

CreamFactory

October 6, 2023

Audit Status: Pass

Audit Edition: Advance



3LADE POOL



Table of Contents

- 1 Assessment Summary
- 2 Technical Findings Summary
- **3 Project Overview**
 - 3.1 Main Contract Assessed
- 4 Smart Contract Risk Checks
- **5 Contract Ownership**
- 7 KYC Check
- 8 Smart Contract Vulnerability Checks
 - 8.1 Smart Contract Vulnerability Details
 - 8.2 Smart Contract Inheritance Details
 - 8.3 Smart Contract Privileged Functions
- 9 Assessment Results and Notes(Important)
- 10 Social Media Check(Informational)
- 11 Technical Findings Details
- 12 Disclaimer





Assessment Summary

This report has been prepared for CreamFactory on the Binance Smart Chain network. CFGNINJA provides both client-centered and user-centered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Cross referencing contract structure and implementation against similar smart contracts produced by industry leaders
- Thorough line-by-line manual review of the entire codebase by industry experts.





Project Overview

Token Summary

Parameter	Result
Address	OxaB3e6E0e76AC558afDE881dCc9e5f8Ada8f82802
Name	CreamFactory
Token Tracker	CreamFactory (Cream-LP)
Decimals	18
Supply	Unknown
Platform	Binance Smart Chain
compiler	v0.5.16+commit.9c3226ce
Contract Name	CreamFactory
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/address/0x8cb25774298ff036A4849C58 28b44F8D865e2B40#code
Payment Tx	Corporate

MainNet Contract was Not Assessed

TestNet Contract Assessed





Contract Name

Name	Contract	Live
CreamFactory	0x57319f37434b252db0D09CDa3BF8FA2caD3166b1	Yes

Solidity Code Provided


SolID	File Sha-1	FileName
CreamFactory	c3f68e4bbd14b23bdbd26220a32dfc5765d86ae	O CreamFactory.sol
CreamFactory		
CreamFactory		
CreamFactory		





What is a Staking Contract

A smart contract which allows users to stake and un-stake a specified ERC20 token. Staked tokens are locked for a specific length of time (set by the contrat owner at the outset). Once the time period has elapsed, the user can remove their tokens again.






The Project Owners of CreamFactory have implemented Reentrancy Guard Library

The Team has done a great job to avoid potential reentrancy issues in the contract.

You can read more about the reentrancy library used.

<u>ReentrancyGuard</u>







KYC Information

The Project Owners of CreamFactory is not KYC.

KYC Information Notes:

Auditor Notes: KYC to be completed by PinkSale, project will be a SAFU Project.

Project Owner Notes:







Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	CreamFactory.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	CreamFactory.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	CreamFactory.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	CreamFactory.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	CreamFactory.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	CreamFactory.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	CreamFactory.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	CreamFactory.sol	L: 0 C: 0
SWC-108	Low	State variable visibility is not set	CreamFactory.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	CreamFactory.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	CreamFactory.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	CreamFactory.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	CreamFactory.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	CreamFactory.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	CreamFactory.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	CreamFactory.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	CreamFactory.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	CreamFactory.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	CreamFactory.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	CreamFactory.sol	L: 0 C: 0
SWC-120	Low	Potential use of block.number as source of randonmness.	CreamFactory.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	CreamFactory.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	CreamFactory.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	CreamFactory.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	CreamFactory.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	CreamFactory.sol	L: 0 C: 0





\ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	CreamFactory.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	CreamFactory.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	CreamFactory.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	CreamFactory.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	CreamFactory.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	CreamFactory.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	CreamFactory.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	CreamFactory.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	CreamFactory.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	CreamFactory.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	CreamFactory.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.





Smart Contract Vulnerability Details

SWC-108 - State Variable Default Visibility

CWE-710: Improper Adherence to Coding Standards

Description:

Labeling the visibility explicitly makes it easier to catch incorrect assumptions about who can access the variable.

Remediation:

Variables can be specified as being public, internal or private. Explicitly define visibility for all state variables.

References:

Ethereum Smart Contract Best Practices - Explicitly mark visibility in functions and state variables





Smart Contract Vulnerability Details

SWC-120 - Weak Sources of Randomness from Chain Attributes

CWE-330: Use of Insufficiently Random Values

Description:

Solidity allows for ambiguous naming of state variables when inheritance is used. Contract A with a variable x could inherit contract B that also has a state variable x defined. This would result in two separate versions of x, one of them being accessed from contract A and the other one from contract B. In more complex contract systems this condition could go unnoticed and subsequently lead to security issues.

Shadowing state variables can also occur within a single contract when there are multiple definitions on the contract and function level.

Remediation:

Using commitment scheme, e.g. RANDAO. Using external sources of randomness via oracles, e.g. Oraclize. Note that this approach requires trusting in oracle, thus it may be reasonable to use multiple oracles. Using Bitcoin block hashes, as they are more expensive to mine.

References:

How can I securely generate a random number in my smart contract?)

When can BLOCKHASH be safely used for a random number? When would it be unsafe?


The Run smart contract.





Inheritance

The contract for CreamFactory has the following inheritance structure.





Privileged Functions (onlyOwner)

Please Note if the contract is Renounced none of this functions can be executed.

Function Name	Parameters	Visibility
	address	Public





Smart Contract Advance Checks

ID	Severity	Name	Result	Status
Cream- LP-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
Cream- LP-02	Major	Function Visibility Optimization	Pass	Not-Found
Cream- LP-03	Minor	Lack of Input Validation.	Fail	Pending
Cream- LP-04	Major	Centralized Risk In addLiquidity.	Pass	Not-Found
Cream- LP-05	Medium	Missing Event Emission.	Fail	Pending
Cream- LP-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not-Found
Cream- LP-07	Minor	State Variables could be Declared Constant.	Pass	Not-Found
Cream- LP-08	Minor	Dead Code Elimination.	Pass	Not-Found
Cream- LP-09	Major	Third Party Dependencies.	Pass	Not-Found
Cream- LP-10	Major	Initial Token Distribution.	Pass	Not-Found
Cream-LP-11	Major	Compiler Version is Outdated	Fail	Pending
Cream-LP-12	Major	Centralization Risks In The X Role	Pass	Pending
Cream- LP-13	Informational	Extra Gas Cost For User	Pass	Pending





ID	Severity	Name	Result	Status
Cream- LP-14	Major	Unnecessary Use Of SafeMath	Pass	Not-Found
Cream- LP-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found
Cream- LP-16	Medium	Invalid collection of Taxes during Transfer.	Fail	Pending
Cream- LP-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Found
Cream- LP-18	Major	Enable Trade and Exclude Exist to create a whitelist.	Pass	Not-Found





Cream-LP-03 | Lack of Input Validation.

Category	Severity	Location	Status
Volatile Code	Minor	CreamFactory.sol: L: 588 C: 14	Pending

Description

The given input is missing the check for the non-zero address.

The given input is missing the check for the .

Remediation

We advise the client to add the check for the passed-in values to prevent unexpected errors as below:

```
...
require(receiver != address(0), "Receiver is the zero address");
...
...
require(value X limitation, "Your not able to do this function");
```

We also recommend customer to review the following function that is missing a required validation. .





Cream-LP-05 | Missing Event Emission.

Category	Severity	Location	Status
Volatile Code	Medium	CreamFactory.sol: L: 581 C: 14, L: 588 C: 14, L: 593 C: 14	Pending

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes. The linked code does not create an event for the transfer.

Remediation

Emit an event for critical parameter changes. It is recommended emitting events for the sensitive functions that are controlled by centralization roles.





Cream-LP-11 | Compiler Version is Outdated.

Category	Severity	Location	Status
Optimizati on	Major	CreamFactory.sol: L: 0 C: 0	Pending

Description

The current compiler is 0.5.16 and the latest compiler is 0.822, we recommend a N-2 in the compiler for better stability.

Remediation

Consider updating the code to the latest compiler version.

Project Action





Cream-LP-16 | Invalid collection of Taxes during Transfer.

Category	Severity	Location	Status
Logical Issue	Medium	CreamFactory.sol: L: 382 C: 14	Pending

Description

The current taxes are collected during the transfer, however the current logic defined in the contract

```
uint256 _totalFees;
if (_isExcludedFromFees[from] || _isExcludedFromFees[to] || swapping) {
    _totalFees = 0;
} else if (from == uniswapV2Pair) {
    _totalFees = _totalFeesOnBuy;
} else if (to == uniswapV2Pair) {
    _totalFees = _totalFeesOnSell;
} else {
    _totalFees = 0;
}

if (_totalFees > 0) {
    uint256 fees = (amount * _totalFees) / 100;
    amount = amount - fees;
    super._transfer(from, address(this), fees);
}
```

due to the logic written in here may results in the contract not collecting the appropriate taxes for the project and may collect 0 taxes from it resulting in a major problem for the project.

Remediation

We advise revising the logic of taxes, to ensure taxes are collected and the swapAndLiquify is functioning. Since taxes are not collected, this other functions will never execute or get triger.

Project Action





Technical Findings Summary

Classification of Risk

Severity	Description	
Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.	
Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.	
Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform	
Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.	
Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.	

Findings

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	1	0	0
Medium	0	0	0
Minor	3	0	0
Informational	0	0	0
Total	4	0	0





Social Media Checks

Social Media	URL	Result
Twitter	https://twitter.com/Cream_Swap	Pass
Other		Fail
Website	https://creamswap.app/#/swap	Pass
Telegram	https://t.me/Cream_SWap	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:







Assessment Results

Score Results

Review	Score
Overall Score	98/100
Auditor Score	85/100
Review by Section	Score
Manual Scan Score	47/53
SWC Scan Score	35/37
Advance Check Score	16/19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximun score is 100, however to attain that value the project most pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed







Assessment Results

Important Notes:

- Multiple issues/vulnerabilities were found.
- This is a uniswap factory clone.
- https://github.com/Uniswap/v2-core/blob/master/ contracts/UniswapV2Factory.sol
- The factory includes a code for pair creation, L: 286 C: 14
- Testing: https://testnet.bscscan.com/address/0x393703
 72DDaCO39b6582c42EaO6DA3b375ca8770#code
- Contract by Jing.







Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

Coding Best Practices

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.





Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocation for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.



