

CFG NINJA AUDITS

Security Assessment

KTULU Token

January 10, 2023





Table of Contents

- 1 Assessment Summary
- 2 Technical Findings Summary
- **3 Project Overview**
 - 3.1 Token Summary
 - 3.2 Risk Analysis Summary
 - 3.3 Main Contract Assessed
- 4 Smart Contract Risk Checks
 - 4.1 Mint Check
 - 4.2 Fees Check
 - 4.3 Blacklist Check
 - 4.4 MaxTx Check
 - 4.5 Pause Trade Check
- **5 Contract Ownership**
- **6 Liquidity Ownership**
- 7 KYC Check
- 8 Smart Contract Vulnerability Checks
 - 8.1 Smart Contract Vulnerability Details
 - 8.2 Smart Contract Inheritance Details
 - 8.3 Smart Contract Privileged Functions
- 9 Assessment Results and Notes(Important)
- 10 Social Media Check(Informational)
- 11 Technical Findings Details
- 12 Disclaimer





Assessment Summary

This report has been prepared for KTULU Token on the Ethereum network. CFGNINJA provides both client-centered and user-centered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Cross referencing contract structure and implementation against similar smart contracts produced by industry leaders
- Thorough line-by-line manual review of the entire codebase by industry experts.





Technical Findings Summary

Classification of Risk

Severity	Description
Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

Findings

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	0	0	0
Medium	0	0	0
Minor	0	0	0
Informational	0	0	0
Total	0	0	0





Project Overview

Token Summary

Parameter	Result
Address	Oxaa3ac37D7d29fB54CE464E612b02c0598E04298A
Name	KTULU
Token Tracker	KTULU (\$KTL)
Decimals	18
Supply	1,000,000,000
Platform	Ethereum
compiler	v0.8.15+commit.e14f2714
Contract Name	Ktulu
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://etherscan.io/address/0xaa3ac37D7d29fB54CE464E61 2b02c0598E04298A#code
Payment Tx	Oxd65277598871f655086e89862fd5aa31bef8aa91dcdb076eb 01822db9b67f84d





Project Overview

Risk Analysis Summary

Parameter	Result
Buy Tax	2%
Sale Tax	2%
Is honeypot?	Clean
Can edit tax?	No
Is anti whale?	Yes
Is blacklisted?	No
Is whitelisted?	Yes
Holders	170
Confidence Level	Medium

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.





Main Contract Assessed Contract Name

Name	Contract	Live
KTULU	Oxaa3ac37D7d29fB54CE464E612bO2cO598E04298A	Yes

TestNet Contract Assessed Contract Name

Name	Contract	Live
KTULU	Oxfaeab522C2095c70A8CE5D220D80F9Abd16431D4	Yes

Solidity Code Provided

SollD	File Sha-1	FileName
Ktulu	83e60c86224cde77cfb0b77e44434cc59e6ed5d	l Ktulu.sol





Mint Check


The project owners of KTULU do not have a mint function in the contract, owner cannot mint tokens after initial deploy.

The Project has a Total Supply of 1,000,000,000,000 and cannot mint any more than the Max Supply.

Mint Notes:

Auditor Notes:

Project Owner Notes:









Fees Check


The project owners of KTULU do not have the ability to set fees higher than 25%.

The team May have fees defined; however, they can't set those fees higher than 25% or may not be able to configure the same.

Tax Fee Notes:

Auditor Notes: The contract currently has 5% buy and 12% sale taxes, and cannot be set higher than 25%.

Project Owner Notes:









Blacklist Check

The project owners of KTULU do not have a blacklist function their contract.

The Project allow owners to transfer their tokens without any restrictions.

Token owner cannot blacklist the contract: Malicious or compromised owners can trap contracts relying on tokens with a blacklist.

Blacklist Notes:

Auditor Notes: blacklist is set for those tx origin from early buy

Project Owner Notes: undefined







MaxTx Check

The Project Owners of KTULU cannot set max tx amount

The Team allows any investors to swap, transfer or sell their total amount if needed.

MaxTX Notes:

Auditor Notes:

Project Owner Notes:

Project Has No MaxTX







Pause Trade Check

The Project Owners of KTULU don't have the ability to stop or pause trading.

The Team has done a great job to avoid stop trading, and investors has the ability to trade at any given time without any problems

Pause Trade Notes:

Auditor Notes: There is an Open Trade so holders cant trade until is enable.

Project Owner Notes:







Contract Ownership

The contract ownership of KTULU has been renounced.

Having no owner means that all the ownable functions in the contract can not be called by anyone, this often leads to more trust on the project.







Liquidity Ownership

Most of the liquidity is currently locked; the lock can be seen here:

Liquidity Locker Link can be viewed from: HERE







KYC Information

The Project Owners of KTULU is not KYC.

KYC Information Notes:

Auditor Notes:

Project Owner Notes:







Smart Contract Vulnerability Checks

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	Ktulu.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	Ktulu.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	Ktulu.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	Ktulu.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	Ktulu.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	Ktulu.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	Ktulu.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	Ktulu.sol	L: 0 C: 0
SWC-108	Low	State variable visibility is not set	Ktulu.sol	L: 266 C: 12, L: 267 C: 12
SWC-109	Pass	Uninitialized Storage Pointer.	Ktulu.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	Ktulu.sol	L: 0 C: 0
SWC-111	Pass	Use of Deprecated Solidity Functions.	Ktulu.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	Ktulu.sol	L: 0 C: 0





Coverity	Nance	F ila	leesties
Severity	Name	riie	location
Pass	Multiple calls are executed in the same transaction.	Ktulu.sol	L: 0 C: 0
Pass	Transaction Order Dependence.	Ktulu.sol	L: 0 C: 0
Low	Authorization through tx.origin.	Ktulu.sol	L: 530 C: 83, L: 531 C: 75
Pass	A control flow decision is made based on The block.timestamp environment variable.	Ktulu.sol	L: 0 C: 0
Pass	Signature Malleability.	Ktulu.sol	L: 0 C: 0
Pass	Incorrect Constructor Name.	Ktulu.sol	L: 0 C: 0
Pass	Shadowing State Variables.	Ktulu.sol	L: 0 C: 0
Low	Potential use of block.number as source of randonmness.	Ktulu.sol	L: 383 C: 7, L: 530 C: 96, L: 530 C: 151, L: 532 C: 7, L: 533 C: 7, L: 617 C: 37
Pass	Missing Protection against Signature Replay Attacks.	Ktulu.sol	L: 0 C: 0
Pass	Lack of Proper Signature Verification.	Ktulu.sol	L: 0 C: 0
Pass	Requirement Violation.	Ktulu.sol	L: 0 C: 0
Pass	Write to Arbitrary Storage Location.	Ktulu.sol	L: 0 C: 0
	Pass Low Pass Pass Pass Pass Low Pass Pass	Pass Multiple calls are executed in the same transaction. Pass Transaction Order Dependence. Low Authorization through tx.origin. Pass A control flow decision is made based on The block.timestamp environment variable. Pass Signature Malleability. Pass Incorrect Constructor Name. Pass Shadowing State Variables. Low Potential use of block.number as source of randonmness. Pass Missing Protection against Signature Replay Attacks. Pass Lack of Proper Signature Verification. Pass Requirement Violation.	Pass Multiple calls are executed in the same transaction. Pass Transaction Order Dependence. Low Authorization through tx.origin. Fass A control flow decision is made based on The block.timestamp environment variable. Pass Signature Malleability. Ktulu.sol Pass Incorrect Constructor Name. Pass Shadowing State Variables. Low Potential use of block.number as source of randonmness. Missing Protection against Signature Replay Attacks. Pass Lack of Proper Signature Verification. Pass Requirement Violation. Ktulu.sol Write to Arbitrary Storage Ktulu.sol





ID	Severity	Name	File	location
SWC-125	Pass	Incorrect Inheritance Order.	Ktulu.sol	L: 0 C: 0
SWC-126	Pass	Insufficient Gas Griefing.	Ktulu.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	Ktulu.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	Ktulu.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	Ktulu.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	Ktulu.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	Ktulu.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	Ktulu.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	Ktulu.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	Ktulu.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	Ktulu.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	Ktulu.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.





Smart Contract Vulnerability Details

SWC-108 - State Variable Default Visibility

CWE-710: Improper Adherence to Coding Standards

Description:

Labeling the visibility explicitly makes it easier to catch incorrect assumptions about who can access the variable.

Remediation:

Variables can be specified as being public, internal or private. Explicitly define visibility for all state variables.

References:

Ethereum Smart Contract Best Practices - Explicitly mark visibility in functions and state variables





Smart Contract Vulnerability Details

SWC-115 - Authorization through tx.origin

CWE-477: Use of Obsolete Function

Description:

tx.origin is a global variable in Solidity which returns the address of the account that sent the transaction. Using the variable for authorization could make a contract vulnerable if an authorized account calls into a malicious contract. A call could be made to the vulnerable contract that passes the authorization check since tx.origin returns the original sender of the transaction which in this case is the authorized account.

Remediation:

tx.origin should not be used for authorization. Use msg.sender instead.

References:

Solidity Documentation - tx.origin

Ethereum Smart Contract Best Practices - Avoid using tx.origin

SigmaPrime - Visibility.





Smart Contract Vulnerability Details

SWC-120 - Weak Sources of Randomness from Chain Attributes

CWE-330: Use of Insufficiently Random Values

Description:

Solidity allows for ambiguous naming of state variables when inheritance is used. Contract A with a variable x could inherit contract B that also has a state variable x defined. This would result in two separate versions of x, one of them being accessed from contract A and the other one from contract B. In more complex contract systems this condition could go unnoticed and subsequently lead to security issues.

Shadowing state variables can also occur within a single contract when there are multiple definitions on the contract and function level.

Remediation:

Using commitment scheme, e.g. RANDAO. Using external sources of randomness via oracles, e.g. Oraclize. Note that this approach requires trusting in oracle, thus it may be reasonable to use multiple oracles. Using Bitcoin block hashes, as they are more expensive to mine.

References:

How can I securely generate a random number in my smart contract?)

When can BLOCKHASH be safely used for a random number? When would it be unsafe?


The Run smart contract.





Inheritance

The contract for KTULU has the following inheritance structure.







Smart Contract Advance Checks

ID	Severity	Name	Result	Status
\$KTL-01	Minor	Potential Sandwich Attacks.	Pass	Pending
\$KTL-02	Minor	Function Visibility Optimization	Pass	Pending
\$KTL-03	Minor	Lack of Input Validation.	Pass	Resolved
\$KTL-04	Major	Centralized Risk In addLiquidity.	Pass	Pending
\$KTL-05	Major	Missing Event Emission.	Pass	Pending
\$KTL-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not Found
\$KTL-07	Minor	State Variables could be Declared Constant.	Pass	In-Review
\$KTL-08	Major	Dead Code Elimination.	Pass	Not-Found
\$KTL-09	Major	Third Party Dependencies.	Pass	Not Found
\$KTL-10	Major	Initial Token Distribution.	Pass	Pending
\$KTL-11	Critical	distributeTokensBetween Holders is a multisender of tokens from contract.	Pass	Resolved
\$KTL-12	Major	Centralization Risks In The X Role	Pass	Not Found
\$KTL-13	Informational	Extra Gas Cost For User	Pass	Pending
\$KTL-14	Informational	Unnecessary Use Of SafeMath	Pass	Pending





Social Media Checks

Social Media	URL	Result
Twitter	https://twitter.com/TitanKtulu	Pass
Other	https://discord.gg/mZ8HPE7xVc, https://medium.com/@titan_68262, https://www.youtube.com/@ktuluerc20	Pass
Website	https://ktu-lu.com/	Pass
Telegram	https://t.me/ktuluerc20	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:







Assessment Results

Score Results

Review	Score
Overall Score	98/100
Auditor Score	85/100
Review by Section	Score
Manual Scan Score	36/35
SWC Scan Score	34/37
Advance Check Score	28 /28

The Following Score System Has been Added to this page to help understand the value of the audit, the maximun score is 100, however to attain that value the project most pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed







Assessment Results

Important Notes:

- Contract has taxes up to 2%.
- Owner can't set max tx amount.
- No high-risk Exploits/Vulnerabilities Were Found in the Source Code.
- Owner has provided the link to the ownership renounce: https://etherscan.io/tx/0x9eccc3c1e1bc7aa3596e697943b075308d3249909435a29ec728e73128f5dd12

Auditor Score =85 Audit Passed







Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

Coding Best Practices

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.





Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocation for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.



