Vancouver: 10 November 2025
Perth: 11 November 2025

# STRONG GOLD RESULTS FROM TEICHMAN

# HIGH-GRADE ANTIMONY RESULTS FROM SHERLOCK

## HIGHLIGHTS

- Mapping and geochemical sampling across the **Teichman area** in the Egina Gold Camp has defined multiple prospects over an area of 1.3 x 2.5 km, with strong potential along two main shear corridors. The Teichman area is situated directly south of the Novo-Northern Star Resources (ASX:NST) **Egina Farm-in and Joint Venture**.
- Teichman rock-chip assay results include peak values of **77.5 g/t Au and 51.4 g/t Au, with 11 of 87 samples collected grading > 10 g/t Au**.
- The Teichman area is characterised by complex structure, multiple vein arrays, intense alteration and high-grade gold assay results.
- Drilling at the **Sherlock Crossing prospect** returned peak gold and antinomy results of **3 m @ 2.96 g/t Au and 1.86% Sb from 108 m in LCR0005 including 1 m @ 7.71 g/t Au and 4.77% Sb**. The system remains open at depth.
- Access has been finalised for follow-up mapping and sampling at the **Wyloo Sb-Ag-Au Prospect** in late 2025 prior to planning drill targets for Q1 2026.
- Northern Star continues exploration on the **Egina Joint Venture**, with a current focus across three tenements of the Mallina Project, targeting the Croydon Anticline, and continued targeting of prospects surrounding Gillies in the Farno Joint Venture.

Commenting on the Company's Pilbara exploration activity, Mike Spreadborough, Executive Co-Chairman and Acting Chief Executive Officer, said: *"The team is extremely pleased with the early-stage results from exploration work completed at the Teichman area and drilling at Sherlock Crossing.*

*"The geological work at Teichman has highlighted several exciting prospective drill targets with complex geology and structure and significant areas of cover and we will continue to progress key work activities in the lead-up to a possible maiden drill program. Drilling at Sherlock has provided a significant Au-Sb intercept which is part of a much larger system and highlights the complexity of high-grade vein systems. This result sets an exciting platform for Novo to complete further work at Sherlock Crossing as we look to unlock the full gold and antimony potential of the prospect."*

**Novo Resources Corp Australian Office**
Level 3, 46 Ventnor Avenue,
West Perth WA 6005
+61 8 6400 6100

**Mailing Address**
PO Box 566
West Perth, WA 6872

www.novoresources.com

**PERTH, WESTERN AUSTRALIA - Novo Resources Corp.** (**Novo** or the **Company**) (ASX: NVO) (TSX: NVO) (OTCQB: NSRPF) is pleased to provide an update on recent exploration programs completed across the Company's Pilbara project portfolio, including mapping and rock chip sampling results from the Teichman area, which is located in the Egina Gold Camp, scout drill results from the Sherlock Crossing Au-Sb prospect, and commitment from Northern Star on the Egina JV to continue exploration for major gold deposits.




***Figure 1:*** *Novo Pilbara and Onslow District Tenure showing priority gold prospects and location of the Teichman area and Sherlock Crossing drilling.*

**Egina Gold Camp - Teichman area**

Novo is advancing gold exploration in the Teichman area, which is part of the Croydon JV (70% Novo and 30% Runnel Holdings Pty Ltd, an entity of Mark Gareth Creasy (**Creasy Group**)).

Recent exploration completed including mapping, pXRF soil sampling and rock chip sampling, has been conducted in the Teichman area, situated directly south of the Novo-Northern Star Egina Farm-in and Joint Venture.

The project area includes multiple historic workings centred on two main mineralised shear zones over an area of approximately 2.5 by 1.3 km.

Novo's work focused on historic and recent workings, where historic high-grade rock chip samples **included assays of up to 108 g/t Au** from two main lines of workings: Teichman and Pride[1, 2, 3,4,5] (**Appendix 2**).

This was Novo's first pass on-ground exploration program to define targets for drilling, following discussions with the Mugarinya Community, allowing Novo access onto the Yandeyarra Reserve to conduct low impact exploration.

Exceptional rock chip assay results have been returned from multiple prospects sampled by Novo, confirming and expanding on previous sampling in the area, with peak results from prospects (**Table 1**) including:

- **77.5 g/t Au, 9.3 g/t Ag and 0.24% Cu at Pride NNE**
- **51.4 g/t Au, 7.9 g/t Ag and 0.59% Cu at Pride N**
- **6.9 g/t Au at Pride**
- **30.3 g/t Au Teichman**
- **17.5 g/t Au at Teichman N**
- **38.3 g/t Au at Mountain Maid**

**Table 1:** *Significant rock chip results received recently from the Teichman area – full list of results is presented in Appendix 1*

| Sample ID | Sample Type | Prospect | Easting (m) | Northing (m) | Height (m) | Au (g/t) | Cu ppm | Ag ppm |
|---|---|---|---|---|---|---|---|---|
| R07441 | Rock Chip | Pride N | 624163 | 7648152 | 221 | **4.0** | 950 | 0.6 |
| R07442 | Rock Chip | Pride N | 624167 | 7648150 | 221 | **51.4** | **5940** | **7.9** |
| R07444 | Rock Chip | Pride N | 624173 | 7648151 | 222 | **21.0** | **5800** | **3.5** |
| R07450 | Rock Chip | Pride N | 624273 | 7648195 | 219 | **7.4** | 1090 | 1.3 |
| R07452 | Rock Chip | Pride N | 624244 | 7648165 | 225 | **1.3** | 5 | 0.1 |
| R07453 | Rock Chip | Pride N | 624140 | 7648119 | 221 | **19.4** | 50 | 0.7 |
| R07457 | Float | Pride NNE | 624546 | 7648511 | 212 | **1.4** | 207 | 0.6 |
| R07459 | Float | Pride NNE | 624527 | 7648513 | 212 | **1.9** | 932 | 0.6 |
| R07461 | Float | Pride NNE | 624480 | 7648512 | 212 | **7.6** | 1230 | 1.9 |
| R07462 | Rock Chip | Pride NNE | 624473 | 7648516 | 208 | **77.5** | **2420** | **9.3** |
| R07465 | Rock Chip | Pride NNE | 624556 | 7648529 | 203 | **36.7** | **8720** | **6.3** |
| R07467 | Rock Chip | Pride NNE | 624548 | 7648586 | 212 | **13.2** | 916 | 2.6 |
| R07468 | Rock Chip | Pride NNE | 624557 | 7648598 | 216 | **7.9** | 565 | 2.1 |
| R07469 | Rock Chip | Pride NNE | 624562 | 7648606 | 208 | **4.4** | **1320** | **3.2** |
| R07474 | Rock Chip | Pride | 624101 | 7647746 | 219 | **6.9** | 583 | 1.3 |
| R07494 | Float | Mountain Maid | 623865 | 7647029 | 226 | **38.3** | 70 | 1.1 |
| R07495 | Rock Chip | Mountain Maid | 623883 | 7647031 | 227 | **10.1** | 1301 | 0.7 |
| R07496 | Rock Chip | Mountain Maid | 624055 | 7647082 | 219 | **2.1** | 19 | 0.2 |
| R09043 | Mullock Grab | Teichman S | 624814 | 7647089 | 198 | **10.4** | 25 | 0.4 |
| R09044 | Mullock Grab | Teichman S | 624821 | 7647098 | 196 | **17.5** | 106 | 0.7 |
| R09047 | Mullock Grab | Teichman | 624858 | 7647328 | 201 | **2.2** | 293 | 0.1 |
| R09048 | Mullock Grab | Teichman | 624905 | 7647329 | 202 | **30.3** | 53 | 0.7 |
| R09049 | Mullock Grab | Teichman | 624886 | 7647331 | 201 | **4.9** | 98 | 0.2 |
| R09050 | Mullock Grab | Teichman | 624797 | 7647243 | 208 | **4.6** | 75 | 0.1 |

The structural, lithological and regolith mapping program, in conjunction with the geochemical sampling, confirmed multiple shear-hosted gold targets along the Pride and Teichman trends (**Figure 2**).

**The Pride N and Pride NNE prospects** show the strongest potential, with exploration work defining a 1.2 km corridor (**Figure 2, 3**) of strong carbonate alteration and mineralisation with significant shallow cover, numerous workings and high-grade gold along a complex array of primary NE trending and second order shears.

Mineralisation includes flat to steep dipping laminated to massive quartz veins with variable sulphide, tourmaline and carbonate, focussed along the several shear orientations and cutting highly carbonated altered high-MgO basalt. Several gabbro bodies occur within the mineralised shear corridor, and concentrate mineralised veins along their margins, providing excellent rheological contrast.

The **Teichman and Teichman South prospects** within the Teichman Shear Zone, comprise two subparallel shears 80 m apart trending north-northeast with east-west dilatational jogs

focusing mineralisation, creating a "ladder-vein" type target. Veining is typified by quartz-sulphide veins with minor Cu-oxides within strongly carbonate altered high-MgO basalt. Historic workings up to 15 m deep along two main E-W veins are present, where the trend goes undercover to the south.

Several targets have now been identified for follow-up work and fast tracking to drill-ready status. Significant shallow colluvial/alluvial cover occurs along much of the trend giving potential for blind discoveries, and mineralisation trends under the major unconformity of the Fortescue Group at Mountain Maid and 500 m south-southwest of Teichman South.

Further work will include drill planning and access negotiations prior to RC drilling multiple prospects.




**Figure 2.** Teichman prospects highlighting Novo rock chip results > 5 g/t Au and geological interpretation with regolith cover




**Figure 3**. Aerial view (looking NE) of the Pride Shear Zone highlighting historic workings, recent high grade (> 5 g/t Au) rock chip samples, outcrop geology and surficial cover (not coloured).

**Sherlock Crossing Project**

Scout RC drilling at **Sherlock Crossing** was completed in September 2025, comprising 8 holes for a total of 1,026 meters on 4 drill sections spaced at approximately 80m apart, centred around the historic Clarke Mine workings.

Peak results include:

- **3 m @ 2.96 g/t Au and 1.86% Sb from 108 m including 1 m @ 7.71 g/t Au and 4.7% Sb** from 109 m in LCR005;
- 1 m @ 3.15 g/t Au and 84 ppm Sb from 19 m in LCR0001; and
- 1 m @ 1.05 g/t Au and 246 ppm Sb from 59m in LCR0001 open at depth.

Refer to **Appendix 3** for full results.

The scout drill program targeted moderate to steeply dipping quartz veins beneath the historic Clarke Mine workings, hosted in a sequence of komatiitic to basaltic lithologies of the Louden Volcanics.

During exploration in late 2024, Novo collected rock chip samples which generated exceptional results including **4.7% and 3.1% Sb, and 146.7 ppm and 35.3 ppm Au**[7]. *These samples were hand selected from mining spoils and may not be indicative of mineralisation in the district but do validate the high grades reported historically from mining activities.*

Gold and antimony mineralisation in drilling occurs in intervals associated with thick intersections of quartz veining and silicified/carbonate altered ultramafic/mafic wall rock. Mineralisation is interpreted to be forming steeply plunging shoots or may manifest with pinch and swell geometries. Au-As-Sb results near the bottom of LCR0001 (Appendix 4) appear to vector downward at the end of hole, leaving mineralisation open at depth. Carbonate alteration at the base of LCR005 and LCR008, indicate that the system may be strengthening at depth and the key intercept is open down dip. (**Figure 44**).




**Figure 4.** Sherlock Crossing RC drill plan with rock chip results previously announced [7,8]and cross section showing key Au-Sb intercepts and As geochemistry. Carbonate alteration is strengthening, and mineralisation is open at depth. The results shown in Figure 4 may not be indicative of mineralisation in the district.

A coherent 1.5 km long soil anomaly[6] remains untested by drilling to the southwest of the completed drill program. A heritage survey has been completed and POW for the southern portion of the soil anomaly has already been granted.

Work is now underway to; 1) assess the potential for a high-grade plunging shoot focused on the Clarke Sb-Au mine and 2) target the broader Sb-Au system.

**Wyloo Project**

At the **Wyloo Project** in the South Pilbara, follow up mapping and sampling is scheduled for November 2025, following the granting of access to Novo by the Traditional Owners.

Previous reconnaissance programs highlighted coherent Sb-Ag-Au anomalism with peak results from rock chip sampling of the polymetallic vein-style mineralisation **including 482 g/t Ag, 1.29% Sb, 0.93 g/t Au, 2.6% Cu, 9.7% Pb and 15.95% Zn[9]**.

Drilling is planned for Q1 2026 pending heritage surveys and will target an ENE trending vein array, dipping 60 degrees to the ESE, striking over 150 m under cover in both directions[9]. Sectional drilling will test the vertical metal zonation of the polymetallic vein system, grade and width of the mineralisation.

**Egina Earn-in/JV (Northern Star earning a 50% interest) and Farno JV (Northern Star 75% /Novo 25%)**

**Northern Star** completed an aircore program of 55 holes for 5785 m in the northern part of the Farno JV tenement E47/2502, spaced at approximately 100 m x 640 m: No significant intercepts were returned (**Figure 5**).

Planned exploration for the Egina Earn-in and Farno JV's by Northern Star over the current quarter to December 2025, includes field mapping at the Gillies prospect on E47/2502, field reconnaissance over the Croyden Anticline at the Mallina Project on tenements E47/3782, E47/3774 and E47/3776 as well as desktop studies on tenements E47/3625, E47/3783, E47/3812 and M47/561 (Station Peak) (**Figure 5**).




**Figure 5.** Northern Star - Novo Egina Joint Venture and Farno JV tenements with planned activity for H2 2025 and location of recent aircore drilling.

Authorised for release by the Board of Directors.

**CONTACT**


**Investors:**
Mike Spreadborough
+61 8 6400 6100
info@novoresources.com

**North American Queries:**
Leo Karabelas
+1 416 543 3120
leo@novoresources.com

**Media:**
Cameron Gilenko
+61 466 984 953
cameron.gilenko@sodali.com

## QP STATEMENT

Mr. Iain Groves (MAIG), is the qualified person, as defined under National Instrument 43-101 *Standards of Disclosure for Mineral Projects*, responsible for, and having reviewed and approved, the technical information contained in this news release, as well as verified the data disclosed, including sampling, analytical and test data underlying the information or opinions contained in the written disclosure. Mr Groves is an Exploration Manager at Novo.

## JORC COMPLIANCE STATEMENT

### *New Exploration Results*

The information in this news release that relates to exploration results at Novo's Pilbara tenure is based on information compiled by Mrs De Luca, who is a full-time employee of Novo Resources Corp. Mrs De Luca is a Competent Person who is a member of the Australian Institute of Geoscientists. Mrs De Luca has sufficient experience that is relevant to the style of mineralisation and the type of deposits under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mrs De Luca consents to the inclusion in the report of the matters based on her information in the form and context in which it appears.

### *Previous Exploration Results*

The information in this news release that relates to previously reported exploration results at Novo's Pilbara tenure is extracted from the Company's ASX announcements referred to in endnotes 6, 7, 8 and 9, each of which is available to view at www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and that all material assumptions and technical parameters underpinning the estimates in the market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the competent persons findings are presented have not been materially modified from the original market announcements.

## FORWARD-LOOKING STATEMENTS

Some statements in this news release may contain "forward-looking statements" within the meaning of Canadian and Australian securities law and regulations. In this news release, such statements include but are not limited to planned exploration activities and the timing of such. These statements address future events and conditions and, as such, involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements to be materially different from any future results, performance or achievements expressed or implied by the statements. Such factors include, without limitation, customary risks of the resource industry and the risk factors identified in Novo's annual information form for the year ended December 31, 2024 (which is available under Novo's profile on SEDAR+ at www.sedarplus.ca and at www.asx.com.au) in the Company's prospectus dated 2 August 2023 which is available at www.asx.com.au. Forward-looking statements speak only as of the date those statements are made. Except as required by applicable law, Novo assumes no obligation to update or to publicly announce the results of any change to any forward-looking statement contained or incorporated by reference herein to reflect actual results, future events or developments, changes in assumptions or changes in other factors affecting the forward-looking statements. If Novo updates any forward-looking statement(s), no inference should be drawn that the Company will make additional updates with respect to those or other forward-looking statements.

---

- 1 Refer to Chalice/De Grey Mining 2007 WAMEX report A77811
- 2 Refer to Chalice/De Grey Mining 2008 WAMEX report A81531
- 3 Refer to De Grey Mining's ASX announcement for highlight gold results, which was released on 09 April 2008 titled EXPLORATION RESULTS GENERATE NEW EXPLORATION TARGETS AT YANDEYARRA JOINT VENTURE PROJECT
- 4 Refer to De Grey Mining's ASX announcement for highlight gold results, which was released on22 January 2008 titled RECONNAISSANCE ROCK SAMPLING CONFIRMS GOLD AND COPPER POTENTIAL AT YANDEYARRA
- 5 Refer to Top Iron's 2013 – WAMEX report A102861
- 6 Refer to Novo's ASX announcement dated 20 June 2025, Pilbara Exploration Update High-Grade Gold and Antimony Targets
- 7 Refer to Novo's ASX announcement dated 10 December 2024 - Pilbara Exploration
- 8 Refer to Novo's ASX announcement dated 12 September 2024 – Evaluation of Pilbara Antimony-Gold Potential Generates Positive Results
- 9 refer to Novo's ASX announcement dated 04 September 2025 – Drilling Commences at Sherlock Crossing Gold-Antimony Prospect

## ABOUT NOVO

Novo is an Australian based gold explorer listed on the ASX and the TSX focussed on discovering standalone gold and copper projects with > 1 Moz development potential. Novo is an innovative gold explorer with a significant land package covering approximately 5,500 square kilometres in the Pilbara region of Western Australia, along with the 22 square kilometre Belltopper project in the Bendigo Tectonic Zone of Victoria, Australia. In addition to the above, Novo is part of two prospective farm in agreements in New South Wales.

Novo's key project area in the Pilbara is the Egina Gold Camp, where Northern Star Resources Limited (ASX: NST) is farming-in to form a JV at the Becher Project and surrounding tenements through exploration expenditure of A$25 million within 4 years for a 50% interest. The Becher Project has similar geological characteristics as Northern Star's 13.6 Moz Hemi Project[#]. Novo is also advancing gold exploration south of Becher in the Egina Gold Camp, part of the Croydon JV (Novo 70%: Creasy Group 30%). Novo continues to undertake early-stage exploration elsewhere across its Pilbara tenement portfolio.

Novo has also formed a lithium joint venture with SQM in the Pilbara which provides shareholder exposure to battery metals.

Novo has recently strengthened its high-quality, Australian based exploration portfolio by adding the TechGen John Bull Gold Project in the New England Orogen of NSW, and Manhattan Tibooburra Gold Project in the Albert Goldfields in northwestern NSW. Both projects demonstrate prospectivity for significant discovery and resource definition and align with Novo's strategy of identifying and exploring projects with > 1 Moz Au potential. These high-grade gold projects compliment the landholding consolidation that forms the Toolunga Project in the Onslow District in Western Australia.

Novo has a significant investment portfolio and a disciplined program in place to identify value accretive opportunities that will build further value for shareholders.

Please refer to Novo's website for further information including the latest corporate presentation.




#Refer to De Grey's ASX Announcement, Hemi Gold Project mineral Resource Estimate (MRE) 2024, dated 14 November 2024. No assurance can be given that a similar (or any) commercially viable mineral deposit will be determined at Novo's Becher Project.

**Appendix 1: Results for recent rock chip samples collected in the Teichman area. Coordinates are MGA2020 Z50. Elements of interest including Au, Cu and Ag are listed.**

| Sample ID | Sample Type | Year | Easting (m) | Northing (m) | Height (m) | Au (g/t) | Cu ppm | Ag ppm |
|---|---|---|---|---|---|---|---|---|
| R07431 | Rock Chip | 2025 | 624194 | 7648194 | 223 | <0.03 | 16 | 0.02 |
| R07432 | Rock Chip | 2025 | 624195 | 7648193 | 222 | <0.03 | 17 | 0.01 |
| R07433 | Rock Chip | 2025 | 624195 | 7648192 | 221 | <0.03 | 7 | 0.01 |
| R07434 | Rock Chip | 2025 | 624189 | 7648190 | 219 | 0.04 | 75 | 0.02 |
| R07435 | Rock Chip | 2025 | 624200 | 7648204 | 202 | <0.03 | 8 | 0.01 |
| R07436 | Rock Chip | 2025 | 624196 | 7648205 | 213 | <0.03 | 37 | 0.02 |
| R07437 | Rock Chip | 2025 | 624178 | 7648183 | 215 | <0.03 | 9 | 0.08 |
| R07438 | Rock Chip | 2025 | 624179 | 7648182 | 223 | <0.03 | 218 | 0.05 |
| R07439 | Rock Chip | 2025 | 624168 | 7648168 | 222 | 0.1 | **2200** | 0.95 |
| R07440 | Rock Chip | 2025 | 624155 | 7648153 | 221 | 0.81 | 1360 | 0.43 |
| R07441 | Rock Chip | 2025 | 624163 | 7648152 | 221 | **3.95** | 950 | 0.64 |
| R07442 | Rock Chip | 2025 | 624167 | 7648150 | 221 | **51.35** | **5940** | **7.93** |
| R07443 | Rock Chip | 2025 | 624172 | 7648150 | 222 | 0.17 | 130 | 0.12 |
| R07444 | Rock Chip | 2025 | 624173 | 7648151 | 222 | **21.06** | **5800** | **3.48** |
| R07445 | Rock Chip | 2025 | 624222 | 7648194 | 219 | 0.25 | 84 | 0.05 |
| R07446 | Rock Chip | 2025 | 624232 | 7648180 | 218 | <0.03 | 62.1 | 0.07 |
| R07447 | Rock Chip | 2025 | 624240 | 7648162 | 221 | 0.1 | 9 | 0.03 |
| R07449 | Rock Chip | 2025 | 624270 | 7648193 | 218 | 0.06 | 206 | 0.06 |
| R07450 | Rock Chip | 2025 | 624273 | 7648195 | 219 | **7.36** | 1090 | 1.29 |
| R07451 | Rock Chip | 2025 | 624255 | 7648167 | 228 | 0.06 | 8 | 0.06 |
| R07452 | Rock Chip | 2025 | 624244 | 7648165 | 225 | **1.28** | 5 | 0.07 |
| R07453 | Rock Chip | 2025 | 624140 | 7648119 | 221 | **19.43** | 50 | 0.66 |
| R07454 | Rock Chip | 2025 | 624090 | 7648063 | 223 | <0.03 | 117 | 0.04 |
| R07455 | Rock Chip | 2025 | 624069 | 7648071 | 225 | <0.03 | 315 | 0.01 |
| R07456 | Rock Chip | 2025 | 624138 | 7648157 | 222 | <0.03 | 264 | 0.06 |
| R07457 | Float | 2025 | 624546 | 7648511 | 212 | **1.44** | 207 | 0.6 |
| R07458 | Float | 2025 | 624539 | 7648510 | 212 | 0.79 | 413 | 0.14 |
| R07459 | Float | 2025 | 624527 | 7648513 | 212 | **1.94** | 932 | 0.57 |
| R07460 | Float | 2025 | 624513 | 7648509 | 211 | 0.32 | 94 | 0.04 |
| R07461 | Float | 2025 | 624480 | 7648512 | 212 | **7.62** | 1230 | 1.88 |
| R07462 | Rock Chip | 2025 | 624473 | 7648516 | 208 | **77.49** | **2420** | **9.33** |
| R07464 | Rock Chip | 2025 | 624626 | 7648525 | 201 | 0.14 | 25 | 0.04 |
| R07465 | Rock Chip | 2025 | 624556 | 7648529 | 203 | **36.65** | **8720** | **6.25** |
| R07466 | Rock Chip | 2025 | 624522 | 7648508 | 223 | 0.1 | 28 | 0.03 |
| R07467 | Rock Chip | 2025 | 624548 | 7648586 | 212 | **13.18** | 916 | 2.63 |
| R07468 | Rock Chip | 2025 | 624557 | 7648598 | 216 | **7.9** | 565 | 2.09 |
| R07469 | Rock Chip | 2025 | 624562 | 7648606 | 208 | **4.43** | 1320 | 3.15 |
| R07470 | Rock Chip | 2025 | 624668 | 7648579 | 208 | 0.04 | 30 | 0.02 |
| R07471 | Rock Chip | 2025 | 624086 | 7647722 | 219 | <0.03 | 77 | 0.12 |
| R07472 | Rock Chip | 2025 | 624095 | 7647718 | 219 | <0.03 | 51 | 0.15 |
| R07473 | Rock Chip | 2025 | 624113 | 7647714 | 219 | <0.03 | 30 | 0.05 |
| R07474 | Rock Chip | 2025 | 624101 | 7647746 | 219 | **6.91** | 583 | 1.28 |
| R07475 | Rock Chip | 2025 | 624755 | 7649080 | 213 | <0.03 | 403 | 0.19 |
| R07476 | Rock Chip | 2025 | 624757 | 7649082 | 211 | 0.07 | 557 | 0.33 |
| R07477 | Rock Chip | 2025 | 624749 | 7649071 | 227 | <0.03 | 161 | 0.12 |
| R07479 | Rock Chip | 2025 | 624741 | 7649055 | 230 | 0.29 | 946 | 0.15 |
| R07480 | Rock Chip | 2025 | 624727 | 7649046 | 220 | 0.12 | 27 | 0.1 |
| R07481 | Rock Chip | 2025 | 624721 | 7649008 | 242 | <0.03 | 18.6 | 0.07 |
| R07482 | Rock Chip | 2025 | 624688 | 7649026 | 247 | 0.04 | 38 | 0.07 |
| R07483 | Rock Chip | 2025 | 624727 | 7649059 | 227 | 0.17 | 149 | 0.12 |
| R07484 | Rock Chip | 2025 | 624763 | 7649112 | 221 | <0.03 | 37 | 0.05 |
| R07485 | Rock Chip | 2025 | 624758 | 7649174 | 226 | <0.03 | 52 | 0.04 |
| R07486 | Rock Chip | 2025 | 624658 | 7648936 | 239 | <0.03 | 42 | 0.02 |
| R07487 | Rock Chip | 2025 | 624783 | 7648976 | 230 | 0.03 | 12 | 0.11 |
| R07488 | Rock Chip | 2025 | 624797 | 7648852 | 215 | <0.03 | 15 | 0.01 |
| R07489 | Rock Chip | 2025 | 624820 | 7648843 | 218 | <0.03 | 3 | 0.01 |
| R07490 | Rock Chip | 2025 | 624817 | 7648840 | 219 | <0.03 | 6 | 0.01 |
| R07491 | Float | 2025 | 624826 | 7648834 | 219 | <0.03 | 4 | <0.01 |
| R07492 | Rock Chip | 2025 | 623969 | 7647077 | 220 | <0.03 | 5 | 0.02 |
| R07494 | Float | 2025 | 623865 | 7647029 | 226 | **38.32** | 70 | 1.08 |
| R07495 | Rock Chip | 2025 | 623883 | 7647031 | 227 | **10.14** | 1301 | 0.68 |
| R07496 | Rock Chip | 2025 | 624055 | 7647082 | 219 | **2.08** | 19 | 0.19 |
| R07497 | Rock Chip | 2025 | 624174 | 7647289 | 210 | 0.03 | 4 | 0.01 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| R07498 | Rock Chip | 2025 | 624197 | 7647318 | 214 | <0.03 | 5 | 0.01 |
| R07499 | Rock Chip | 2025 | 623852 | 7648124 | 229 | <0.03 | 133 | 0.01 |
| R07500 | Rock Chip | 2025 | 623838 | 7648114 | 229 | <0.03 | 64 | 0.04 |
| R07544 | Rock Chip | 2025 | 623956 | 7648136 | 224 | <0.03 | 644 | 0.34 |
| R07545 | Rock Chip | 2025 | 624736 | 7647025 | 201 | <0.03 | 6 | 0.01 |
| R07731 | Rock Chip | 2025 | 624853 | 7647360 | 207 | <0.03 | 37 | 0.02 |
| R07732 | Rock Chip | 2025 | 624868 | 7647391 | 207 | <0.03 | 4 | 0.01 |
| R07733 | Rock Chip | 2025 | 624935 | 7647461 | 204 | 0.51 | 188 | 0.05 |
| R07734 | Rock Chip | 2025 | 624949 | 7647511 | 208 | <0.03 | 3 | 0.03 |
| R07735 | Rock Chip | 2025 | 624975 | 7647537 | 209 | 0.23 | 142 | 0.05 |
| R07736 | Rock Chip | 2025 | 624979 | 7647547 | 206 | <0.03 | 422 | 0.16 |
| R07737 | Rock Chip | 2025 | 624997 | 7647601 | 212 | <0.03 | 4 | 0.01 |
| R07738 | Rock Chip | 2025 | 625057 | 7647686 | 207 | <0.03 | 3 | 0.01 |
| R07739 | Rock Chip | 2025 | 625090 | 7647732 | 210 | <0.03 | 530 | 0.16 |
| R07741 | Rock Chip | 2025 | 623360 | 7647520 | 217 | <0.03 | **2130** | 0.31 |
| R09041 | Rock Chip | 2025 | 624723 | 7646999 | 202 | <0.03 | 8 | 0.01 |
| R09042 | Rock Chip | 2025 | 624721 | 7646995 | 202 | <0.03 | 3 | <0.01 |
| R09043 | Mullock Grab | 2025 | 624814 | 7647089 | 198 | **10.38** | 25 | 0.44 |
| R09044 | Mullock Grab | 2025 | 624821 | 7647098 | 196 | **17.47** | 106 | 0.65 |
| R09046 | Mullock Grab | 2025 | 624840 | 7647093 | 206 | 0.09 | 41 | 0.06 |
| R09047 | Mullock Grab | 2025 | 624858 | 7647328 | 201 | **2.16** | 293 | 0.11 |
| R09048 | Mullock Grab | 2025 | 624905 | 7647329 | 202 | **30.33** | 53 | 0.7 |
| R09049 | Mullock Grab | 2025 | 624886 | 7647331 | 201 | **4.86** | 98 | 0.23 |
| R09050 | Mullock Grab | 2025 | 624797 | 7647243 | 208 | **4.61** | 75 | 0.05 |

**Appendix 2: Results presented for all referenced historic rock chip samples[1,2,3,4,5] collected at the Teichman Area, including company and year collected. Coordinates are MGA2020 Z50.**

| Sample ID | Sample Type | Year | Company | Easting (m) | Northing (m) | Height (m)* | Au (g/t) |
|---|---|---|---|---|---|---|---|
| P546344 | Rock Chip | 2007 | Chalice/De Grey | 624908 | 7647318 | 175 | 25.5 |
| P546345 | Rock Chip | 2007 | Chalice/De Grey | 624479 | 7648518 | 225 | 32.3 |
| P546346 | Rock Chip | 2007 | Chalice/De Grey | 624751 | 7649070 | 250 | 0.63 |
| P546347 | Rock Chip | 2007 | Chalice/De Grey | 624726 | 7649058 | 250 | 0.08 |
| P546348 | Rock Chip | 2007 | Chalice/De Grey | 624726 | 7649058 | 250 | 0.07 |
| P546349 | Rock Chip | 2007 | Chalice/De Grey | 624729 | 7649066 | 250 | 7.13 |
| P546350 | Rock Chip | 2007 | Chalice/De Grey | 624740 | 7649258 | 225 | 0.06 |
| 55021 | Rock Chip | 2008 | Chalice/De Grey | 624833 | 7647098 | 220 | 4.31 |
| 55022 | Rock Chip | 2008 | Chalice/De Grey | 625561 | 7647764 | 220 | 0.02 |
| 55023 | Float | 2008 | Chalice/De Grey | 623870 | 7647033 | 220 | 0.06 |
| 55024 | Mullock Grab | 2008 | Chalice/De Grey | 623870 | 7647033 | 220 | 42.8 |
| 55025 | Rock Chip | 2008 | Chalice/De Grey | 624109 | 7647751 | 220 | 0.16 |
| 55026 | Mullock Grab | 2008 | Chalice/De Grey | 624109 | 7647751 | 220 | 1.59 |
| 55027 | Rock Chip | 2008 | Chalice/De Grey | 624418 | 7648143 | 220 | 19.3 |
| 55028 | Rock Chip | 2008 | Chalice/De Grey | 624546 | 7648506 | 220 | 0.13 |
| 55029 | Rock Chip | 2008 | Chalice/De Grey | 624554 | 7648524 | 220 | 52.4 |
| 55030 | Rock Chip | 2008 | Chalice/De Grey | 624587 | 7648520 | 220 | 0.47 |
| 55031 | Rock Chip | 2008 | Chalice/De Grey | 624468 | 7648524 | 220 | 108.0 |
| 55032 | Rock Chip | 2008 | Chalice/De Grey | 624729 | 7649067 | 220 | 1.50 |
| 55033 | Rock Chip | 2008 | Chalice/De Grey | 624748 | 7649071 | 220 | 0.20 |
| 55034 | Rock Chip | 2008 | Chalice/De Grey | 624750 | 7649071 | 220 | 0.61 |
| 55035 | Rock Chip | 2008 | Chalice/De Grey | 624743 | 7649222 | 220 | 0.04 |
| 55036 | Rock Chip | 2008 | Chalice/De Grey | 624739 | 7649180 | 220 | 0.38 |
| 55037 | Rock Chip | 2008 | Chalice/De Grey | 624757 | 7649307 | 220 | 0.05 |
| 55041 | Rock Chip | 2008 | Chalice/De Grey | 624563 | 7648599 | 220 | 15.0 |
| 550151 | Rock Chip | 2008 | Chalice/De Grey | 624286 | 7648280 | 220 | 0.05 |
| 550152 | Rock Chip | 2008 | Chalice/De Grey | 624187 | 7648294 | 220 | 0.00 |
| 550153 | Rock Chip | 2008 | Chalice/De Grey | 624710 | 7648796 | 220 | 0.06 |
| 550154 | Rock Chip | 2008 | Chalice/De Grey | 624886 | 7649236 | 220 | 0.00 |
| 550206 | Rock Chip | 2008 | Chalice/De Grey | 624750 | 7649072 | 220 | 0.95 |
| 550301 | Rock Chip | 2008 | Chalice/De Grey | 624529 | 7648576 | 220 | 11.6 |
| 550302 | Rock Chip | 2008 | Chalice/De Grey | 624667 | 7648581 | 220 | 0.81 |
| 550303 | Rock Chip | 2008 | Chalice/De Grey | 624772 | 7649246 | 220 | 0.09 |
| 550304 | Rock Chip | 2008 | Chalice/De Grey | 624780 | 7649251 | 220 | 0.02 |
| TH-07 | Rock Chip | 2013 | Top Iron | 624859 | 7647333 | 220 | 15.2 |
| TH-08 | Rock Chip | 2013 | Top Iron | 624896 | 7647323 | 220 | 3.05 |
| TH-09 | Rock Chip | 2013 | Top Iron | 624907 | 7647335 | 220 | 34.5 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| TH-10 | Rock Chip | 2013 | Top Iron | 624814 | 7647093 | 220 | 43.8 |
| TH-11 | Rock Chip | 2013 | Top Iron | 624844 | 7647106 | 220 | 17.1 |
| TH-12 | Rock Chip | 2013 | Top Iron | 624831 | 7647078 | 220 | 0.55 |
| TH-13 | Rock Chip | 2013 | Top Iron | 624548 | 7648511 | 220 | 1.46 |
| TH-14 | Rock Chip | 2013 | Top Iron | 624552 | 7648509 | 220 | 0.16 |
| TH-15 | Rock Chip | 2013 | Top Iron | 624552 | 7648509 | 220 | 0.09 |
| TH-16 | Rock Chip | 2013 | Top Iron | 624560 | 7648602 | 220 | 4.57 |
| TH-17 | Rock Chip | 2013 | Top Iron | 625717 | 7649292 | 220 | 0.02 |

**Appendix 3: Location of RC drillholes from Sherlock Crossing including significant intercepts. A 0.3 g/t Au cut off was used for the calculations. Coordinates and azimuth are MGA2020 Z50.**

| Hole ID | Easting (m) | Northing (m) | Height (m) | Dip | Azi | Hole Depth (m) | From (m) | To (m) | Intercept (m) | Au g/t | Sb ppm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0001 | 563344 | 7675078 | 33 | -70 | 107 | 60 | 19 | 20 | 1 | **3.15** | **84** |
| | | | | | | | 36 | 37 | 1 | 0.38 | 78 |
| | | | | | | | 59 | 60 | 1 | **1.05** | **246** |
| LCR0002 | 563276 | 7674932 | 34 | -60 | 107 | 126 | | | NSI | NSI | NSI |
| LCR0003 | 563288 | 7675006 | 31 | -61 | 97 | 108 | | | NSI | NSI | NSI |
| LCR0004 | 563231 | 7675029 | 31 | -60 | 107 | 192 | 76 | 77 | 1 | 0.4 | NA |
| LCR0005 | 563266 | 7675098 | 32 | -59 | 106 | 168 | 108 | 111 | 3 | **2.96** | **18570** |
| | | | | | | incl | 109 | 110 | 1 | **7.71** | **47700** |
| LCR0006 | 563341 | 7675162 | 35 | -60 | 110 | 90 | | | NSI | NSI | NSI |
| LCR0007 | 563272 | 7675176 | 33 | -61 | 108 | 168 | | | NSI | NSI | NSI |
| LCR0008 | 563301 | 7675090 | 32 | -60 | 106 | 114 | | | NSI | NSI | NSI |

**Appendix 4: Results from RC drillholes from Sherlock Crossing including assay data and pXRF data for selected elements including Au, Sb and As for lab assay data, and As, Sb, Cu, CaO, Cr, MgO and Ni for 1m pXRF results. Coordinates and azimuth are MGA2020 Z50.**

| Hole ID | Depth From (m) | Depth To (m) | Sample ID | Au (ppm) | As (ppm) | Sb (ppm) | As (ppm) pXRF | CaO pct pXRF | Cr (ppm) pXRF | Cu (ppm) pXRF | MgO pct pXRF | Ni (ppm) pXRF | Sb (ppm) pXRF |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0001 | 0 | 1 | WK09908 | 0.01 | | | 125 | 2.8 | 297 | 56 | 3.3 | 99 | 22.6 |
| LCR0001 | 1 | 2 | WK09909 | 0.01 | | | 13 | 1.3 | 182 | 52 | 3.5 | 79 | 35.1 |
| LCR0001 | 2 | 3 | WK09911 | 0.02 | | | 12 | 0.8 | 242 | 50 | 4.1 | 107 | 21 |
| LCR0001 | 3 | 4 | WK09912 | 0.01 | | | 10 | 0.9 | 254 | 62 | 5.3 | 103 | 23.9 |
| LCR0001 | 4 | 5 | WK09913 | 0.01 | | | 19 | 0.5 | 293 | 67 | 5.9 | 108 | 36.7 |
| LCR0001 | 5 | 6 | WK09914 | -0.01 | | | 6 | 0.5 | 281 | 72 | 6 | 121 | 15.3 |
| LCR0001 | 6 | 7 | WK09915 | 0.01 | | | 10 | 1.8 | 395 | 64 | 7.1 | 118 | 18.8 |
| LCR0001 | 7 | 8 | WK09916 | 0.01 | | | 8 | 0.6 | 316 | 50 | 4.6 | 110 | 20.4 |
| LCR0001 | 8 | 9 | WK09917 | 0.01 | | | 29 | 1.9 | 296 | 57 | 4.4 | 113 | 42.7 |
| LCR0001 | 9 | 10 | WK09918 | 0.01 | | | 12 | 2.9 | 341 | 64 | 4.2 | 115 | 41.6 |
| LCR0001 | 10 | 11 | WK09919 | -0.01 | | | 6 | 3 | 284 | 48 | 5 | 95 | 43.1 |
| LCR0001 | 11 | 12 | WK09920 | 0.01 | | | 15 | 2.5 | 285 | 47 | 4.7 | 114 | 33.2 |
| LCR0001 | 12 | 13 | WK09921 | 0.01 | | | 4 | 2.8 | 198 | 51 | 3.5 | 71 | 41.5 |
| LCR0001 | 13 | 14 | WK09922 | -0.01 | | | 0 | 3.9 | 216 | 47 | 5.6 | 94 | 43.9 |
| LCR0001 | 14 | 15 | WK09923 | -0.01 | | | 5 | 2 | 16 | 0 | 3.6 | 28 | 16.6 |
| LCR0001 | 15 | 16 | WK09924 | -0.01 | | | 3 | 3.7 | 241 | 45 | 5.8 | 101 | 31.6 |
| LCR0001 | 16 | 17 | WK09926 | -0.01 | | | 0 | 1.4 | 53 | 13 | 2.1 | 32 | 14.9 |
| LCR0001 | 17 | 18 | WK09927 | -0.01 | | | 4 | 4.4 | 208 | 45 | 7 | 105 | 60.4 |
| LCR0001 | 18 | 19 | WK09928 | -0.01 | | | 9 | 4.2 | 306 | 34 | 5.3 | 115 | 58.2 |
| LCR0001 | 19 | 20 | WK09929 | 3.15 | 1000 | 84.5 | 53 | 0.9 | 120 | 20 | 5.5 | 71 | 33.4 |
| LCR0001 | 20 | 21 | WK09930 | 0.13 | 257 | 88.2 | 418 | 1.3 | 356 | 34 | 7.1 | 122 | 91.8 |
| LCR0001 | 21 | 22 | WK09931 | 0.02 | 43.1 | 89.5 | 27 | 3.7 | 397 | 49 | 7.4 | 119 | 56 |
| LCR0001 | 22 | 23 | WK09932 | 0.01 | | | 14 | 5 | 341 | 66 | 6.6 | 127 | 60.8 |
| LCR0001 | 23 | 24 | WK09933 | 0.02 | | | 16 | 5.8 | 391 | 54 | 7.2 | 108 | 58.5 |
| LCR0001 | 24 | 25 | WK09934 | -0.01 | | | 6 | 5.3 | 428 | 76 | 5.3 | 128 | 64.2 |
| LCR0001 | 25 | 26 | WK09935 | 0.01 | | | 7 | 5.9 | 436 | 48 | 6.1 | 119 | 64.5 |
| LCR0001 | 26 | 27 | WK09936 | -0.01 | | | 4 | 6.9 | 425 | 72 | 7.1 | 123 | 48.2 |
| LCR0001 | 27 | 28 | WK09937 | -0.01 | | | 3 | 6 | 356 | 51 | 4.8 | 98 | 53.4 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0001 | 28 | 29 | WK09938 | -0.01 | | | 3 | 4.4 | 415 | 46 | 5.5 | 90 | 52.6 |
| LCR0001 | 29 | 30 | WK09939 | -0.01 | | | 5 | 5.8 | 405 | 46 | 6.3 | 131 | 75.5 |
| LCR0001 | 30 | 31 | WK09941 | -0.01 | | | 12 | 4.1 | 290 | 36 | 4.4 | 88 | 55.1 |
| LCR0001 | 31 | 32 | WK09942 | 0.01 | | | 36 | 3.8 | 333 | 53 | 7.7 | 156 | 35.8 |
| LCR0001 | 32 | 33 | WK09943 | 0.01 | | | 56 | 2.8 | 367 | 50 | 2.8 | 107 | 33.9 |
| LCR0001 | 33 | 34 | WK09944 | -0.01 | | | 22 | 4 | 362 | 28 | 4.5 | 98 | 35.2 |
| LCR0001 | 34 | 35 | WK09945 | -0.01 | | | 16 | 5.7 | 377 | 42 | 8.7 | 133 | 29.1 |
| LCR0001 | 35 | 36 | WK09946 | -0.01 | 37.5 | 66.9 | 30 | 5.6 | 406 | 46 | 7.6 | 129 | 33.3 |
| LCR0001 | 36 | 37 | WK09947 | 0.38 | 2130 | 78 | 930 | 5.3 | 366 | 27 | 3.2 | 87 | 39.6 |
| LCR0001 | 37 | 38 | WK09948 | 0.22 | 619 | 76.3 | 357 | 2.2 | 355 | 35 | 4.6 | 102 | 60.6 |
| LCR0001 | 38 | 39 | WK09949 | 0.01 | 92.1 | 50.3 | 82 | 1 | 440 | 37 | 7.7 | 135 | 31 |
| LCR0001 | 39 | 40 | WK09951 | 0.01 | | | 53 | 3.4 | 497 | 60 | 4.7 | 122 | 36.9 |
| LCR0001 | 40 | 41 | WK09952 | 0.01 | | | 54 | 2.7 | 405 | 39 | 8.1 | 122 | 25 |
| LCR0001 | 41 | 42 | WK09953 | 0.06 | | | 101 | 3.4 | 343 | 58 | 5.2 | 113 | 44.5 |
| LCR0001 | 42 | 43 | WK09954 | 0.01 | | | 56 | 2.4 | 412 | 52 | 6.6 | 163 | 34.2 |
| LCR0001 | 43 | 44 | WK09955 | -0.01 | | | 52 | 1 | 333 | 57 | 5.7 | 141 | 53.3 |
| LCR0001 | 44 | 45 | WK09956 | -0.01 | | | 35 | 0.6 | 254 | 43 | 5.1 | 98 | 37.4 |
| LCR0001 | 45 | 46 | WK09957 | 0.01 | | | 19 | 2.7 | 267 | 26 | 3.2 | 74 | 29.5 |
| LCR0001 | 46 | 47 | WK09958 | -0.01 | | | 12 | 1.9 | 333 | 49 | 3.5 | 99 | 34.7 |
| LCR0001 | 47 | 48 | WK09959 | 0.01 | | | 15 | 4.7 | 487 | 46 | 7.6 | 111 | 41.9 |
| LCR0001 | 48 | 49 | WK09961 | -0.01 | | | 11 | 3.3 | 432 | 78 | 8.5 | 113 | 45.3 |
| LCR0001 | 49 | 50 | WK09962 | 0.01 | | | 5 | 4.5 | 547 | 60 | 8.3 | 153 | 52.5 |
| LCR0001 | 50 | 51 | WK09963 | -0.01 | | | 7 | 3.6 | 433 | 74 | 8.5 | 124 | 65.4 |
| LCR0001 | 51 | 52 | WK09964 | -0.01 | | | 3 | 1.9 | 389 | 45 | 3.7 | 106 | 50.7 |
| LCR0001 | 52 | 53 | WK09965 | -0.01 | | | 6 | 3.3 | 322 | 59 | 7.6 | 141 | 58.1 |
| LCR0001 | 53 | 54 | WK09966 | -0.01 | | | 4 | 3.5 | 183 | 52 | 5.1 | 87 | 57.9 |
| LCR0001 | 54 | 55 | WK09967 | -0.01 | | | 8 | 4 | 387 | 49 | 4.4 | 105 | 63.9 |
| LCR0001 | 55 | 56 | WK09968 | -0.01 | | | 10 | 4.5 | 378 | 56 | 4.8 | 115 | 65.4 |
| LCR0001 | 56 | 57 | WK09969 | -0.01 | | | 7 | 5 | 406 | 44 | 7.1 | 139 | 47.9 |
| LCR0001 | 57 | 58 | WK09970 | -0.01 | | | 21 | 4.2 | 345 | 55 | 4.4 | 126 | 49.3 |
| LCR0001 | 58 | 59 | WK09971 | 0.01 | 48.8 | 35.6 | 44 | 3.9 | 354 | 40 | 5.5 | 112 | 32.9 |
| LCR0001 | 59 | 60 | WK09972 | 1.05 | 2920 | 246 | 1127 | 6 | 236 | 43 | 3.6 | 83 | 173.4 |
| LCR0002 | 0 | 1 | WK09973 | 0.01 | | | 25 | 11.5 | 131 | 34 | 2.7 | 79 | 0 |
| LCR0002 | 1 | 2 | WK09974 | -0.01 | | | 16 | 11.3 | 155 | 36 | 2.2 | 78 | 0 |
| LCR0002 | 2 | 3 | WK09976 | 0.01 | | | 10 | 4.7 | 140 | 41 | 1 | 95 | 0 |
| LCR0002 | 3 | 4 | WK09977 | -0.01 | | | 4 | 2.6 | 298 | 29 | 2.9 | 93 | 0 |
| LCR0002 | 4 | 5 | WK09978 | 0.01 | | | 4 | 4.6 | 494 | 44 | 6.4 | 139 | 0 |
| LCR0002 | 5 | 6 | WK09979 | -0.01 | | | 5 | 2.2 | 718 | 61 | 4.8 | 180 | 0 |
| LCR0002 | 6 | 7 | WK09980 | 0.01 | | | 4 | 6.9 | 791 | 50 | 4.5 | 211 | 0 |
| LCR0002 | 7 | 8 | WK09981 | -0.01 | | | 3 | 7.3 | 874 | 71 | 6.9 | 235 | 0 |
| LCR0002 | 8 | 9 | WK09982 | -0.01 | | | 5 | 1.6 | 467 | 64 | 3.1 | 168 | 0 |
| LCR0002 | 9 | 10 | WK09983 | 0.02 | | | 3 | 2.8 | 754 | 45 | 6.1 | 200 | 0 |
| LCR0002 | 10 | 11 | WK09984 | -0.01 | | | 3 | 4.9 | 645 | 59 | 4.9 | 211 | 0 |
| LCR0002 | 11 | 12 | WK09985 | -0.01 | | | 0 | 4.5 | 813 | 52 | 5.9 | 218 | 0 |
| LCR0002 | 12 | 13 | WK09986 | -0.01 | | | 0 | 6.8 | 765 | 52 | 5.8 | 211 | 0 |
| LCR0002 | 13 | 14 | WK09987 | -0.01 | | | 0 | 2.2 | 813 | 70 | 6.6 | 267 | 0 |
| LCR0002 | 14 | 15 | WK09988 | -0.01 | | | 0 | 4 | 713 | 48 | 5.2 | 217 | 0 |
| LCR0002 | 15 | 16 | WK09989 | -0.01 | | | 3 | 4.1 | 791 | 22 | 7.4 | 213 | 0 |
| LCR0002 | 16 | 17 | WK09991 | -0.01 | | | 0 | 5.2 | 809 | 41 | 5.5 | 195 | 0 |
| LCR0002 | 17 | 18 | WK09992 | -0.01 | | | 0 | 3.7 | 837 | 53 | 6.4 | 230 | 0 |
| LCR0002 | 18 | 19 | WK09993 | -0.01 | | | 4 | 3.7 | 848 | 46 | 8.2 | 210 | 0 |
| LCR0002 | 19 | 20 | WK09994 | -0.01 | | | 0 | 4.1 | 797 | 67 | 8.3 | 197 | 0 |
| LCR0002 | 20 | 21 | WK09995 | 0.01 | | | 0 | 4 | 1087 | 59 | 11.3 | 364 | 0 |
| LCR0002 | 21 | 22 | WK09996 | 0.01 | | | 0 | 3.6 | 884 | 28 | 7.8 | 270 | 0 |
| LCR0002 | 22 | 23 | WK09997 | -0.01 | | | 0 | 3.7 | 887 | 20 | 8.9 | 247 | 0 |
| LCR0002 | 23 | 24 | WK09998 | -0.01 | | | 0 | 3.6 | 797 | 34 | 6.8 | 216 | 0 |
| LCR0002 | 24 | 25 | WK09999 | -0.01 | | | 3 | 5.5 | 1005 | 36 | 8.9 | 217 | 0 |
| LCR0002 | 25 | 26 | WK10001 | -0.01 | | | 5 | 4 | 941 | 49 | 8 | 319 | 0 |
| LCR0002 | 26 | 27 | WK10002 | 0.03 | | | 3 | 4.1 | 829 | 65 | 6.8 | 237 | 0 |
| LCR0002 | 27 | 28 | WK10003 | 0.01 | | | 4 | 5.3 | 867 | 23 | 7.7 | 265 | 0 |
| LCR0002 | 28 | 29 | WK10004 | -0.01 | | | 0 | 7.2 | 956 | 35 | 10.1 | 245 | 0 |
| LCR0002 | 29 | 30 | WK10005 | 0.01 | | | 3 | 6.4 | 914 | 47 | 9.6 | 224 | 0 |
| LCR0002 | 30 | 31 | WK10006 | -0.01 | | | 7 | 7.8 | 833 | 18 | 5 | 217 | 0 |
| LCR0002 | 31 | 32 | WK10007 | -0.01 | | | 0 | 4.1 | 1050 | 32 | 6.9 | 210 | 0 |
| LCR0002 | 32 | 33 | WK10008 | -0.01 | | | 0 | 5.7 | 873 | 44 | 5.3 | 244 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0002 | 33 | 34 | WK10009 | -0.01 | | | 0 | 6.9 | 1039 | 23 | 8.5 | 268 | 0 |
| LCR0002 | 34 | 35 | WK10011 | 0.02 | | | 4 | 6.7 | 807 | 34 | 6.5 | 217 | 0 |
| LCR0002 | 35 | 36 | WK10012 | -0.01 | | | 0 | 5.3 | 974 | 17 | 6.3 | 264 | 0 |
| LCR0002 | 36 | 37 | WK10013 | 0.01 | | | 0 | 6.4 | 817 | 45 | 5.2 | 195 | 0 |
| LCR0002 | 37 | 38 | WK10014 | -0.01 | | | 0 | 4.9 | 1025 | 30 | 6.3 | 268 | 0 |
| LCR0002 | 38 | 39 | WK10015 | -0.01 | | | 3 | 5.4 | 985 | 149 | 5.4 | 245 | 0 |
| LCR0002 | 39 | 40 | WK10016 | -0.01 | | | 0 | 7.7 | 887 | 30 | 6.7 | 236 | 0 |
| LCR0002 | 40 | 41 | WK10017 | -0.01 | | | 0 | 6.7 | 894 | 33 | 8 | 215 | 0 |
| LCR0002 | 41 | 42 | WK10018 | -0.01 | | | 0 | 4.7 | 926 | 20 | 8.1 | 250 | 0 |
| LCR0002 | 42 | 43 | WK10019 | -0.01 | | | 0 | 5.4 | 816 | 46 | 7.3 | 266 | 0 |
| LCR0002 | 43 | 44 | WK10020 | -0.01 | | | 0 | 6.1 | 855 | 79 | 6.2 | 281 | 0 |
| LCR0002 | 44 | 45 | WK10021 | -0.01 | | | 0 | 4.3 | 873 | 67 | 7.1 | 264 | 0 |
| LCR0002 | 45 | 46 | WK10022 | -0.01 | | | 11 | 4.4 | 854 | 44 | 5 | 268 | 0 |
| LCR0002 | 46 | 47 | WK10023 | -0.01 | | | 0 | 7.1 | 719 | 23 | 6.2 | 263 | 0 |
| LCR0002 | 47 | 48 | WK10024 | -0.01 | | | 0 | 4.7 | 748 | 97 | 6.1 | 260 | 0 |
| LCR0002 | 48 | 49 | WK10026 | -0.01 | | | 3 | 7 | 942 | 39 | 7.1 | 240 | 7.4 |
| LCR0002 | 49 | 50 | WK10027 | -0.01 | | | 3 | 3.6 | 857 | 0 | 5.7 | 210 | 0 |
| LCR0002 | 50 | 51 | WK10028 | -0.01 | | | 0 | 4.3 | 848 | 32 | 8.2 | 264 | 0 |
| LCR0002 | 51 | 52 | WK10029 | -0.01 | | | 3 | 3.5 | 797 | 51 | 6.3 | 300 | 0 |
| LCR0002 | 52 | 53 | WK10030 | -0.01 | | | 0 | 4 | 933 | 255 | 6.3 | 307 | 0 |
| LCR0002 | 53 | 54 | WK10031 | -0.01 | | | 0 | 4.5 | 867 | 29 | 8 | 270 | 0 |
| LCR0002 | 54 | 55 | WK10032 | -0.01 | | | 0 | 4.4 | 737 | 31 | 5 | 232 | 12.4 |
| LCR0002 | 55 | 56 | WK10033 | -0.01 | | | 2 | 4 | 952 | 25 | 9.1 | 279 | 0 |
| LCR0002 | 56 | 57 | WK10034 | -0.01 | | | 0 | 4.1 | 846 | 28 | 6.8 | 267 | 11 |
| LCR0002 | 57 | 58 | WK10035 | -0.01 | | | 0 | 4.1 | 735 | 21 | 6.5 | 265 | 10 |
| LCR0002 | 58 | 59 | WK10036 | 0.01 | | | 3 | 5.1 | 964 | 84 | 5.7 | 244 | 15.2 |
| LCR0002 | 59 | 60 | WK10037 | -0.01 | | | 0 | 3.7 | 943 | 93 | 6.8 | 276 | 8.7 |
| LCR0002 | 60 | 61 | WK10038 | -0.01 | | | 2 | 3.2 | 896 | 23 | 7.9 | 246 | 9.1 |
| LCR0002 | 61 | 62 | WK10039 | 0.01 | | | 5 | 4.6 | 949 | 67 | 7.3 | 246 | 37.9 |
| LCR0002 | 62 | 63 | WK10041 | -0.01 | | | 0 | 3.7 | 978 | 30 | 7.2 | 284 | 31.7 |
| LCR0002 | 63 | 64 | WK10042 | -0.01 | | | 0 | 5.7 | 875 | 67 | 6.5 | 222 | 38.1 |
| LCR0002 | 64 | 65 | WK10043 | -0.01 | | | 3 | 4 | 971 | 24 | 7 | 280 | 23.1 |
| LCR0002 | 65 | 66 | WK10044 | -0.01 | | | 0 | 4.7 | 796 | 29 | 4.9 | 210 | 61.4 |
| LCR0002 | 66 | 67 | WK10045 | -0.01 | | | 0 | 4.3 | 771 | 23 | 7.7 | 291 | 31 |
| LCR0002 | 67 | 68 | WK10046 | -0.01 | | | 0 | 4 | 964 | 35 | 5.7 | 260 | 64.2 |
| LCR0002 | 68 | 69 | WK10047 | -0.01 | | | 4 | 3.5 | 838 | 29 | 4.5 | 188 | 17.3 |
| LCR0002 | 69 | 70 | WK10048 | -0.01 | | | 0 | 4.4 | 856 | 50 | 4.7 | 185 | 0 |
| LCR0002 | 70 | 71 | WK10049 | -0.01 | | | 0 | 5.6 | 886 | 32 | 5.6 | 157 | 0 |
| LCR0002 | 71 | 72 | WK10051 | -0.01 | | | 0 | 10.3 | 872 | 20 | 5.9 | 222 | 33.2 |
| LCR0002 | 72 | 73 | WK10052 | -0.01 | | | 0 | 9.6 | 804 | 27 | 6.4 | 208 | 43.5 |
| LCR0002 | 73 | 74 | WK10053 | -0.01 | | | 0 | 5.5 | 900 | 32 | 5.1 | 235 | 11.6 |
| LCR0002 | 74 | 75 | WK10054 | -0.01 | | | 0 | 5.5 | 893 | 33 | 7.8 | 234 | 11 |
| LCR0002 | 75 | 76 | WK10055 | -0.01 | | | 0 | 9.8 | 749 | 19 | 7.4 | 227 | 0 |
| LCR0002 | 76 | 77 | WK10056 | -0.01 | | | 14 | 9.3 | 907 | 31 | 6.7 | 215 | 45.3 |
| LCR0002 | 77 | 78 | WK10057 | 0.01 | | | 94 | 13.6 | 856 | 59 | 3.8 | 210 | 127.6 |
| LCR0002 | 78 | 79 | WK10058 | 0.01 | | | 9 | 6.6 | 850 | 39 | 5.8 | 206 | 26.6 |
| LCR0002 | 79 | 80 | WK10059 | -0.01 | | | 8 | 6.9 | 846 | 16 | 8.2 | 247 | 39.7 |
| LCR0002 | 80 | 81 | WK10061 | -0.01 | | | 0 | 6.6 | 915 | 15 | 11.4 | 252 | 21 |
| LCR0002 | 81 | 82 | WK10062 | -0.01 | | | 0 | 6 | 901 | 25 | 10.7 | 273 | 25.7 |
| LCR0002 | 82 | 83 | WK10063 | -0.01 | | | 5 | 5.9 | 628 | 47 | 5.9 | 152 | 28.8 |
| LCR0002 | 83 | 84 | WK10064 | -0.01 | | | 0 | 6.4 | 886 | 36 | 7.5 | 231 | 37.3 |
| LCR0002 | 84 | 85 | WK10065 | -0.01 | | | 0 | 3.7 | 869 | 19 | 6 | 195 | 34 |
| LCR0002 | 85 | 86 | WK10066 | -0.01 | | | 0 | 4.9 | 855 | 24 | 7.3 | 287 | 38.2 |
| LCR0002 | 86 | 87 | WK10067 | -0.01 | | | 0 | 4.9 | 847 | 88 | 7.8 | 244 | 36 |
| LCR0002 | 87 | 88 | WK10068 | -0.01 | | | 4 | 6.4 | 1049 | 37 | 8.7 | 244 | 26.8 |
| LCR0002 | 88 | 89 | WK10069 | -0.01 | | | 0 | 3.8 | 829 | 0 | 7.2 | 207 | 21.2 |
| LCR0002 | 89 | 90 | WK10070 | -0.01 | | | 0 | 7.3 | 940 | 22 | 7.3 | 237 | 14.8 |
| LCR0002 | 90 | 91 | WK10071 | -0.01 | | | 4 | 13.4 | 841 | 19 | 9.8 | 189 | 24.3 |
| LCR0002 | 91 | 92 | WK10072 | -0.01 | | | 0 | 5.7 | 988 | 42 | 9.5 | 266 | 23.7 |
| LCR0002 | 92 | 93 | WK10073 | -0.01 | | | 0 | 5.2 | 1022 | 51 | 8.8 | 274 | 18.9 |
| LCR0002 | 93 | 94 | WK10074 | 0.04 | | | 3 | 3.9 | 651 | 27 | 7.9 | 211 | 9.7 |
| LCR0002 | 94 | 95 | WK10076 | -0.01 | | | 0 | 6.6 | 900 | 53 | 6.9 | 213 | 13.3 |
| LCR0002 | 95 | 96 | WK10077 | -0.01 | | | 0 | 5.6 | 1045 | 24 | 11 | 255 | 10.4 |
| LCR0002 | 96 | 97 | WK10078 | -0.01 | | | 0 | 5 | 943 | 23 | 9 | 271 | 10.8 |
| LCR0002 | 97 | 98 | WK10079 | -0.01 | | | 22 | 5.2 | 744 | 31 | 6.7 | 217 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0002 | 98 | 99 | WK10080 | -0.01 | | | 4 | 4 | 695 | 324 | 6 | 226 | 14 |
| LCR0002 | 99 | 100 | WK10081 | -0.01 | | | 10 | 6.3 | 1032 | 30 | 10.6 | 261 | 14.4 |
| LCR0002 | 100 | 101 | WK10082 | -0.01 | | | 5 | 5.7 | 915 | 31 | 8 | 240 | 0 |
| LCR0002 | 101 | 102 | WK10083 | -0.01 | | | 0 | 6.6 | 996 | 43 | 7.6 | 239 | 0 |
| LCR0002 | 102 | 103 | WK10084 | -0.01 | | | 3 | 4.9 | 863 | 20 | 4.3 | 198 | 8.5 |
| LCR0002 | 103 | 104 | WK10085 | -0.01 | | | 3 | 5 | 1138 | 30 | 5.2 | 263 | 21.6 |
| LCR0002 | 104 | 105 | WK10086 | -0.01 | | | 3 | 7.9 | 930 | 30 | 6.6 | 236 | 0 |
| LCR0002 | 105 | 106 | WK10087 | -0.01 | | | 0 | 6.6 | 876 | 45 | 8.8 | 269 | 0 |
| LCR0002 | 106 | 107 | WK10088 | -0.01 | | | 0 | 12.6 | 474 | 24 | 5.7 | 154 | 0 |
| LCR0002 | 107 | 108 | WK10089 | -0.01 | | | 5 | 10.8 | 896 | 37 | 10.4 | 226 | 0 |
| LCR0002 | 108 | 109 | WK10091 | -0.01 | | | 0 | 8.8 | 720 | 44 | 6.1 | 177 | 0 |
| LCR0002 | 109 | 110 | WK10092 | -0.01 | | | 0 | 4.8 | 782 | 17 | 8.2 | 182 | 7.3 |
| LCR0002 | 110 | 111 | WK10093 | -0.01 | | | 5 | 5 | 890 | 33 | 7.2 | 220 | 26.5 |
| LCR0002 | 111 | 112 | WK10094 | -0.01 | | | 4 | 4.8 | 970 | 17 | 11.7 | 254 | 12.7 |
| LCR0002 | 112 | 113 | WK10095 | -0.01 | | | 4 | 11.6 | 865 | 26 | 7.9 | 239 | 7.9 |
| LCR0002 | 113 | 114 | WK10096 | -0.01 | | | 5 | 5.2 | 1011 | 40 | 7 | 271 | 0 |
| LCR0002 | 114 | 115 | WK10097 | -0.01 | | | 0 | 7 | 1114 | 42 | 8.3 | 257 | 17.2 |
| LCR0002 | 115 | 116 | WK10098 | -0.01 | | | 0 | 9.1 | 976 | 54 | 7.4 | 223 | 0 |
| LCR0002 | 116 | 117 | WK10099 | -0.01 | | | 3 | 5.5 | 937 | 87 | 5.5 | 243 | 0 |
| LCR0002 | 117 | 118 | WK10101 | -0.01 | | | 4 | 5.3 | 883 | 69 | 5.7 | 217 | 11.5 |
| LCR0002 | 118 | 119 | WK10102 | -0.01 | | | 3 | 4.2 | 866 | 30 | 5.2 | 263 | 11.8 |
| LCR0002 | 119 | 120 | WK10103 | -0.01 | | | 3 | 4.9 | 893 | 62 | 12.2 | 309 | 16.4 |
| LCR0002 | 120 | 121 | WK10104 | -0.01 | | | 4 | 5.1 | 1175 | 37 | 9.5 | 333 | 7 |
| LCR0002 | 121 | 122 | WK10105 | -0.01 | | | 0 | 5.1 | 972 | 30 | 8.1 | 277 | 9.7 |
| LCR0002 | 122 | 123 | WK10106 | -0.01 | | | 0 | 5.9 | 830 | 42 | 5.2 | 214 | 0 |
| LCR0002 | 123 | 124 | WK10107 | -0.01 | | | 3 | 6.1 | 824 | 43 | 5.1 | 270 | 10.1 |
| LCR0002 | 124 | 125 | WK10108 | -0.01 | | | 0 | 7.4 | 874 | 29 | 4.9 | 262 | 0 |
| LCR0002 | 125 | 126 | WK10109 | -0.01 | | | 0 | 6.4 | 926 | 39 | 4.8 | 239 | 0 |
| LCR0003 | 0 | 1 | WK10111 | 0.01 | | | 3 | 7.4 | 72 | 22 | 1.5 | 61 | 0 |
| LCR0003 | 1 | 2 | WK10112 | -0.01 | | | 3 | 9.2 | 248 | 46 | 2.9 | 85 | 0 |
| LCR0003 | 2 | 3 | WK10113 | -0.01 | | | 3 | 9.6 | 120 | 33 | 2.1 | 70 | 0 |
| LCR0003 | 3 | 4 | WK10114 | -0.01 | | | 0 | 24.5 | 113 | 26 | 1.1 | 68 | 0 |
| LCR0003 | 4 | 5 | WK10115 | -0.01 | | | 7 | 16.4 | 188 | 33 | 2.8 | 76 | 0 |
| LCR0003 | 5 | 6 | WK10116 | -0.01 | | | 8 | 7.5 | 255 | 41 | 3.1 | 83 | 0 |
| LCR0003 | 6 | 7 | WK10117 | -0.01 | | | 9 | 6.6 | 296 | 53 | 3 | 102 | 7.6 |
| LCR0003 | 7 | 8 | WK10118 | -0.01 | | | 8 | 6.4 | 245 | 48 | 4.5 | 90 | 0 |
| LCR0003 | 8 | 9 | WK10119 | -0.01 | | | 9 | 5.1 | 167 | 36 | 2.5 | 90 | 7.8 |
| LCR0003 | 9 | 10 | WK10120 | -0.01 | | | 5 | 5.4 | 218 | 48 | 4.4 | 111 | 7.6 |
| LCR0003 | 10 | 11 | WK10121 | -0.01 | | | 4 | 5.2 | 272 | 57 | 3.4 | 104 | 0 |
| LCR0003 | 11 | 12 | WK10122 | -0.01 | | | 9 | 5.5 | 250 | 55 | 4.4 | 86 | 0 |
| LCR0003 | 12 | 13 | WK10123 | -0.01 | | | 16 | 4.4 | 180 | 76 | 5.5 | 113 | 0 |
| LCR0003 | 13 | 14 | WK10124 | 0.04 | | | 61 | 2.7 | 165 | 54 | 4.5 | 95 | 0 |
| LCR0003 | 14 | 15 | WK10126 | 0.01 | | | 20 | 2.3 | 167 | 59 | 3.6 | 108 | 7 |
| LCR0003 | 15 | 16 | WK10127 | -0.01 | | | 6 | 3.8 | 139 | 53 | 3.2 | 79 | 0 |
| LCR0003 | 16 | 17 | WK10128 | -0.01 | | | 11 | 4.7 | 230 | 48 | 3.4 | 98 | 0 |
| LCR0003 | 17 | 18 | WK10129 | -0.01 | | | 11 | 6.2 | 275 | 52 | 5.2 | 102 | 0 |
| LCR0003 | 18 | 19 | WK10130 | -0.01 | | | 22 | 9.2 | 210 | 57 | 5.2 | 91 | 0 |
| LCR0003 | 19 | 20 | WK10131 | 0.11 | | | 172 | 3.8 | 155 | 15 | 2.4 | 63 | 11.3 |
| LCR0003 | 20 | 21 | WK10132 | 0.01 | | | 48 | 4.1 | 299 | 64 | 6.9 | 104 | 0 |
| LCR0003 | 21 | 22 | WK10133 | -0.01 | | | 24 | 4.3 | 249 | 51 | 3.1 | 93 | 0 |
| LCR0003 | 22 | 23 | WK10134 | 0.01 | | | 7 | 4 | 241 | 40 | 4.5 | 87 | 0 |
| LCR0003 | 23 | 24 | WK10135 | -0.01 | | | 16 | 4.5 | 303 | 55 | 5.5 | 117 | 0 |
| LCR0003 | 24 | 25 | WK10136 | -0.01 | | | 31 | 3.8 | 257 | 53 | 2.6 | 109 | 0 |
| LCR0003 | 25 | 26 | WK10137 | 0.14 | | | 411 | 3.4 | 243 | 76 | 5.8 | 119 | 11.1 |
| LCR0003 | 26 | 27 | WK10138 | 0.01 | | | 36 | 4 | 273 | 54 | 3.9 | 98 | 0 |
| LCR0003 | 27 | 28 | WK10139 | -0.01 | | | 17 | 3.6 | 193 | 46 | 2.1 | 89 | 0 |
| LCR0003 | 28 | 29 | WK10141 | -0.01 | | | 13 | 4.6 | 171 | 55 | 3 | 97 | 0 |
| LCR0003 | 29 | 30 | WK10142 | -0.01 | | | 7 | 5.5 | 171 | 49 | 4.2 | 109 | 0 |
| LCR0003 | 30 | 31 | WK10143 | -0.01 | | | 4 | 5.9 | 227 | 46 | 4.7 | 100 | 0 |
| LCR0003 | 31 | 32 | WK10144 | -0.01 | | | 3 | 7.1 | 217 | 54 | 3.4 | 95 | 0 |
| LCR0003 | 32 | 33 | WK10145 | -0.01 | | | 8 | 7.5 | 205 | 72 | 4 | 103 | 0 |
| LCR0003 | 33 | 34 | WK10146 | -0.01 | | | 11 | 6.5 | 201 | 67 | 4.4 | 107 | 7.9 |
| LCR0003 | 34 | 35 | WK10147 | -0.01 | | | 6 | 6.2 | 167 | 57 | 3.7 | 104 | 0 |
| LCR0003 | 35 | 36 | WK10148 | -0.01 | | | 8 | 7.8 | 187 | 47 | 5.3 | 97 | 0 |
| LCR0003 | 36 | 37 | WK10149 | -0.01 | | | 7 | 7.6 | 186 | 58 | 7 | 115 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0003 | 37 | 38 | WK10151 | 0.01 | | | 11 | 6.5 | 171 | 57 | 6.2 | 108 | 0 |
| LCR0003 | 38 | 39 | WK10152 | 0.01 | | | 5 | 6.7 | 195 | 62 | 6.3 | 111 | 0 |
| LCR0003 | 39 | 40 | WK10153 | -0.01 | | | 6 | 6.6 | 193 | 44 | 7.6 | 121 | 0 |
| LCR0003 | 40 | 41 | WK10154 | -0.01 | | | 5 | 7.3 | 179 | 38 | 5.7 | 119 | 0 |
| LCR0003 | 41 | 42 | WK10155 | 0.01 | | | 0 | 7.2 | 172 | 48 | 5.6 | 101 | 0 |
| LCR0003 | 42 | 43 | WK10156 | 0.01 | | | 3 | 7 | 195 | 59 | 6.3 | 115 | 0 |
| LCR0003 | 43 | 44 | WK10157 | -0.01 | | | 7 | 6.7 | 211 | 60 | 6.9 | 121 | 0 |
| LCR0003 | 44 | 45 | WK10158 | 0.01 | | | 6 | 7.1 | 220 | 47 | 6.2 | 109 | 0 |
| LCR0003 | 45 | 46 | WK10159 | -0.01 | | | 8 | 6.1 | 207 | 48 | 6.3 | 109 | 0 |
| LCR0003 | 46 | 47 | WK10161 | 0.01 | | | 13 | 5.9 | 216 | 56 | 4.6 | 122 | 0 |
| LCR0003 | 47 | 48 | WK10162 | -0.01 | | | 7 | 5.8 | 201 | 55 | 6.7 | 125 | 0 |
| LCR0003 | 48 | 49 | WK10163 | -0.01 | | | 4 | 5.6 | 269 | 51 | 6.6 | 119 | 8.3 |
| LCR0003 | 49 | 50 | WK10164 | -0.01 | | | 5 | 5.7 | 486 | 61 | 8 | 145 | 0 |
| LCR0003 | 50 | 51 | WK10165 | -0.01 | | | 0 | 5.4 | 775 | 41 | 7 | 213 | 0 |
| LCR0003 | 51 | 52 | WK10166 | -0.01 | | | 5 | 6.4 | 827 | 29 | 8.4 | 222 | 10.5 |
| LCR0003 | 52 | 53 | WK10167 | -0.01 | | | 0 | 5.2 | 1127 | 46 | 6.3 | 253 | 0 |
| LCR0003 | 53 | 54 | WK10168 | -0.01 | | | 3 | 4.8 | 566 | 68 | 7.6 | 198 | 0 |
| LCR0003 | 54 | 55 | WK10169 | -0.01 | | | 2 | 4.6 | 539 | 31 | 7 | 183 | 0 |
| LCR0003 | 55 | 56 | WK10170 | -0.01 | | | 4 | 4.9 | 680 | 32 | 6.7 | 198 | 8.1 |
| LCR0003 | 56 | 57 | WK10171 | -0.01 | | | 0 | 4.6 | 656 | 43 | 6.7 | 254 | 0 |
| LCR0003 | 57 | 58 | WK10172 | -0.01 | | | 3 | 4.9 | 741 | 38 | 6.2 | 215 | 9.4 |
| LCR0003 | 58 | 59 | WK10173 | -0.01 | | | 0 | 5.1 | 626 | 26 | 6.7 | 221 | 12.9 |
| LCR0003 | 59 | 60 | WK10174 | -0.01 | | | 0 | 5.2 | 609 | 51 | 9.1 | 227 | 0 |
| LCR0003 | 60 | 61 | WK10176 | 0.01 | | | 0 | 5.5 | 718 | 25 | 4.2 | 199 | 0 |
| LCR0003 | 61 | 62 | WK10177 | -0.01 | | | 0 | 4.5 | 777 | 30 | 4.9 | 179 | 0 |
| LCR0003 | 62 | 63 | WK10178 | -0.01 | | | 0 | 5.5 | 1084 | 21 | 4.6 | 272 | 0 |
| LCR0003 | 63 | 64 | WK10179 | -0.01 | | | 3 | 4.5 | 962 | 33 | 6.9 | 257 | 16.5 |
| LCR0003 | 64 | 65 | WK10180 | -0.01 | | | 0 | 5.8 | 912 | 40 | 6.3 | 230 | 0 |
| LCR0003 | 65 | 66 | WK10181 | -0.01 | | | 3 | 5.3 | 847 | 147 | 5.8 | 234 | 12.2 |
| LCR0003 | 66 | 67 | WK10182 | -0.01 | | | 0 | 5.1 | 811 | 40 | 4.8 | 201 | 0 |
| LCR0003 | 67 | 68 | WK10183 | -0.01 | | | 0 | 6.6 | 932 | 63 | 6.2 | 231 | 0 |
| LCR0003 | 68 | 69 | WK10184 | -0.01 | | | 5 | 5.2 | 1527 | 57 | 8.5 | 406 | 0 |
| LCR0003 | 69 | 70 | WK10185 | -0.01 | | | 0 | 6 | 943 | 50 | 4.9 | 229 | 0 |
| LCR0003 | 70 | 71 | WK10186 | -0.01 | | | 0 | 5.4 | 1006 | 44 | 7.2 | 246 | 0 |
| LCR0003 | 71 | 72 | WK10187 | -0.01 | | | 0 | 5.3 | 1100 | 30 | 6.3 | 257 | 0 |
| LCR0003 | 72 | 73 | WK10188 | -0.01 | | | 3 | 7.2 | 899 | 76 | 6.6 | 212 | 0 |
| LCR0003 | 73 | 74 | WK10189 | -0.01 | | | 0 | 5.4 | 1064 | 47 | 6.9 | 264 | 8.9 |
| LCR0003 | 74 | 75 | WK10191 | -0.01 | | | 3 | 5.1 | 807 | 38 | 5.7 | 202 | 13.2 |
| LCR0003 | 75 | 76 | WK10192 | -0.01 | | | 0 | 4.3 | 1061 | 30 | 6.5 | 252 | 0 |
| LCR0003 | 76 | 77 | WK10193 | -0.01 | | | 0 | 5 | 879 | 39 | 6.3 | 279 | 10.8 |
| LCR0003 | 77 | 78 | WK10194 | -0.01 | | | 0 | 4.8 | 963 | 24 | 6.2 | 276 | 15.4 |
| LCR0003 | 78 | 79 | WK10195 | -0.01 | | | 0 | 4.2 | 739 | 9 | 6 | 236 | 11.2 |
| LCR0003 | 79 | 80 | WK10196 | -0.01 | | | 0 | 3.6 | 612 | 60 | 4.7 | 176 | 0 |
| LCR0003 | 80 | 81 | WK10197 | -0.01 | | | 0 | 4.6 | 1004 | 36 | 3.9 | 204 | 0 |
| LCR0003 | 81 | 82 | WK10198 | -0.01 | | | 0 | 5.1 | 1337 | 37 | 4.2 | 278 | 10.5 |
| LCR0003 | 82 | 83 | WK10199 | 0.01 | | | 0 | 3.9 | 967 | 36 | 5.8 | 279 | 42.7 |
| LCR0003 | 83 | 84 | WK10201 | 0.01 | | | 0 | 5.2 | 943 | 41 | 11.6 | 272 | 10.3 |
| LCR0003 | 84 | 85 | WK10202 | -0.01 | | | 3 | 6.5 | 810 | 34 | 5.2 | 210 | 0 |
| LCR0003 | 85 | 86 | WK10203 | -0.01 | | | 3 | 6.9 | 826 | 26 | 5.6 | 165 | 0 |
| LCR0003 | 86 | 87 | WK10204 | -0.01 | | | 0 | 4.8 | 1011 | 43 | 7.3 | 275 | 0 |
| LCR0003 | 87 | 88 | WK10205 | -0.01 | | | 0 | 4.6 | 943 | 21 | 7.4 | 232 | 18 |
| LCR0003 | 88 | 89 | WK10206 | -0.01 | | | 0 | 4.3 | 812 | 33 | 6.7 | 231 | 9.2 |
| LCR0003 | 89 | 90 | WK10207 | -0.01 | | | 4 | 3.5 | 726 | 30 | 8.5 | 199 | 15.4 |
| LCR0003 | 90 | 91 | WK10208 | -0.01 | | | 0 | 5.3 | 830 | 20 | 7.2 | 219 | 8.6 |
| LCR0003 | 91 | 92 | WK10209 | -0.01 | | | 0 | 4.2 | 784 | 48 | 5.9 | 218 | 8.1 |
| LCR0003 | 92 | 93 | WK10211 | 0.02 | | | 0 | 3.1 | 754 | 15 | 9 | 248 | 0 |
| LCR0003 | 93 | 94 | WK10212 | 0.01 | | | 5 | 5.5 | 1096 | 38 | 8 | 292 | 0 |
| LCR0003 | 94 | 95 | WK10213 | 0.01 | | | 0 | 5.1 | 688 | 27 | 5.6 | 173 | 0 |
| LCR0003 | 95 | 96 | WK10214 | -0.01 | | | 0 | 9.6 | 907 | 22 | 10.2 | 235 | 0 |
| LCR0003 | 96 | 97 | WK10215 | 0.01 | | | 6 | 6.7 | 857 | 57 | 6.6 | 181 | 0 |
| LCR0003 | 97 | 98 | WK10216 | -0.01 | | | 4 | 10.1 | 761 | 32 | 4.6 | 161 | 0 |
| LCR0003 | 98 | 99 | WK10217 | -0.01 | | | 5 | 8.1 | 967 | 47 | 5.8 | 221 | 0 |
| LCR0003 | 99 | 100 | WK10218 | -0.01 | | | 24 | 10.8 | 961 | 47 | 9.8 | 259 | 0 |
| LCR0003 | 100 | 101 | WK10219 | 0.01 | | | 51 | 8 | 776 | 47 | 6 | 194 | 0 |
| LCR0003 | 101 | 102 | WK10220 | -0.01 | | | 8 | 7.6 | 905 | 68 | 5.8 | 203 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0003 | 102 | 103 | WK10221 | -0.01 | | | 0 | 7.3 | 842 | 16 | 5.3 | 217 | 0 |
| LCR0003 | 103 | 104 | WK10222 | -0.01 | | | 0 | 7.2 | 681 | 25 | 5.4 | 180 | 0 |
| LCR0003 | 104 | 105 | WK10223 | -0.01 | | | 3 | 5.9 | 781 | 46 | 4.3 | 207 | 0 |
| LCR0003 | 105 | 106 | WK10224 | 0.01 | | | 5 | 7.6 | 766 | 61 | 5.5 | 195 | 0 |
| LCR0003 | 106 | 107 | WK10226 | -0.01 | | | 11 | 8.1 | 825 | 24 | 5.2 | 231 | 0 |
| LCR0003 | 107 | 108 | WK10227 | 0.01 | | | 4 | 6.5 | 800 | 30 | 4.2 | 195 | 0 |
| LCR0004 | 0 | 1 | WK10228 | 0.01 | | | 4 | 5.6 | 163 | 33 | 2.3 | 73 | 0 |
| LCR0004 | 1 | 2 | WK10229 | 0.01 | | | 8 | 9.1 | 282 | 38 | 2.5 | 99 | 0 |
| LCR0004 | 2 | 3 | WK10230 | 0.01 | | | 15 | 9.1 | 358 | 38 | 2.7 | 102 | 0 |
| LCR0004 | 3 | 4 | WK10231 | 0.01 | | | 17 | 3.7 | 339 | 78 | 3.8 | 92 | 7.4 |
| LCR0004 | 4 | 5 | WK10232 | 0.01 | | | 9 | 2.4 | 427 | 83 | 4.3 | 113 | 0 |
| LCR0004 | 5 | 6 | WK10233 | -0.01 | | | 9 | 5.1 | 350 | 76 | 2.9 | 89 | 0 |
| LCR0004 | 6 | 7 | WK10234 | -0.01 | | | 5 | 3.3 | 241 | 57 | 3.6 | 93 | 12.7 |
| LCR0004 | 7 | 8 | WK10235 | 0.01 | | | 9 | 2.8 | 218 | 53 | 4 | 108 | 16.6 |
| LCR0004 | 8 | 9 | WK10236 | -0.01 | | | 32 | 3.6 | 248 | 43 | 4 | 82 | 0 |
| LCR0004 | 9 | 10 | WK10237 | 0.01 | | | 41 | 3.5 | 302 | 45 | 6.2 | 108 | 8.8 |
| LCR0004 | 10 | 11 | WK10238 | -0.01 | | | 18 | 4.8 | 226 | 25 | 3.6 | 85 | 0 |
| LCR0004 | 11 | 12 | WK10239 | -0.01 | | | 25 | 2.4 | 293 | 63 | 3 | 123 | 0 |
| LCR0004 | 12 | 13 | WK10241 | -0.01 | | | 14 | 2.8 | 266 | 69 | 2.2 | 118 | 19.8 |
| LCR0004 | 13 | 14 | WK10242 | -0.01 | | | 7 | 5.1 | 251 | 75 | 6.2 | 103 | 7.4 |
| LCR0004 | 14 | 15 | WK10243 | -0.01 | | | 5 | 4.5 | 207 | 48 | 2.9 | 99 | 0 |
| LCR0004 | 15 | 16 | WK10244 | 0.01 | | | 9 | 6.4 | 242 | 77 | 4.8 | 102 | 17.9 |
| LCR0004 | 16 | 17 | WK10245 | -0.01 | | | 5 | 3 | 194 | 45 | 3.2 | 96 | 13.8 |
| LCR0004 | 17 | 18 | WK10246 | -0.01 | | | 0 | 3 | 272 | 40 | 4 | 124 | 0 |
| LCR0004 | 18 | 19 | WK10247 | -0.01 | | | 13 | 2.6 | 338 | 58 | 3.5 | 113 | 0 |
| LCR0004 | 19 | 20 | WK10248 | -0.01 | | | 5 | 3.3 | 295 | 41 | 4.3 | 109 | 8.5 |
| LCR0004 | 20 | 21 | WK10249 | -0.01 | | | 6 | 3.5 | 270 | 53 | 2.9 | 136 | 12.4 |
| LCR0004 | 21 | 22 | WK10251 | -0.01 | | | 7 | 5.8 | 306 | 62 | 3.2 | 119 | 0 |
| LCR0004 | 22 | 23 | WK10252 | -0.01 | | | 9 | 5.8 | 331 | 40 | 5.3 | 120 | 9.3 |
| LCR0004 | 23 | 24 | WK10253 | -0.01 | | | 5 | 4.8 | 377 | 52 | 3.7 | 98 | 0 |
| LCR0004 | 24 | 25 | WK10254 | -0.01 | | | 5 | 2.9 | 206 | 37 | 2.4 | 111 | 0 |
| LCR0004 | 25 | 26 | WK10255 | -0.01 | | | 7 | 3.1 | 275 | 50 | 3.1 | 104 | 0 |
| LCR0004 | 26 | 27 | WK10256 | -0.01 | | | 6 | 3 | 259 | 54 | 2.1 | 84 | 0 |
| LCR0004 | 27 | 28 | WK10257 | -0.01 | | | 3 | 5.1 | 253 | 35 | 2.1 | 86 | 0 |
| LCR0004 | 28 | 29 | WK10258 | -0.01 | | | 3 | 3.6 | 313 | 44 | 3.8 | 100 | 0 |
| LCR0004 | 29 | 30 | WK10259 | -0.01 | | | 5 | 3.1 | 186 | 43 | 3 | 97 | 12.3 |
| LCR0004 | 30 | 31 | WK10261 | -0.01 | | | 7 | 6 | 266 | 61 | 2.5 | 109 | 0 |
| LCR0004 | 31 | 32 | WK10262 | -0.01 | | | 11 | 4.5 | 313 | 59 | 2.7 | 94 | 0 |
| LCR0004 | 32 | 33 | WK10263 | -0.01 | | | 4 | 6.7 | 257 | 47 | 3.3 | 88 | 0 |
| LCR0004 | 33 | 34 | WK10264 | -0.01 | | | 5 | 5 | 222 | 47 | 3 | 91 | 0 |
| LCR0004 | 34 | 35 | WK10265 | 0.01 | | | 7 | 6.3 | 221 | 43 | 3 | 97 | 0 |
| LCR0004 | 35 | 36 | WK10266 | -0.01 | | | 7 | 4.9 | 259 | 63 | 3.6 | 99 | 14.3 |
| LCR0004 | 36 | 37 | WK10267 | -0.01 | | | 6 | 5.6 | 202 | 38 | 2.9 | 77 | 0 |
| LCR0004 | 37 | 38 | WK10268 | 0.01 | | | 4 | 6.2 | 242 | 39 | 3.3 | 110 | 0 |
| LCR0004 | 38 | 39 | WK10269 | -0.01 | | | 7 | 5.7 | 230 | 41 | 2.7 | 104 | 0 |
| LCR0004 | 39 | 40 | WK10270 | -0.01 | | | 13 | 7 | 265 | 50 | 3 | 92 | 0 |
| LCR0004 | 40 | 41 | WK10271 | -0.01 | | | 15 | 6.6 | 298 | 51 | 8.1 | 90 | 10.1 |
| LCR0004 | 41 | 42 | WK10272 | -0.01 | | | 8 | 6.7 | 239 | 43 | 5.7 | 99 | 0 |
| LCR0004 | 42 | 43 | WK10273 | -0.01 | | | 6 | 5.7 | 263 | 43 | 5.4 | 106 | 14.2 |
| LCR0004 | 43 | 44 | WK10274 | -0.01 | | | 5 | 5.5 | 270 | 42 | 3.8 | 103 | 17.4 |
| LCR0004 | 44 | 45 | WK10276 | -0.01 | | | 38 | 4.1 | 177 | 54 | 4.2 | 110 | 0 |
| LCR0004 | 45 | 46 | WK10277 | -0.01 | | | 12 | 6.3 | 252 | 68 | 4.3 | 96 | 0 |
| LCR0004 | 46 | 47 | WK10278 | -0.01 | | | 26 | 8.2 | 265 | 58 | 5.1 | 106 | 7.8 |
| LCR0004 | 47 | 48 | WK10279 | -0.01 | | | 6 | 5.1 | 216 | 47 | 2.9 | 78 | 0 |
| LCR0004 | 48 | 49 | WK10280 | -0.01 | | | 0 | 5.1 | 175 | 54 | 2.7 | 118 | 0 |
| LCR0004 | 49 | 50 | WK10281 | -0.01 | | | 5 | 5.7 | 208 | 64 | 3.6 | 87 | 0 |
| LCR0004 | 50 | 51 | WK10282 | -0.01 | | | 10 | 5.5 | 155 | 63 | 2.5 | 76 | 0 |
| LCR0004 | 51 | 52 | WK10283 | -0.01 | | | 5 | 6.3 | 206 | 50 | 3.6 | 90 | 0 |
| LCR0004 | 52 | 53 | WK10284 | -0.01 | | | 6 | 6.1 | 213 | 54 | 3.6 | 86 | 0 |
| LCR0004 | 53 | 54 | WK10285 | -0.01 | | | 3 | 6.7 | 227 | 56 | 2.7 | 104 | 0 |
| LCR0004 | 54 | 55 | WK10286 | -0.01 | | | 4 | 6 | 175 | 47 | 2.5 | 101 | 0 |
| LCR0004 | 55 | 56 | WK10287 | -0.01 | | | 8 | 7.5 | 186 | 53 | 2.7 | 80 | 0 |
| LCR0004 | 56 | 57 | WK10288 | -0.01 | | | 11 | 7 | 156 | 85 | 2.3 | 85 | 0 |
| LCR0004 | 57 | 58 | WK10289 | -0.01 | | | 5 | 7.4 | 173 | 48 | 2.4 | 104 | 8.5 |
| LCR0004 | 58 | 59 | WK10291 | -0.01 | | | 3 | 6.9 | 134 | 52 | 3.4 | 98 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0004 | 59 | 60 | WK10292 | -0.01 | | | 4 | 6.8 | 168 | 68 | 2.5 | 82 | 7.7 |
| LCR0004 | 60 | 61 | WK10293 | -0.01 | | | 8 | 7.8 | 164 | 56 | 3.1 | 100 | 0 |
| LCR0004 | 61 | 62 | WK10294 | 0.01 | | | 6 | 6.8 | 184 | 52 | 5.2 | 97 | 10.1 |
| LCR0004 | 62 | 63 | WK10295 | -0.01 | | | 6 | 5.6 | 156 | 42 | 2.8 | 72 | 0 |
| LCR0004 | 63 | 64 | WK10296 | -0.01 | | | 11 | 2.7 | 197 | 59 | 3.8 | 83 | 16 |
| LCR0004 | 64 | 65 | WK10297 | -0.01 | | | 9 | 11.2 | 187 | 41 | 3.8 | 96 | 0 |
| LCR0004 | 65 | 66 | WK10298 | -0.01 | | | 4 | 10.9 | 201 | 64 | 3.8 | 94 | 0 |
| LCR0004 | 66 | 67 | WK10299 | -0.01 | | | 8 | 8.7 | 175 | 41 | 5.2 | 128 | 0 |
| LCR0004 | 67 | 68 | WK10301 | 0.01 | | | 9 | 5.3 | 240 | 36 | 5.7 | 123 | 0 |
| LCR0004 | 68 | 69 | WK10302 | -0.01 | | | 3 | 5.6 | 253 | 45 | 5.3 | 118 | 0 |
| LCR0004 | 69 | 70 | WK10303 | -0.01 | | | 7 | 5.2 | 419 | 31 | 6 | 134 | 0 |
| LCR0004 | 70 | 71 | WK10304 | -0.01 | | | 12 | 6.9 | 1032 | 33 | 7.5 | 202 | 0 |
| LCR0004 | 71 | 72 | WK10305 | -0.01 | | | 0 | 4.3 | 800 | 30 | 6.7 | 204 | 8 |
| LCR0004 | 72 | 73 | WK10306 | -0.01 | | | 3 | 5.5 | 1010 | 40 | 7.2 | 182 | 12.1 |
| LCR0004 | 73 | 74 | WK10307 | -0.01 | | | 0 | 5 | 1004 | 39 | 7.6 | 186 | 0 |
| LCR0004 | 74 | 75 | WK10308 | 0.01 | | | 0 | 5.8 | 1149 | 19 | 4.5 | 212 | 8.3 |
| LCR0004 | 75 | 76 | WK10309 | 0.01 | | | 6 | 7.4 | 1106 | 42 | 5 | 214 | 0 |
| LCR0004 | 76 | 77 | WK10311 | 0.4 | | | 111 | 15.2 | 1041 | 35 | 3.2 | 171 | 7.9 |
| LCR0004 | 77 | 78 | WK10312 | 0.04 | | | 21 | 8.6 | 729 | 55 | 3.5 | 160 | 0 |
| LCR0004 | 78 | 79 | WK10313 | -0.01 | | | 6 | 6.5 | 1064 | 33 | 5.1 | 209 | 0 |
| LCR0004 | 79 | 80 | WK10314 | -0.01 | | | 4 | 6.9 | 1220 | 23 | 4.9 | 209 | 0 |
| LCR0004 | 80 | 81 | WK10315 | -0.01 | | | 0 | 6.5 | 1141 | 64 | 6.2 | 223 | 0 |
| LCR0004 | 81 | 82 | WK10316 | -0.01 | | | 0 | 7.3 | 985 | 15 | 7.6 | 199 | 0 |
| LCR0004 | 82 | 83 | WK10317 | -0.01 | | | 5 | 6.5 | 1477 | 25 | 6.2 | 308 | 27.4 |
| LCR0004 | 83 | 84 | WK10318 | -0.01 | | | 0 | 5.2 | 1046 | 17 | 7.9 | 238 | 0 |
| LCR0004 | 84 | 85 | WK10319 | -0.01 | | | 0 | 6.1 | 928 | 55 | 6.6 | 228 | 0 |
| LCR0004 | 85 | 86 | WK10320 | -0.01 | | | 0 | 3.8 | 933 | 31 | 8.2 | 328 | 13.3 |
| LCR0004 | 86 | 87 | WK10321 | -0.01 | | | 0 | 3.9 | 895 | 35 | 8.1 | 379 | 14.2 |
| LCR0004 | 87 | 88 | WK10322 | -0.01 | | | 0 | 8.3 | 880 | 21 | 6.8 | 279 | 0 |
| LCR0004 | 88 | 89 | WK10323 | -0.01 | | | 0 | 4.4 | 882 | 39 | 6.6 | 285 | 12.1 |
| LCR0004 | 89 | 90 | WK10324 | -0.01 | | | 0 | 3.9 | 758 | 63 | 5 | 175 | 0 |
| LCR0004 | 90 | 91 | WK10326 | -0.01 | | | 0 | 6.3 | 622 | 36 | 7.3 | 148 | 0 |
| LCR0004 | 91 | 92 | WK10327 | -0.01 | | | 0 | 4 | 183 | 55 | 2.7 | 116 | 0 |
| LCR0004 | 92 | 93 | WK10328 | -0.01 | | | 3 | 6.7 | 241 | 47 | 3.9 | 103 | 0 |
| LCR0004 | 93 | 94 | WK10329 | -0.01 | | | 4 | 6.4 | 240 | 112 | 3.2 | 92 | 0 |
| LCR0004 | 94 | 95 | WK10330 | -0.01 | | | 0 | 4.5 | 662 | 18 | 5.2 | 176 | 16.7 |
| LCR0004 | 95 | 96 | WK10331 | -0.01 | | | 0 | 4.4 | 767 | 12 | 5.2 | 217 | 16.3 |
| LCR0004 | 96 | 97 | WK10332 | -0.01 | | | 0 | 3.6 | 549 | 9 | 3.3 | 161 | 0 |
| LCR0004 | 97 | 98 | WK10333 | -0.01 | | | 0 | 3.4 | 603 | 0 | 5.8 | 151 | 8.4 |
| LCR0004 | 98 | 99 | WK10334 | -0.01 | | | 0 | 5.1 | 866 | 0 | 10 | 219 | 14 |
| LCR0004 | 99 | 100 | WK10335 | -0.01 | | | 0 | 5.3 | 837 | 9 | 6.2 | 220 | 20.6 |
| LCR0004 | 100 | 101 | WK10336 | -0.01 | | | 0 | 3.8 | 812 | 48 | 3.9 | 218 | 17.7 |
| LCR0004 | 101 | 102 | WK10337 | -0.01 | | | 0 | 4.8 | 872 | 23 | 4.9 | 222 | 12.7 |
| LCR0004 | 102 | 103 | WK10338 | -0.01 | | | 0 | 4.4 | 811 | 18 | 6.9 | 226 | 7.6 |
| LCR0004 | 103 | 104 | WK10339 | -0.01 | | | 0 | 9.8 | 759 | 45 | 4.4 | 202 | 0 |
| LCR0004 | 104 | 105 | WK10341 | -0.01 | | | 3 | 9.9 | 590 | 81 | 4.1 | 142 | 0 |
| LCR0004 | 105 | 106 | WK10342 | -0.01 | | | 0 | 5.7 | 640 | 33 | 4.5 | 184 | 0 |
| LCR0004 | 106 | 107 | WK10343 | -0.01 | | | 0 | 3.5 | 623 | 47 | 5.7 | 171 | 0 |
| LCR0004 | 107 | 108 | WK10344 | -0.01 | | | 0 | 3.7 | 678 | 62 | 4 | 158 | 0 |
| LCR0004 | 108 | 109 | WK10345 | -0.01 | | | 16 | 11.2 | 674 | 33 | 8 | 195 | 18.8 |
| LCR0004 | 109 | 110 | WK10346 | 0.01 | | | 0 | 7.5 | 729 | 35 | 4.9 | 150 | 0 |
| LCR0004 | 110 | 111 | WK10347 | -0.01 | | | 0 | 9.1 | 814 | 26 | 6.3 | 155 | 10 |
| LCR0004 | 111 | 112 | WK10348 | -0.01 | | | 0 | 8.6 | 784 | 32 | 7 | 162 | 0 |
| LCR0004 | 112 | 113 | WK10349 | -0.01 | | | 0 | 10.4 | 811 | 43 | 6.5 | 172 | 11.1 |
| LCR0004 | 113 | 114 | WK10351 | -0.01 | | | 16 | 10.8 | 846 | 28 | 4.9 | 171 | 0 |
| LCR0004 | 114 | 115 | WK10352 | 0.01 | | | 0 | 5.8 | 658 | 45 | 3.8 | 160 | 17.2 |
| LCR0004 | 115 | 116 | WK10353 | -0.01 | | | 5 | 9.7 | 760 | 58 | 6.3 | 176 | 20.2 |
| LCR0004 | 116 | 117 | WK10354 | 0.02 | | | 57 | 8.5 | 595 | 33 | 3.6 | 148 | 0 |
| LCR0004 | 117 | 118 | WK10355 | 0.01 | | | 123 | 9.7 | 747 | 38 | 3.7 | 180 | 10 |
| LCR0004 | 118 | 119 | WK10356 | 0.01 | | | 43 | 9.1 | 807 | 31 | 4.6 | 183 | 16.4 |
| LCR0004 | 119 | 120 | WK10357 | -0.01 | 55.7 | 24.9 | 32 | 7.6 | 707 | 25 | 5.2 | 192 | 0 |
| LCR0004 | 120 | 121 | WK10358 | 0.01 | 39.8 | 23 | 38 | 7.7 | 806 | 14 | 4.1 | 175 | 19.4 |
| LCR0004 | 121 | 122 | WK10359 | 0.01 | 64.2 | 30.7 | 44 | 8.1 | 806 | 37 | 6.1 | 185 | 8.2 |
| LCR0004 | 122 | 123 | WK10361 | 0.02 | 141.5 | 35.4 | 134 | 10.4 | 805 | 43 | 4.9 | 168 | 19 |
| LCR0004 | 123 | 124 | WK10362 | -0.01 | 78.1 | 39.4 | 57 | 8.5 | 848 | 56 | 6.1 | 204 | 18.3 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0004 | 124 | 125 | WK10363 | 0.01 | | | 44 | 8.2 | 860 | 41 | 6.6 | 204 | 17.1 |
| LCR0004 | 125 | 126 | WK10364 | 0.02 | | | 119 | 8.8 | 805 | 104 | 5.2 | 176 | 34 |
| LCR0004 | 126 | 127 | WK10365 | 0.01 | | | 74 | 8.8 | 708 | 18 | 5.4 | 177 | 13.5 |
| LCR0004 | 127 | 128 | WK10366 | 0.01 | | | 77 | 7.7 | 716 | 29 | 4.3 | 177 | 25.3 |
| LCR0004 | 128 | 129 | WK10367 | 0.01 | | | 35 | 7.7 | 873 | 25 | 5.5 | 189 | 8.5 |
| LCR0004 | 129 | 130 | WK10368 | -0.01 | | | 51 | 8 | 757 | 23 | 4.8 | 194 | 0 |
| LCR0004 | 130 | 131 | WK10369 | 0.01 | | | 30 | 6.4 | 716 | 42 | 4 | 193 | 0 |
| LCR0004 | 131 | 132 | WK10370 | -0.01 | | | 16 | 7.5 | 696 | 41 | 6.2 | 186 | 10.2 |
| LCR0004 | 132 | 133 | WK10371 | 0.01 | | | 13 | 6.4 | 593 | 34 | 6.1 | 184 | 0 |
| LCR0004 | 133 | 134 | WK10372 | -0.01 | | | 20 | 6.8 | 713 | 51 | 5 | 203 | 0 |
| LCR0004 | 134 | 135 | WK10373 | 0.01 | | | 52 | 7.1 | 813 | 32 | 5.4 | 174 | 14 |
| LCR0004 | 135 | 136 | WK10374 | -0.01 | | | 21 | 7.6 | 675 | 29 | 6.1 | 192 | 0 |
| LCR0004 | 136 | 137 | WK10376 | -0.01 | | | 26 | 8 | 727 | 30 | 5 | 206 | 0 |
| LCR0004 | 137 | 138 | WK10377 | -0.01 | | | 14 | 9 | 679 | 38 | 8.7 | 228 | 0 |
| LCR0004 | 138 | 139 | WK10378 | -0.01 | | | 26 | 7.3 | 644 | 37 | 6.3 | 197 | 0 |
| LCR0004 | 139 | 140 | WK10379 | 0.01 | | | 31 | 7.3 | 563 | 32 | 5.8 | 138 | 0 |
| LCR0004 | 140 | 141 | WK10380 | 0.01 | | | 52 | 8.8 | 652 | 34 | 5.5 | 164 | 0 |
| LCR0004 | 141 | 142 | WK10381 | 0.01 | | | 20 | 9 | 692 | 30 | 5.6 | 180 | 0 |
| LCR0004 | 142 | 143 | WK10382 | -0.01 | | | 18 | 7.5 | 711 | 37 | 5.2 | 182 | 0 |
| LCR0004 | 143 | 144 | WK10383 | 0.01 | | | 20 | 8.4 | 491 | 95 | 3.6 | 142 | 0 |
| LCR0004 | 144 | 145 | WK10384 | 0.03 | | | 84 | 9.7 | 421 | 23 | 4.2 | 117 | 0 |
| LCR0004 | 145 | 146 | WK10385 | 0.03 | | | 142 | 8.4 | 733 | 35 | 5.1 | 206 | 0 |
| LCR0004 | 146 | 147 | WK10386 | -0.01 | | | 20 | 6.2 | 640 | 69 | 5.2 | 176 | 0 |
| LCR0004 | 147 | 148 | WK10387 | -0.01 | | | 33 | 5.4 | 648 | 16 | 4.7 | 216 | 0 |
| LCR0004 | 148 | 149 | WK10388 | 0.01 | | | 13 | 8.6 | 798 | 48 | 6.2 | 169 | 0 |
| LCR0004 | 149 | 150 | WK10389 | -0.01 | | | 10 | 7.2 | 790 | 94 | 5 | 181 | 0 |
| LCR0004 | 150 | 151 | WK10391 | -0.01 | | | 5 | 8.6 | 722 | 26 | 5.2 | 197 | 0 |
| LCR0004 | 151 | 152 | WK10392 | -0.01 | | | 0 | 10 | 526 | 23 | 4.2 | 147 | 0 |
| LCR0004 | 152 | 153 | WK10393 | -0.01 | | | 0 | 7.4 | 653 | 52 | NULL | 174 | 0 |
| LCR0004 | 153 | 154 | WK10394 | -0.01 | | | 0 | 4.7 | 729 | 37 | 5.3 | 186 | 0 |
| LCR0004 | 154 | 155 | WK10395 | -0.01 | | | 0 | 4.2 | 983 | 32 | 6.5 | 218 | 0 |
| LCR0004 | 155 | 156 | WK10396 | -0.01 | | | 0 | 3.7 | 910 | 73 | 4.6 | 197 | 0 |
| LCR0004 | 156 | 157 | WK10397 | -0.01 | | | 3 | 2.8 | 616 | 40 | 3.6 | 191 | 0 |
| LCR0004 | 157 | 158 | WK10398 | -0.01 | | | 0 | 4.5 | 826 | 37 | 5.6 | 204 | 0 |
| LCR0004 | 158 | 159 | WK10399 | -0.01 | | | 4 | 4.3 | 723 | 32 | 4.7 | 239 | 0 |
| LCR0004 | 159 | 160 | WK10401 | -0.01 | | | 0 | 4.7 | 810 | 45 | 7.6 | 206 | 0 |
| LCR0004 | 160 | 161 | WK10402 | -0.01 | | | 0 | 3.4 | 761 | 20 | 7.3 | 263 | 0 |
| LCR0004 | 161 | 162 | WK10403 | -0.01 | | | 0 | 4.1 | 733 | 22 | 6 | 239 | 0 |
| LCR0004 | 162 | 163 | WK10404 | -0.01 | | | 9 | 4 | 739 | 36 | 4.7 | 243 | 8.3 |
| LCR0004 | 163 | 164 | WK10405 | -0.01 | | | 7 | 4.4 | 676 | 32 | 6.4 | 240 | 8.1 |
| LCR0004 | 164 | 165 | WK10406 | -0.01 | | | 0 | 4.3 | 753 | 38 | 4.5 | 216 | 11.3 |
| LCR0004 | 165 | 166 | WK10407 | -0.01 | | | 0 | 4.8 | 921 | 29 | 3.9 | 232 | 0 |
| LCR0004 | 166 | 167 | WK10408 | 0.01 | | | 4 | 5.8 | 699 | 40 | 4.4 | 213 | 0 |
| LCR0004 | 167 | 168 | WK10409 | 0.01 | | | 6 | 4 | 760 | 48 | 2.9 | 219 | 0 |
| LCR0004 | 168 | 169 | WK10411 | 0.02 | | | 3 | 3.9 | 766 | 73 | 4.7 | 253 | 13.9 |
| LCR0004 | 169 | 170 | WK10412 | 0.01 | | | 3 | 3.5 | 885 | 38 | 4.4 | 268 | 11.1 |
| LCR0004 | 170 | 171 | WK10413 | 0.01 | | | 0 | 4.9 | 851 | 25 | 4.8 | 215 | 0 |
| LCR0004 | 171 | 172 | WK10414 | -0.01 | | | 0 | 4 | 791 | 33 | 4.6 | 212 | 0 |
| LCR0004 | 172 | 173 | WK10415 | -0.01 | | | 0 | 4.1 | 802 | 40 | 4.7 | 202 | 15.5 |
| LCR0004 | 173 | 174 | WK10416 | -0.01 | | | 15 | 4.1 | 886 | 38 | 4.9 | 292 | 8.3 |
| LCR0004 | 174 | 175 | WK10417 | 0.01 | | | 8 | 5.5 | 712 | 28 | 4.2 | 213 | 8.4 |
| LCR0004 | 175 | 176 | WK10418 | -0.01 | | | 0 | 5.5 | 772 | 43 | 4.7 | 202 | 0 |
| LCR0004 | 176 | 177 | WK10419 | -0.01 | | | 6 | 6.5 | 677 | 16 | 3.3 | 186 | 0 |
| LCR0004 | 177 | 178 | WK10420 | 0.02 | | | 42 | 8.4 | 825 | 31 | 4.7 | 203 | 0 |
| LCR0004 | 178 | 179 | WK10421 | 0.02 | | | 77 | 9.3 | 711 | 29 | 3.9 | 224 | 0 |
| LCR0004 | 179 | 180 | WK10422 | 0.01 | | | 24 | 8.2 | 781 | 20 | 4.3 | 194 | 0 |
| LCR0004 | 180 | 181 | WK10423 | -0.01 | | | 9 | 6.7 | 723 | 56 | 3.8 | 213 | 0 |
| LCR0004 | 181 | 182 | WK10424 | 0.01 | | | 6 | 5.5 | 610 | 39 | 4.3 | 212 | 0 |
| LCR0004 | 182 | 183 | WK10426 | -0.01 | | | 3 | 5.3 | 788 | 40 | 4.9 | 227 | 0 |
| LCR0004 | 183 | 184 | WK10427 | -0.01 | | | 0 | 4.7 | 738 | 13 | 3.8 | 206 | 0 |
| LCR0004 | 184 | 185 | WK10428 | -0.01 | | | 0 | 4.5 | 866 | 22 | 4.4 | 244 | 0 |
| LCR0004 | 185 | 186 | WK10429 | -0.01 | | | 0 | 5.5 | 1029 | 46 | 12.7 | 276 | 0 |
| LCR0004 | 186 | 187 | WK10430 | -0.01 | | | 2 | 5.5 | 894 | 36 | 6 | 251 | 0 |
| LCR0004 | 187 | 188 | WK10431 | -0.01 | | | 6 | 4.5 | 912 | 44 | 6.4 | 242 | 0 |
| LCR0004 | 188 | 189 | WK10432 | -0.01 | | | 0 | 5.8 | 782 | 39 | 5.6 | 213 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0004 | 189 | 190 | WK10433 | -0.01 | | | 0 | 5.8 | 841 | 24 | 5.2 | 229 | 0 |
| LCR0004 | 190 | 191 | WK10434 | -0.01 | | | 0 | 8.2 | 827 | 28 | 5.2 | 210 | 0 |
| LCR0004 | 191 | 192 | WK10435 | -0.01 | | | 2 | 4.4 | 816 | 34 | 7.3 | 243 | 0 |
| LCR0005 | 0 | 1 | WK10436 | -0.01 | | | 0 | 1.3 | 106 | 30 | 1.1 | 84 | 0 |
| LCR0005 | 1 | 2 | WK10437 | 0.01 | | | 0 | 1.3 | 177 | 46 | 3.1 | 103 | 0 |
| LCR0005 | 2 | 3 | WK10438 | -0.01 | | | 0 | 1 | 153 | 45 | 2.4 | 97 | 0 |
| LCR0005 | 3 | 4 | WK10439 | -0.01 | | | 4 | 1.6 | 195 | 51 | 2.6 | 107 | 0 |
| LCR0005 | 4 | 5 | WK10441 | 0.01 | | | 4 | 8.9 | 149 | 44 | 2.4 | 100 | 0 |
| LCR0005 | 5 | 6 | WK10442 | 0.01 | | | 3 | 5.8 | 829 | 26 | 6.2 | 224 | 0 |
| LCR0005 | 6 | 7 | WK10443 | -0.01 | | | 3 | 5 | 1616 | 29 | 13.6 | 285 | 0 |
| LCR0005 | 7 | 8 | WK10444 | -0.01 | | | 0 | 5.7 | 1698 | 22 | 13.7 | 296 | 0 |
| LCR0005 | 8 | 9 | WK10445 | -0.01 | | | 2 | 7.5 | 1673 | 27 | 13.3 | 274 | 0 |
| LCR0005 | 9 | 10 | WK10446 | -0.01 | | | 0 | 3.7 | 1891 | 35 | 14.8 | 322 | 21.7 |
| LCR0005 | 10 | 11 | WK10447 | -0.01 | | | 3 | 6.6 | 1744 | 27 | 12.6 | 310 | 35.4 |
| LCR0005 | 11 | 12 | WK10448 | -0.01 | | | 0 | 9.6 | 1681 | 26 | 12.2 | 274 | 26.9 |
| LCR0005 | 12 | 13 | WK10449 | -0.01 | | | 0 | 5.1 | 1772 | 32 | 17.6 | 296 | 8.7 |
| LCR0005 | 13 | 14 | WK10451 | -0.01 | | | 0 | 4.3 | 1392 | 30 | 12.2 | 309 | 0 |
| LCR0005 | 14 | 15 | WK10452 | -0.01 | | | 3 | 5.2 | 1891 | 27 | 16.3 | 321 | 28.5 |
| LCR0005 | 15 | 16 | WK10453 | -0.01 | | | 0 | 5.5 | 1797 | 99 | 14.7 | 327 | 41.8 |
| LCR0005 | 16 | 17 | WK10454 | -0.01 | | | 0 | 4.1 | 1936 | 20 | 15.8 | 337 | 58.5 |
| LCR0005 | 17 | 18 | WK10455 | -0.01 | | | 3 | 9.3 | 1789 | 15 | 11.9 | 275 | 10.3 |
| LCR0005 | 18 | 19 | WK10456 | -0.01 | | | 0 | 5.8 | 1544 | 26 | 10.4 | 316 | 20.5 |
| LCR0005 | 19 | 20 | WK10457 | -0.01 | | | 2 | 4.8 | 1593 | 27 | 13.3 | 347 | 22.2 |
| LCR0005 | 20 | 21 | WK10458 | -0.01 | | | 0 | 4.9 | 1890 | 14 | 16.6 | 425 | 52.5 |
| LCR0005 | 21 | 22 | WK10459 | -0.01 | | | 2 | 3 | 2082 | 22 | 16.3 | 327 | 0 |
| LCR0005 | 22 | 23 | WK10461 | -0.01 | | | 0 | 3.6 | 1930 | 20 | 14.3 | 321 | 18.9 |
| LCR0005 | 23 | 24 | WK10462 | -0.01 | | | 0 | 2.2 | 1976 | 29 | 16.2 | 332 | 0 |
| LCR0005 | 24 | 25 | WK10463 | -0.01 | | | 0 | 3.3 | 1810 | 16 | 15.8 | 364 | 41 |
| LCR0005 | 25 | 26 | WK10464 | -0.01 | | | 28 | 5.1 | 2231 | 64 | 15.1 | 314 | 80.7 |
| LCR0005 | 26 | 27 | WK10465 | -0.01 | | | 0 | 5.8 | 1849 | 0 | 14.5 | 309 | 39.9 |
| LCR0005 | 27 | 28 | WK10466 | -0.01 | | | 0 | 4 | 2189 | 9 | 15.6 | 328 | 38 |
| LCR0005 | 28 | 29 | WK10467 | -0.01 | | | 2 | 5.2 | 2020 | 0 | 15.1 | 292 | 45.1 |
| LCR0005 | 29 | 30 | WK10468 | -0.01 | | | 0 | 6.6 | 1770 | 21 | 15.5 | 298 | 11.1 |
| LCR0005 | 30 | 31 | WK10469 | -0.01 | | | 4 | 5.3 | 2211 | 90 | 15.3 | 338 | 64.4 |
| LCR0005 | 31 | 32 | WK10470 | -0.01 | | | 3 | 2.9 | 2179 | 35 | 18.3 | 338 | 26.8 |
| LCR0005 | 32 | 33 | WK10471 | -0.01 | | | 0 | 3.4 | 2465 | 85 | 17.9 | 387 | 42.1 |
| LCR0005 | 33 | 34 | WK10472 | -0.01 | | | 0 | 3 | 2144 | 29 | 16.1 | 365 | 29.9 |
| LCR0005 | 34 | 35 | WK10473 | -0.01 | | | 3 | 2.7 | 2252 | 17 | 19 | 373 | 33.8 |
| LCR0005 | 35 | 36 | WK10474 | -0.01 | | | 0 | 2.6 | 2254 | 17 | 16.5 | 333 | 38.7 |
| LCR0005 | 36 | 37 | WK10476 | -0.01 | | | 0 | 2.6 | 2152 | 14 | 16 | 329 | 30.2 |
| LCR0005 | 37 | 38 | WK10477 | -0.01 | | | 3 | 2.8 | 2291 | 29 | 15.9 | 344 | 69.4 |
| LCR0005 | 38 | 39 | WK10478 | -0.01 | | | 2 | 2.9 | 2215 | 22 | 16 | 323 | 49.5 |
| LCR0005 | 39 | 40 | WK10479 | -0.01 | | | 0 | 2.6 | 2625 | 20 | 18.1 | 391 | 56.1 |
| LCR0005 | 40 | 41 | WK10480 | -0.01 | | | 0 | 2.9 | 2511 | 25 | 19.3 | 340 | 73.8 |
| LCR0005 | 41 | 42 | WK10481 | -0.01 | | | 5 | 2.8 | 2380 | 20 | 17.7 | 363 | 38 |
| LCR0005 | 42 | 43 | WK10482 | -0.01 | | | 0 | 2.8 | 2058 | 11 | 16.6 | 343 | 46.7 |
| LCR0005 | 43 | 44 | WK10483 | -0.01 | | | 0 | 4.3 | 2142 | 24 | 18.8 | 342 | 67.7 |
| LCR0005 | 44 | 45 | WK10484 | -0.01 | | | 3 | 2.8 | 2517 | 29 | 18.1 | 383 | 43 |
| LCR0005 | 45 | 46 | WK10485 | -0.01 | | | 0 | 2.6 | 2422 | 29 | 17.6 | 369 | 42.2 |
| LCR0005 | 46 | 47 | WK10486 | -0.01 | | | 0 | 3 | 1757 | 14 | 16.5 | 315 | 6.5 |
| LCR0005 | 47 | 48 | WK10487 | -0.01 | | | 0 | 2.4 | 1636 | 14 | 12.9 | 320 | 8.5 |
| LCR0005 | 48 | 49 | WK10488 | -0.01 | | | 0 | 1.8 | 1577 | 0 | 13.8 | 286 | 0 |
| LCR0005 | 49 | 50 | WK10489 | -0.01 | | | 0 | 3.6 | 2046 | 26 | 18.2 | 349 | 0 |
| LCR0005 | 50 | 51 | WK10491 | -0.01 | | | 0 | 2.5 | 1857 | 41 | 15.3 | 349 | 0 |
| LCR0005 | 51 | 52 | WK10492 | -0.01 | | | 0 | 3.1 | 2026 | 25 | 17.8 | 371 | 0 |
| LCR0005 | 52 | 53 | WK10493 | 0.01 | | | 0 | 3.8 | 2032 | 16 | 17 | 353 | 13.3 |
| LCR0005 | 53 | 54 | WK10494 | -0.01 | | | 0 | 4.6 | 1935 | 16 | 17.5 | 316 | 10 |
| LCR0005 | 54 | 55 | WK10495 | -0.01 | | | 0 | 3.7 | 1715 | 17 | 14.6 | 342 | 0 |
| LCR0005 | 55 | 56 | WK10496 | -0.01 | | | 5 | 4.1 | 2155 | 11 | 16.5 | 358 | 36.8 |
| LCR0005 | 56 | 57 | WK10497 | -0.01 | | | 5 | 7.8 | 1921 | 8 | 14.8 | 277 | 34.5 |
| LCR0005 | 57 | 58 | WK10498 | -0.01 | | | 5 | 3.9 | 2120 | 26 | 16.7 | 337 | 7.1 |
| LCR0005 | 58 | 59 | WK10499 | 0.02 | | | 6 | 4.4 | 1881 | 18 | 16.6 | 338 | 0 |
| LCR0005 | 59 | 60 | WK10501 | -0.01 | | | 3 | 2.9 | 1511 | 0 | 15.2 | 267 | 0 |
| LCR0005 | 60 | 61 | WK10502 | -0.01 | | | 5 | 6.4 | 1994 | 9 | 12.7 | 295 | 66.1 |
| LCR0005 | 61 | 62 | WK10503 | -0.01 | | | 6 | 6.7 | 2169 | 20 | 16.8 | 320 | 59.3 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0005 | 62 | 63 | WK10504 | -0.01 | | | 6 | 7.5 | 1377 | 0 | 12.9 | 309 | 22.7 |
| LCR0005 | 63 | 64 | WK10505 | -0.01 | | | 7 | 2.7 | 1801 | 16 | 14.2 | 322 | 0 |
| LCR0005 | 64 | 65 | WK10506 | -0.01 | | | 13 | 4.5 | 1710 | 20 | 12.3 | 339 | 13.3 |
| LCR0005 | 65 | 66 | WK10507 | -0.01 | | | 26 | 8.8 | 2015 | 17 | 15.8 | 294 | 36.7 |
| LCR0005 | 66 | 67 | WK10508 | -0.01 | | | 33 | 9.8 | 2004 | 0 | 18.3 | 283 | 52.3 |
| LCR0005 | 67 | 68 | WK10509 | 0.01 | | | 42 | 6.1 | 2166 | 0 | 17.7 | 317 | 82.1 |
| LCR0005 | 68 | 69 | WK10511 | 0.13 | | | 33 | 10.2 | 1558 | 11 | 11.2 | 219 | 70 |
| LCR0005 | 69 | 70 | WK10512 | 0.01 | | | 18 | 7.6 | 2145 | 0 | 20.9 | 333 | 9.6 |
| LCR0005 | 70 | 71 | WK10513 | -0.01 | | | 9 | 6.4 | 2046 | 19 | 15.6 | 337 | 0 |
| LCR0005 | 71 | 72 | WK10514 | -0.01 | | | 12 | 8.5 | 2007 | 14 | 16.3 | 308 | 0 |
| LCR0005 | 72 | 73 | WK10515 | 0.01 | | | 12 | 9.5 | 1968 | 21 | 14.7 | 305 | 17.6 |
| LCR0005 | 73 | 74 | WK10516 | -0.01 | | | 4 | 3.8 | 2162 | 38 | 20 | 347 | 0 |
| LCR0005 | 74 | 75 | WK10517 | -0.01 | | | 3 | 3.5 | 2298 | 10 | 20.1 | 360 | 0 |
| LCR0005 | 75 | 76 | WK10518 | -0.01 | | | 0 | 5 | 2131 | 24 | 18.7 | 343 | 12.8 |
| LCR0005 | 76 | 77 | WK10519 | -0.01 | | | 3 | 4.7 | 2258 | 16 | 19.8 | 366 | 46.7 |
| LCR0005 | 77 | 78 | WK10520 | -0.01 | | | 0 | 3.6 | 2272 | 16 | 19.7 | 347 | 17.6 |
| LCR0005 | 78 | 79 | WK10521 | -0.01 | | | 0 | 2.8 | 2185 | 22 | 16.5 | 369 | 0 |
| LCR0005 | 79 | 80 | WK10522 | -0.01 | | | 0 | 3.1 | 1569 | 0 | 16.9 | 306 | 11.3 |
| LCR0005 | 80 | 81 | WK10523 | -0.01 | | | 0 | 2.7 | 2000 | 18 | 18.8 | 338 | 0 |
| LCR0005 | 81 | 82 | WK10524 | -0.01 | | | 0 | 2.8 | 2302 | 22 | 22.1 | 347 | 20 |
| LCR0005 | 82 | 83 | WK10526 | 0.01 | | | 0 | 2.7 | 2320 | 19 | 20.4 | 368 | 18.4 |
| LCR0005 | 83 | 84 | WK10527 | -0.01 | | | 0 | 5.1 | 2058 | 19 | 19 | 331 | 123.8 |
| LCR0005 | 84 | 85 | WK10528 | 0.01 | | | 5 | 5 | 1944 | 0 | 18.7 | 317 | 26.4 |
| LCR0005 | 85 | 86 | WK10529 | -0.01 | | | 0 | 4 | 1856 | 14 | 18.3 | 343 | 0 |
| LCR0005 | 86 | 87 | WK10530 | -0.01 | | | 0 | 2.1 | 1773 | 23 | 15.6 | 354 | 0 |
| LCR0005 | 87 | 88 | WK10531 | -0.01 | | | 0 | 2.9 | 2071 | 17 | 17 | 349 | 12.9 |
| LCR0005 | 88 | 89 | WK10532 | 0.01 | | | 2 | 2.7 | 1720 | 11 | 17.9 | 350 | 0 |
| LCR0005 | 89 | 90 | WK10533 | 0.01 | | | 3 | 3.1 | 1936 | 0 | 19.1 | 332 | 14.8 |
| LCR0005 | 90 | 91 | WK10534 | -0.01 | | | 2 | 2.4 | 1634 | 0 | 16.9 | 285 | 13.8 |
| LCR0005 | 91 | 92 | WK10535 | -0.01 | | | 10 | 3.4 | 1679 | 9 | 16.5 | 298 | 34 |
| LCR0005 | 92 | 93 | WK10536 | 0.01 | | | 0 | 3.8 | 1899 | 11 | 17.4 | 292 | 21.7 |
| LCR0005 | 93 | 94 | WK10537 | -0.01 | | | 0 | 2.7 | 2082 | 11 | 16.8 | 323 | 28.2 |
| LCR0005 | 94 | 95 | WK10538 | -0.01 | | | 0 | 2.4 | 2090 | 41 | 16.3 | 318 | 58.3 |
| LCR0005 | 95 | 96 | WK10539 | 0.01 | | | 0 | 2.4 | 1906 | 9 | 16 | 318 | 26.2 |
| LCR0005 | 96 | 97 | WK10541 | 0.01 | | | 0 | 2.3 | 1765 | 0 | 15 | 355 | 46.2 |
| LCR0005 | 97 | 98 | WK10542 | 0.01 | | | 3 | 2 | 1904 | 46 | 16.4 | 340 | 17.1 |
| LCR0005 | 98 | 99 | WK10543 | 0.02 | | | 2 | 2.4 | 1742 | 15 | 16.6 | 302 | 27.4 |
| LCR0005 | 99 | 100 | WK10544 | 0.01 | | | 0 | 2.6 | 2128 | 0 | 18.3 | 319 | 21.6 |
| LCR0005 | 100 | 101 | WK10545 | 0.01 | | | 0 | 2.3 | 1726 | 14 | 12.9 | 301 | 38 |
| LCR0005 | 101 | 102 | WK10546 | -0.01 | | | 4 | 2.4 | 1781 | 31 | 14.8 | 323 | 78.4 |
| LCR0005 | 102 | 103 | WK10547 | 0.01 | | | 5 | 2.9 | 2162 | 40 | 17.8 | 332 | 23.7 |
| LCR0005 | 103 | 104 | WK10548 | 0.01 | | | 14 | 2.9 | 2117 | 11 | 19.6 | 300 | 49.1 |
| LCR0005 | 104 | 105 | WK10549 | -0.01 | | | 3 | 3.5 | 2148 | 41 | 17.3 | 319 | 76.7 |
| LCR0005 | 105 | 106 | WK10551 | -0.01 | | | 30 | 12 | 1805 | 17 | 15.4 | 251 | 96.1 |
| LCR0005 | 106 | 107 | WK10552 | 0.02 | | | 9 | 5.7 | 704 | 18 | 15.8 | 148 | 8.1 |
| LCR0005 | 107 | 108 | WK10553 | 0.01 | 31.8 | 91.3 | 29 | 5.9 | 534 | 32 | 14 | 146 | 117.8 |
| LCR0005 | 108 | 109 | WK10554 | 0.4 | 169.5 | 3850 | 134 | 12.4 | 335 | 34 | 8.1 | 75 | 6353.2 |
| LCR0005 | 109 | 110 | WK10555 | 7.71 | 849 | 47700 | 737 | 10.2 | 438 | 0 | 8.7 | 56 | 30713.1 |
| LCR0005 | 110 | 111 | WK10556 | 0.77 | 181.5 | 4160 | 151 | 11.8 | 619 | 28 | 8.7 | 134 | 4364.9 |
| LCR0005 | 111 | 112 | WK10557 | 0.11 | 69.1 | 927 | 62 | 6.3 | 536 | 36 | 9.7 | 142 | 1651.3 |
| LCR0005 | 112 | 113 | WK10558 | 0.09 | 57.8 | 949 | 53 | 7.6 | 618 | 26 | 9.1 | 142 | 2862.9 |
| LCR0005 | 113 | 114 | WK10559 | 0.03 | 42.8 | 308 | 20 | 10.1 | 849 | 27 | 9.7 | 176 | 111.7 |
| LCR0005 | 114 | 115 | WK10561 | 0.02 | 28 | 154 | 22 | 5.2 | 617 | 48 | 9.4 | 154 | 101.7 |
| LCR0005 | 115 | 116 | WK10562 | 0.17 | | | 9 | 5.3 | 598 | 46 | 9 | 166 | 42.1 |
| LCR0005 | 116 | 117 | WK10563 | 0.01 | | | 18 | 4.1 | 585 | 58 | 9.9 | 156 | 31.1 |
| LCR0005 | 117 | 118 | WK10564 | 0.01 | | | 6 | 4.8 | 544 | 41 | 9.1 | 127 | 17.9 |
| LCR0005 | 118 | 119 | WK10565 | 0.01 | | | 0 | 4.5 | 547 | 46 | 9.6 | 140 | 33.8 |
| LCR0005 | 119 | 120 | WK10566 | 0.01 | | | 0 | 6.3 | 636 | 49 | 11.7 | 180 | 27.8 |
| LCR0005 | 120 | 121 | WK10567 | 0.01 | | | 0 | 5.5 | 879 | 0 | 11.9 | 182 | 21.2 |
| LCR0005 | 121 | 122 | WK10568 | 0.01 | | | 0 | 5.3 | 960 | 39 | 15.1 | 215 | 12.7 |
| LCR0005 | 122 | 123 | WK10569 | 0.01 | | | 0 | 5.3 | 1028 | 24 | 13.3 | 213 | 28.8 |
| LCR0005 | 123 | 124 | WK10570 | 0.01 | | | 5 | 7.6 | 1049 | 24 | 16.7 | 224 | 31.4 |
| LCR0005 | 124 | 125 | WK10571 | -0.01 | | | 0 | 6.2 | 1138 | 34 | 13.9 | 243 | 61.8 |
| LCR0005 | 125 | 126 | WK10572 | 0.01 | | | 0 | 6.9 | 1096 | 36 | 14.7 | 236 | 86.7 |
| LCR0005 | 126 | 127 | WK10573 | 0.01 | | | 0 | 4 | 501 | 33 | 14.4 | 125 | 32.8 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0005 | 127 | 128 | WK10574 | 0.01 | | | 3 | 8.2 | 734 | 27 | 12.7 | 159 | 56.1 |
| LCR0005 | 128 | 129 | WK10576 | 0.01 | | | 0 | 4.5 | 373 | 38 | 10.4 | 110 | 21.3 |
| LCR0005 | 129 | 130 | WK10577 | 0.01 | | | 0 | 5.3 | 315 | 49 | 8.1 | 109 | 20.8 |
| LCR0005 | 130 | 131 | WK10578 | 0.01 | | | 0 | 7 | 330 | 35 | 9.3 | 121 | 16.8 |
| LCR0005 | 131 | 132 | WK10579 | 0.01 | | | 0 | 6.8 | 306 | 83 | 8.6 | 120 | 9.9 |
| LCR0005 | 132 | 133 | WK10580 | 0.01 | | | 0 | 10 | 817 | 48 | 10.1 | 201 | 31.1 |
| LCR0005 | 133 | 134 | WK10581 | 0.01 | | | 0 | 10.5 | 860 | 64 | 11.7 | 184 | 59.8 |
| LCR0005 | 134 | 135 | WK10582 | 0.02 | | | 24 | 9.5 | 703 | 513 | 8.3 | 158 | 92.1 |
| LCR0005 | 135 | 136 | WK10583 | 0.02 | | | 0 | 6.8 | 512 | 11 | 9.6 | 151 | 0 |
| LCR0005 | 136 | 137 | WK10584 | -0.01 | | | 4 | 5.6 | 768 | 12 | 8.6 | 206 | 0 |
| LCR0005 | 137 | 138 | WK10585 | 0.01 | | | 0 | 4.8 | 669 | 0 | 10.8 | 229 | 0 |
| LCR0005 | 138 | 139 | WK10586 | 0.01 | | | 0 | 6.6 | 892 | 25 | 10.7 | 197 | 0 |
| LCR0005 | 139 | 140 | WK10587 | 0.01 | | | 0 | 7.6 | 923 | 47 | 9.6 | 213 | 45.2 |
| LCR0005 | 140 | 141 | WK10588 | -0.01 | | | 0 | 8.7 | 950 | 0 | 10.8 | 234 | 0 |
| LCR0005 | 141 | 142 | WK10589 | -0.01 | | | 0 | 8.6 | 876 | 0 | 11.5 | 236 | 0 |
| LCR0005 | 142 | 143 | WK10591 | -0.01 | | | 0 | 8.8 | 1015 | 17 | 11.1 | 240 | 0 |
| LCR0005 | 143 | 144 | WK10592 | -0.01 | | | 0 | 8.3 | 976 | 16 | 13.2 | 238 | 0 |
| LCR0005 | 144 | 145 | WK10593 | -0.01 | | | 0 | 7.1 | 870 | 102 | 12.9 | 274 | 0 |
| LCR0005 | 145 | 146 | WK10594 | 0.01 | | | 0 | 6.4 | 921 | 0 | 10.8 | 236 | 0 |
| LCR0005 | 146 | 147 | WK10595 | -0.01 | | | 0 | 8.3 | 864 | 0 | 13.2 | 210 | 0 |
| LCR0005 | 147 | 148 | WK10596 | 0.01 | | | 0 | 7.3 | 1037 | 79 | 15.5 | 265 | 75.7 |
| LCR0005 | 148 | 149 | WK10597 | -0.01 | | | 0 | 7.6 | 1040 | 108 | 12.7 | 241 | 81.7 |
| LCR0005 | 149 | 150 | WK10598 | 0.01 | | | 0 | 9.6 | 971 | 36 | 12.5 | 236 | 26 |
| LCR0005 | 150 | 151 | WK10599 | -0.01 | | | 0 | 8.6 | 779 | 0 | 7.3 | 218 | 10.5 |
| LCR0005 | 151 | 152 | WK10601 | -0.01 | | | 0 | 7.5 | 776 | 0 | 9.8 | 195 | 0 |
| LCR0005 | 152 | 153 | WK10602 | 0.01 | | | 6 | 9.1 | 937 | 56 | 9.8 | 192 | 43.6 |
| LCR0005 | 153 | 154 | WK10603 | 0.01 | | | 3 | 9.4 | 914 | 43 | 10.7 | 197 | 32.7 |
| LCR0005 | 154 | 155 | WK10604 | -0.01 | | | 0 | 6.6 | 958 | 28 | 11.7 | 204 | 10.2 |
| LCR0005 | 155 | 156 | WK10605 | 0.01 | | | 9 | 7 | 1001 | 31 | 9.6 | 206 | 27.7 |
| LCR0005 | 156 | 157 | WK10606 | -0.01 | | | 29 | 9.3 | 833 | 58 | 7.7 | 193 | 0 |
| LCR0005 | 157 | 158 | WK10607 | 0.01 | | | 74 | 9.7 | 863 | 29 | 6.7 | 223 | 0 |
| LCR0005 | 158 | 159 | WK10608 | 0.01 | | | 168 | 14.1 | 786 | 30 | 5.4 | 208 | 11 |
| LCR0005 | 159 | 160 | WK10609 | 0.09 | | | 116 | 17.5 | 670 | 22 | 6.4 | 153 | 0 |
| LCR0005 | 160 | 161 | WK10611 | 0.16 | | | 156 | 14.1 | 1026 | 40 | 8 | 226 | 10 |
| LCR0005 | 161 | 162 | WK10612 | 0.12 | | | 36 | 11.5 | 895 | 61 | 8.2 | 217 | 0 |
| LCR0005 | 162 | 163 | WK10613 | 0.03 | | | 102 | 10.1 | 1062 | 31 | 10 | 221 | 0 |
| LCR0005 | 163 | 164 | WK10614 | 0.01 | | | 20 | 9.9 | 918 | 27 | 8 | 217 | 0 |
| LCR0005 | 164 | 165 | WK10615 | 0.01 | | | 11 | 9.9 | 954 | 41 | 7.3 | 204 | 0 |
| LCR0005 | 165 | 166 | WK10616 | -0.01 | | | 11 | 8.2 | 953 | 24 | 11.1 | 242 | 0 |
| LCR0005 | 166 | 167 | WK10617 | 0.01 | | | 11 | 8.7 | 910 | 67 | 7.7 | 193 | 0 |
| LCR0005 | 167 | 168 | WK10618 | -0.01 | | | 18 | 10.6 | 944 | 38 | 9.6 | 213 | 0 |
| LCR0006 | 0 | 1 | WK10619 | 0.01 | | | 10 | 10.7 | 1466 | 22 | 10.4 | 306 | 0 |
| LCR0006 | 1 | 2 | WK10620 | 0.01 | | | 0 | 17.2 | 965 | 20 | 9.2 | 219 | 0 |
| LCR0006 | 2 | 3 | WK10621 | 0.01 | | | 4 | 10.2 | 1601 | 11 | 9.9 | 283 | 0 |
| LCR0006 | 3 | 4 | WK10622 | -0.01 | | | 0 | 10.2 | 2933 | 23 | 11.8 | 423 | 7.4 |
| LCR0006 | 4 | 5 | WK10623 | 0.01 | | | 4 | 6.6 | 1979 | 42 | 10.4 | 582 | 8.7 |
| LCR0006 | 5 | 6 | WK10624 | 0.02 | | | 0 | 3.5 | 1782 | 41 | 9.5 | 466 | 0 |
| LCR0006 | 6 | 7 | WK10626 | 0.01 | | | 0 | 4.2 | 1710 | 38 | 11.8 | 495 | 0 |
| LCR0006 | 7 | 8 | WK10627 | 0.01 | | | 0 | 4.8 | 1871 | 50 | 11.8 | 523 | 0 |
| LCR0006 | 8 | 9 | WK10628 | 0.01 | | | 0 | 4.6 | 1633 | 47 | 13.3 | 459 | 0 |
| LCR0006 | 9 | 10 | WK10629 | -0.01 | | | 0 | 3.1 | 1946 | 63 | 15.5 | 547 | 0 |
| LCR0006 | 10 | 11 | WK10630 | -0.01 | | | 2 | 3.6 | 1605 | 30 | 14 | 466 | 0 |
| LCR0006 | 11 | 12 | WK10631 | -0.01 | | | 0 | 5.4 | 1394 | 23 | 15.3 | 458 | 0 |
| LCR0006 | 12 | 13 | WK10632 | 0.01 | | | 0 | 3.9 | 1279 | 42 | 14.2 | 327 | 0 |
| LCR0006 | 13 | 14 | WK10633 | -0.01 | | | 0 | 3.9 | 730 | 59 | 9.6 | 191 | 0 |
| LCR0006 | 14 | 15 | WK10634 | -0.01 | | | 0 | 4.8 | 743 | 41 | 8.5 | 212 | 0 |
| LCR0006 | 15 | 16 | WK10635 | -0.01 | | | 0 | 5 | 832 | 54 | 8.6 | 192 | 0 |
| LCR0006 | 16 | 17 | WK10636 | -0.01 | | | 0 | 4.9 | 804 | 54 | 9.9 | 204 | 0 |
| LCR0006 | 17 | 18 | WK10637 | -0.01 | | | 3 | 4.5 | 972 | 37 | 9.5 | 205 | 0 |
| LCR0006 | 18 | 19 | WK10638 | -0.01 | | | 0 | 6 | 946 | 43 | 7.7 | 206 | 0 |
| LCR0006 | 19 | 20 | WK10639 | -0.01 | | | 0 | 6.3 | 750 | 81 | 5.9 | 186 | 0 |
| LCR0006 | 20 | 21 | WK10641 | -0.01 | | | 0 | 5.9 | 808 | 42 | 8.6 | 176 | 0 |
| LCR0006 | 21 | 22 | WK10642 | -0.01 | | | 0 | 6.1 | 907 | 39 | 10.6 | 209 | 0 |
| LCR0006 | 22 | 23 | WK10643 | -0.01 | | | 0 | 5.5 | 899 | 32 | 10 | 184 | 0 |
| LCR0006 | 23 | 24 | WK10644 | -0.01 | | | 0 | 4.6 | 728 | 35 | 10.3 | 197 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0006 | 24 | 25 | WK10645 | 0.01 | | | 12 | 4.4 | 1215 | 42 | 13 | 286 | 17 |
| LCR0006 | 25 | 26 | WK10646 | 0.01 | | | 37 | 12.3 | 1906 | 32 | 12.8 | 333 | 45.8 |
| LCR0006 | 26 | 27 | WK10647 | 0.09 | | | 63 | 18.3 | 1491 | 10 | 10.1 | 292 | 54.8 |
| LCR0006 | 27 | 28 | WK10648 | 0.25 | | | 29 | 10.5 | 2006 | 14 | 11.7 | 312 | 21.2 |
| LCR0006 | 28 | 29 | WK10649 | 0.01 | | | 16 | 7.9 | 1945 | 21 | 14.2 | 336 | 0 |
| LCR0006 | 29 | 30 | WK10651 | -0.01 | | | 10 | 5.3 | 2098 | 25 | 13.1 | 330 | 0 |
| LCR0006 | 30 | 31 | WK10652 | -0.01 | | | 14 | 6.6 | 2112 | 11 | 14.8 | 326 | 0 |
| LCR0006 | 31 | 32 | WK10653 | -0.01 | | | 12 | 6.3 | 2248 | 29 | 13.4 | 336 | 0 |
| LCR0006 | 32 | 33 | WK10654 | -0.01 | | | 21 | 6.7 | 2201 | 34 | 15.4 | 361 | 0 |
| LCR0006 | 33 | 34 | WK10655 | -0.01 | | | 22 | 8.5 | 2248 | 20 | 15.3 | 364 | 0 |
| LCR0006 | 34 | 35 | WK10656 | -0.01 | | | 11 | 7.5 | 2096 | 0 | 14.4 | 346 | 0 |
| LCR0006 | 35 | 36 | WK10657 | 0.01 | | | 19 | 8 | 2041 | 28 | 16 | 351 | 0 |
| LCR0006 | 36 | 37 | WK10658 | 0.01 | | | 15 | 6.6 | 2282 | 0 | 18.3 | 378 | 0 |
| LCR0006 | 37 | 38 | WK10659 | -0.01 | | | 7 | 3.8 | 2059 | 20 | 17 | 351 | 0 |
| LCR0006 | 38 | 39 | WK10661 | -0.01 | | | 7 | 7 | 1873 | 38 | 9.7 | 299 | 12 |
| LCR0006 | 39 | 40 | WK10662 | -0.01 | | | 4 | 2.8 | 2129 | 29 | 13.8 | 332 | 0 |
| LCR0006 | 40 | 41 | WK10663 | -0.01 | | | 3 | 2.8 | 2364 | 21 | 17.7 | 371 | 0 |
| LCR0006 | 41 | 42 | WK10664 | -0.01 | | | 0 | 5.5 | 2229 | 18 | 17.4 | 346 | 0 |
| LCR0006 | 42 | 43 | WK10665 | -0.01 | | | 0 | 7.1 | 2261 | 31 | 19.2 | 361 | 0 |
| LCR0006 | 43 | 44 | WK10666 | -0.01 | | | 2 | 4.5 | 2146 | 13 | 16.3 | 368 | 0 |
| LCR0006 | 44 | 45 | WK10667 | -0.01 | | | 0 | 5.4 | 2115 | 18 | 17.5 | 344 | 0 |
| LCR0006 | 45 | 46 | WK10668 | -0.01 | | | 3 | 4.9 | 2279 | 24 | 18.2 | 338 | 0 |
| LCR0006 | 46 | 47 | WK10669 | -0.01 | | | 0 | 5.6 | 2216 | 14 | 17.3 | 347 | 0 |
| LCR0006 | 47 | 48 | WK10670 | -0.01 | | | 0 | 6.6 | 2307 | 36 | 21 | 392 | 0 |
| LCR0006 | 48 | 49 | WK10671 | -0.01 | | | 0 | 5.3 | 2166 | 17 | 19.3 | 374 | 0 |
| LCR0006 | 49 | 50 | WK10672 | -0.01 | | | 0 | 4.4 | 2213 | 33 | 19.2 | 355 | 0 |
| LCR0006 | 50 | 51 | WK10673 | -0.01 | | | 0 | 4.2 | 2203 | 11 | 18.5 | 368 | 0 |
| LCR0006 | 51 | 52 | WK10674 | -0.01 | | | 0 | 4.1 | 2334 | 17 | 18.5 | 400 | 0 |
| LCR0006 | 52 | 53 | WK10676 | -0.01 | | | 2 | 4 | 2320 | 23 | 16.1 | 384 | 0 |
| LCR0006 | 53 | 54 | WK10677 | -0.01 | | | 0 | 4.3 | 2135 | 11 | 15.3 | 378 | 0 |
| LCR0006 | 54 | 55 | WK10678 | -0.01 | | | 0 | 4 | 2174 | 27 | 15.4 | 398 | 0 |
| LCR0006 | 55 | 56 | WK10679 | -0.01 | | | 0 | 4.3 | 2160 | 70 | 14.8 | 362 | 0 |
| LCR0006 | 56 | 57 | WK10680 | -0.01 | | | 2 | 5.8 | 1980 | 0 | 15.6 | 344 | 0 |
| LCR0006 | 57 | 58 | WK10681 | -0.01 | | | 4 | 5.8 | 2409 | 18 | 13.3 | 387 | 0 |
| LCR0006 | 58 | 59 | WK10682 | -0.01 | | | 3 | 5 | 2132 | 25 | 13.3 | 395 | 15.9 |
| LCR0006 | 59 | 60 | WK10683 | -0.01 | | | 0 | 3.8 | 2073 | 28 | 12.4 | 391 | 0 |
| LCR0006 | 60 | 61 | WK10684 | -0.01 | | | 0 | 4.4 | 2432 | 36 | 17.2 | 396 | 0 |
| LCR0006 | 61 | 62 | WK10685 | -0.01 | | | 4 | 5 | 2310 | 17 | 17.7 | 397 | 0 |
| LCR0006 | 62 | 63 | WK10686 | -0.01 | | | 0 | 6.6 | 2230 | 116 | 14.7 | 334 | 0 |
| LCR0006 | 63 | 64 | WK10687 | -0.01 | | | 0 | 4.9 | 2202 | 15 | 17.7 | 366 | 0 |
| LCR0006 | 64 | 65 | WK10688 | -0.01 | | | 3 | 5.2 | 2167 | 16 | 18.6 | 393 | 0 |
| LCR0006 | 65 | 66 | WK10689 | -0.01 | | | 0 | 6 | 2218 | 17 | 18.2 | 339 | 0 |
| LCR0006 | 66 | 67 | WK10691 | -0.01 | | | 0 | 6.1 | 2198 | 20 | 13.9 | 348 | 0 |
| LCR0006 | 67 | 68 | WK10692 | -0.01 | | | 4 | 4.8 | 2122 | 7 | 18 | 385 | 0 |
| LCR0006 | 68 | 69 | WK10693 | -0.01 | | | 3 | 4.5 | 2130 | 8 | 16.9 | 338 | 0 |
| LCR0006 | 69 | 70 | WK10694 | -0.01 | | | 0 | 5 | 2225 | 8 | 14.8 | 356 | 0 |
| LCR0006 | 70 | 71 | WK10695 | -0.01 | | | 5 | 5.2 | 2074 | 37 | 16.7 | 313 | 0 |
| LCR0006 | 71 | 72 | WK10696 | -0.01 | | | 16 | 6.2 | 2474 | 18 | 15.7 | 379 | 0 |
| LCR0006 | 72 | 73 | WK10697 | 0.01 | | | 42 | 6.3 | 2057 | 21 | 16.1 | 342 | 9.9 |
| LCR0006 | 73 | 74 | WK10698 | -0.01 | | | 15 | 3.9 | 2217 | 10 | 16 | 348 | 0 |
| LCR0006 | 74 | 75 | WK10699 | -0.01 | | | 7 | 3.5 | 2206 | 29 | 16.2 | 345 | 0 |
| LCR0006 | 75 | 76 | WK10701 | -0.01 | | | 3 | 3.6 | 2301 | 11 | 15.9 | 358 | 0 |
| LCR0006 | 76 | 77 | WK10702 | -0.01 | | | 6 | 2.9 | 2232 | 17 | 14.7 | 358 | 0 |
| LCR0006 | 77 | 78 | WK10703 | -0.01 | | | 8 | 4.1 | 2040 | 16 | 16.6 | 355 | 0 |
| LCR0006 | 78 | 79 | WK10704 | -0.01 | | | 4 | 5.4 | 1264 | 11 | 10.8 | 223 | 0 |
| LCR0006 | 79 | 80 | WK10705 | -0.01 | | | 6 | 6.5 | 2148 | 8 | 13.5 | 341 | 0 |
| LCR0006 | 80 | 81 | WK10706 | -0.01 | | | 2 | 6.9 | 1093 | 18 | 14.8 | 217 | 0 |
| LCR0006 | 81 | 82 | WK10707 | -0.01 | | | 0 | 6.6 | 1428 | 28 | 13.6 | 412 | 0 |
| LCR0006 | 82 | 83 | WK10708 | -0.01 | | | 0 | 8.1 | 1505 | 42 | 11.9 | 407 | 17.8 |
| LCR0006 | 83 | 84 | WK10709 | -0.01 | | | 0 | 4.9 | 1148 | 44 | 12.4 | 344 | 0 |
| LCR0006 | 84 | 85 | WK10711 | -0.01 | | | 3 | 3.7 | 1210 | 11 | 10.7 | 336 | 0 |
| LCR0006 | 85 | 86 | WK10712 | -0.01 | | | 0 | 5.1 | 945 | 23 | 9.1 | 244 | 0 |
| LCR0006 | 86 | 87 | WK10713 | -0.01 | | | 0 | 3.6 | 1166 | 28 | 8.9 | 337 | 0 |
| LCR0006 | 87 | 88 | WK10714 | -0.01 | | | 3 | 5.5 | 1252 | 63 | 10.8 | 351 | 0 |
| LCR0006 | 88 | 89 | WK10715 | -0.01 | | | 0 | 5.7 | 949 | 18 | 10.8 | 240 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0006 | 89 | 90 | WK10716 | -0.01 | | | 0 | 4.5 | 1115 | 9 | 8.6 | 319 | 0 |
| LCR0007 | 0 | 1 | WK10717 | 0.01 | | | 3 | 1.7 | 208 | 43 | 5.3 | 94 | 0 |
| LCR0007 | 1 | 2 | WK10718 | -0.01 | | | 8 | 6.1 | 414 | 46 | 5.9 | 149 | 0 |
| LCR0007 | 2 | 3 | WK10719 | 0.01 | | | 4 | 15.3 | 922 | 28 | 6.7 | 378 | 0 |
| LCR0007 | 3 | 4 | WK10720 | 0.01 | | | 0 | 15.1 | 1922 | 32 | 10.6 | 727 | 0 |
| LCR0007 | 4 | 5 | WK10721 | 0.01 | | | 15 | 10.9 | 2284 | 32 | 12.4 | 976 | 0 |
| LCR0007 | 5 | 6 | WK10722 | 0.01 | | | 5 | 6.4 | 2070 | 26 | 9.9 | 500 | 0 |
| LCR0007 | 6 | 7 | WK10723 | 0.01 | | | 0 | 4.4 | 1818 | 58 | 6.3 | 369 | 0 |
| LCR0007 | 7 | 8 | WK10724 | -0.01 | | | 5 | 6.5 | 1951 | 18 | 12.9 | 568 | 0 |
| LCR0007 | 8 | 9 | WK10726 | 0.01 | | | 3 | 5.9 | 3111 | 34 | 11.9 | 823 | 0 |
| LCR0007 | 9 | 10 | WK10727 | 0.01 | | | 0 | 4.5 | 2358 | 36 | 8.2 | 757 | 0 |
| LCR0007 | 10 | 11 | WK10728 | -0.01 | | | 4 | 1.4 | 1341 | 45 | 10.1 | 288 | 0 |
| LCR0007 | 11 | 12 | WK10729 | -0.01 | | | 0 | 2.5 | 1363 | 23 | 10.6 | 272 | 0 |
| LCR0007 | 12 | 13 | WK10730 | -0.01 | | | 0 | 7 | 1790 | 35 | 11.9 | 532 | 0 |
| LCR0007 | 13 | 14 | WK10731 | -0.01 | | | 0 | 12.3 | 1547 | 40 | 8.8 | 463 | 0 |
| LCR0007 | 14 | 15 | WK10732 | -0.01 | | | 0 | 2.9 | 824 | 48 | 10.7 | 277 | 0 |
| LCR0007 | 15 | 16 | WK10733 | -0.01 | | | 0 | 1.1 | 765 | 30 | 10 | 165 | 0 |
| LCR0007 | 16 | 17 | WK10734 | -0.01 | | | 0 | 1.1 | 650 | 75 | 11.4 | 230 | 6.4 |
| LCR0007 | 17 | 18 | WK10735 | -0.01 | | | 0 | 1.1 | 788 | 46 | 9.1 | 208 | 0 |
| LCR0007 | 18 | 19 | WK10736 | -0.01 | | | 0 | 1.5 | 641 | 45 | 6.4 | 212 | 0 |
| LCR0007 | 19 | 20 | WK10737 | -0.01 | | | 0 | 1.2 | 755 | 18 | 8.7 | 179 | 0 |
| LCR0007 | 20 | 21 | WK10738 | -0.01 | | | 0 | 1.9 | 824 | 22 | 11.9 | 202 | 11.5 |
| LCR0007 | 21 | 22 | WK10739 | -0.01 | | | 0 | 1.5 | 792 | 11 | 13.2 | 183 | 12.1 |
| LCR0007 | 22 | 23 | WK10741 | -0.01 | | | 0 | 1.8 | 684 | 31 | 10.8 | 184 | 20.1 |
| LCR0007 | 23 | 24 | WK10742 | -0.01 | | | 0 | 3 | 689 | 168 | 8.2 | 208 | 32.4 |
| LCR0007 | 24 | 25 | WK10743 | -0.01 | | | 0 | 2 | 622 | 24 | 10.5 | 245 | 0 |
| LCR0007 | 25 | 26 | WK10744 | -0.01 | | | 0 | 3.3 | 665 | 605 | 9.3 | 226 | 49.7 |
| LCR0007 | 26 | 27 | WK10745 | -0.01 | | | 0 | 2.7 | 665 | 36 | 9.2 | 180 | 0 |
| LCR0007 | 27 | 28 | WK10746 | -0.01 | | | 0 | 3.6 | 606 | 35 | 8.5 | 205 | 0 |
| LCR0007 | 28 | 29 | WK10747 | -0.01 | | | 0 | 4.1 | 770 | 39 | 10.9 | 197 | 0 |
| LCR0007 | 29 | 30 | WK10748 | -0.01 | | | 0 | 2.7 | 750 | 31 | 10.3 | 219 | 0 |
| LCR0007 | 30 | 31 | WK10749 | -0.01 | | | 0 | 2.8 | 823 | 32 | 9.9 | 180 | 0 |
| LCR0007 | 31 | 32 | WK10751 | -0.01 | | | 2 | 3.4 | 990 | 34 | 10.5 | 227 | 0 |
| LCR0007 | 32 | 33 | WK10752 | -0.01 | | | 0 | 2.7 | 1034 | 56 | 15.6 | 243 | 10.9 |
| LCR0007 | 33 | 34 | WK10753 | -0.01 | | | 3 | 3 | 1216 | 23 | 12.8 | 276 | 9.1 |
| LCR0007 | 34 | 35 | WK10754 | -0.01 | | | 0 | 4.9 | 1964 | 35 | 17.9 | 547 | 7 |
| LCR0007 | 35 | 36 | WK10755 | -0.01 | | | 0 | 4.4 | 1991 | 28 | 14.7 | 614 | 0 |
| LCR0007 | 36 | 37 | WK10756 | -0.01 | | | 0 | 4 | 2237 | 30 | 15.9 | 485 | 0 |
| LCR0007 | 37 | 38 | WK10757 | -0.01 | | | 0 | 3.1 | 963 | 10 | 15.9 | 334 | 0 |
| LCR0007 | 38 | 39 | WK10758 | -0.01 | | | 0 | 2.9 | 1855 | 20 | 11.7 | 522 | 0 |
| LCR0007 | 39 | 40 | WK10759 | -0.01 | | | 0 | 3.4 | 1411 | 27 | 12.4 | 511 | 0 |
| LCR0007 | 40 | 41 | WK10761 | -0.01 | | | 0 | 3.6 | 1430 | 11 | 16.1 | 449 | 0 |
| LCR0007 | 41 | 42 | WK10762 | -0.01 | | | 3 | 2.6 | 1338 | 27 | 11.8 | 350 | 0 |
| LCR0007 | 42 | 43 | WK10763 | -0.01 | | | 0 | 3.1 | 1374 | 62 | 13.2 | 433 | 0 |
| LCR0007 | 43 | 44 | WK10764 | -0.01 | | | 5 | 3.7 | 2483 | 24 | 23.8 | 781 | 0 |
| LCR0007 | 44 | 45 | WK10765 | -0.01 | | | 6 | 4.2 | 2359 | 0 | 19.7 | 848 | 0 |
| LCR0007 | 45 | 46 | WK10766 | -0.01 | | | 3 | 7 | 1749 | 0 | 15.3 | 866 | 0 |
| LCR0007 | 46 | 47 | WK10767 | -0.01 | | | 0 | 6.4 | 2125 | 0 | 15.8 | 928 | 0 |
| LCR0007 | 47 | 48 | WK10768 | -0.01 | | | 0 | 5.1 | 2403 | 22 | 21.1 | 1005 | 0 |
| LCR0007 | 48 | 49 | WK10769 | -0.01 | | | 0 | 2.9 | 2455 | 10 | 21.4 | 945 | 0 |
| LCR0007 | 49 | 50 | WK10770 | -0.01 | | | 0 | 3.6 | 2166 | 0 | 23.3 | 822 | 0 |
| LCR0007 | 50 | 51 | WK10771 | -0.01 | | | 3 | 3.5 | 1602 | 11 | 12.8 | 754 | 0 |
| LCR0007 | 51 | 52 | WK10772 | -0.01 | | | 2 | 2.7 | 1875 | 32 | 16.2 | 858 | 0 |
| LCR0007 | 52 | 53 | WK10773 | -0.01 | | | 0 | 3.2 | 2104 | 141 | 16.5 | 851 | 0 |
| LCR0007 | 53 | 54 | WK10774 | -0.01 | | | 0 | 3.1 | 1903 | 19 | 13.5 | 734 | 0 |
| LCR0007 | 54 | 55 | WK10776 | 0.01 | | | 5 | 3.4 | 2514 | 15 | 20 | 895 | 0 |
| LCR0007 | 55 | 56 | WK10777 | 0.02 | | | 0 | 3 | 2736 | 9 | 22 | 964 | 0 |
| LCR0007 | 56 | 57 | WK10778 | -0.01 | | | 0 | 5.5 | 2214 | 13 | 16.3 | 832 | 0 |
| LCR0007 | 57 | 58 | WK10779 | -0.01 | | | 0 | 6.6 | 2237 | 0 | 22.3 | 868 | 0 |
| LCR0007 | 58 | 59 | WK10780 | -0.01 | | | 0 | 5.6 | 2248 | 0 | 24.9 | 995 | 0 |
| LCR0007 | 59 | 60 | WK10781 | -0.01 | | | 0 | 4.6 | 2333 | 21 | 20.7 | 891 | 0 |
| LCR0007 | 60 | 61 | WK10782 | -0.01 | | | 0 | 8 | 1773 | 0 | 17.1 | 668 | 0 |
| LCR0007 | 61 | 62 | WK10783 | 0.03 | | | 0 | 6.3 | 1566 | 36 | 14.6 | 697 | 9.6 |
| LCR0007 | 62 | 63 | WK10784 | -0.01 | | | 0 | 5.6 | 1341 | 8 | 16 | 688 | 0 |
| LCR0007 | 63 | 64 | WK10785 | -0.01 | | | 0 | 4.9 | 1456 | 19 | 12.8 | 711 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0007 | 64 | 65 | WK10786 | -0.01 | | | 0 | 4.1 | 1396 | 19 | 17.1 | 766 | 0 |
| LCR0007 | 65 | 66 | WK10787 | -0.01 | | | 0 | 4 | 1664 | 0 | 15.8 | 693 | 0 |
| LCR0007 | 66 | 67 | WK10788 | -0.01 | | | 0 | 3.4 | 1473 | 32 | 18.7 | 707 | 0 |
| LCR0007 | 67 | 68 | WK10789 | -0.01 | | | 0 | 3.3 | 1437 | 14 | 14 | 602 | 0 |
| LCR0007 | 68 | 69 | WK10791 | -0.01 | | | 2 | 3.4 | 1556 | 16 | 18.6 | 651 | 0 |
| LCR0007 | 69 | 70 | WK10792 | -0.01 | | | 0 | 4.4 | 1599 | 30 | 17.6 | 685 | 0 |
| LCR0007 | 70 | 71 | WK10793 | -0.01 | | | 0 | 3.2 | 1581 | 14 | 15.9 | 611 | 0 |
| LCR0007 | 71 | 72 | WK10794 | -0.01 | | | 0 | 2.7 | 1562 | 10 | 13.6 | 574 | 0 |
| LCR0007 | 72 | 73 | WK10795 | -0.01 | | | 0 | 4.8 | 1844 | 25 | 15.2 | 595 | 0 |
| LCR0007 | 73 | 74 | WK10796 | -0.01 | | | 2 | 3.3 | 1501 | 25 | 14.9 | 642 | 0 |
| LCR0007 | 74 | 75 | WK10797 | -0.01 | | | 0 | 3 | 1602 | 24 | 13.2 | 677 | 0 |
| LCR0007 | 75 | 76 | WK10798 | -0.01 | | | 0 | 2.8 | 1259 | 15 | 11.2 | 610 | 0 |
| LCR0007 | 76 | 77 | WK10799 | 0.01 | | | 0 | 3.7 | 1525 | 17 | 13.2 | 720 | 0 |
| LCR0007 | 77 | 78 | WK10801 | -0.01 | | | 0 | 3.3 | 1414 | 13 | 14.2 | 682 | 0 |
| LCR0007 | 78 | 79 | WK10802 | -0.01 | | | 0 | 4.4 | 1696 | 11 | 13.1 | 659 | 0 |
| LCR0007 | 79 | 80 | WK10803 | -0.01 | | | 0 | 6.7 | 1482 | 16 | 15.4 | 789 | 0 |
| LCR0007 | 80 | 81 | WK10804 | -0.01 | | | 0 | 4.1 | 1080 | 20 | 15.6 | 538 | 0 |
| LCR0007 | 81 | 82 | WK10805 | -0.01 | | | 0 | 3.1 | 1437 | 8 | 14.8 | 530 | 0 |
| LCR0007 | 82 | 83 | WK10806 | -0.01 | | | 0 | 3.4 | 1704 | 12 | 17.9 | 686 | 0 |
| LCR0007 | 83 | 84 | WK10807 | 0.01 | | | 0 | 4.6 | 1435 | 0 | 14.4 | 574 | 0 |
| LCR0007 | 84 | 85 | WK10808 | -0.01 | | | 0 | 4.3 | 1723 | 15 | 18 | 615 | 0 |
| LCR0007 | 85 | 86 | WK10809 | 0.04 | | | 0 | 4.1 | 1593 | 21 | 20.2 | 628 | 0 |
| LCR0007 | 86 | 87 | WK10811 | 0.03 | | | 0 | 3.9 | 1454 | 13 | 18.1 | 600 | 0 |
| LCR0007 | 87 | 88 | WK10812 | 0.01 | | | 0 | 3.4 | 1570 | 24 | 17.4 | 612 | 0 |
| LCR0007 | 88 | 89 | WK10813 | -0.01 | | | 0 | 3.3 | 1515 | 0 | 15.8 | 561 | 0 |
| LCR0007 | 89 | 90 | WK10814 | -0.01 | | | 0 | 3.2 | 1478 | 0 | 18.3 | 592 | 0 |
| LCR0007 | 90 | 91 | WK10815 | -0.01 | | | 0 | 4.8 | 1422 | 8 | 19.7 | 672 | 0 |
| LCR0007 | 91 | 92 | WK10816 | -0.01 | | | 0 | 4.4 | 1259 | 0 | 15.6 | 495 | 0 |
| LCR0007 | 92 | 93 | WK10817 | -0.01 | | | 0 | 3.5 | 1344 | 28 | 13.1 | 381 | 0 |
| LCR0007 | 93 | 94 | WK10818 | -0.01 | | | 0 | 3.3 | 792 | 23 | 11.2 | 250 | 0 |
| LCR0007 | 94 | 95 | WK10819 | -0.01 | | | 0 | 3.8 | 742 | 57 | 11.3 | 215 | 0 |
| LCR0007 | 95 | 96 | WK10820 | -0.01 | | | 0 | 3.4 | 944 | 27 | 14.4 | 325 | 0 |
| LCR0007 | 96 | 97 | WK10821 | -0.01 | | | 0 | 4.8 | 864 | 35 | 12.9 | 218 | 0 |
| LCR0007 | 97 | 98 | WK10822 | -0.01 | | | 3 | 4.7 | 846 | 46 | 9.3 | 196 | 0 |
| LCR0007 | 98 | 99 | WK10823 | -0.01 | | | 0 | 4.1 | 739 | 26 | 9.7 | 199 | 0 |
| LCR0007 | 99 | 100 | WK10824 | -0.01 | | | 3 | 4.2 | 744 | 40 | 9.5 | 187 | 0 |
| LCR0007 | 100 | 101 | WK10826 | -0.01 | | | 0 | 5.3 | 884 | 63 | 9.1 | 190 | 0 |
| LCR0007 | 101 | 102 | WK10827 | -0.01 | | | 0 | 5.1 | 802 | 47 | 7.9 | 204 | 0 |
| LCR0007 | 102 | 103 | WK10828 | -0.01 | | | 2 | 5 | 826 | 49 | 8.3 | 217 | 0 |
| LCR0007 | 103 | 104 | WK10829 | -0.01 | | | 0 | 5.1 | 1041 | 35 | 9.1 | 193 | 0 |
| LCR0007 | 104 | 105 | WK10830 | -0.01 | | | 0 | 4.6 | 776 | 28 | 8.2 | 180 | 0 |
| LCR0007 | 105 | 106 | WK10831 | -0.01 | | | 0 | 4.8 | 688 | 38 | 7.6 | 168 | 0 |
| LCR0007 | 106 | 107 | WK10832 | -0.01 | | | 3 | 4.8 | 1029 | 37 | 10.5 | 179 | 0 |
| LCR0007 | 107 | 108 | WK10833 | -0.01 | | | 0 | 4.4 | 830 | 37 | 8 | 189 | 0 |
| LCR0007 | 108 | 109 | WK10834 | -0.01 | | | 0 | 4.2 | 926 | 27 | 9.5 | 190 | 0 |
| LCR0007 | 109 | 110 | WK10835 | -0.01 | | | 4 | 3.8 | 826 | 12 | 8.1 | 202 | 0 |
| LCR0007 | 110 | 111 | WK10836 | -0.01 | | | 0 | 5 | 1101 | 51 | 14 | 248 | 0 |
| LCR0007 | 111 | 112 | WK10837 | -0.01 | | | 0 | 4.4 | 798 | 18 | 8.4 | 191 | 0 |
| LCR0007 | 112 | 113 | WK10838 | -0.01 | | | 4 | 4.7 | 644 | 19 | 7.8 | 182 | 0 |
| LCR0007 | 113 | 114 | WK10839 | -0.01 | | | 9 | 8 | 918 | 43 | 9.9 | 183 | 0 |
| LCR0007 | 114 | 115 | WK10841 | -0.01 | | | 3 | 5.2 | 846 | 16 | 9.4 | 209 | 0 |
| LCR0007 | 115 | 116 | WK10842 | -0.01 | | | 0 | 5.1 | 827 | 21 | 7.8 | 203 | 0 |
| LCR0007 | 116 | 117 | WK10843 | -0.01 | | | 2 | 4.5 | 856 | 72 | 8.7 | 175 | 0 |
| LCR0007 | 117 | 118 | WK10844 | -0.01 | | | 0 | 4.4 | 727 | 29 | 7.7 | 181 | 0 |
| LCR0007 | 118 | 119 | WK10845 | -0.01 | | | 0 | 4.1 | 798 | 28 | 8.6 | 198 | 0 |
| LCR0007 | 119 | 120 | WK10846 | -0.01 | | | 0 | 4.1 | 1178 | 15 | 10.1 | 201 | 0 |
| LCR0007 | 120 | 121 | WK10847 | -0.01 | | | 0 | 6.6 | 828 | 119 | 5.8 | 191 | 0 |
| LCR0007 | 121 | 122 | WK10848 | -0.01 | | | 0 | 5.7 | 1086 | 60 | 8.9 | 240 | 0 |
| LCR0007 | 122 | 123 | WK10849 | -0.01 | | | 3 | 6.2 | 1060 | 33 | 10.4 | 219 | 0 |
| LCR0007 | 123 | 124 | WK10851 | -0.01 | | | 0 | 9.4 | 975 | 51 | 6.7 | 181 | 0 |
| LCR0007 | 124 | 125 | WK10852 | -0.01 | | | 0 | 8.3 | 903 | 41 | 9.3 | 195 | 0 |
| LCR0007 | 125 | 126 | WK10853 | -0.01 | | | 0 | 6.2 | 960 | 48 | 7.8 | 193 | 0 |
| LCR0007 | 126 | 127 | WK10854 | -0.01 | | | 3 | 5.3 | 921 | 28 | 8.3 | 216 | 0 |
| LCR0007 | 127 | 128 | WK10855 | -0.01 | | | 0 | 5.3 | 989 | 68 | 8.9 | 263 | 0 |
| LCR0007 | 128 | 129 | WK10856 | -0.01 | | | 4 | 10 | 1173 | 68 | 8.6 | 201 | 0 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0007 | 129 | 130 | WK10857 | -0.01 | | | 0 | 5.9 | 1323 | 58 | 8.5 | 212 | 0 |
| LCR0007 | 130 | 131 | WK10858 | -0.01 | | | 3 | 5.4 | 1235 | 59 | 8 | 207 | 0 |
| LCR0007 | 131 | 132 | WK10859 | -0.01 | | | 0 | 6.8 | 1532 | 45 | 10.6 | 218 | 0 |
| LCR0007 | 132 | 133 | WK10861 | -0.01 | | | 2 | 7.3 | 1171 | 28 | 15 | 243 | 0 |
| LCR0007 | 133 | 134 | WK10862 | -0.01 | | | 0 | 5 | 1480 | 22 | 13.1 | 494 | 0 |
| LCR0007 | 134 | 135 | WK10863 | -0.01 | | | 0 | 4.8 | 1388 | 28 | 14.6 | 473 | 0 |
| LCR0007 | 135 | 136 | WK10864 | -0.01 | | | 2 | 5.5 | 1473 | 59 | 14.1 | 452 | 0 |
| LCR0007 | 136 | 137 | WK10865 | -0.01 | | | 3 | 5 | 1571 | 32 | 13.3 | 477 | 0 |
| LCR0007 | 137 | 138 | WK10866 | -0.01 | | | 0 | 5.3 | 1611 | 41 | 12.1 | 439 | 0 |
| LCR0007 | 138 | 139 | WK10867 | -0.01 | | | 0 | 5.3 | 1538 | 43 | 11.8 | 397 | 0 |
| LCR0007 | 139 | 140 | WK10868 | -0.01 | | | 0 | 6.6 | 1283 | 38 | 13.7 | 372 | 0 |
| LCR0007 | 140 | 141 | WK10869 | -0.01 | | | 0 | 5.3 | 1295 | 43 | 10.7 | 272 | 0 |
| LCR0007 | 141 | 142 | WK10870 | -0.01 | | | 0 | 5.5 | 1163 | 58 | 12.7 | 269 | 0 |
| LCR0007 | 142 | 143 | WK10871 | -0.01 | | | 3 | 6.2 | 1698 | 28 | 12.3 | 401 | 0 |
| LCR0007 | 143 | 144 | WK10872 | -0.01 | | | 4 | 9.4 | 1668 | 26 | 13.9 | 505 | 0 |
| LCR0007 | 144 | 145 | WK10873 | -0.01 | | | 0 | 5.3 | 1167 | 24 | 10.3 | 238 | 0 |
| LCR0007 | 145 | 146 | WK10874 | -0.01 | | | 0 | 5.5 | 1233 | 39 | 15.9 | 245 | 0 |
| LCR0007 | 146 | 147 | WK10876 | -0.01 | | | 0 | 5.8 | 797 | 40 | 8.6 | 179 | 0 |
| LCR0007 | 147 | 148 | WK10877 | -0.01 | | | 0 | 5.1 | 941 | 83 | 10.7 | 201 | 5.6 |
| LCR0007 | 148 | 149 | WK10878 | -0.01 | | | 2 | 5.4 | 919 | 27 | 8.9 | 188 | 0 |
| LCR0007 | 149 | 150 | WK10879 | -0.01 | | | 0 | 6.5 | 925 | 17 | 10.6 | 208 | 0 |
| LCR0007 | 150 | 151 | WK10880 | -0.01 | | | 0 | 6.2 | 1022 | 43 | 12.5 | 233 | 0 |
| LCR0007 | 151 | 152 | WK10881 | -0.01 | | | 0 | 5.4 | 937 | 26 | 12 | 189 | 0 |
| LCR0007 | 152 | 153 | WK10882 | 0.01 | | | 3 | 6.2 | 1038 | 52 | 11.5 | 210 | 0 |
| LCR0007 | 153 | 154 | WK10883 | -0.01 | | | 2 | 6.5 | 983 | 42 | 11.5 | 222 | 0 |
| LCR0007 | 154 | 155 | WK10884 | -0.01 | | | 3 | 5.5 | 842 | 28 | 11 | 195 | 0 |
| LCR0007 | 155 | 156 | WK10885 | -0.01 | | | 0 | 5.4 | 1002 | 9 | 13.1 | 199 | 0 |
| LCR0007 | 156 | 157 | WK10886 | -0.01 | | | 0 | 5.2 | 1061 | 43 | 13.5 | 269 | 8.3 |
| LCR0007 | 157 | 158 | WK10887 | -0.01 | | | 2 | 5.9 | 1088 | 34 | 12.8 | 238 | 0 |
| LCR0007 | 158 | 159 | WK10888 | -0.01 | | | 0 | 5.3 | 1007 | 20 | 12.2 | 224 | 0 |
| LCR0007 | 159 | 160 | WK10889 | -0.01 | | | 0 | 4.9 | 963 | 29 | 13.2 | 232 | 0 |
| LCR0007 | 160 | 161 | WK10891 | -0.01 | | | 2 | 6.9 | 1015 | 51 | 9.2 | 227 | 0 |
| LCR0007 | 161 | 162 | WK10892 | -0.01 | | | 3 | 7.6 | 1109 | 61 | 12.2 | 216 | 0 |
| LCR0007 | 162 | 163 | WK10893 | -0.01 | | | 0 | 4.7 | 895 | 32 | 11.2 | 224 | 0 |
| LCR0007 | 163 | 164 | WK10894 | -0.01 | | | 0 | 5.2 | 898 | 33 | 10.3 | 205 | 0 |
| LCR0007 | 164 | 165 | WK10895 | -0.01 | | | 0 | 5.6 | 1037 | 28 | 11.9 | 225 | 0 |
| LCR0007 | 165 | 166 | WK10896 | -0.01 | | | 29 | 5.9 | 925 | 150 | 12.4 | 213 | 0 |
| LCR0007 | 166 | 167 | WK10897 | 0.01 | | | 3 | 9 | 817 | 56 | 11.5 | 208 | 0 |
| LCR0007 | 167 | 168 | WK10898 | -0.01 | | | 3 | 11.9 | 868 | 18 | 10.7 | 185 | 0 |
| LCR0008 | 0 | 1 | WK10899 | -0.01 | | | 3 | 12.3 | 1071 | 39 | 5.2 | 199 | 0 |
| LCR0008 | 1 | 2 | WK10901 | -0.01 | | | 0 | 19.7 | 1191 | 29 | 6.8 | 222 | 0 |
| LCR0008 | 2 | 3 | WK10902 | -0.01 | | | 0 | 5.3 | 1734 | 41 | 9.5 | 296 | 0 |
| LCR0008 | 3 | 4 | WK10903 | -0.01 | | | 0 | 1.9 | 1532 | 33 | 11.9 | 345 | 0 |
| LCR0008 | 4 | 5 | WK10904 | -0.01 | | | 3 | 1.5 | 1570 | 29 | 11.5 | 331 | 0 |
| LCR0008 | 5 | 6 | WK10905 | -0.01 | | | 0 | 1.4 | 1839 | 36 | 10.1 | 322 | 7.4 |
| LCR0008 | 6 | 7 | WK10906 | -0.01 | | | 3 | 1.7 | 1415 | 51 | 6.9 | 288 | 38.4 |
| LCR0008 | 7 | 8 | WK10907 | -0.01 | | | 5 | 1.5 | 1515 | 28 | 7.5 | 319 | 0 |
| LCR0008 | 8 | 9 | WK10908 | -0.01 | | | 4 | 2.5 | 1520 | 38 | 10.1 | 313 | 8.9 |
| LCR0008 | 9 | 10 | WK10909 | -0.01 | | | 0 | 2.5 | 1787 | 43 | 11.7 | 344 | 24.8 |
| LCR0008 | 10 | 11 | WK10911 | 0.02 | | | 2 | 3.8 | 2001 | 20 | 18.2 | 315 | 44.8 |
| LCR0008 | 11 | 12 | WK10912 | -0.01 | | | 2 | 3.6 | 2083 | 19 | 17.9 | 325 | 75.7 |
| LCR0008 | 12 | 13 | WK10913 | 0.02 | | | 3 | 5.4 | 1781 | 26 | 16.9 | 290 | 30.9 |
| LCR0008 | 13 | 14 | WK10914 | -0.01 | | | 3 | 4 | 1689 | 21 | 10.7 | 289 | 12.8 |
| LCR0008 | 14 | 15 | WK10915 | 0.01 | | | 0 | 4.5 | 1525 | 26 | 12.7 | 293 | 30.4 |
| LCR0008 | 15 | 16 | WK10916 | -0.01 | | | 0 | 4.3 | 1633 | 27 | 13.2 | 286 | 0 |
| LCR0008 | 16 | 17 | WK10917 | -0.01 | | | 3 | 4.1 | 1728 | 31 | 16 | 283 | 12.9 |
| LCR0008 | 17 | 18 | WK10918 | -0.01 | | | 3 | 3.8 | 1786 | 33 | 14 | 294 | 8.2 |
| LCR0008 | 18 | 19 | WK10919 | -0.01 | | | 0 | 4 | 1763 | 33 | 15.4 | 303 | 0 |
| LCR0008 | 19 | 20 | WK10920 | 0.01 | | | 3 | 4.3 | 1705 | 29 | 17 | 290 | 15 |
| LCR0008 | 20 | 21 | WK10921 | -0.01 | | | 0 | 4 | 1521 | 23 | 14.4 | 268 | 21.1 |
| LCR0008 | 21 | 22 | WK10922 | -0.01 | | | 0 | 4.1 | 1635 | 37 | 14.7 | 282 | 12.2 |
| LCR0008 | 22 | 23 | WK10923 | -0.01 | | | 5 | 5.5 | 1650 | 45 | 14.2 | 271 | 13.7 |
| LCR0008 | 23 | 24 | WK10924 | -0.01 | | | 5 | 5.5 | 1650 | 45 | 14.2 | 271 | 13.7 |
| LCR0008 | 24 | 25 | WK10926 | -0.01 | | | 0 | 4.9 | 1764 | 27 | 15.1 | 287 | 43.1 |
| LCR0008 | 25 | 26 | WK10927 | -0.01 | | | 0 | 4.1 | 1758 | 24 | 16.8 | 321 | 49.1 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0008 | 26 | 27 | WK10928 | -0.01 | | | 0 | 3.8 | 1911 | 19 | 16.7 | 306 | 29.5 |
| LCR0008 | 27 | 28 | WK10929 | -0.01 | | | 0 | 4.1 | 1989 | 29 | 21.8 | 342 | 30.4 |
| LCR0008 | 28 | 29 | WK10930 | -0.01 | | | 2 | 6.5 | 1477 | 25 | 13.1 | 262 | 34.4 |
| LCR0008 | 29 | 30 | WK10931 | -0.01 | | | 3 | 6.2 | 1820 | 43 | 15.4 | 315 | 58.6 |
| LCR0008 | 30 | 31 | WK10932 | -0.01 | | | 4 | 4.2 | 1803 | 46 | 16.8 | 319 | 21.6 |
| LCR0008 | 31 | 32 | WK10933 | 0.01 | | | 4 | 4.3 | 1813 | 28 | 15.8 | 301 | 23 |
| LCR0008 | 32 | 33 | WK10934 | -0.01 | | | 5 | 7.6 | 1554 | 21 | 13 | 247 | 25.5 |
| LCR0008 | 33 | 34 | WK10935 | -0.01 | | | 0 | 5.7 | 1757 | 36 | 14.7 | 274 | 44.7 |
| LCR0008 | 34 | 35 | WK10936 | -0.01 | | | 4 | 5.8 | 1680 | 41 | 12.3 | 281 | 50.6 |
| LCR0008 | 35 | 36 | WK10937 | 0.01 | | | 5 | 5.7 | 1615 | 9 | 13.5 | 268 | 68.7 |
| LCR0008 | 36 | 37 | WK10938 | -0.01 | | | 5 | 6.6 | 1841 | 22 | 13.3 | 291 | 51.1 |
| LCR0008 | 37 | 38 | WK10939 | -0.01 | | | 4 | 5.4 | 1714 | 13 | 13.7 | 303 | 53.8 |
| LCR0008 | 38 | 39 | WK10941 | -0.01 | | | 0 | 4.6 | 1715 | 25 | 15.4 | 284 | 27.2 |
| LCR0008 | 39 | 40 | WK10942 | -0.01 | | | 0 | 6 | 1678 | 0 | 11.9 | 277 | 36 |
| LCR0008 | 40 | 41 | WK10943 | -0.01 | | | 0 | 4 | 1717 | 15 | 11.3 | 296 | 32.3 |
| LCR0008 | 41 | 42 | WK10944 | -0.01 | | | 9 | 2.6 | 1843 | 25 | 13 | 328 | 25.9 |
| LCR0008 | 42 | 43 | WK10945 | 0.01 | | | 132 | 1.5 | 970 | 13 | 8.3 | 243 | 83.8 |
| LCR0008 | 43 | 44 | WK10946 | -0.01 | | | 13 | 3.8 | 1479 | 38 | 13.1 | 285 | 20.5 |
| LCR0008 | 44 | 45 | WK10947 | -0.01 | | | 6 | 3.8 | 1453 | 21 | 12.3 | 312 | 0 |
| LCR0008 | 45 | 46 | WK10948 | -0.01 | | | 9 | 4.6 | 1449 | 31 | 14.6 | 285 | 7.8 |
| LCR0008 | 46 | 47 | WK10949 | -0.01 | | | 3 | 5.5 | 1466 | 33 | 12.9 | 268 | 12.6 |
| LCR0008 | 47 | 48 | WK10951 | 0.01 | | | 14 | 7.5 | 1463 | 32 | 10.9 | 264 | 17.5 |
| LCR0008 | 48 | 49 | WK10952 | -0.01 | | | 0 | 5.5 | 1413 | 27 | 10.1 | 237 | 13.5 |
| LCR0008 | 49 | 50 | WK10953 | -0.01 | | | 0 | 5.4 | 1502 | 23 | 14.7 | 251 | 39.7 |
| LCR0008 | 50 | 51 | WK10954 | -0.01 | | | 0 | 4.3 | 1313 | 30 | 15.2 | 276 | 18.6 |
| LCR0008 | 51 | 52 | WK10955 | -0.01 | | | 0 | 4.5 | 1398 | 30 | 16.8 | 263 | 22.8 |
| LCR0008 | 52 | 53 | WK10956 | -0.01 | | | 0 | 4.3 | 1351 | 22 | 14.8 | 273 | 18.3 |
| LCR0008 | 53 | 54 | WK10957 | -0.01 | | | 0 | 4 | 1451 | 35 | 15.5 | 310 | 15.5 |
| LCR0008 | 54 | 55 | WK10958 | -0.01 | | | 0 | 3.7 | 1280 | 25 | 14.8 | 256 | 18.8 |
| LCR0008 | 55 | 56 | WK10959 | -0.01 | | | 0 | 2.8 | 1731 | 32 | 19.2 | 323 | 8.2 |
| LCR0008 | 56 | 57 | WK10961 | 0.01 | | | 8 | 3.9 | 1793 | 36 | 17.1 | 316 | 32.7 |
| LCR0008 | 57 | 58 | WK10962 | -0.01 | | | 3 | 3.1 | 1630 | 14 | 16.1 | 282 | 24.5 |
| LCR0008 | 58 | 59 | WK10963 | -0.01 | | | 0 | 2.7 | 1450 | 25 | 13.2 | 238 | 18.5 |
| LCR0008 | 59 | 60 | WK10964 | -0.01 | | | 0 | 3.5 | 1785 | 29 | 19.3 | 308 | 80.8 |
| LCR0008 | 60 | 61 | WK10965 | -0.01 | 1.4 | 38.5 | 0 | 3.6 | 1736 | 31 | 19.8 | 301 | 28.1 |
| LCR0008 | 61 | 62 | WK10966 | -0.01 | 1.4 | 33.4 | 0 | 3.9 | 1656 | 16 | 17.7 | 284 | 7 |
| LCR0008 | 62 | 63 | WK10967 | -0.01 | 1.5 | 37.1 | 0 | 3.2 | 1573 | 20 | 16.7 | 297 | 11.3 |
| LCR0008 | 63 | 64 | WK10968 | -0.01 | 1.5 | 21.3 | 0 | 2.5 | 1775 | 30 | 19.7 | 320 | 9.8 |
| LCR0008 | 64 | 65 | WK10969 | -0.01 | 6 | 70.3 | 7 | 2 | 1765 | 19 | 17.4 | 294 | 38.1 |
| LCR0008 | 65 | 66 | WK10970 | -0.01 | 2.3 | 25.5 | 2 | 2 | 1648 | 0 | 17.8 | 298 | 18.6 |
| LCR0008 | 66 | 67 | WK10971 | 0.01 | 22.8 | 28.3 | 18 | 4.2 | 1882 | 49 | 17.7 | 338 | 21.5 |
| LCR0008 | 67 | 68 | WK10972 | 0.01 | 8.6 | 45.5 | 12 | 2.1 | 1885 | 19 | 18.7 | 330 | 20.5 |
| LCR0008 | 68 | 69 | WK10973 | -0.01 | 2.8 | 45.3 | 4 | 3.5 | 1861 | 17 | 19.3 | 306 | 38.2 |
| LCR0008 | 69 | 70 | WK10974 | 0.01 | 14.1 | 55.7 | 16 | 2.7 | 1729 | 19 | 13.3 | 415 | 92 |
| LCR0008 | 70 | 71 | WK10976 | -0.01 | 10.3 | 86.1 | 5 | 2.2 | 1821 | 22 | 13.1 | 252 | 56.2 |
| LCR0008 | 71 | 72 | WK10977 | -0.01 | 1.5 | 62.5 | 0 | 3.4 | 1861 | 18 | 18.8 | 300 | 32.2 |
| LCR0008 | 72 | 73 | WK10978 | -0.01 | 1.2 | 34.1 | 0 | 3.4 | 1766 | 22 | 19.8 | 309 | 11 |
| LCR0008 | 73 | 74 | WK10979 | -0.01 | | | 0 | 3.5 | 1887 | 19 | 17.1 | 310 | 60.7 |
| LCR0008 | 74 | 75 | WK10980 | -0.01 | | | 0 | 4.3 | 1829 | 12 | 18.8 | 278 | 67.3 |
| LCR0008 | 75 | 76 | WK10981 | -0.01 | | | 0 | 3.9 | 1754 | 22 | 17.4 | 282 | 27.7 |
| LCR0008 | 76 | 77 | WK10982 | -0.01 | | | 2 | 4.6 | 1897 | 40 | 21.7 | 310 | 19.6 |
| LCR0008 | 77 | 78 | WK10983 | -0.01 | | | 0 | 4.1 | 1437 | 18 | 16.3 | 273 | 31.2 |
| LCR0008 | 78 | 79 | WK10984 | -0.01 | | | 0 | 3.6 | 1472 | 21 | 14.5 | 244 | 15.1 |
| LCR0008 | 79 | 80 | WK10985 | -0.01 | | | 0 | 4 | 1693 | 30 | 14.7 | 287 | 27.1 |
| LCR0008 | 80 | 81 | WK10986 | -0.01 | | | 0 | 3.9 | 1737 | 31 | 17.1 | 293 | 29.3 |
| LCR0008 | 81 | 82 | WK10987 | -0.01 | | | 0 | 4.7 | 1826 | 20 | 17.5 | 297 | 38.6 |
| LCR0008 | 82 | 83 | WK10988 | -0.01 | | | 0 | 4 | 1715 | 22 | 17 | 315 | 31.4 |
| LCR0008 | 83 | 84 | WK10989 | -0.01 | | | 0 | 4.8 | 1750 | 30 | 16.6 | 313 | 34.2 |
| LCR0008 | 84 | 85 | WK10991 | -0.01 | | | 0 | 3.9 | 1692 | 17 | 14.1 | 298 | 19.5 |
| LCR0008 | 85 | 86 | WK10992 | -0.01 | | | 0 | 4.1 | 1769 | 18 | 15 | 280 | 25.2 |
| LCR0008 | 86 | 87 | WK10993 | 0.01 | | | 0 | 5.3 | 1842 | 28 | 16.6 | 292 | 22.7 |
| LCR0008 | 87 | 88 | WK10994 | -0.01 | | | 0 | 7.3 | 1893 | 32 | 15.7 | 287 | 42.5 |
| LCR0008 | 88 | 89 | WK10995 | -0.01 | | | 4 | 5.4 | 1947 | 52 | 17.6 | 282 | 34.8 |
| LCR0008 | 89 | 90 | WK10996 | -0.01 | | | 2 | 5.9 | 2164 | 16 | 16.7 | 329 | 81.6 |
| LCR0008 | 90 | 91 | WK10997 | 0.01 | | | 26 | 6.7 | 2020 | 13 | 15.7 | 310 | 52.7 |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LCR0008 | 91 | 92 | WK10998 | 0.01 | | | 4 | 4 | 2144 | 14 | 15.5 | 293 | 37.3 |
| LCR0008 | 92 | 93 | WK10999 | -0.01 | | | 0 | 3.4 | 2039 | 16 | 14.3 | 302 | 75.7 |
| LCR0008 | 93 | 94 | WK11001 | -0.01 | | | 0 | 3.2 | 2267 | 16 | 16.2 | 320 | 66.2 |
| LCR0008 | 94 | 95 | WK11002 | -0.01 | | | 0 | 3.5 | 2028 | 30 | 15.8 | 291 | 56.6 |
| LCR0008 | 95 | 96 | WK11003 | -0.01 | 2.2 | 125.5 | 0 | 4 | 2045 | 31 | 17.2 | 301 | 90.5 |
| LCR0008 | 96 | 97 | WK11004 | -0.01 | 3.4 | 151 | 0 | 5.5 | 2262 | 35 | 14.2 | 300 | 136.7 |
| LCR0008 | 97 | 98 | WK11005 | -0.01 | 2.4 | 130 | 0 | 7.7 | 1976 | 36 | 17.1 | 287 | 84.6 |
| LCR0008 | 98 | 99 | WK11006 | -0.01 | 2.5 | 170 | 3 | 5.3 | 2197 | 34 | 16.1 | 327 | 138.1 |
| LCR0008 | 99 | 100 | WK11007 | -0.01 | 2.6 | 155.5 | 0 | 5.7 | 2089 | 27 | 14.8 | 274 | 106.7 |
| LCR0008 | 100 | 101 | WK11008 | -0.01 | 4.1 | 185 | 4 | 7.6 | 2009 | 21 | 16.4 | 302 | 101.9 |
| LCR0008 | 101 | 102 | WK11009 | 0.01 | 12.7 | 184 | 8 | 13.1 | 1555 | 8 | 10.8 | 233 | 91.4 |
| LCR0008 | 102 | 103 | WK11011 | 0.03 | | | 3 | 8.4 | 286 | 55 | 6.9 | 119 | 19 |
| LCR0008 | 103 | 104 | WK11012 | 0.01 | | | 4 | 13.8 | 287 | 33 | 6.7 | 99 | 0 |
| LCR0008 | 104 | 105 | WK11013 | 0.01 | | | 10 | 6.7 | 234 | 54 | 5.6 | 125 | 26 |
| LCR0008 | 105 | 106 | WK11014 | 0.01 | | | 12 | 11.3 | 284 | 59 | 5.2 | 114 | 44.9 |
| LCR0008 | 106 | 107 | WK11015 | -0.01 | | | 11 | 10.2 | 270 | 48 | 4.5 | 96 | 36.3 |
| LCR0008 | 107 | 108 | WK11016 | -0.01 | | | 9 | 8.9 | 280 | 71 | 5.2 | 100 | 30.1 |
| LCR0008 | 108 | 109 | WK11017 | -0.01 | | | 7 | 6.9 | 242 | 54 | 6.5 | 116 | 34.2 |
| LCR0008 | 109 | 110 | WK11018 | -0.01 | | | 9 | 7.5 | 255 | 67 | 5.2 | 102 | 24.5 |
| LCR0008 | 110 | 111 | WK11019 | -0.01 | | | 9 | 7.1 | 262 | 43 | 4.3 | 104 | 36.1 |
| LCR0008 | 111 | 112 | WK11020 | -0.01 | | | 8 | 8.8 | 243 | 53 | 5.7 | 105 | 25.4 |
| LCR0008 | 112 | 113 | WK11021 | 0.01 | | | 7 | 6.4 | 248 | 41 | 5.3 | 107 | 37.4 |
| LCR0008 | 113 | 114 | WK11022 | -0.01 | | | 3 | 6.1 | 318 | 62 | 5.6 | 117 | 42.6 |

***JORC Code, 2012 Edition – Table 1***

***Section 1: Sampling Techniques and Data***

(Criteria listed in the preceding section also apply to this section)

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| *Sampling techniques* | • *Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.*<br>• *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.*<br>• *Aspects of the determination of mineralisation that are Material to the Public Report.*<br>• *In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.* | • Drilling was conducted using a face sampling hammer using industry practice drilling methods to obtain a 1 m representative sample. RC drilling was completed by Nexgen Drilling using a track mounted T450 drill rig.<br>• Samples were collected over one metre intervals using a rig mounted rotary cone splitter to obtain a representative sample of approximately 2 to 3 kg for assaying.<br>• The 2 – 3 kg sample was crushed and pulverised in full to obtain a 50-gram charge for Fire Assay for gold analysis and select interval multielement analysis.<br>• A duplicate sample series in calico bags was maintained for future reference, with the bulk material placed in rows on the ground.<br>• Novo collected Teichman rock chips samples were collected by grab sampling 1 – 3 kg of material. Sample sites were selected to be representative of the lithology sampled, and the same sampling technique was employed at each sample site where possible. Samples are crushed in full and analysed for gold using a 500 g photon assay (Au-PA01) and for multi-elements pulverised and assayed using a 0.25 g ME-MS61 assay<br>• Rock chip samples collected by Chalice/De Grey were collected qqua regia digest- detection by ICP-MS and aqua regia for Au at Ultratrace Perth (AR102/101)<br>• Rock Chip samples collected by Top Iron located using a hand held GPS. All samples were submitted to SGS Pty Ltd in Perth to be assayed for whole rock suite (XRF78S – XRF fusion) and Au element analysis by 50 g charge fire assay and Cu, Pb, Zn by ICP analysis code ICP40Q<br>• pXRF machine for multi-element analysis was calibrated every day. |
| *Drilling techniques* | • *Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit, or other type, whether core is oriented and if so, by what method, etc).* | • RC drilling used a face sampling hammer using standard Reverse Circulation drilling techniques employed by Nexgen Drilling. |
| *Drill sample recovery* | • *Method of recording and assessing core and chip sample recoveries and results assessed.*<br>• *Measures taken to maximise sample recovery and ensure representative nature of the samples.*<br>• *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.* | • RC samples were checked by the geologist for moisture content, and recoveries.<br>• The drilling contractor cleaned the rig mounted rotary cone splitter at regular intervals and as required.<br>• Dust suppression was used to minimise the loss of fines.<br>• No issues with sample recovery were identified. |

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| *Logging* | • *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.*<br>• *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.*<br>• *The total length and percentage of the relevant intersections logged.* | • Rock chip samples are geologically logged with quantitative and qualitative data collected including a description of lithology, vein type and vein densities, and alteration.<br>• For geologic logging, a representative sample of the RC chips was collected from each of the drilled intervals by spearing each sample pile. This representative aliquot was sieved, washed and then logged and stored in chip trays for future reference.<br>• RC chips were logged for lithology, alteration, degree of weathering, fabric, colour, abundance and style of quartz veining and sulphide mineralisation. All RC chips in trays have been photographed and are stored at the field facility in Karratha.<br>• All drilling intervals are sampled, logged, photographed, and stored. |
| *Sub-sampling techniques and sample preparation* | • *If core, whether cut or sawn and whether quarter, half or all core taken.*<br>• *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.*<br>• *For all sample types, the nature, quality, and appropriateness of the sample preparation technique.*<br>• *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.*<br>• *Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.*<br>• *Whether sample sizes are appropriate to the grain size of the material being sampled.* | • The sampling techniques and sample sizes are considered appropriate for the style of mineralisation.<br>• Rock chip samples are collected to best represent the material sampled across geological features.<br>• All RC samples were collected in numbered calico bags using the rig mounted cone splitter<br>• Field duplicates were collected from the cone splitter at 1:25 intervals<br>• Field duplicates (4 per 100), blanks (2 per 100) and standards (2 per 100) are placed in the sample sequence. The calico sample bags were then placed in green plastic bags for transportation.<br>• Samples were secured and placed into bulka bags for transport to the ALS Laboratory in Perth, an accredited Australian Laboratory.<br>• The sample sizes are considered appropriate to the grain size of the material being sampled.<br>• pXRF readings of multielements were taken using a NITON XLT5 model, on the fine material collected during sieving of the chips for logging. The fines were compressed into chip trays and transported to an airconditioned office where the fine sample was analyzed using 90 second total reading time and 4 filters. The Niton pXRF machine was calibrated daily and QAQC protocols of at least 4 standards per 80 samples was maintained. |
| *Quality of assay data and laboratory tests* | • *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.*<br>• *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.*<br>• *Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether* | • The rock chip sample assay methodology is considered appropriate for the style of mineralisation tested. The method includes inserting 2 CRM standards and 2 blanks per 100 samples or at least one of each per sample submission.<br>• No QAQC issues were detected for Au or ME performance, with CRM performance passing review and no bias detected.<br>• Once received by ALS in Perth, all RC samples were pulverised to 85% passing 75 microns (Method PUL-23). Once pulverised, a 50 g aliquot was collected from the main sample and sent to ALS in Perth for a 50 g fire assay charge with AAS finish (Method Au-AA26). |

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| | *acceptable levels of accuracy (if lack of bias) and precision have been established.* | • Novo inserted RC field duplicates at a 1:25 ratio, and standards and blanks at a 1:50 ratio.<br>• No QAQC issues were identified.<br>• Laboratory QA/QC samples involving the use of blanks, duplicates, standards (certified reference materials) and replicates as part of in-house procedures.<br>• QAQC methodology implemented by Chalice/De Grey and Top Iron are unknown and not referenced in the WAMEX reports A77811, A81531 or A102861.<br>• Top Iron samples were submitted to SGS Perth for Au fire assay with a 50 g charge (FAA505).<br>• Chalice/De Grey rock chip samples collected in 2007 and 2008 were submitted to Ultra Trace Laboratories in Perth where the samples were sorted, dried and split where necessary. The whole sample was then pulverised in a vibrating disc pulveriser. The samples were digested with Aqua Regia. A nominal 40g sample is digested in a mixture of Nitric and Hydrochloric Acids. The digest was diluted, mixed and an aliquot of the acid solution is taken and analysed directly by ICP-OES for gold (AR001). |
| *Verification of sampling and assaying* | • *The verification of significant intersections by either independent or alternative company personnel.*<br>• *The use of twinned holes.*<br>• *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.*<br>• *Discuss any adjustment to assay data.* | • Primary quantitative and qualitative data for the Sherlock RC program was collected in the field using a fully formatted excel sheet, which was then submitted to the database manager to upload to the Geobank (v2025) database and buffered through a validation portal that ensures code and primary record compliance. Geobank is a front-end UX/UI tender software platform (developed and sold by Micromine) attached to a SQL v15.1 server<br>• Assay data was loaded from lab certificates received from the registered laboratory by an internal database manager or external database consultant, and industry-standard audit trails and chain-of-custody was adhered to.<br>• No adjustments of the assay data were made. |
| *Location of data points* | • *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.*<br>• *Specification of the grid system used.*<br>• *Quality and adequacy of topographic control.* | • All Novo surface sample locations were recorded by hand-held GPS using the GDA 2020 zone 50 coordinate system.<br>• Drill hole location coordinates were recorded with a Trimble RTX. The grid system used is MGA 20, Zone 50. The Trimble RTX is accurate to +/- 3 cm and adequate to provide location and topographic control.<br>• Downhole surveys were collected using a reflex North Seeking Gyro tool at intervals of 20 m downhole<br>• Top Iron rock chip sample locations were recorded by handheld GPS. However, all heights stated give an RL of 500 m significantly above the average SRTM height and that of sample heights in the area recently collected by Novo staff. As such heights for this data have been modified to reflect an appropriate average of 220 m.<br>• Chalice/De Grey 2008 rock chip sample locations were recorded by handheld GPS. However, heights given as either 100 m or 150 m in elevation which is notably below the average SRTM height and that of sample heights recently |

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| | | collected by Novo field staff. As such heights for this data have been modified to reflect an appropriate average of 220 m. |
| *Data spacing and distribution* | • *Data spacing for reporting of Exploration Results.*<br>• *Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.*<br>• *Whether sample compositing has been applied.* | • Limited rock chip samples taken are indicative of potential grade tenor. These do not represent or imply any continuity or scale potential.<br>• Drilling at Sherlock Crossing was completed on 80 m spaced sections and aiming to intersect pierce points spaced at between 40 m and 70 m intervals.<br>• Due to the nature of mineralisation, drill spacing is not yet adequate to constrain or quantify the total size of the mineralisation at Clone, and further drilling is required.<br>• No sample compositing has been applied. |
| *Orientation of data in relation to geological structure* | • *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.*<br>• *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.* | • Rock samples were taken across features with geological data recorded to best reflect unbiased sampling of possible mineralised structures.<br>• Drill testing was designed to best intersect interpreted mineralised trends and structures at right angles to minimise bias in sample collection.<br>• All intervals are reported as down hole widths, as true orientation of mineralisation is still unknown. |
| *Sample security* | • *The measures taken to ensure sample security.* | • All samples are stored and managed on site by Novo staff. Samples are then transported by reputable companies to a registered laboratory where they are stored in a locked facility before being tracked and processed through the preparation and analysis system at the laboratory.<br>• Sample information is captured and tracked via sampled dispatch records, con notes, and lab work orders, to ensure all samples are accounted for |
| *Audits or reviews* | • *The results of any audits or reviews of sampling techniques and data.* | • No audits have been undertaken. |

### *Section 2: Reporting of Exploration Results*

(Criteria listed in the preceding section also apply to this section)

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| *Mineral tenement and land tenure status* | • *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.*<br>• *The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.* | • The Sherlock Crossing prospect is part of the Karratha District and is located on Exploration License E47/3825 100% owned by Novo Resources, approximately 70km east-southeast of Karratha. There are several Registered Heritage Sites within this tenement, however not overlapping with the immediate exploration area. The prospect falls under the granted Ngarluma Native Title determination WC1999/014 and is subject to a land access and mineral exploration agreement with the Native Title Holders. The tenement is currently in good standing and there are no known impediments<br>• The Teichman area is located in the Western Pilbara and is located on tenement E47/3467. The tenement is subject to a Joint Venture agreement with Novo Resources holding a 70% interest and the remaining 30% held by Runnel Holdings Pty Ltd, an entity of Mark Gareth Creasy (Creasy Group). The tenure falls on the Yandeyarra Aboriginal Reserves 31427. The tenements are currently in good standing and there are no known impediments. |
| *Exploration done by other parties* | • *Acknowledgment and appraisal of exploration by other parties.* | • Bullion 2004 (A69945) collected 100 soil samples across E47/3467 with a peak grade of 67 ppb Au.<br>• Chalice/De Grey Mining 2007 (A77811) collected 7 rock chip samples across the Teichman area. The highest grading sample was 32.3 g/t Au.<br>• Chalice/De Grey Mining 2008 (A81531) collected 27 rock chip samples, with a peak grade of 108 g/t Au. In addition, they also collected 383 soil samples across E47/3467 with a peak Au grade of 270 ppb.<br>• Top Iron 2013 (A102861) Collected 17 rock chip samples across the Teichman area. The highest sample graded 43.5 g/t Au.<br>• Aarex 1997 (A53516 – A49869) collected thirty-five samples from outcrop or from the dump surrounding the main historical excavation at the Clarke Mine. The highest sample result was 84.8 g/t gold which averaged 68.5 g/t over four assays.<br>• Ascent Mining 2002 (A66185) - collected twenty-one rock chip samples from Sherlock Crossing, located at the site of the historical Clarke antimony mine, returning up to 98.8 g/t Au and 0.83% antimony<br>• Ourwest Corp 2007 (A76553) – collected eleven rock chip samples which gave peak results of 3.78 g/t Au and 1390 ppm Sb at the Clarke Mine.<br>• No other known work of relevance has been undertaken by other parties. |
| *Geology* | • *Deposit type, geological setting, and style of mineralisation.* | • Sherlock Crossing is orogenic Au-Sb vein hosted mineralisation along a major N to NNE trending structure, hosted in basalt to ultramafic rocks of the Archaean Louden Volcanics (2.95 Ma). Mineralisation occurs in poorly outcropping zones of sheeted to stockwork quartz veins with stibnite and gold on the eastern flood plain of the Sherlock |

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| | | • Mapping at the Teichman prospects has identified multiple shear hosted gold veins hosted in mafic and ultramafic lithologies with shear zones extending up to 1 km in strike length. |
| *Drill hole Information* | • *A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes, including Easting and northing of the drill hole collar, Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar, dip and azimuth of the hole, down hole length and interception depth plus hole length.*<br>• *If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.* | • All rock chip sample results are reported in Appendices, listing all significant multi-elements.<br>• RC drilling collar information and significant intercepts as intersected by Novo is listed in Appendix 3 and 1m samples including relevant elements |
| *Data aggregation methods* | • *In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated.*<br>• *Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.*<br>• *The assumptions used for any reporting of metal equivalent values should be clearly stated.* | • No weighted averaging techniques were applied, and all intervals are 1 m in length and grades are not top-cut.<br>• Intercepts are reported at a 0.3 g/t cut off, with a maximum of 2 m of internal dilution. |
| *Relationship between mineralisation widths and intercept lengths* | • *These relationships are particularly important in the reporting of Exploration Results.*<br>• *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.*<br>• *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., 'down hole length, true width not known').* | • Rock sample results are indicative in nature and, whilst representatively sampling the target lithology, do not contain any width or length information other than a qualitative description of the target.<br>• Drill testing was designed to best intersect interpreted mineralised trends and structures at right angles to minimise bias in sample collection.<br>• All intervals are reported as down hole widths, as true orientation of mineralisation is still unknown. |
| *Diagrams* | • *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.* | • Refer to the body of the release for appropriate maps and diagrams. |
| *Balanced reporting* | • *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high* | • The full multi element suite comprises 50 elements for rock chip samples. Not all elements are reported in Appendix 1, but a selection relevant to the |

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| | *grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.* | mineralisation style is reported. For these elements, sample ID, northing, easting and RL are reported.<br>• All rock sample results are reported. |
| *Other substantive exploration data* | • *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.* | • No additional data. |
| *Further work* | • *The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling).*<br>• *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.* | • Refer to the body of the release.<br>• Novo intends to conduct additional work at the Teichman and Sherlock Crossing Prospects including additional mapping, rock chip sampling and soil sampling with the intention of drill testing following relevant permitting and approvals. |

No Section 3 or 4 report as no Mineral Resources or Ore Reserves are reported in this Appendix