

## processString

Write a C function that accepts a string `str` and returns the total number of vowels `totVowels` and digits `totDigits` in that string to the caller via call by reference. The function prototype is given as follows:

```
void processString(char *str, int *totVowels, int *totDigits);
```

A sample program template is given below to test the function:

```
#include <stdio.h>
#include <string.h>
void processString(char *str, int *totVowels, int *totDigits);
int main()
{
    char str[50], *p;
    int totVowels, totDigits;

    printf("Enter the string: \n");
    fgets(str, 80, stdin);
    if (p=strchr(str, '\n')) *p = '\0';
    processString(str, &totVowels, &totDigits);
    printf("Total vowels = %d\n", totVowels);
    printf("Total digits = %d\n", totDigits);
    return 0;
}
void processString(char *str, int *totVowels, int *totDigits)
{
    /* Write your code here */
}
```

Some test input and output sessions are given below:

- (1) Test Case 1:  
Enter the string:  
I am one of the 400 students in this class.  
Total vowels = 11  
Total digits = 3
- (2) Test Case 2:  
Enter the string:  
I am a boy.  
Total vowels = 4  
Total digits = 0
- (3) Test Case 3:  
Enter the string:  
1 2 3 4 5 6 7 8 9

Total vowels = 0  
Total digits = 9

(4) Test Case 4:  
Enter the string:  
**ABCDE**  
Total vowels = 2  
Total digits = 0