

# 高级算法

## Advanced Topics in Algorithms

陈旭

数据科学与计算机学院



中山大學  
SUN YAT-SEN UNIVERSITY

---

# **Chapter 7**

## **Infinite Dynamic Games**

# Outline

- 1 Repeated Games
- 2 The Iterated Prisoners' Dilemma
- 3 Subgame Perfection
- 4 Folk Theorems
- 5 Stochastic Games

## Why we need a new model of repeated games?

- Consider the prisoners' dilemma, in reality, many crooks do not squeal, how do we explain this?
- Consider the Cournot duopoly, we showed that cartels were unstable, but in real-life, many countries need to make (or enforce) anti-collusion laws. How do we explain this?
- In real-life, decisions may not be made once only, but we make decisions based on what we perceive about the future.
- In the prisoners' dilemma, crooks will not squeal because they are afraid of **future** retaliation. For cartels, they sustain the collusion by making promises (or threats) about the future.
- Inspired by these observations, we consider situations in which players interact **repeatedly**.

## Stage game

- If a player only needs to make a *single* decision, he is playing an **stage game**.
- After the stage game is played, the players again find themselves facing the same situation, i.e., the stage game is repeated.
- Taken one stage at a time, the only sensible strategy is to use the Nash equilibrium strategy for each stage game.
- However, if the game is **viewed as a whole**, the strategy set becomes much richer:
  - players may condition their behavior on the past actions of their opponents, or
  - make threats about what they will do in the future, or
  - collusion.

## Exercise

- Consider the following prisoners' dilemma game with cooperation (C) and defection (D):

	C	D
C	3,3	0,5
D	5,0	1,1

- Let say the game is repeated just once so there are two stages. We solve this like any dynamic game by backward induction.
- In the final stage, there is no future interaction, so the payoff to be gained is at this final stage. We choose the best response of playing  $D$ . So  $(D, D)$  is the **NE of this subgame**.
- Consider the first stage (the subgame is the whole game). Since payoff is fixed for the final stage, the payoff for the entire game is:

	C	D
C	4,4	1,6
D	6,1	2,2

## Exercise: continue

- Note that the pure-strategy set for each player in the entire game is  $\mathbf{S} = \{CC, CD, DC, DD\}$ .
- But because we are only interested in a subgame perfect NE, we only consider two strategies:  $\{CD, DD\}$  (since the last stage is fixed).
- Analyzing the above game (previous payoff table), the NE of the entire game is  $(DD, DD)$ . So the subgame perfect NE for the whole game is to play  $D$  in both stages.
- Note that the player cannot induce cooperation:
  - in the first stage by promising to cooperate in the 2nd stage (since they won't);
  - in the first stage by threatening to defect in the 2nd stage since this is what happens anyway.

## Infinite Iterated Prisoners' Dilemma

If the length of the game is infinite, we need the following strategy:

### Definition

A **stationary strategy** is one in which the *rule of choosing an action* is the same in *every stage*. Note that this **does not** imply that the action chosen in each stage will be the same.

### Example

Examples of stationary strategy are:

- Play C in every stage.
- Play D in every stage.
- Play C if the other player has never played D and play D otherwise.



## Comment

- The payoff for a stationary strategy is the "*infinite sum*" of the payoffs achieved at each stage. Let  $r_i(t)$  be the payoff for player  $i$  in stage  $t$ . The total payoff is  $\sum_{t=0}^{\infty} r_i(t)$ .
- Unfortunately there is a problem. If both players choose  $s_C$  = "Play C in every stage", then:  $\pi_i(s_C, s_C) = \sum_{t=0}^{\infty} 3 = \infty$ .
- If one chooses  $s_D$  = "Play D in every stage" and other chooses  $s_C$ , then:  $\pi_1(s_D, s_C) = \pi_2(s_C, s_D) = \sum_{t=0}^{\infty} 5 = \infty$ .
- Introduce a **discount factor**  $\delta$  ( $0 < \delta < 1$ ) so the total payoff is:  $\sum_{t=0}^{\infty} \delta^t r_i(t)$ .
- One can use  $\delta$  to represent (a) inflation; (b) uncertainty of whether the game will continue, or (c) combination of these.
- Applying,  $\pi_i(s_C, s_C) = \sum_{t=0}^{\infty} 3\delta^t = \frac{3}{1-\delta}$ .  
 $\pi_1(s_D, s_C) = \pi_2(s_C, s_D) = \sum_{t=0}^{\infty} 5\delta^t = \frac{5}{1-\delta}$ .

With discounting  $\delta$ , can permanent cooperation (e.g., a cartel) be a stable outcome of the infinitely repeated Prisoners' Dilemma?

### Definition

A strategy is called a **trigger strategy** when a change of behavior is triggered by a single defection.

### Example of trigger strategy

- Consider a trigger strategy  $s_G$  = "Start by cooperating and continue to cooperate until the other player defects, then defect forever after".
- If both players adopt  $s_G$ ,  $\pi_i(s_G, s_G) = \sum_{t=0}^{\infty} 3\delta^t = \frac{3}{1-\delta}$ .
- But is  $(s_G, s_G)$  a Nash equilibrium?

## Is $(s_G, s_G)$ a Nash Equilibrium?

- Let's do an informal analysis (formal analysis follows).
- Assume both players are restricted to a pure-strategy set  $\mathbf{S} = \{s_G, s_C, s_D\}$ .
- Suppose player 1 decides to use  $s_C$  instead, payoff is:  $\pi_1(s_C, s_G) = \pi_2(s_C, s_G) = \frac{3}{1-\delta}$ . Same result applies if player 2 adopts  $s_C$ , so this will not be better off than  $(s_G, s_G)$ .
- Assume player 1 adopts  $s_D$ , the sequence is:

	$t =$	0	1	2	3	4	5	...
player 1	$s_D$	D	D	D	D	D	D	...
player 2	$s_G$	C	D	D	D	D	D	...

For player 1:  $\pi_1(s_D, s_G) = 5 + \delta + \delta^2 + \dots = 5 + \frac{\delta}{1-\delta}$ .

- Player 1 cannot do better by switching from  $s_G$  to  $s_D$  if  $\frac{3}{1-\delta} \geq 5 + \frac{\delta}{1-\delta}$ . The inequality is satisfied if  $\delta \geq 1/2$ . **So  $(s_G, s_G)$  is a NE if  $\delta \geq 1/2$ .**

## Exercise

- Consider the iterated Prisoners' Dilemma with pure strategy sets  $\mathbf{S}_1 = \mathbf{S}_2 = \{s_D, s_C, s_T, s_A\}$ .
  - The strategy  $s_T$  is the famous "*tit-for-tat*": begin with cooperating, then do whatever the other player did in the previous stage.
  - The strategy  $s_A$  is the cautious version of the tit-for-tat: begin with defection, then does whatever the other player did in the previous stage.
- What condition does the discount fraction  $\delta$  have to satisfy in order for  $(s_T, s_T)$  to be a Nash equilibrium?

## Solution

- The payoff of  $\pi_1(s_T, s_T) = \frac{3}{1-\delta}$ .
- The payoff of  $\pi_1(s_C, s_T) = \frac{3}{1-\delta}$ , so it is not better off than  $(s_T, s_T)$ .
- The payoffs of  $\pi_1(s_D, s_T) = 5 + \frac{\delta}{1-\delta}$ , with  $\delta \geq \frac{1}{2}$ ,  $(s_T, s_T)$  is better.
- The payoffs of  $\pi_1(s_A, s_T)$  is:

$$\pi_1(s_A, s_T) = 5 + 0 + 5\delta^2 + 0 + 5\delta^4 + \dots = \frac{5}{1-\delta^2}.$$

When  $\delta \geq \frac{3}{4}$ ,  $(s_T, s_T)$  is better.

## Homework

- Consider the iterated Prisoners' Dilemma with pure-strategy sets  $\mathbf{S}_1 = \mathbf{S}_2 = \{s_D, s_C, s_G\}$ .
- What is the strategic form (or normal form) of the game?
- Find all the Nash equilibria.

## Is $s_G$ subgame perfect?

**Question:** The NE where both players adopt the trigger strategy  $s_G$ . Is it a subgame perfect Nash equilibrium strategy?

## Analysis

- Since it is an infinite iterated game, at any point in the game, the future of the game (i.e., subgame) is equivalent to the entire game.
- The possible subgames can be classified into four classes:
  - neither player has played  $D$ ;
  - both players have played  $D$ ;
  - player 1 used  $D$  in the last stage but player 2 did not;
  - player 2 used  $D$  in the last stage but player 1 did not;
- Let us analyze them one by one.



## Analysis: continue

- **Case (1):** neither player's opponent has played  $D$  so the strategy  $s_G$  specifies that cooperation should continue until the other player defects (i.e.,  $s_G$  again). The strategy specified  $(s_G, s_G)$  is a NE of the subgame because it is a NE for the entire game.
- **Case (2):** both players have defected so the NE strategy  $(s_G, s_G)$  specifies that each player should play  $D$  forever. The strategy adopted in this class of subgame  $(s_D, s_D)$  is a NE of the subgame since it is a NE of the entire game.



## Analysis: continue

- **Case (3):** player 1 used  $D$  in the last stage but not player 2.
  - For this case, since player 2 used  $C$ ,  $s_G$  dictates player 1 to play  $C$  and player 2 to play  $D$ . In summary player 1 will play  $C, D, D, \dots$  while player 2 will play  $D, D, D, \dots$
  - So  $(s_G, s_D)$  is adopted for this subgame.
  - But  $(s_G, s_D)$  is not a Nash equilibrium for the subgame because player 1 could get a great payoff by using  $s_D$ .
- **Case (4):** similar argument as in Case (3).
- Hence, the NE strategy for the entire game,  $(s_G, s_G)$ , does not specify that players play a Nash equilibrium in every possible subgame, then  $(s_G, s_G)$  is **not** subgame perfect.

## Another policy

- Although  $(s_G, s_G)$  is not a subgame perfect Nash equilibrium, we can consider the following *similar* strategy which is subgame perfect NE strategy.
- Let  $s_g =$  “start by cooperating and continue to cooperate until *either player defects, then defect forever after*”. The reasons are:
  - player 1 or 2 plays  $(s_g, s_g)$  in case 1 and 2 (for case 2, it is actually  $(s_D, s_D)$ ).
  - player 1 or 2 plays  $(s_D, s_D)$  for case 3 and 4.

## Further Analysis

- We showed  $(s_G, s_G)$  is a Nash equilibrium of the entire game under the *assumption* the the set of strategies is **finite**.
- Is it possible to allow more strategies?
- Is  $(s_G, s_G)$  still a NE if more strategies are allowed?
- If we restrict ourselves to subgame perfect Nash equilibrium, then we need to learn the **one-stage deviation principle** first.

## Definition

A pair of strategies  $(\sigma_1, \sigma_2)$  satisfies the **one-stage deviation condition** if neither player can increase their payoff by deviating unilaterally from their strategy in any single stage and returning to the specified strategy thereafter.

## Example

- Consider the subgame perfect NE strategy  $(s_g, s_g)$ : "start by cooperating and continue to cooperate until *either* player defects, then defect forever after". Does this satisfy the one-stage deviation condition?
- At any give stage, the game is in one of the two classes of subgame: (a) either both players have always cooperated, or (b) at least one player has defected.

## Analysis

- **case a:** if both players have been cooperated, then  $s_g$  specifies cooperation at this stage.
- If either one changes to action  $D$  in this stage, then  $s_g$  specifies using  $D$  forever. The expected future payoff for the player making this change is  $5 + \frac{\delta}{1-\delta}$ , which is less than the payoff for continued cooperation,  $\frac{3}{1-\delta}$ , if  $\delta > \frac{1}{2}$ . So the player will not switch.
- **case b:** if either player has defected in the past, then  $s_g$  specifies defection for both players at this stage.
- If either player changes to  $C$  in this stage, then  $s_g$  still specifies using  $D$  forever after. The expected future payoff for the player making this change is  $0 + \frac{\delta}{1-\delta}$ , which is less than the payoff for following the behavior specified by  $s_g$  (by playing  $D$ )  $\frac{1}{1-\delta}$ , provided that  $\delta < 1$ .
- Thus, the pair  $(s_g, s_g)$  satisfies the one-stage deviation condition provided  $1/2 < \delta < 1$ .

## Theorem

*A pair of strategies is a subgame perfect Nash equilibrium for a discounted repeated game if and only if it satisfies the one-stage deviation condition.*

For proof, please refer to the book.

## Exercise

- Consider the following iterated Prisoners' Dilemma:

	Player 2 (C)	Player 2 (D)
Player 1 (C)	4,4	0,5
Player 1 (D)	5,0	1,1

- Let  $s_P$  be the strategy: "defect if only one player defected in the previous stage (regardless of which player it was); cooperate if either both players cooperated, or both players defected in the previous stage".
- Use the one-stage principle to find a condition for  $(s_P, s_P)$  to be a subgame perfect Nash equilibrium.



## Analysis

- Note that  $s_P$  depends on the behavior of both players in the *previous* stage. We consider the possible behavior at stage  $t - 1$  and examine what happens if player 1 deviates from  $s_P$  at stage  $t$  (since the game is symmetric, we do not need to consider player 2).
- There are three possible cases for behavior at stage  $t - 1$ , they are:
  - Player 1 has used  $D$  and player 2 used  $C$  in stage  $t - 1$ .
  - Player 1 has used  $D$  and player 2 used  $D$  in stage  $t - 1$ .
  - Player 1 has used  $C$  and player 2 used  $C$  in stage  $t - 1$ .



## Analysis: Case 1

- Strategy  $s_P$  dictates player 1 to play  $D, C, C, \dots$  and player 2 to play  $D, C, C, \dots$
- The total future payoff for player 1 is

$$\pi_1(s_P, s_P) = 1 + \frac{4\delta}{1 - \delta}.$$

- Suppose player 1 uses  $C$  in stage  $t$  and reverts to  $s_P$  onwards, let this strategy be  $s'$ . The total future payoff for player 1 is

$$\pi_1(s', s_P) = 0 + \delta + \frac{4\delta^2}{1 - \delta}.$$

- Player 1 does not benefit from the switch if  $\pi_1(s_P, s_P) \geq \pi_1(s', s_P)$ , and this is true for all values of  $\delta$  ( $0 \leq \delta \leq 1$ ).

## Analysis: Case 2 or 3

- Strategy  $s_P$  dictates player 1 to play  $C, C, C, \dots$  and player 2 to play  $C, C, C, \dots$
- The total future payoff for player 1 is

$$\pi_1(s_P, s_P) = \frac{4}{1 - \delta}.$$

- Suppose player 1 uses  $D$  in stage  $t$  and reverts to  $s_P$  onwards, let this strategy be  $s''$ . The total future payoff for player 1 is

$$\pi_1(s'', s_P) = 5 + \delta + \frac{4\delta^2}{1 - \delta}.$$

- Player 1 does not benefit from the switch if  $\pi_1(s_P, s_P) \geq \pi_1(s'', s_P)$ , which is true if  $4 + 4\delta \geq 5 + 3\delta^2$ . Or  $(s_P, s_P)$  is a subgame perfect NE if  $\delta \geq \frac{1}{3}$ .

## Introduction

- From previous section of the iterated Prisoners' Dilemma, the NE of the static game is  $(D, D)$  with the payoff of  $(1, 1)$ , and this is **socially sub-optimal** as compare to  $(C, C)$  with payoff of  $(3, 3)$ .
- Common belief: if the NE in a static game is socially sub-optimal, players can always do better if the game is repeated.
- A higher payoff can be achieved (in each stage) by both players as an equilibrium of the *repeated game* if the factor is high enough. Example, by playing  $s_G$  or  $s_g$ .

## Definition

**Feasible payoff pairs** are pairs of payoffs that can be generated by strategies available to the players.

## Definition

Suppose we have a repeated game with discount factor  $\delta$ . If we interpret it as the probability that the game continues, then the expected number of stages in which the game is played is  $T = \frac{1}{1-\delta}$ . Suppose two players adopt strategy  $\sigma_1$  and  $\sigma_2$  (not necessary NE), the expected payoff to player  $i$  is  $\pi_i(\sigma_1, \sigma_2)$  and the **average payoffs (per stage)** is:

$$\frac{1}{T}\pi_i(\sigma_1, \sigma_2) = (1 - \delta)\pi_i(\sigma_1, \sigma_2).$$


## Definition

**Individual rational payoff pairs** are those average payoffs that exceed the stage Nash equilibrium payoff for both players.

## Example

- In the static Prisoners' Dilemma, pairs of payoffs  $(\pi_1, \pi_2)$  equal to  $(1, 1)$ ,  $(0, 5)$ ,  $(5, 0)$  and  $(3, 3)$  are **feasible** since they can be generated by some pure strategies.
- Although each player could get a payoff of 0, the payoff pair  $(0, 0)$  is **not feasible** since there is no strategy pair which generates that payoff pair.
- If player 1 (player 2) uses strategy  $C$  with probability  $p$  ( $q$ ), the payoffs are:  $(\pi_1, \pi_2) = (1 - p + 4q - pq, 1 - q + 4p - pq)$ . Feasible payoff pairs are found by letting  $p, q \in [0, 1]$ .
- **Individual rational payoff pairs** are those for which the payoff to each payer is not less than the Nash equilibrium of 1.

# Illustration



## Theorem

***Folk Theorem:** let  $(\pi_1^*, \pi_2^*)$  be a pair of Nash equilibrium payoffs for a stage game and let  $(v_1, v_2)$  be a feasible payoff pair when the stage game is repeated. For every individually rational pair  $(v_1, v_2)$  (i.e., a pair such that  $v_1 > \pi_1^*$  and  $v_2 > \pi_2^*$ ), there exists a  $\underline{\delta}$  such that for all  $\delta > \underline{\delta}$  there is a subgame perfect Nash equilibrium with payoffs  $(v_1, v_2)$ .*

The Folk's Theorem is the basis as to why collusion or cartel is possible in an infinite stage game.



## Proof

- Let  $(\sigma_1^*, \sigma_2^*)$  be the NE that yields the payoff pair  $(\pi_1^*, \pi_2^*)$ .
- Suppose that the payoff pair  $(v_1, v_2)$  is produced by players using action  $a_1$  and  $a_2$  in every stage where  $v_1 > \pi_1^*$  and  $v_2 > \pi_2^*$  and  $(v_1, v_2)$  are **pure strategies** for player 1 and 2.
- Now consider the following trigger strategy:
  - "Begin by agreeing to use action  $a_i$ ; continue to use  $a_i$  as long as both players use the agreed actions; if any player uses an action other than  $a_i$ , then use  $\sigma_i^*$  for in all later stages."
- By construction, any NE involving these strategies will be subgame perfect. So we only need to find the conditions for a NE.



## Proof: continue (with $(v_1, v_2)$ are pure strategies)

- Consider another action  $a'_1$  such that the payoff of the stage game for player 1 is  $\pi_1(a'_1, a_2) > v_1$ .
- Then the total payoff for switching to  $a'_1$  against a player using the trigger strategy is not greater than

$$\pi_1(a'_1, a_2) + \delta \frac{\pi_1^*}{1 - \delta}.$$

- Remember that for the trigger strategy, the payoff of using the trigger strategy is:

$$v_1 + v_1\delta + v_1\delta^2 + \dots = \frac{v_1}{1 - \delta}.$$

- Therefore, it's not beneficial for player 1 to switch to  $a'_1$  if  $\delta \geq \delta_1$ :

$$\delta_1 = \frac{\pi_1(a'_1, a_2) - v_1}{\pi_1(a'_1, a_2) - \pi_1^*}.$$

Proof: continue (with  $(v_1, v_2)$  are pure strategies)

- By assumption  $\pi_1(a'_1, a_2) > v_1 > \pi_1^*$ , we conclude that  $0 < \delta_1 < 1$ .
- We can use similar argument for player 2 to derive the minimum discount factor  $\delta_2$ .
- Taking  $\underline{\delta} = \max\{\delta_1, \delta_2\}$  completes the proof.