Important Summation Formulas

1.
$$\sum_{i=l}^{u} 1 = \underbrace{1+1+\dots+1}_{u-l+1 \text{ times}} = u-l+1 \ (l, u \text{ are integer limits}, l \le u); \sum_{i=1}^{n} 1 = n$$

2.
$$\sum_{i=1}^{n} i = 1 + 2 + \dots + n = \frac{n(n+1)}{2} \approx \frac{1}{2}n^2$$

3.
$$\sum_{i=1}^{n} i^2 = 1^2 + 2^2 + \dots + n^2 = \frac{n(n+1)(2n+1)}{6} \approx \frac{1}{3}n^3$$

4.
$$\sum_{i=1}^{n} i^{k} = 1^{k} + 2^{k} + \dots + n^{k} \approx \frac{1}{k+1} n^{k+1}$$

5.
$$\sum_{i=0}^{n} a^{i} = 1 + a + \dots + a^{n} = \frac{a^{n+1} - 1}{a - 1} \ (a \neq 1); \quad \sum_{i=0}^{n} 2^{i} = 2^{n+1} - 1$$

6.
$$\sum_{i=1}^{n} i 2^{i} = 1 \cdot 2 + 2 \cdot 2^{2} + \dots + n 2^{n} = (n-1)2^{n+1} + 2$$

7.
$$\sum_{i=1}^{n} \frac{1}{i} = 1 + \frac{1}{2} + \dots + \frac{1}{n} \approx \ln n + \gamma$$
, where $\gamma \approx 0.5772 \dots$ (Euler's constant)

8.
$$\sum_{i=1}^{n} \lg i \approx n \lg n$$

Sum Manipulation Rules

1.
$$\sum_{i=1}^{u} ca_i = c \sum_{i=1}^{u} a_i$$

2.
$$\sum_{i=1}^{u} (a_i \pm b_i) = \sum_{i=1}^{u} a_i \pm \sum_{i=1}^{u} b_i$$

3.
$$\sum_{i=l}^{u} a_i = \sum_{i=l}^{m} a_i + \sum_{i=m+1}^{u} a_i$$
, where $l \le m < u$

4.
$$\sum_{i=l}^{u} (a_i - a_{i-1}) = a_u - a_{l-1}$$

Approximation of a Sum by a Definite Integral

$$\int_{l-1}^{u} f(x)dx \le \sum_{i=l}^{u} f(i) \le \int_{l}^{u+1} f(x)dx \quad \text{for a nondecreasing } f(x)$$

$$\int_{l}^{u+1} f(x)dx \le \sum_{i=l}^{u} f(i) \le \int_{l-1}^{u} f(x)dx \quad \text{for a nonincreasing } f(x)$$

Floor and Ceiling Formulas

The *floor* of a real number x, denoted $\lfloor x \rfloor$, is defined as the greatest integer not larger than x (e.g., $\lfloor 3.8 \rfloor = 3$, $\lfloor -3.8 \rfloor = -4$, $\lfloor 3 \rfloor = 3$). The *ceiling* of a real number x, denoted $\lceil x \rceil$, is defined as the smallest integer not smaller than x (e.g., $\lceil 3.8 \rceil = 4$, $\lceil -3.8 \rceil = -3$, $\lceil 3 \rceil = 3$).

- **1.** $x 1 < |x| \le x \le \lceil x \rceil < x + 1$
- **2.** $\lfloor x + n \rfloor = \lfloor x \rfloor + n$ and $\lceil x + n \rceil = \lceil x \rceil + n$ for real x and integer n
- 3. $|n/2| + \lceil n/2 \rceil = n$
- **4.** $\lceil \lg(n+1) \rceil = \lfloor \lg n \rfloor + 1$

Miscellaneous

- **1.** $n! \approx \sqrt{2\pi n} \left(\frac{n}{e}\right)^n$ as $n \to \infty$ (Stirling's formula)
- **2.** Modular arithmetic (n, m are integers, p is a positive integer)

$$(n+m) \mod p = (n \mod p + m \mod p) \mod p$$

 $(nm) \mod p = ((n \mod p)(m \mod p)) \mod p$