

MPG No. 5.4.15 2/m' [Type III, monoclinic] [G tensor]

* Rank 0 tensor. * Rank 1 tensor.

$$[0 \quad G_y \quad 0]$$

$$G_y = G_{py}^{(1)}$$

* Rank 2 tensor (s). * Rank 2 tensor (a). * Rank 3 tensor (s).

$$\begin{bmatrix} 0 & G_{xxy} & 0 \\ 0 & G_{yyy} & 0 \\ 0 & G_{zzy} & 0 \\ G_{yzx} & 0 & G_{yzz} \\ 0 & G_{zxy} & 0 \\ G_{xyx} & 0 & G_{xyz} \end{bmatrix}$$

$$G_{xxy} = -G_{fay}^{(1)} - G_{fbg}^{(1)} + G_{py}^{(1)} + 2Q_{dxz}^{(1)}$$

$$G_{yyy} = 2G_{fay}^{(1)} + G_{py}^{(1)} + 2G_{py}^{(2)}$$

$$G_{zzy} = -G_{fay}^{(1)} + G_{fbg}^{(1)} + G_{py}^{(1)} - 2Q_{dxz}^{(1)}$$

$$G_{yzx} = G_{f3}^{(1)} - 3Q_{du}^{(1)} - Q_{dv}^{(1)}$$

$$G_{yzz} = -G_{fay}^{(1)} + G_{fbg}^{(1)} + G_{py}^{(2)} + Q_{dxz}^{(1)}$$

$$G_{zxy} = G_{f3}^{(1)} + 3Q_{du}^{(1)} - Q_{dv}^{(1)}$$

$$G_{xyx} = -G_{fay}^{(1)} - G_{fbg}^{(1)} + G_{py}^{(2)} - Q_{dxz}^{(1)}$$

$$G_{xyz} = G_{f3}^{(1)} + 2Q_{dv}^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} G_{yzx} & 0 & G_{yzz} \\ 0 & G_{zxy} & 0 \\ G_{xyx} & 0 & G_{xyz} \end{bmatrix}$$

$$G_{yzz} = -Q_{du}^{(2)} + Q_{dv}^{(2)} + Q_s^{(1)}$$

$$G_{yzz} = -G_{py}^{(3)} + Q_{dxz}^{(2)}$$

$$G_{zxy} = -Q_{du}^{(2)} - Q_{dv}^{(2)} + Q_s^{(1)}$$

$$G_{xyx} = G_{py}^{(3)} + Q_{dxz}^{(2)}$$

$$G_{xyz} = 2Q_{du}^{(2)} + Q_s^{(1)}$$

* Rank 4 tensor (sss). * Rank 4 tensor (ssa). * Rank 4 tensor (aas). * Rank 4 tensor (aaa). * Rank 4 tensor (sa). * Rank 4 tensor (as). * Rank 4 tensor (s). * Rank 4 tensor (a). * Rank 4 tensor (t).