

MSG No. 111.251 $P\bar{4}2m$ [Type I, tetragonal]

Table 1: Wyckoff site: 1a, site symmetry: $-42m$

| No. | position | mapping |
|-----|-------------|----------------------------|
| 1 | $[0, 0, 0]$ | $[1, 2, 3, 4, 5, 6, 7, 8]$ |

Table 2: Wyckoff site: 1b, site symmetry: $-42m$

| No. | position | mapping |
|-----|---|----------------------------|
| 1 | $[\frac{1}{2}, \frac{1}{2}, \frac{1}{2}]$ | $[1, 2, 3, 4, 5, 6, 7, 8]$ |

Table 3: Wyckoff site: 1c, site symmetry: $-42m$

| No. | position | mapping |
|-----|-----------------------|----------------------------|
| 1 | $[0, 0, \frac{1}{2}]$ | $[1, 2, 3, 4, 5, 6, 7, 8]$ |

Table 4: Wyckoff site: 1d, site symmetry: $-42m$

| No. | position | mapping |
|-----|---------------------------------|----------------------------|
| 1 | $[\frac{1}{2}, \frac{1}{2}, 0]$ | $[1, 2, 3, 4, 5, 6, 7, 8]$ |

Table 5: Wyckoff site: 2e, site symmetry: 222 .

| No. | position | mapping |
|-----|-----------------------|----------------|
| 1 | $[\frac{1}{2}, 0, 0]$ | $[1, 2, 3, 4]$ |
| 2 | $[0, \frac{1}{2}, 0]$ | $[5, 6, 7, 8]$ |

Table 6: Wyckoff site: 2f, site symmetry: 222 .

| No. | position | mapping |
|-----|---------------------------------|----------------|
| 1 | $[\frac{1}{2}, 0, \frac{1}{2}]$ | $[1, 2, 3, 4]$ |
| 2 | $[0, \frac{1}{2}, \frac{1}{2}]$ | $[5, 6, 7, 8]$ |

Table 7: Wyckoff site: 2g, site symmetry: 2.mm

| No. | position | mapping |
|-----|--------------|----------------|
| 1 | $[0, 0, z]$ | $[1, 4, 7, 8]$ |
| 2 | $[0, 0, -z]$ | $[2, 3, 5, 6]$ |

Table 8: Wyckoff site: 2h, site symmetry: 2.mm

| No. | position | mapping |
|-----|----------------------------------|----------------|
| 1 | $[\frac{1}{2}, \frac{1}{2}, z]$ | $[1, 4, 7, 8]$ |
| 2 | $[\frac{1}{2}, \frac{1}{2}, -z]$ | $[2, 3, 5, 6]$ |

Table 9: Wyckoff site: 4i, site symmetry: .2.

| No. | position | mapping |
|-----|--------------|----------|
| 1 | $[x, 0, 0]$ | $[1, 2]$ |
| 2 | $[-x, 0, 0]$ | $[3, 4]$ |
| 3 | $[0, -x, 0]$ | $[5, 7]$ |
| 4 | $[0, x, 0]$ | $[6, 8]$ |

Table 10: Wyckoff site: 4j, site symmetry: .2.

| No. | position | mapping |
|-----|----------------------------------|----------|
| 1 | $[x, \frac{1}{2}, \frac{1}{2}]$ | $[1, 2]$ |
| 2 | $[-x, \frac{1}{2}, \frac{1}{2}]$ | $[3, 4]$ |
| 3 | $[\frac{1}{2}, -x, \frac{1}{2}]$ | $[5, 7]$ |
| 4 | $[\frac{1}{2}, x, \frac{1}{2}]$ | $[6, 8]$ |

Table 11: Wyckoff site: 4k, site symmetry: .2.

| No. | position | mapping |
|-----|------------------------|----------|
| 1 | $[x, 0, \frac{1}{2}]$ | $[1, 2]$ |
| 2 | $[-x, 0, \frac{1}{2}]$ | $[3, 4]$ |
| 3 | $[0, -x, \frac{1}{2}]$ | $[5, 7]$ |
| 4 | $[0, x, \frac{1}{2}]$ | $[6, 8]$ |

Table 12: Wyckoff site: $4\bar{1}$, site symmetry: $\bar{2}$.

| No. | position | mapping |
|-----|------------------------|----------|
| 1 | $[x, \frac{1}{2}, 0]$ | $[1, 2]$ |
| 2 | $[-x, \frac{1}{2}, 0]$ | $[3, 4]$ |
| 3 | $[\frac{1}{2}, -x, 0]$ | $[5, 7]$ |
| 4 | $[\frac{1}{2}, x, 0]$ | $[6, 8]$ |

Table 13: Wyckoff site: $4\bar{m}$, site symmetry: $2\bar{2}$.

| No. | position | mapping |
|-----|------------------------|----------|
| 1 | $[0, \frac{1}{2}, z]$ | $[1, 4]$ |
| 2 | $[0, \frac{1}{2}, -z]$ | $[2, 3]$ |
| 3 | $[\frac{1}{2}, 0, -z]$ | $[5, 6]$ |
| 4 | $[\frac{1}{2}, 0, z]$ | $[7, 8]$ |

Table 14: Wyckoff site: $4n$, site symmetry: $\bar{2}m$.

| No. | position | mapping |
|-----|---------------|----------|
| 1 | $[x, x, z]$ | $[1, 8]$ |
| 2 | $[x, -x, -z]$ | $[2, 5]$ |
| 3 | $[-x, x, -z]$ | $[3, 6]$ |
| 4 | $[-x, -x, z]$ | $[4, 7]$ |

Table 15: Wyckoff site: $8o$, site symmetry: 1.

| No. | position | mapping |
|-----|---------------|---------|
| 1 | $[x, y, z]$ | $[1]$ |
| 2 | $[x, -y, -z]$ | $[2]$ |
| 3 | $[-x, y, -z]$ | $[3]$ |
| 4 | $[-x, -y, z]$ | $[4]$ |
| 5 | $[y, -x, -z]$ | $[5]$ |
| 6 | $[-y, x, -z]$ | $[6]$ |
| 7 | $[-y, -x, z]$ | $[7]$ |
| 8 | $[y, x, z]$ | $[8]$ |