

# Model for “D3”

Generated on 2026-02-01 11:15:10 by MultiPie 2.0.7

---

## General Condition

- Basis type: **lgs**
- SAMB selection:
  - Type: [Q, G]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [ $A_1$ ,  $A_2$ ,  $E$ ]
  - Spin (s): [0, 1]
- Atomic selection:
  - Type: [Q, G, M, T]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [ $A_1$ ,  $A_2$ ,  $E$ ]
  - Spin (s): [0, 1]
- Site-cluster selection:
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [ $A_1$ ,  $A_2$ ,  $E$ ]
- Bond-cluster selection:
  - Type: [Q, G, M, T]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [ $A_1$ ,  $A_2$ ,  $E$ ]
- Max. neighbor: 10
- Search cell range: (-2, 3), (-2, 3), (-2, 3)
- Toroidal priority: **false**

---

## Group and Unit Cell

- Group: PG No. 18  $D_3$  32 (321 setting) [ trigonal ]
- Unit cell:
  - $a = 1.00000$ ,  $b = 1.00000$ ,  $c = 1.00000$ ,  $\alpha = 90.0$ ,  $\beta = 90.0$ ,  $\gamma = 120.0$
- Lattice vectors (conventional cell):
  - $\mathbf{a}_1 = [1.00000, 0.00000, 0.00000]$
  - $\mathbf{a}_2 = [-0.50000, 0.86603, 0.00000]$
  - $\mathbf{a}_3 = [0.00000, 0.00000, 1.00000]$

---

## Symmetry Operation

---

Table 1: Symmetry operation

| # | SO        | # | SO          | # | SO          | # | SO        | # | SO        |
|---|-----------|---|-------------|---|-------------|---|-----------|---|-----------|
| 1 | 1         | 2 | $3_{001}^+$ | 3 | $3_{001}^-$ | 4 | $2_{110}$ | 5 | $2_{100}$ |
| 6 | $2_{010}$ |   |             |   |             |   |           |   |           |

---

## Harmonics

---

Table 2: Harmonics

| # | symbol                 | irrep. | rank | X      | multiplicity | component | symmetry  |
|---|------------------------|--------|------|--------|--------------|-----------|---|
| 1 | $\mathbb{G}_0(A_1)$    | $A_1$  | 0    | $G, M$ | -            | -         | 1   |
| 2 | $\mathbb{Q}_0(A_1)$    | $A_1$  | 0    | $Q, T$ | -            | -         | 1   |
| 3 | $\mathbb{G}_2(A_1)$    | $A_1$  | 2    | $G, M$ | -            | -         | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
| 4 | $\mathbb{Q}_2(A_1)$    | $A_1$  | 2    | $Q, T$ | -            | -         | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$  |
| 5 | $\mathbb{G}_3(A_1)$    | $A_1$  | 3    | $G, M$ | -            | -         | $\frac{\sqrt{10}x(x^2-3y^2)}{4}$  |
| 6 | $\mathbb{Q}_3(A_1)$    | $A_1$  | 3    | $Q, T$ | -            | -         | $\frac{\sqrt{10}x(x^2-3y^2)}{4}$  |
| 7 | $\mathbb{G}_4(A_1, 1)$ | $A_1$  | 4    | $G, M$ | 1            | -         | $\frac{3x^4}{8} + \frac{3x^2y^2}{4} - 3x^2z^2 + \frac{3y^4}{8} - 3y^2z^2 + z^4$ |
| 8 | $\mathbb{G}_4(A_1, 2)$ | $A_1$  | 4    | $G, M$ | 2            | -         | $\frac{\sqrt{70}yz(3x^2-y^2)}{4}$   |

*continued ...*

Table 2

| #  | symbol                   | irrep. | rank | X      | multiplicity | component | symmetry                          |
|----|--------------------------|--------|------|--------|--------------|-----------|-----------------------------------|
| 9  | $\mathbb{Q}_4(A_1, 2)$   | $A_1$  | 4    | $Q, T$ | 2            | -         | $\frac{\sqrt{70}yz(3x^2-y^2)}{4}$ |
| 10 | $\mathbb{G}_1(A_2)$      | $A_2$  | 1    | $G, M$ | -            | -         | $z$                               |
| 11 | $\mathbb{Q}_1(A_2)$      | $A_2$  | 1    | $Q, T$ | -            | -         | $z$                               |
| 12 | $\mathbb{G}_3(A_2, 1)$   | $A_2$  | 3    | $G, M$ | 1            | -         | $-\frac{z(3x^2+3y^2-2z^2)}{2}$    |
| 13 | $\mathbb{G}_3(A_2, 2)$   | $A_2$  | 3    | $G, M$ | 2            | -         | $\frac{\sqrt{10}y(3x^2-y^2)}{4}$  |
| 14 | $\mathbb{Q}_3(A_2, 1)$   | $A_2$  | 3    | $Q, T$ | 1            | -         | $-\frac{z(3x^2+3y^2-2z^2)}{2}$    |
| 15 | $\mathbb{Q}_3(A_2, 2)$   | $A_2$  | 3    | $Q, T$ | 2            | -         | $\frac{\sqrt{10}y(3x^2-y^2)}{4}$  |
| 16 | $\mathbb{G}_4(A_2)$      | $A_2$  | 4    | $G, M$ | -            | -         | $\frac{\sqrt{70}xz(x^2-3y^2)}{4}$ |
| 17 | $\mathbb{Q}_4(A_2)$      | $A_2$  | 4    | $Q, T$ | -            | -         | $\frac{\sqrt{70}xz(x^2-3y^2)}{4}$ |
| 18 | $\mathbb{G}_{1,1}(E)$    | $E$    | 1    | $G, M$ | -            | 1         | $x$                               |
| 19 | $\mathbb{G}_{1,2}(E)$    |        |      |        |              | 2         | $y$                               |
| 20 | $\mathbb{Q}_{1,1}(E)$    | $E$    | 1    | $Q, T$ | -            | 1         | $x$                               |
| 21 | $\mathbb{Q}_{1,2}(E)$    |        |      |        |              | 2         | $y$                               |
| 22 | $\mathbb{G}_{2,1}(E, 1)$ | $E$    | 2    | $G, M$ | 1            | 1         | $\sqrt{3}yz$                      |
| 23 | $\mathbb{G}_{2,2}(E, 1)$ |        |      |        |              | 2         | $-\sqrt{3}xz$                     |
| 24 | $\mathbb{G}_{2,1}(E, 2)$ | $E$    | 2    | $G, M$ | 2            | 1         | $\frac{\sqrt{3}(x-y)(x+y)}{2}$    |
| 25 | $\mathbb{G}_{2,2}(E, 2)$ |        |      |        |              | 2         | $-\sqrt{3}xy$                     |
| 26 | $\mathbb{Q}_{2,1}(E, 1)$ | $E$    | 2    | $Q, T$ | 1            | 1         | $\sqrt{3}yz$                      |
| 27 | $\mathbb{Q}_{2,2}(E, 1)$ |        |      |        |              | 2         | $-\sqrt{3}xz$                     |
| 28 | $\mathbb{Q}_{2,1}(E, 2)$ | $E$    | 2    | $Q, T$ | 2            | 1         | $\frac{\sqrt{3}(x-y)(x+y)}{2}$    |
| 29 | $\mathbb{Q}_{2,2}(E, 2)$ |        |      |        |              | 2         | $-\sqrt{3}xy$                     |

continued ...

Table 2

| #  | symbol                   | irrep. | rank | X      | multiplicity | component | symmetry  |
|----|--------------------------|--------|------|--------|--------------|-----------|---|
| 30 | $\mathbb{G}_{3,1}(E, 1)$ | $E$    | 3    | $G, M$ | 1            | 1         | $-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$            |
| 31 | $\mathbb{G}_{3,2}(E, 1)$ |        |      |        |              | 2         | $-\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$            |
| 32 | $\mathbb{G}_{3,1}(E, 2)$ | $E$    | 3    | $G, M$ | 2            | 1         | $\sqrt{15}xyz$                                  |
| 33 | $\mathbb{G}_{3,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$                |
| 34 | $\mathbb{Q}_{3,1}(E, 1)$ | $E$    | 3    | $Q, T$ | 1            | 1         | $-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$            |
| 35 | $\mathbb{Q}_{3,2}(E, 1)$ |        |      |        |              | 2         | $-\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$            |
| 36 | $\mathbb{Q}_{3,1}(E, 2)$ | $E$    | 3    | $Q, T$ | 2            | 1         | $\sqrt{15}xyz$                                  |
| 37 | $\mathbb{Q}_{3,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$                |
| 38 | $\mathbb{G}_{4,1}(E, 1)$ | $E$    | 4    | $G, M$ | 1            | 1         | $-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$        |
| 39 | $\mathbb{G}_{4,2}(E, 1)$ |        |      |        |              | 2         | $\frac{\sqrt{10}xz(3x^2+3y^2-4z^2)}{4}$         |
| 40 | $\mathbb{G}_{4,1}(E, 2)$ | $E$    | 4    | $G, M$ | 2            | 1         | $\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$ |
| 41 | $\mathbb{G}_{4,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$               |
| 42 | $\mathbb{G}_{4,1}(E, 3)$ | $E$    | 4    | $G, M$ | 3            | 1         | $-\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
| 43 | $\mathbb{G}_{4,2}(E, 3)$ |        |      |        |              | 2         | $\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$            |
| 44 | $\mathbb{Q}_{4,1}(E, 1)$ | $E$    | 4    | $Q, T$ | 1            | 1         | $-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$        |
| 45 | $\mathbb{Q}_{4,2}(E, 1)$ |        |      |        |              | 2         | $\frac{\sqrt{10}xz(3x^2+3y^2-4z^2)}{4}$         |
| 46 | $\mathbb{Q}_{4,1}(E, 2)$ | $E$    | 4    | $Q, T$ | 2            | 1         | $\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$ |
| 47 | $\mathbb{Q}_{4,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$               |
| 48 | $\mathbb{Q}_{4,1}(E, 3)$ | $E$    | 4    | $Q, T$ | 3            | 1         | $-\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
| 49 | $\mathbb{Q}_{4,2}(E, 3)$ |        |      |        |              | 2         | $\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$            |

Table 3: dimension = 48

| #  | orbital@atom(SL)                | #  | orbital@atom(SL)                | #  | orbital@atom(SL)                | #  | orbital@atom(SL)                | #  | orbital@atom(SL)                |
|----|---------------------------------|----|---------------------------------|----|---------------------------------|----|---------------------------------|----|---------------------------------|
| 0  | $ s, \uparrow\rangle @A(1)$     | 1  | $ s, \downarrow\rangle @A(1)$   | 2  | $ p_x, \uparrow\rangle @A(1)$   | 3  | $ p_x, \downarrow\rangle @A(1)$ | 4  | $ p_y, \uparrow\rangle @A(1)$   |
| 5  | $ p_y, \downarrow\rangle @A(1)$ | 6  | $ p_z, \uparrow\rangle @A(1)$   | 7  | $ p_z, \downarrow\rangle @A(1)$ | 8  | $ s, \uparrow\rangle @A(2)$     | 9  | $ s, \downarrow\rangle @A(2)$   |
| 10 | $ p_x, \uparrow\rangle @A(2)$   | 11 | $ p_x, \downarrow\rangle @A(2)$ | 12 | $ p_y, \uparrow\rangle @A(2)$   | 13 | $ p_y, \downarrow\rangle @A(2)$ | 14 | $ p_z, \uparrow\rangle @A(2)$   |
| 15 | $ p_z, \downarrow\rangle @A(2)$ | 16 | $ s, \uparrow\rangle @A(3)$     | 17 | $ s, \downarrow\rangle @A(3)$   | 18 | $ p_x, \uparrow\rangle @A(3)$   | 19 | $ p_x, \downarrow\rangle @A(3)$ |
| 20 | $ p_y, \uparrow\rangle @A(3)$   | 21 | $ p_y, \downarrow\rangle @A(3)$ | 22 | $ p_z, \uparrow\rangle @A(3)$   | 23 | $ p_z, \downarrow\rangle @A(3)$ | 24 | $ s, \uparrow\rangle @A(4)$     |
| 25 | $ s, \downarrow\rangle @A(4)$   | 26 | $ p_x, \uparrow\rangle @A(4)$   | 27 | $ p_x, \downarrow\rangle @A(4)$ | 28 | $ p_y, \uparrow\rangle @A(4)$   | 29 | $ p_y, \downarrow\rangle @A(4)$ |
| 30 | $ p_z, \uparrow\rangle @A(4)$   | 31 | $ p_z, \downarrow\rangle @A(4)$ | 32 | $ s, \uparrow\rangle @A(5)$     | 33 | $ s, \downarrow\rangle @A(5)$   | 34 | $ p_x, \uparrow\rangle @A(5)$   |
| 35 | $ p_x, \downarrow\rangle @A(5)$ | 36 | $ p_y, \uparrow\rangle @A(5)$   | 37 | $ p_y, \downarrow\rangle @A(5)$ | 38 | $ p_z, \uparrow\rangle @A(5)$   | 39 | $ p_z, \downarrow\rangle @A(5)$ |
| 40 | $ s, \uparrow\rangle @A(6)$     | 41 | $ s, \downarrow\rangle @A(6)$   | 42 | $ p_x, \uparrow\rangle @A(6)$   | 43 | $ p_x, \downarrow\rangle @A(6)$ | 44 | $ p_y, \uparrow\rangle @A(6)$   |
| 45 | $ p_y, \downarrow\rangle @A(6)$ | 46 | $ p_z, \uparrow\rangle @A(6)$   | 47 | $ p_z, \downarrow\rangle @A(6)$ |    |                                 |    |                                 |

Table 4: Atomic basis (orbital part only)

| orbital       | definition |
|---------------|------------|
| $ s\rangle$   | 1          |
| $ p_x\rangle$ | $x$        |
| $ p_y\rangle$ | $y$        |
| $ p_z\rangle$ | $z$        |

---

## SAMB

---

744 (all 744) SAMBs

- 'A' site-cluster : A
  - \* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$
  - \* ket:  $|s, \uparrow\rangle, |s, \downarrow\rangle$
  - \* wyckoff: **6c**

$$\boxed{\text{z1}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z129}} \quad \mathbb{Q}_1^{(c)}(A_2) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z249}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z250}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z251}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z252}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

- 'A' site-cluster : A

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

\* wyckoff: 6c

$$\boxed{\text{z2}} \quad \mathbb{Q}_0^{(c)}(A_1) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z3}} \quad \mathbb{Q}_2^{(c)}(A_1) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z4}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z5}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z6}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z7}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z8}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z9}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z10}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z11}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z12}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z13}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z130}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z131}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z132}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z133}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z134}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) = \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z135}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z136}} \quad \mathbb{G}_1^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z137}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{30}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z138}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z139}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z140}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z141}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z253}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z254}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z255}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$



$$\boxed{\text{z256}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z257}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z258}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z259}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z260}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z261}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z262}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z263}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10}$$

$$\boxed{\text{z264}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10}$$

$$\boxed{\text{z265}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z266}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z267}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z268}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z269}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{5}$$

$$\boxed{\text{z270}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E,1) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{5}$$

$$\boxed{\text{z271}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z272}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z273}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E,b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z274}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,b) = \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z275}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,1) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z276}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,1) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z277}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,2) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z278}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z279}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E,2) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z280}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z281}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z282}} \quad \mathbb{G}_{1,2}^{(c)}(E) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z283}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10}$$

$$\begin{aligned}
\boxed{\text{z284}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) &= \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} \\
\boxed{\text{z285}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,1) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z286}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,1) &= \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z287}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z288}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2a) &= \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z289}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2b) &= -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} \\
\boxed{\text{z290}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2b) &= \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} \\
\boxed{\text{z291}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,1) &= -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} \\
\boxed{\text{z292}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,1) &= \frac{2\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} \\
\boxed{\text{z293}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,2) &= \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{6} \\
\boxed{\text{z294}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,2) &= -\frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} \\
\boxed{\text{z295}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) &= \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z296}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) &= -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z297}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E) &= \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}
\end{aligned}$$

$$\boxed{\text{z298}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z299}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z300}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

• 'A' site-cluster : **A**

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

\* ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

\* wyckoff: **6c**

$$\boxed{\text{z14}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z15}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z16}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z17}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z18}} \quad \mathbb{Q}_4^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z19}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z20}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z21}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z22}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z23}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z24}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z25}} \quad \mathbb{G}_2^{(c)}(A_1) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z26}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z27}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z28}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z142}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z143}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z144}} \quad \mathbb{Q}_3^{(c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z145}} \quad \mathbb{Q}_3^{(c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z146}} \quad \mathbb{Q}_4^{(c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z147}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z148}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z149}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z150}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z151}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z152}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z153}} \quad \mathbb{G}_1^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z154}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z155}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z156}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z301}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z302}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z303}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10}$$

$$\boxed{\text{z304}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10}$$

$$\boxed{\text{z305}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z306}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z307}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z308}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\begin{aligned}
\text{z309} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1c) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} \\
\text{z310} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1c) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} \\
\text{z311} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z312} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z313} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} \\
\text{z314} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} \\
\text{z315} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) &= -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} \\
\text{z316} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) &= \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} \\
\text{z317} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} \\
\text{z318} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} \\
\text{z319} \quad \mathbb{Q}_{4,1}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{7} \\
\text{z320} \quad \mathbb{Q}_{4,2}^{(c)}(E, 1) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{7} \\
\text{z321} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) &= \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} \\
\text{z322} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) &= \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10}
\end{aligned}$$

$$\begin{aligned}
\text{z323} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z324} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z325} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} \\
\text{z326} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} \\
\text{z327} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z328} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\text{z329} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} \\
\text{z330} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} \\
\text{z331} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1) &= -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} \\
\text{z332} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1) &= \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} \\
\text{z333} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} \\
\text{z334} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} \\
\text{z335} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{7} \\
\text{z336} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{7}
\end{aligned}$$



$$\boxed{\text{z337}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z338}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z339}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z340}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z341}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z342}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z343}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z344}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z345}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z346}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z347}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z348}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z349}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z350}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z351}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z352}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,1) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z353}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z354}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z355}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z356}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z357}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z358}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z359}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z360}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

• 'A'-'A' bond-cluster : **A;A\_001\_1**

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|s, \uparrow\rangle, |s, \downarrow\rangle$

\* wyckoff: **6a@6c**

$$\boxed{\text{z29}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z30}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z31}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z32}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z157}} \quad \mathbb{Q}_1^{(c)}(A_2) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z158}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z159}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z160}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z361}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z362}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z363}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z364}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z365}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z366}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z367}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z368}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z369}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z370}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z371}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z372}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z373}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z374}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z375}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z376}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A'-'A' bond-cluster : **A;A\_001\_1**

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

\* wyckoff: **6a06c**

$$\boxed{\text{z33}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z34}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z35}} \quad \mathbb{Q}_2^{(c)}(A_1, a) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z36}} \quad \mathbb{Q}_2^{(c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z37}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z38}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z39}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z40}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z41}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, a) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z42}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z43}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, a) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z44}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z45}} \quad \mathbb{G}_0^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z46}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z47}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z48}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z49}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z50}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\begin{aligned}
\boxed{\text{z51}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z52}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z53}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z54}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\boxed{\text{z55}} \quad \mathbb{G}_0^{(1,1;c)}(A_1, a) &= \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\boxed{\text{z56}} \quad \mathbb{G}_0^{(1,1;c)}(A_1, b) &= \mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1) \\
\boxed{\text{z161}} \quad \mathbb{Q}_1^{(c)}(A_2, a) &= \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1) \\
\boxed{\text{z162}} \quad \mathbb{Q}_1^{(c)}(A_2, b) &= -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z163}} \quad \mathbb{Q}_1^{(c)}(A_2, c) &= \mathbb{T}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1) \\
\boxed{\text{z164}} \quad \mathbb{Q}_1^{(c)}(A_2, d) &= \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z165}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z166}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z167}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z168}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z169}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) &= \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)
\end{aligned}$$

$$\boxed{\text{z170}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z171}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, c) = \mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z172}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, d) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z173}} \quad \mathbb{G}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z174}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z175}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{30}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z176}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{30}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z177}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1a) = -\frac{\sqrt{5}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z178}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1b) = -\frac{\sqrt{5}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z179}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z180}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z181}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z182}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z183}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, a) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z184}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, b) = \mathbb{M}_0^{(1,1;a)}(A_1) \mathbb{T}_1^{(b)}(A_2)$$

$$\boxed{\text{z377}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2} \mathbb{Q}_{1,1}^{(a)}(E) \mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z378}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2} \mathbb{Q}_{1,2}^{(a)}(E) \mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z379}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = -\frac{\sqrt{2} \mathbb{Q}_1^{(a)}(A_2) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z380}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{2} \mathbb{Q}_1^{(a)}(A_2) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z381}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\sqrt{2} \mathbb{T}_{1,1}^{(a)}(E) \mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z382}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = \frac{\sqrt{2} \mathbb{T}_{1,2}^{(a)}(E) \mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z383}} \quad \mathbb{Q}_{1,1}^{(c)}(E, d) = -\frac{\sqrt{2} \mathbb{T}_1^{(a)}(A_2) \mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z384}} \quad \mathbb{Q}_{1,2}^{(c)}(E, d) = \frac{\sqrt{2} \mathbb{T}_1^{(a)}(A_2) \mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z385}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\mathbb{Q}_{1,2}^{(a)}(E) \mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2) \mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z386}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E) \mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2) \mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z387}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{T}_{1,2}^{(a)}(E) \mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2) \mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z388}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E) \mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2) \mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z389}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\mathbb{Q}_{1,1}^{(a)}(E) \mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E) \mathbb{Q}_{1,2}^{(b)}(E)}{2}$$



$$\boxed{\text{z390}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z391}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z392}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z393}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z394}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z395}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, a) = -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10}$$

$$\boxed{\text{z396}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, a) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10}$$

$$\boxed{\text{z397}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{42}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z398}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, b) = -\frac{\sqrt{42}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z399}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z400}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z401}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z402}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z403}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\begin{aligned}
\text{z404} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} \\
\text{z405} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z406} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} \\
\text{z407} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{5} \\
\text{z408} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{5} \\
\text{z409} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{7}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{7} \\
\text{z410} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{7}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{7} \\
\text{z411} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2) &= \frac{\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\text{z412} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2) &= -\frac{\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\text{z413} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z414} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z415} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) &= -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\text{z416} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) &= \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\text{z417} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, c) &= \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z418}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, c) &= \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z419}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, d) &= -\frac{\sqrt{2}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z420}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, d) &= \frac{\sqrt{2}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z421}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) &= \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z422}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) &= -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z423}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) &= \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z424}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) &= -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z425}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) &= \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z426}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) &= -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z427}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) &= \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z428}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) &= -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z429}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) &= \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\boxed{\text{z430}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) &= -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z431}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) &= \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z432}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) &= \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z433}} \quad \mathbb{G}_{1,1}^{(c)}(E, a) &= \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z434}} \quad \mathbb{G}_{1,2}^{(c)}(E, a) &= -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z435}} \quad \mathbb{G}_{1,1}^{(c)}(E, b) &= \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z436}} \quad \mathbb{G}_{1,2}^{(c)}(E, b) &= -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z437}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2) &= \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z438}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2) &= -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z439}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, a) &= \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} \\
\boxed{\text{z440}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, a) &= \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} \\
\boxed{\text{z441}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, b) &= \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10} \\
\boxed{\text{z442}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, b) &= \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10} \\
\boxed{\text{z443}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z444}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z445}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z446}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z447}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z448}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z449}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\boxed{\text{z450}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z451}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2c) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z452}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2c) &= \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z453}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} \\
\boxed{\text{z454}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1a) &= \frac{2\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} \\
\boxed{\text{z455}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5} \\
\boxed{\text{z456}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1b) &= \frac{2\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5} \\
\boxed{\text{z457}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} \\
\boxed{\text{z458}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} \\
\boxed{\text{z459}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6}
\end{aligned}$$

$$\boxed{\text{z460}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z461}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E, a) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z462}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E, a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z463}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E, b) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z464}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E, b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z465}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z466}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z467}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z468}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z469}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E, b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z470}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E, b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z471}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z472}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

- 'A'-'A' bond-cluster : A;A\_001\_1

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$   
 \* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$   
 \* wyckoff: 6a06c

$$\boxed{\text{z57}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z58}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z59}} \quad \mathbb{Q}_0^{(c)}(A_1, c) = \frac{\sqrt{2} \mathbb{M}_{1,1}^{(a)}(E) \mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{M}_{1,2}^{(a)}(E) \mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z60}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z61}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z62}} \quad \mathbb{Q}_4^{(c)}(A_1, 2) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z63}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z64}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2} \mathbb{M}_{1,1}^{(1,-1;a)}(E) \mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{M}_{1,2}^{(1,-1;a)}(E) \mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z65}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z66}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2} \mathbb{M}_{3,1}^{(1,-1;a)}(E, 1) \mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{M}_{3,2}^{(1,-1;a)}(E, 1) \mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z67}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z68}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2} \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{2} \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{3} \mathbb{M}_3^{(1,-1;a)}(A_2, 2) \mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z69}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z70}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z71}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z72}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, b) = \mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z73}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, c) = -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z74}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z75}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z76}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z77}} \quad \mathbb{G}_0^{(c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z78}} \quad \mathbb{G}_2^{(c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z79}} \quad \mathbb{G}_2^{(c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z80}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z81}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z82}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{7} + \frac{\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{7} + \frac{\sqrt{21}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7}$$

$$\boxed{\text{z83}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$



$$\begin{aligned}
\boxed{\text{z84}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) &= \mathbb{M}_3^{(1,-1;a)}(A_1) \mathbb{T}_0^{(b)}(A_1) \\
\boxed{\text{z85}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) &= -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14} + \frac{2\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7} \\
\boxed{\text{z86}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 2) &= \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z87}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) &= \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3} \\
\boxed{\text{z88}} \quad \mathbb{G}_2^{(1,0;c)}(A_1, a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3} \\
\boxed{\text{z89}} \quad \mathbb{G}_2^{(1,0;c)}(A_1, b) &= -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z90}} \quad \mathbb{G}_3^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z91}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\boxed{\text{z92}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\boxed{\text{z185}} \quad \mathbb{Q}_1^{(c)}(A_2, a) &= \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2) \\
\boxed{\text{z186}} \quad \mathbb{Q}_1^{(c)}(A_2, b) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5} \\
\boxed{\text{z187}} \quad \mathbb{Q}_1^{(c)}(A_2, c) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z188}} \quad \mathbb{Q}_3^{(c)}(A_2, 1) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5} \\
\boxed{\text{z189}} \quad \mathbb{Q}_3^{(c)}(A_2, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}
\end{aligned}$$

$$\begin{aligned}
\text{z190} \quad \mathbb{Q}_4^{(c)}(A_2) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\text{z191} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5} \\
\text{z192} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z193} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1a) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5} \\
\text{z194} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1b) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z195} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z196} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\text{z197} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\text{z198} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, b) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\text{z199} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z200} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5} \\
\text{z201} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 1) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5} \\
\text{z202} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 2) &= \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z203} \quad \mathbb{Q}_1^{(1,1;c)}(A_2, a) &= \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)
\end{aligned}$$

$$\boxed{\text{z204}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z205}} \quad \mathbb{G}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z206}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z207}} \quad \mathbb{G}_1^{(c)}(A_2, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z208}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z209}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z210}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z211}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1a) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z212}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z213}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z214}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z215}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z216}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z217}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, c) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z218}} \quad \mathbb{G}_3^{(1,0;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\begin{aligned}
\boxed{\text{z219}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, a) &= \mathbb{M}_1^{(1,1;a)}(A_2) \mathbb{T}_0^{(b)}(A_1) \\
\boxed{\text{z220}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, b) &= \frac{\sqrt{2} \mathbb{M}_{1,1}^{(1,1;a)}(E) \mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2} \mathbb{M}_{1,2}^{(1,1;a)}(E) \mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z473}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) &= \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z474}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) &= \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z475}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) &= \frac{\sqrt{15} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{1,1}^{(b)}(E)}{10} \\
\boxed{\text{z476}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) &= \frac{\sqrt{15} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{1,2}^{(b)}(E)}{10} \\
\boxed{\text{z477}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) &= \frac{\mathbb{M}_{1,2}^{(a)}(E) \mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2) \mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z478}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) &= -\frac{\mathbb{M}_{1,1}^{(a)}(E) \mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2) \mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z479}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) &= \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z480}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) &= \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\boxed{\text{z481}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) &= \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z482}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) &= \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z483}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1c) &= -\frac{\sqrt{42} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{42} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{14} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} \\
\boxed{\text{z484}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1c) &= \frac{\sqrt{42} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{42} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{14} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{2,2}^{(b)}(E, 1)}{14}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z485}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1d) &= \frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z486}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1d) &= -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z487}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z488}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z489}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\boxed{\text{z490}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\boxed{\text{z491}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2c) &= \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z492}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2c) &= -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z493}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) &= -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} \\
\boxed{\text{z494}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) &= \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} \\
\boxed{\text{z495}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} \\
\boxed{\text{z496}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} \\
\boxed{\text{z497}} \quad \mathbb{Q}_{4,1}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{7} \\
\boxed{\text{z498}} \quad \mathbb{Q}_{4,2}^{(c)}(E, 1) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{7}
\end{aligned}$$

$$\begin{aligned}
\text{z499} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,a) &= \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} \\
\text{z500} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,a) &= \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} \\
\text{z501} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,b) &= \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z502} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,b) &= -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z503} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z504} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z505} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1b) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14} \\
\text{z506} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14} \\
\text{z507} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1c) &= \frac{\sqrt{130}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{130}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{78}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{M}_{1,2}^{(b)}(E)}{26} \\
\text{z508} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1c) &= -\frac{\sqrt{130}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{130}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{26} + \frac{\sqrt{78}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{M}_{1,1}^{(b)}(E)}{26} \\
\text{z509} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1d) &= \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\text{z510} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1d) &= -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\text{z511} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z512} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(b)}(A_1)}{2}
\end{aligned}$$

$$\begin{aligned}
\text{z513} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\text{z514} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} \\
\text{z515} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2c) &= -\frac{\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{8} \\
\text{z516} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2c) &= \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{8} \\
\text{z517} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2d) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\text{z518} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2d) &= -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\text{z519} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} \\
\text{z520} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) &= \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} \\
\text{z521} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z522} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z523} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} \\
\text{z524} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} \\
\text{z525} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} \\
\text{z526} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{4} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4}
\end{aligned}$$

$$\begin{aligned}
\text{z527} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{7} \\
\text{z528} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{7} \\
\text{z529} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{39}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{39}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{26} + \frac{\sqrt{65}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_{1,2}^{(b)}(E)}{13} \\
\text{z530} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{39}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{39}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{65}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_{1,1}^{(b)}(E)}{13} \\
\text{z531} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 2) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} \\
\text{z532} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 2) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} \\
\text{z533} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 3) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{8} \\
\text{z534} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 3) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{8} \\
\text{z535} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) &= \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z536} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) &= -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z537} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) &= \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10} \\
\text{z538} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) &= \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10} \\
\text{z539} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) &= -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} \\
\text{z540} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}
\end{aligned}$$



$$\boxed{\text{z541}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z542}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z543}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1c) = \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z544}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1c) = -\frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z545}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z546}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z547}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z548}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z549}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2c) = -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z550}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2c) = \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z551}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z552}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1) = \frac{2\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z553}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) = \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z554}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) = -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z555}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z556}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z557}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, b) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z558}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, b) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z559}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z560}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z561}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z562}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 1b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z563}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z564}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z565}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z566}} \quad \mathbb{G}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z567}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z568}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z569}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z570}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z571}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z572}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z573}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z574}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z575}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z576}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z577}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z578}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z579}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{2\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z580}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{2\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z581}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1c) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z582}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1c) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\begin{aligned}
\text{z583} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} \\
\text{z584} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} \\
\text{z585} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{14} \\
\text{z586} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{14} \\
\text{z587} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2c) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z588} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2c) &= -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z589} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z590} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z591} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z592} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z593} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 1) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14} \\
\text{z594} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 1) &= -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14} \\
\text{z595} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z596} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z597}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E,3) &= \frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_{1,2}^{(b)}(E)}{28} \\
\boxed{\text{z598}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E,3) &= -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_{1,1}^{(b)}(E)}{28} \\
\boxed{\text{z599}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E,a) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z600}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E,a) &= \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z601}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E,b) &= \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{5} \\
\boxed{\text{z602}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E,b) &= -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{5} \\
\boxed{\text{z603}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1a) &= \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z604}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1a) &= -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z605}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1b) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z606}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1b) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z607}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z608}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2a) &= -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z609}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2b) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\boxed{\text{z610}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2b) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6}
\end{aligned}$$

$$\boxed{\text{z611}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z612}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z613}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z614}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z615}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z616}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A'-A' bond-cluster : A;A\_002\_1

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|s, \uparrow \rangle, |s, \downarrow \rangle$

\* wyckoff: 3a03b

$$\boxed{\text{z93}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z94}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z95}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z221}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z617}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z618}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z619}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z620}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z621}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z622}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z623}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z624}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A'-'A' bond-cluster : **A;A\_002\_1**

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

\* wyckoff: **3a03b**

$$\boxed{\text{z96}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z97}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z98}} \quad \mathbb{Q}_2^{(c)}(A_1) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z99}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z100}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z101}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\begin{aligned}
\text{z102} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, b) &= \frac{\sqrt{3}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z103} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) &= -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z104} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) &= \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z105} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z106} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z107} \quad \mathbb{G}_0^{(1,1;c)}(A_1) &= \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z222} \quad \mathbb{Q}_1^{(c)}(A_2) &= \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z223} \quad \mathbb{Q}_1^{(1,0;c)}(A_2) &= \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z224} \quad \mathbb{G}_1^{(c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z225} \quad \mathbb{G}_1^{(c)}(A_2, b) &= \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z226} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z227} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) &= \frac{\sqrt{30}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5} \\
\text{z228} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) &= -\frac{\sqrt{5}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5} \\
\text{z229} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2a) &= \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z230} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2b) &= \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}
\end{aligned}$$



$$\boxed{\text{z231}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z232}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z233}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)$$

$$\boxed{\text{z625}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z626}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z627}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z628}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = -\frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z629}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z630}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z631}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z632}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z633}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z634}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z635}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10}$$

$$\begin{aligned}
\text{z636} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} \\
\text{z637} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) &= \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z638} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z639} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) &= -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z640} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z641} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z642} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} \\
\text{z643} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) &= \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z644} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) &= \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z645} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z646} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) &= -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z647} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) &= \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z648} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) &= -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z649} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) &= \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}
\end{aligned}$$

$$\boxed{\text{z650}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z651}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z652}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z653}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z654}} \quad \mathbb{G}_{1,2}^{(c)}(E) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z655}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, a) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z656}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, a) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z657}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z658}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z659}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z660}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z661}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z662}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z663}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z664}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,1) = \frac{2\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z665}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,2) = \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z666}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,2) = -\frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z667}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z668}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z669}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z670}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z671}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E,b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z672}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E,b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

• 'A'-'A' bond-cluster : **A;A\_002\_1**

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

\* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

\* wyckoff: **3aQ3b**

$$\boxed{\text{z108}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z109}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z110}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z111}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\begin{aligned}
\text{z112} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z113} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\text{z114} \quad \mathbb{Q}_3^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z115} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) &= \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z116} \quad \mathbb{G}_0^{(c)}(A_1) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z117} \quad \mathbb{G}_2^{(c)}(A_1, a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z118} \quad \mathbb{G}_2^{(c)}(A_1, b) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z119} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z120} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z121} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) &= \frac{\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{7} + \frac{\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{7} + \frac{\sqrt{21}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7} \\
\text{z122} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z123} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) &= -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14} + \frac{2\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7} \\
\text{z124} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 2) &= \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\text{z125} \quad \mathbb{G}_0^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}
\end{aligned}$$

$$\begin{aligned}
\text{z126} \quad \mathbb{G}_2^{(1,0;c)}(A_1) &= -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z127} \quad \mathbb{G}_0^{(1,1;c)}(A_1) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z128} \quad \mathbb{G}_2^{(1,1;c)}(A_1) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3} \\
\text{z234} \quad \mathbb{Q}_1^{(c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z235} \quad \mathbb{Q}_1^{(c)}(A_2, b) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z236} \quad \mathbb{Q}_3^{(c)}(A_2, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z237} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z238} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z239} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z240} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z241} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\text{z242} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z243} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5} \\
\text{z244} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 1) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z245}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 2) &= \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z246}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z247}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z248}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) &= \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1) \\
\boxed{\text{z673}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z674}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z675}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{14} \\
\boxed{\text{z676}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{14} \\
\boxed{\text{z677}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) &= \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z678}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) &= -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z679}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z680}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z681}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z682}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}
\end{aligned}$$

$$\begin{aligned}
\text{z683} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7} \\
\text{z684} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7} \\
\text{z685} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z686} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z687} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, a) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{14} \\
\text{z688} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, a) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{14} \\
\text{z689} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, b) &= \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z690} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, b) &= -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z691} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z692} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z693} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z694} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\text{z695} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7} \\
\text{z696} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) &= -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7}
\end{aligned}$$



$$\begin{aligned}
\text{z697} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2} \\
\text{z698} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} \\
\text{z699} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z700} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z701} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} \\
\text{z702} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{4} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} \\
\text{z703} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) &= -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z704} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) &= \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z705} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) &= \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10} \\
\text{z706} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) &= \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10} \\
\text{z707} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1) &= -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5} \\
\text{z708} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1) &= \frac{2\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5} \\
\text{z709} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) &= \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} \\
\text{z710} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) &= -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}
\end{aligned}$$

$$\boxed{\text{z711}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z712}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z713}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, b) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z714}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, b) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z715}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z716}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z717}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z718}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z719}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{2\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z720}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{2\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z721}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z722}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z723}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z724}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z725}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z726}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z727}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z728}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z729}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z730}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z731}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 3) = \frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28}$$

$$\boxed{\text{z732}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 3) = -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28}$$

$$\boxed{\text{z733}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z734}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z735}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 1) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z736}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 1) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z737}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z738}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z739}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2b) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z740}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2b) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z741}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z742}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z743}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z744}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

---

#### Atomic SAMB

---

- bra:  $\langle s, \uparrow |, \langle s, \downarrow |$
- ket:  $|s, \uparrow\rangle, |s, \downarrow\rangle$

$$\boxed{\text{x1}} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{2}}{2} & 0 \\ 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$$

$$\boxed{\text{x2}} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{2}}{2} & 0 \\ 0 & -\frac{\sqrt{2}}{2} \end{bmatrix}$$

$$\boxed{\text{x3}} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{2} \\ \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$$

$$\boxed{\text{x4}} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{2} \\ \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$$

- bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

• ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

$$\boxed{\text{x5}} \quad \mathbb{Q}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \end{bmatrix}$$

$$\boxed{\text{x6}} \quad \mathbb{Q}_{1,1}^{(a)}(E) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x7}} \quad \mathbb{Q}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x8}} \quad \mathbb{Q}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x9}} \quad \mathbb{Q}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x10}} \quad \mathbb{Q}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x11}} \quad \mathbb{G}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{12} & 0 & -\frac{\sqrt{6}}{12} & \frac{\sqrt{6}i}{6} & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} \end{bmatrix}$$

$$\boxed{\text{x12}} \quad \mathbb{G}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x13}} \quad \mathbb{G}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x14}} \quad \mathbb{G}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x15}} \quad \mathbb{G}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x16}} \quad \mathbb{G}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \end{bmatrix}$$

$$\boxed{\text{x17}} \quad \mathbb{M}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{6} & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x18}} \quad \mathbb{M}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x19}} \quad \mathbb{M}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x20}} \quad \mathbb{M}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x21}} \quad \mathbb{M}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x22}} \quad \mathbb{M}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & \frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} \end{bmatrix}$$

$$\boxed{\text{x23}} \quad \mathbb{T}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \end{bmatrix}$$

$$\boxed{\text{x24}} \quad \mathbb{T}_{1,1}^{(a)}(E) = \begin{bmatrix} \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x25}} \quad \mathbb{T}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x26}} \quad \mathbb{T}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x27}} \quad \mathbb{T}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & \frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x28}} \quad \mathbb{T}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

• bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

- ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

$$\boxed{\text{x29}} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x30}} \quad \mathbb{Q}_2^{(a)}(A_1) = \begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$$

$$\boxed{\text{x31}} \quad \mathbb{Q}_{2,1}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x32}} \quad \mathbb{Q}_{2,2}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{1}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x33}} \quad \mathbb{Q}_{2,1}^{(a)}(E, 2) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x34}} \quad \mathbb{Q}_{2,2}^{(a)}(E, 2) = \begin{bmatrix} 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ -\frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x35}} \quad \mathbb{Q}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & \frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x36}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x37}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x38}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x39}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$



$$\boxed{\text{x40}} \quad \mathbb{Q}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & -\frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x41}} \quad \mathbb{G}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x42}} \quad \mathbb{G}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x43}} \quad \mathbb{G}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x44}} \quad \mathbb{M}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x45}} \quad \mathbb{M}_{1,1}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x46}} \quad \mathbb{M}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x47}} \quad \mathbb{M}_3^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x48}} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x49}} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 1) = \begin{bmatrix} -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}}{10} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{5}}{10} & -\frac{\sqrt{5}i}{10} & 0 \\ 0 & -\frac{\sqrt{5}}{10} & 0 & \frac{\sqrt{5}i}{10} & \frac{\sqrt{5}}{5} & 0 \\ -\frac{\sqrt{5}}{10} & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & -\frac{\sqrt{5}}{5} \end{bmatrix}$$

$$\boxed{\text{x50}} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x51}} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x52}} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x53}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{60} & \frac{\sqrt{30}}{15} & 0 \\ -\frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{60} & 0 & 0 & -\frac{\sqrt{30}}{15} \\ 0 & \frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{15} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{15} \\ 0 & -\frac{\sqrt{30}}{15} & 0 & 0 & \frac{\sqrt{30}}{15} & 0 \end{bmatrix}$$

$$\boxed{\text{x54}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & \frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{60} & 0 & \frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ -\frac{\sqrt{30}}{60} & 0 & -\frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \\ 0 & 0 & \frac{\sqrt{30}}{15} & 0 & 0 & -\frac{\sqrt{30}i}{15} \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{15} & \frac{\sqrt{30}i}{15} & 0 \end{bmatrix}$$

$$\boxed{\text{x55}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x56}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x57}} \quad \mathbb{M}_1^{(1,1;a)}(A_2) = \begin{bmatrix} -\frac{\sqrt{30}}{30} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{20} \\ 0 & \frac{\sqrt{30}}{30} & 0 & 0 & \frac{\sqrt{30}}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{30} & \frac{\sqrt{30}i}{20} & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \end{bmatrix}$$

$$\boxed{\text{x58}} \quad \mathbb{M}_{1,1}^{(1,1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{30}}{15} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{15} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & -\frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 \\ \frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{20} & 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{30} \\ 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & -\frac{\sqrt{30}}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x59}} \quad \mathbb{M}_{1,2}^{(1,1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 \\ -\frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{15} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{15} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & \frac{\sqrt{30}i}{30} \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{20} & -\frac{\sqrt{30}i}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x60}} \quad \mathbb{T}_2^{(1,0;a)}(A_1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x61}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x62}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ -\frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{12} & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x63}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 2) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x64}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 2) = \begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

---

## Cluster SAMB

---

- Site cluster

\*\* Wyckoff: 6c

$$\boxed{\text{y1}} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y2}} \quad \mathbb{Q}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y3}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

$$\boxed{\text{y4}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, \frac{3\sqrt{7}}{14}, -\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y5}} \quad \mathbb{Q}_{2,1}^{(s)}(E, 1) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y6}} \quad \mathbb{Q}_{2,2}^{(s)}(E, 1) = \left[ -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21}, \frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

• Bond cluster

\*\* Wyckoff: **3a@3b**

$$\boxed{\text{y7}} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3} \right]$$

$$\boxed{\text{y8}} \quad \mathbb{T}_1^{(s)}(A_2) = \left[ \frac{\sqrt{3}i}{3}, \frac{\sqrt{3}i}{3}, \frac{\sqrt{3}i}{3} \right]$$

$$\boxed{\text{y9}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{\sqrt{6}}{3}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y10}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ 0, \frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2} \right]$$

$$\boxed{\text{y11}} \quad \mathbb{T}_{1,1}^{(s)}(E) = \left[ 0, -\frac{\sqrt{2}i}{2}, \frac{\sqrt{2}i}{2} \right]$$

$$\boxed{\text{y12}} \quad \mathbb{T}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{6}i}{3}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6} \right]$$

\*\* Wyckoff: **6a@6c**

$$\boxed{\text{y13}} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y14}} \quad \mathbb{T}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y15}} \quad \mathbb{Q}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y16}} \quad \mathbb{T}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y17}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

$$\boxed{\text{y18}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, \frac{3\sqrt{7}}{14}, -\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y19}} \quad \mathbb{T}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21}, -\frac{\sqrt{21}i}{42}, -\frac{\sqrt{21}i}{42}, \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y20}} \quad \mathbb{T}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{3\sqrt{7}i}{14}, \frac{3\sqrt{7}i}{14}, -\frac{\sqrt{7}i}{14}, -\frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y21}} \quad \mathbb{M}_{1,1}^{(s)}(E) = \left[ \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{3\sqrt{7}i}{14}, -\frac{3\sqrt{7}i}{14}, \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y22}} \quad \mathbb{M}_{1,2}^{(s)}(E) = \left[ -\frac{5\sqrt{21}i}{42}, \frac{2\sqrt{21}i}{21}, \frac{\sqrt{21}i}{42}, -\frac{\sqrt{21}i}{42}, \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y23}} \quad \mathbb{Q}_{2,1}^{(s)}(E, 1) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y24}} \quad \mathbb{Q}_{2,2}^{(s)}(E, 1) = \left[ -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21}, \frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

Table 5: Orbital of each site

| # | site | orbital  |
|---|------|--|
| 1 | A    | $ s, \uparrow\rangle,  s, \downarrow\rangle,  p_x, \uparrow\rangle,  p_x, \downarrow\rangle,  p_y, \uparrow\rangle,  p_y, \downarrow\rangle,  p_z, \uparrow\rangle,  p_z, \downarrow\rangle$ |

Table 6: Neighbor and bra-ket of each bond

| # | head | tail | neighbor | head (bra) | tail (ket) |
|---|------|------|----------|------------|------------|
| 1 | A    | A    | [1,2]    | [s,p]      | [s,p]      |

---

**Site in Unit Cell**


---

Sites in (conventional) cell (no plus set), SL = sublattice

Table 7: 'A' (#1) site cluster (6c), 1

| SL | position ( $\mathbf{s}$ )     | mapping |
|----|-------------------------------|---------|
| 1  | [ 1.00000, 0.00000, 1.00000]  | [1]     |
| 2  | [ 0.00000, 1.00000, 1.00000]  | [2]     |
| 3  | [-1.00000, -1.00000, 1.00000] | [3]     |

*continued ...*



Table 7

| SL | position ( $\mathbf{s}$ )      | mapping |
|----|--------------------------------|---------|
| 4  | [ 0.00000, 1.00000, -1.00000]  | [4]     |
| 5  | [ 1.00000, 0.00000, -1.00000]  | [5]     |
| 6  | [-1.00000, -1.00000, -1.00000] | [6]     |

---

### Bond in Unit Cell

---

Bonds in (conventional) cell (no plus set): tail, head = (SL, plus set), (N)D = (non)directional (listed up to 5th neighbor at most)

Table 8: 1-th 'A'-'A' [1] (#1) bond cluster (6a06c), D,  $|\mathbf{v}|=1.73205$  (cartesian)

| SL | vector ( $\mathbf{v}$ )       | center ( $\mathbf{c}$ )        | mapping | head  | tail  | $\mathbf{R}$ (primitive) |
|----|-------------------------------|--------------------------------|---------|-------|-------|--------------------------|
| 1  | [-1.00000, 1.00000, 0.00000]  | [ 0.50000, 0.50000, 1.00000]   | [1]     | (2,1) | (1,1) | [0,0,0]                  |
| 2  | [-1.00000, -2.00000, 0.00000] | [-0.50000, 0.00000, 1.00000]   | [2]     | (3,1) | (2,1) | [0,0,0]                  |
| 3  | [ 2.00000, 1.00000, 0.00000]  | [ 0.00000, -0.50000, 1.00000]  | [3]     | (1,1) | (3,1) | [0,0,0]                  |
| 4  | [ 1.00000, -1.00000, 0.00000] | [ 0.50000, 0.50000, -1.00000]  | [4]     | (5,1) | (4,1) | [0,0,0]                  |
| 5  | [-2.00000, -1.00000, 0.00000] | [ 0.00000, -0.50000, -1.00000] | [5]     | (6,1) | (5,1) | [0,0,0]                  |
| 6  | [ 1.00000, 2.00000, 0.00000]  | [-0.50000, 0.00000, -1.00000]  | [6]     | (4,1) | (6,1) | [0,0,0]                  |

Table 9: 2-th 'A'-'A' [1] (#2) bond cluster (3a03b), ND,  $|\mathbf{v}|=2.0$  (cartesian)

| SL | vector ( $\mathbf{v}$ )       | center ( $\mathbf{c}$ )       | mapping | head  | tail  | $\mathbf{R}$ (primitive) |
|----|-------------------------------|-------------------------------|---------|-------|-------|--------------------------|
| 1  | [ 0.00000, 0.00000, -2.00000] | [ 1.00000, 0.00000, 0.00000]  | [1,-5]  | (5,1) | (1,1) | [0,0,0]                  |
| 2  | [ 0.00000, 0.00000, -2.00000] | [ 0.00000, 1.00000, 0.00000]  | [2,-4]  | (4,1) | (2,1) | [0,0,0]                  |
| 3  | [ 0.00000, 0.00000, -2.00000] | [-1.00000, -1.00000, 0.00000] | [3,-6]  | (6,1) | (3,1) | [0,0,0]                  |