SAMB for "BCT"

Generated on 2023-06-12 23:12 by MultiPie 1.1.7

- Generation condition
 - model type: tight_binding
 - time-reversal type: electric
 - irrep: [A1g]
 - spinful
- Unit cell:

$$a = 1.0, b = 1.0, c = 2.32, \alpha = 90.0, \beta = 90.0, \gamma = 90.0$$

• Lattice vectors:

$$\boldsymbol{a}_1 = \begin{pmatrix} 1.0 & 0 & 0 \end{pmatrix}$$

$$\boldsymbol{a}_2 = \begin{pmatrix} 0 & 1.0 & 0 \end{pmatrix}$$

$$\mathbf{a}_3 = \begin{pmatrix} 0 & 0 & 2.32 \end{pmatrix}$$

• Plus sets:

$$+\begin{pmatrix}0&0&0\end{pmatrix}$$

$$+\begin{pmatrix} \frac{1}{2} & \frac{1}{2} & \frac{1}{2} \end{pmatrix}$$

Table 1: High-symmetry line: Γ -X.

| symbol | position | symbol | position |
|--------|---|--------|---|
| Γ | $\begin{pmatrix} 0 & 0 & 0 \end{pmatrix}$ | X | $\begin{pmatrix} \frac{1}{2} & 0 & 0 \end{pmatrix}$ |

Table 2: Hilbert space for full matrix.

| No. | ket | No. | ket | No. | ket | No. | ket | No. | ket |
|-----|------------------------------------|-----|----------------------------------|-----|----------------------------------|-----|------------------------------------|-----|----------------------------------|
| 1 | (s,\uparrow) @A ₁ | 2 | (s,\downarrow) @A ₁ | 3 | (p_x,\uparrow) @A ₁ | 4 | (p_x,\downarrow) @A ₁ | 5 | (p_y,\uparrow) @A ₁ |
| 6 | (p_y,\downarrow) @A ₁ | | | | | | | | |

• Sites in (primitive) unit cell:

Table 3: Site-clusters.

| | site | position | mapping |
|-------|-------|---|--|
| S_1 | A_1 | $\begin{pmatrix} 0 & 0 & 0 \end{pmatrix}$ | [1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16] |

• Bonds in (primitive) unit cell:

Table 4: Bond-clusters.

| | bond | tail | head | n | # | b@c | mapping |
|-------------|----------------|-------|-------|---|---|--|--|
| B_1 | b_1 | A_1 | A_1 | 1 | 1 | $\begin{pmatrix} 1 & 0 & 0 \end{pmatrix} @ \begin{pmatrix} \frac{1}{2} & 0 & 0 \end{pmatrix}$ | [1,-2,3,-4,-9,10,-11,12] |
| | b_2 | A_1 | A_1 | 1 | 1 | $\begin{pmatrix} 0 & 1 & 0 \end{pmatrix} @ \begin{pmatrix} 0 & \frac{1}{2} & 0 \end{pmatrix}$ | [5,-6,7,-8,-13,14,-15,16] |
| $_{ m B_2}$ | b_3 | A_1 | A_1 | 2 | 1 | $\begin{pmatrix} \frac{1}{2} & \frac{1}{2} & \frac{1}{2} \end{pmatrix} @ \begin{pmatrix} \frac{1}{4} & \frac{1}{4} & \frac{1}{4} \end{pmatrix}$ | [1,-6,-9,14] |
| | b_4 | A_1 | A_1 | 2 | 1 | $\begin{pmatrix} \frac{1}{2} & \frac{1}{2} & -\frac{1}{2} \end{pmatrix} @ \begin{pmatrix} \frac{1}{4} & \frac{1}{4} & \frac{3}{4} \end{pmatrix}$ | [-2,5,10,-13] |
| | b_5 | A_1 | A_1 | 2 | 1 | $\begin{pmatrix} -\frac{1}{2} & \frac{1}{2} & \frac{1}{2} \end{pmatrix} @ \begin{pmatrix} \frac{3}{4} & \frac{1}{4} & \frac{1}{4} \end{pmatrix}$ | [-3,7,11,-15] |
| | b_6 | A_1 | A_1 | 2 | 1 | $\begin{pmatrix} \frac{1}{2} & -\frac{1}{2} & \frac{1}{2} \end{pmatrix} @ \begin{pmatrix} \frac{1}{4} & \frac{3}{4} & \frac{1}{4} \end{pmatrix}$ | [-4,8,12,-16] |
| B_3 | b ₇ | A_1 | A_1 | 7 | 1 | | [1,2,-3,-4,-5,-6,7,8,-9,-10,11,12,13,14,-15,-16] |

• SAMB:

No. 1
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₁, S₁]

$$\hat{\mathbb{Z}}_1 = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

$$\hat{\mathbb{Z}}_1(\mathbf{k}) = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

No. 2
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, S₁]

$$\hat{\mathbb{Z}}_2 = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

$$\hat{\mathbb{Z}}_2(\boldsymbol{k}) = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

No. 3
$$\hat{\mathbb{Q}}_0^{(A_{1g})}(1,1)$$
 [M₃, S₁]

$$\hat{\mathbb{Z}}_3 = \mathbb{X}_3[\mathbb{Q}_0^{(a,A_{1g})}(1,1)] \otimes \mathbb{Y}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

$$\hat{\mathbb{Z}}_3(\boldsymbol{k}) = \mathbb{X}_3[\mathbb{Q}_0^{(a,A_{1g})}(1,1)] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}]$$

No. 4
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₁, B₁]

$$\hat{\mathbb{Z}}_4 = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_2[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_4(\boldsymbol{k}) = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_1[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 5
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, B₁]

$$\hat{\mathbb{Z}}_{5} = \mathbb{X}_{2}[\mathbb{Q}_{0}^{(a, A_{1g})}] \otimes \mathbb{Y}_{2}[\mathbb{Q}_{0}^{(b, A_{1g})}]$$

$$\hat{\mathbb{Z}}_5(\boldsymbol{k}) = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_1[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 6
$$\hat{\mathbb{Q}}_0^{(A_{1g})}(1,1)$$
 [M₃, B₁]

$$\hat{\mathbb{Z}}_6 = \mathbb{X}_3[\mathbb{Q}_0^{(a,A_{1g})}(1,1)] \otimes \mathbb{Y}_2[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_{6}(\textbf{\textit{k}}) = \mathbb{X}_{3}[\mathbb{Q}_{0}^{(a,A_{1g})}(1,1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}] \otimes \mathbb{F}_{1}[\mathbb{Q}_{0}^{(k,A_{1g})}]$$

No. 7
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, B₁]

$$\hat{\mathbb{Z}}_7 = \mathbb{X}_4[\mathbb{Q}_2^{(a,B_{1g})}] \otimes \mathbb{Y}_3[\mathbb{Q}_2^{(b,B_{1g})}]$$

$$\hat{\mathbb{Z}}_7(\boldsymbol{k}) = \mathbb{X}_4[\mathbb{Q}_2^{(a,B_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_2[\mathbb{Q}_2^{(k,B_{1g})}]$$

$$\hat{\mathbb{Z}}_8 = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_4[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_8(\boldsymbol{k}) = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_3[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 9
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_9 = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_4[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_9(\boldsymbol{k}) = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_3[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 10
$$\hat{\mathbb{Q}}_0^{(A_{1g})}(1,1)$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_{10} = \mathbb{X}_{3}[\mathbb{Q}_{0}^{(a,A_{1g})}(1,1)] \otimes \mathbb{Y}_{4}[\mathbb{Q}_{0}^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_{10}(\pmb{k}) = \mathbb{X}_{3}[\mathbb{Q}_{0}^{(a,A_{1g})}(1,1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}] \otimes \mathbb{F}_{3}[\mathbb{Q}_{0}^{(k,A_{1g})}]$$

No. 11
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_{11} = \mathbb{X}_{5}[\mathbb{Q}_{2}^{(a,B_{2g})}] \otimes \mathbb{Y}_{5}[\mathbb{Q}_{2}^{(b,B_{2g})}]$$

$$\hat{\mathbb{Z}}_{11}(\mathbf{k}) = \mathbb{X}_{5}[\mathbb{Q}_{2}^{(a,B_{2g})}] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}] \otimes \mathbb{F}_{4}[\mathbb{Q}_{2}^{(k,B_{2g})}]$$

No. 12
$$\hat{\mathbb{Q}}_0^{(A_{1g})}(1,-1)$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_{12} = \frac{\sqrt{2}\mathbb{X}_{6}[\mathbb{Q}_{2,0}^{(a,E_g)}(1,-1)] \otimes \mathbb{Y}_{6}[\mathbb{Q}_{2,0}^{(b,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(a,E_g)}(1,-1)] \otimes \mathbb{Y}_{7}[\mathbb{Q}_{2,1}^{(b,E_g)}]}{2}$$

$$\hat{\mathbb{Z}}_{12}(\boldsymbol{k}) = \frac{\sqrt{2}\mathbb{X}_{6}[\mathbb{Q}_{2,0}^{(a,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}] \otimes \mathbb{F}_{5}[\mathbb{Q}_{2,0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(a,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}] \otimes \mathbb{F}_{6}[\mathbb{Q}_{2,1}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s,A_{1g})}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{2,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{1,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{1,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{1,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{1,1}^{(k,E_g)}(1,-1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(k,E_g)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{7}[\mathbb{Q}_{$$

No. 13
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₁, B₃]

$$\hat{\mathbb{Z}}_{13} = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{Y}_8[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_{13}(\boldsymbol{k}) = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_7[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 14
$$\hat{\mathbb{Q}}_0^{(A_{1g})}$$
 [M₃, B₃]

$$\hat{\mathbb{Z}}_{14} = \mathbb{X}_2[\mathbb{Q}_0^{(a, A_{1g})}] \otimes \mathbb{Y}_8[\mathbb{Q}_0^{(b, A_{1g})}]$$

$$\hat{\mathbb{Z}}_{14}(\pmb{k}) = \mathbb{X}_2[\mathbb{Q}_0^{(a,A_{1g})}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s,A_{1g})}] \otimes \mathbb{F}_7[\mathbb{Q}_0^{(k,A_{1g})}]$$

No. 15
$$\hat{\mathbb{Q}}_0^{(A_{1g})}(1,1)$$
 [M₃, B₃]

$$\hat{\mathbb{Z}}_{15} = \mathbb{X}_3[\mathbb{Q}_0^{(a,A_{1g})}(1,1)] \otimes \mathbb{Y}_8[\mathbb{Q}_0^{(b,A_{1g})}]$$

$$\hat{\mathbb{Z}}_{15}(\mathbf{k}) = \mathbb{X}_{3}[\mathbb{Q}_{0}^{(a, A_{1g})}(1, 1)] \otimes \mathbb{U}_{1}[\mathbb{Q}_{0}^{(s, A_{1g})}] \otimes \mathbb{F}_{7}[\mathbb{Q}_{0}^{(k, A_{1g})}]$$

Table 5: Atomic SAMB group.

| group | bra | ket |
|-------|---|---|
| M_1 | $(s,\uparrow),(s,\downarrow)$ | $(s,\uparrow),(s,\downarrow)$ |
| M_2 | $(s,\uparrow),(s,\downarrow)$ | $(p_x,\uparrow),(p_x,\downarrow),(p_y,\uparrow),(p_y,\downarrow)$ |
| M_3 | $(p_x,\uparrow),(p_x,\downarrow),(p_y,\uparrow),(p_y,\downarrow)$ | $(p_x,\uparrow), (p_x,\downarrow), (p_y,\uparrow), (p_y,\downarrow)$ $(p_x,\uparrow), (p_x,\downarrow), (p_y,\uparrow), (p_y,\downarrow)$ |

Table 6: Atomic SAMB.

| symbol | type | group | form |
|----------------|------------------------------------|-------|--|
| \mathbb{X}_1 | $\mathbb{Q}_0^{(a,A_{1g})}$ | M_1 | $\begin{pmatrix} \frac{\sqrt{2}}{2} & 0\\ 0 & \frac{\sqrt{2}}{2} \end{pmatrix}$ |
| \mathbb{X}_2 | $\mathbb{Q}_0^{(a,A_{1g})}$ | M_3 | $\begin{pmatrix} \frac{1}{2} & 0 & 0 & 0\\ 0 & \frac{1}{2} & 0 & 0\\ 0 & 0 & \frac{1}{2} & 0\\ 0 & 0 & 0 & \frac{1}{2} \end{pmatrix}$ |
| \mathbb{X}_3 | $\mathbb{Q}_0^{(a,A_{1g})}(1,1)$ | M_3 | $ \begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & \frac{i}{2} \\ \frac{i}{2} & 0 & 0 & 0 \\ 0 & -\frac{i}{2} & 0 & 0 \end{bmatrix} $ |
| \mathbb{X}_4 | $\mathbb{Q}_2^{(a,B_{1g})}$ | M_3 | $ \begin{pmatrix} \frac{1}{2} & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 \\ 0 & 0 & -\frac{1}{2} & 0 \\ 0 & 0 & 0 & -\frac{1}{2} \end{pmatrix} $ |
| \mathbb{X}_5 | $\mathbb{Q}_2^{(a,B_{2g})}$ | M_3 | $ \begin{pmatrix} 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & \frac{1}{2} \\ \frac{1}{2} & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 \end{pmatrix} $ |
| \mathbb{X}_6 | $\mathbb{Q}_{2,0}^{(a,E_g)}(1,-1)$ | M_3 | $ \begin{pmatrix} 0 & 0 & 0 & -\frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 \\ 0 & \frac{1}{2} & 0 & 0 \\ -\frac{1}{2} & 0 & 0 & 0 \end{pmatrix} $ |
| \mathbb{X}_7 | $\mathbb{Q}_{2,1}^{(a,E_g)}(1,-1)$ | M_3 | $ \begin{pmatrix} 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & -\frac{i}{2} & 0 \\ 0 & \frac{i}{2} & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 \end{pmatrix} $ |

Table 7: Cluster SAMB.

| symbol | type | cluster | form |
|----------------|------------------------------|----------------|---|
| \mathbb{Y}_1 | $\mathbb{Q}_0^{(s,A_{1g})}$ | S_1 | (1) |
| \mathbb{Y}_2 | $\mathbb{Q}_0^{(b,A_{1g})}$ | B_1 | $\begin{pmatrix} \frac{\sqrt{2}}{2} & \frac{\sqrt{2}}{2} \end{pmatrix}$ |
| \mathbb{Y}_3 | $\mathbb{Q}_2^{(b,B_{1g})}$ | B_1 | $\begin{pmatrix} \frac{\sqrt{2}}{2} & \frac{\sqrt{2}}{2} \\ \left(\frac{\sqrt{2}}{2} & -\frac{\sqrt{2}}{2} \right) \end{pmatrix}$ |
| \mathbb{Y}_4 | $\mathbb{Q}_0^{(b,A_{1g})}$ | B_2 | |
| \mathbb{Y}_5 | $\mathbb{Q}_2^{(b,B_{2g})}$ | B_2 | $\left \begin{array}{cccc} \left(\frac{1}{2} & \frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} \end{array} \right) \right $ |
| \mathbb{Y}_6 | $\bigcap^{(b,E_g)}$ | B_2 | $\left \begin{array}{cccc} \left(\frac{1}{2} & -\frac{1}{2} & \frac{1}{2} & -\frac{1}{2} \right) \right.$ |
| \mathbb{Y}_7 | $\mathbb{Q}_{2,1}^{(b,E_g)}$ | B_2 | $\left \begin{array}{ccc} \left(\frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} & \frac{1}{2} \end{array} \right) \right $ |
| \mathbb{Y}_8 | $\mathbb{Q}_0^{(b,A_{1g})}$ | B_3 | (1) |

Table 8: Uniform SAMB.

| symbol | type | cluster | form |
|----------------|-----------------------------|---------|------|
| \mathbb{U}_1 | $\mathbb{Q}_0^{(s,A_{1g})}$ | S_1 | (1) |

Table 9: Structure SAMB.

| symbol | type | cluster | form |
|----------------|------------------------------|----------------|---|
| \mathbb{F}_1 | $\mathbb{Q}_0^{(k,A_{1g})}$ | B_1 | $c_{001} + c_{002}$ |
| \mathbb{F}_2 | $\mathbb{Q}_2^{(k,B_{1g})}$ | B_1 | $c_{001} - c_{002}$ |
| \mathbb{F}_3 | $\mathbb{Q}_0^{(k,A_{1g})}$ | B_2 | $\frac{\sqrt{2}c_{003}}{2} + \frac{\sqrt{2}c_{004}}{2} + \frac{\sqrt{2}c_{005}}{2} + \frac{\sqrt{2}c_{006}}{2}$ |
| \mathbb{F}_4 | $\mathbb{Q}_2^{(k,B_{2g})}$ | B_2 | $\frac{\sqrt{2}c_{003}}{2} + \frac{\sqrt{2}c_{004}}{2} - \frac{\sqrt{2}c_{005}}{2} - \frac{\sqrt{2}c_{006}}{2}$ |
| \mathbb{F}_5 | $\mathbb{Q}_{2,0}^{(k,E_g)}$ | B_2 | $\frac{\sqrt{2}c_{003}}{2} - \frac{\sqrt{2}c_{004}}{2} + \frac{\sqrt{2}c_{005}}{2} - \frac{\sqrt{2}c_{006}}{2}$ |
| \mathbb{F}_6 | $\mathbb{Q}_{2,1}^{(k,E_g)}$ | B_2 | $\frac{\sqrt{2}c_{003}}{2} - \frac{\sqrt{2}c_{004}}{2} - \frac{\sqrt{2}c_{005}}{2} + \frac{\sqrt{2}c_{006}}{2}$ |

| \mathbb{F}_7 | $\mathbb{Q}_0^{(k,A_{1g})}$ | B_3 | $\sqrt{2}c_{007}$ |
|----------------|-----------------------------|-------|-------------------|
|----------------|-----------------------------|-------|-------------------|

Table 10: Polar harmonics.

| No. | symbol | rank | irrep. | mul. | comp. | form |
|-----|----------------------------|------|----------|------|-------|--------------------------------|
| 1 | $\mathbb{Q}_0^{(A_{1g})}$ | 0 | A_{1g} | _ | _ | 1 |
| 2 | $\mathbb{Q}_2^{(B_{1g})}$ | 2 | B_{1g} | _ | _ | $\frac{\sqrt{3}(x-y)(x+y)}{2}$ |
| 3 | $\mathbb{Q}_2^{(B_{2g})}$ | 2 | B_{2g} | _ | _ | $\sqrt{3}xy$ |
| 4 | $\mathbb{Q}_{2,0}^{(E_g)}$ | 2 | E_g | _ | 0 | $\sqrt{3}yz$ |
| 5 | $\mathbb{Q}_{2,1}^{(E_g)}$ | 2 | E_g | _ | 1 | $\sqrt{3}xz$ |

 \bullet Group info.: Generator = {2001|0}, {4 $^{+}_{001}|0},$ {2010|0}, {-1|0}

Table 11: Conjugacy class (point-group part).

| rep. SO | symmetry operations |
|---------------------|--|
| {1 0} | {1 0} |
| $\{2_{001} 0\}$ | ${2001 0}$ |
| $\{2_{100} 0\}$ | $\{2_{100} 0\}, \{2_{010} 0\}$ |
| $\{2_{110} 0\}$ | $\{2_{110} 0\}, \{2_{1-10} 0\}$ |
| $\{4^{+}_{001} 0\}$ | $\{4^{+}_{001} 0\}, \{4^{-}_{001} 0\}$ |
| $\{-1 0\}$ | {-1 0} |
| $\{m_{001} 0\}$ | $\{m_{001} 0\}$ |
| $\{m_{100} 0\}$ | $\{m_{100} 0\}, \{m_{010} 0\}$ |
| | |

 $continued \dots$

Table 11

| rep. SO | symmetry operations |
|----------------------|--|
| $\{m_{110} 0\}$ | $\{m_{110} 0\}, \{m_{1-10} 0\}$ |
| $\{-4^{+}_{001} 0\}$ | $\{-4^{+}_{001} 0\}, \{-4^{-}_{001} 0\}$ |

Table 12: Symmetry operations.

| No. | SO | No. | SO | No. | SO | No. | SO | No. | SO |
|-----|----------------------|-----|---------------------|-----|---------------------|-----|------------------|-----|----------------------|
| 1 | {1 0} | 2 | $\{2_{001} 0\}$ | 3 | $\{2_{100} 0\}$ | 4 | $\{2_{010} 0\}$ | 5 | $\{2_{110} 0\}$ |
| 6 | $\{2_{1-10} 0\}$ | 7 | $\{4^{+}_{001} 0\}$ | 8 | $\{4^{-}_{001} 0\}$ | 9 | $\{-1 0\}$ | 10 | $\{m_{001} 0\}$ |
| 11 | $\{m_{100} 0\}$ | 12 | $\{m_{010} 0\}$ | 13 | $\{m_{110} 0\}$ | 14 | $\{m_{1-10} 0\}$ | 15 | $\{-4^{+}_{001} 0\}$ |
| 16 | $\{-4^{-}_{001} 0\}$ | | | | | | | | |

Table 13: Character table (point-group part).

| | 1 | 2001 | 2_{100} | 2_{110} | 4 ⁺ ₀₀₁ | -1 | m_{001} | m ₁₀₀ | m_{110} | -4^{+}_{001} |
|----------|---|------|-----------|-----------|-------------------------------|----|-----------|------------------|-----------|----------------|
| A_{1g} | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| A_{2g} | 1 | 1 | -1 | -1 | 1 | 1 | 1 | -1 | -1 | 1 |
| B_{1g} | 1 | 1 | 1 | -1 | -1 | 1 | 1 | 1 | -1 | -1 |
| B_{2g} | 1 | 1 | -1 | 1 | -1 | 1 | 1 | -1 | 1 | -1 |
| E_g | 2 | -2 | 0 | 0 | 0 | 2 | -2 | 0 | 0 | 0 |
| A_{1u} | 1 | 1 | 1 | 1 | 1 | -1 | -1 | -1 | -1 | -1 |
| A_{2u} | 1 | 1 | -1 | -1 | 1 | -1 | -1 | 1 | 1 | -1 |
| B_{1u} | 1 | 1 | 1 | -1 | -1 | -1 | -1 | -1 | 1 | 1 |
| B_{2u} | 1 | 1 | -1 | 1 | -1 | -1 | -1 | 1 | -1 | 1 |
| E_u | 2 | -2 | 0 | 0 | 0 | -2 | 2 | 0 | 0 | 0 |

Table 14: Parity conversion.

| \leftrightarrow | \leftrightarrow | \leftrightarrow | \leftrightarrow | \leftrightarrow |
|-------------------|---------------------|-------------------|-------------------|-------------------|
| $A_{1g} (A_{1u})$ | B_{1g} (B_{1u}) | $E_g (E_u)$ | $A_{2g} (A_{2u})$ | $B_{2g} (B_{2u})$ |
| $A_{1u} (A_{1g})$ | $B_{1u} (B_{1g})$ | $E_u (E_g)$ | $A_{2u} (A_{2g})$ | $B_{2u} (B_{2g})$ |

Table 15: Symmetric product, $[\Gamma \otimes \Gamma']_+$.

| | A_{1g} | A_{2g} | B_{1g} | B_{2g} | E_g | A_{1u} | A_{2u} | B_{1u} | B_{2u} | E_u |
|---------------------|----------|----------|----------|----------|----------------------------|----------|----------|----------|----------|-------------------------------------|
| $\overline{A_{1g}}$ | A_{1g} | A_{2g} | B_{1g} | B_{2g} | E_g | A_{1u} | A_{2u} | B_{1u} | B_{2u} | E_u |
| A_{2g} | | A_{1g} | B_{2g} | B_{1g} | E_g | A_{2u} | A_{1u} | B_{2u} | B_{1u} | E_u |
| B_{1g} | | | A_{1g} | A_{2g} | E_g | B_{1u} | B_{2u} | A_{1u} | A_{2u} | E_u |
| B_{2g} | | | | A_{1g} | E_g | B_{2u} | B_{1u} | A_{2u} | A_{1u} | E_u |
| E_g | | | | J | $A_{1g} + B_{1g} + B_{2g}$ | E_u | E_u | E_u | E_u | $A_{1u} + A_{2u} + B_{1u} + B_{2u}$ |
| A_{1u} | | | | | 0 0 0 | A_{1g} | A_{2g} | B_{1g} | B_{2g} | E_q |
| A_{2u} | | | | | | | A_{1g} | B_{2g} | B_{1q} | E_g |
| B_{1u} | | | | | | | | A_{1g} | A_{2q} | E_g |
| B_{2u} | | | | | | | | | A_{1g} | E_q |
| E_u | | | | | | | | | | $A_{1g} + B_{1g} + B_{2g}$ |

Table 16: Anti-symmetric product, $[\Gamma \otimes \Gamma]_-$.

| A_{1g} | A_{2g} | B_{1g} | B_{2g} | E_g | A_{1u} | A_{2u} | B_{1u} | B_{2u} | E_u |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | _ | _ | _ | A_{2g} | _ | | _ | _ | A_{2g} |

Table 17: Virtual-cluster sites.

| No. | position | No. | position | No. | position | No. | position |
|-----|--|-----|--|-----|---|-----|---|
| 1 | $\begin{pmatrix} 2 & 1 & 1 \end{pmatrix}$ | 2 | $\begin{pmatrix} -2 & -1 & 1 \end{pmatrix}$ | 3 | $\begin{pmatrix} 2 & -1 & -1 \end{pmatrix}$ | 4 | $\begin{pmatrix} -2 & 1 & -1 \end{pmatrix}$ |
| 5 | $\begin{pmatrix} 1 & 2 & -1 \end{pmatrix}$ | 6 | $\begin{pmatrix} -1 & -2 & -1 \end{pmatrix}$ | 7 | $\begin{pmatrix} -1 & 2 & 1 \end{pmatrix}$ | 8 | $\begin{pmatrix} 1 & -2 & 1 \end{pmatrix}$ |
| 9 | $\begin{pmatrix} -2 & -1 & -1 \end{pmatrix}$ | 10 | $\begin{pmatrix} 2 & 1 & -1 \end{pmatrix}$ | 11 | $\begin{pmatrix} -2 & 1 & 1 \end{pmatrix}$ | 12 | $\begin{pmatrix} 2 & -1 & 1 \end{pmatrix}$ |
| 13 | $\begin{pmatrix} -1 & -2 & 1 \end{pmatrix}$ | 14 | $\begin{pmatrix} 1 & 2 & 1 \end{pmatrix}$ | 15 | $\begin{pmatrix} 1 & -2 & -1 \end{pmatrix}$ | 16 | $\begin{pmatrix} -1 & 2 & -1 \end{pmatrix}$ |

Table 18: Virtual-cluster basis.

| symbol | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------------------|-----------------------------------|--|--|-------------------------|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| $\mathbb{Q}_0^{(A_{1g})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ |
| -0 | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | 4 | 4 | 4 | 4 |
| $\mathbb{Q}_{1}^{(A_{2u})}$ | 1/4 | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ |
| ~ 1 | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | 4 | 4 | 4 | 4 |
| $\mathbb{Q}_{1,0}^{(E_u)}$ | $\frac{4}{\frac{\sqrt{10}}{10}}$ | $-\frac{4}{10}$ | $\frac{4}{\frac{\sqrt{10}}{10}}$ | $-\frac{4}{10}$ | $\frac{4}{\frac{\sqrt{10}}{20}}$ | $-\frac{4}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ |
| ₹1,0 | $-\frac{10}{10}$ | $\frac{10}{\sqrt{10}}$ | $-\frac{10}{20}$ | $\frac{10}{\sqrt{10}}$ | $\frac{20}{\sqrt{10}}$ | $-\frac{20}{\sqrt{10}}$ | 20 | 20 | 10 | 10 |
| $\mathbb{Q}_{1,1}^{(E_{u})}$ | $\frac{10}{\frac{\sqrt{10}}{20}}$ | $-\frac{10}{20}$ | $-\frac{20}{20}$ | $\frac{20}{\sqrt{10}}$ | $\frac{20}{\sqrt{10}}$ | $-\frac{20}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ |
| $\mathbb{Q}_{1,1}$ | $\frac{20}{\sqrt{10}}$ | $-\frac{20}{20}$ $-\frac{\sqrt{10}}{20}$ | $-\frac{20}{20}$ $-\frac{\sqrt{10}}{10}$ | $\frac{20}{\sqrt{10}}$ | $ \begin{array}{r} \hline 10 \\ \hline -\frac{\sqrt{10}}{10} \end{array} $ | $\frac{\sqrt{10}}{10}$ | 10 | | | 20 |
| (B ₁) | | | | | | | | | | |
| $\mathbb{Q}_2^{(B_{1g})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ |
| | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | | | | |
| $\mathbb{Q}_2^{(B_{2g})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ |
| | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | | | | |
| $\mathbb{Q}_{2,0}^{(E_g)}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ |
| | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | | | | |
| $\mathbb{Q}_{2,1}^{(E_g)}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ |
| , | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | | | | |
| $\mathbb{Q}_3^{(B_{1u})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ |
| | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | | | | |

 $continued\ \dots$

Table 18

| symbol | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------|-------------------------|-------------------------|-------------------------|
| $\mathbb{Q}_3^{(B_{2u})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ |
| | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | | | | |
| $\mathbb{Q}_{3,0}^{(E_u,1)}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ |
| | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | | | | |
| $\mathbb{Q}_{3,1}^{(E_u,1)}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ |
| | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | | | | |
| $\overline{\mathbb{Q}_{4}^{(A_{2g})}}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ |
| | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | | | | |
| $\mathbb{Q}_{4,0}^{(E_g,1)}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ |
| | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | | | | |
| $\mathbb{Q}_{4,1}^{(E_g,1)}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{20}$ | $-\frac{\sqrt{10}}{20}$ |
| | $-\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{20}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | $\frac{\sqrt{10}}{10}$ | $-\frac{\sqrt{10}}{10}$ | | | | |
| $\mathbb{Q}_{5}^{(A_{1u})}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ |
| | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | $-\frac{1}{4}$ | | | | |