SAMB for "C3v"

Generated on 2023-06-02 20:10 by MultiPie 1.1.2

• Group: No. 19 $C_{3v} - 1$ 31m (31m setting) [trigonal]

• Generation condition

model type: tight_bindingtime-reversal type: electric

- irrep: [A1]
- spinless

• Kets: dimension = 12

Table 1: Hilbert space for full matrix.

| No. | ket |
|-----|-----------|-----|-----------|-----|-----------|-----|-----------|-----|-----------|
| 1 | $s@A_1$ | 2 | $s@A_2$ | 3 | $s@A_3$ | 4 | $p_x@B_1$ | 5 | $p_y@B_1$ |
| 6 | $p_z@B_1$ | 7 | $p_x@B_2$ | 8 | $p_y@B_2$ | 9 | $p_z@B_2$ | 10 | $p_x@B_3$ |
| 11 | $p_y@B_3$ | 12 | $p_z@B_3$ | | | | | | |

• Sites in (primitive) unit cell:

Table 2: Site-clusters.

| | site | position | mapping |
|-------|-------|--|---------|
| S_1 | A_1 | $\begin{pmatrix} -\frac{1}{6} & -\frac{1}{6} & 0 \end{pmatrix}$ | [1,6] |
| | A_2 | $\left(\begin{array}{ccc} \left(\frac{1}{6} & 0 & 0\right)^{2} \end{array}\right)$ | [2,5] |
| | A_3 | $\left(0 \frac{1}{6} 0\right)$ | [3,4] |

Table 2

| | site | position | mapping |
|-------|----------------|---|---------|
| S_2 | B_1 | $\left(-\frac{2}{3} 0 0\right)$ | [1,4] |
| | B_2 | $\left(0 -\frac{2}{3} 0\right)$ | [2,6] |
| | B_3 | $\left(\begin{array}{ccc} \frac{2}{3} & \frac{2}{3} & 0 \end{array}\right)$ | [3,5] |

• Bonds in (primitive) unit cell:

Table 3: Bond-clusters.

| | bond | tail | head | n | # | b@c | mapping |
|-------|-------|----------------|-------|---|---|--|---------|
| B_1 | b_1 | A_2 | A_1 | 1 | 1 | $ \left(\begin{array}{ccc} \frac{1}{3} & \frac{1}{6} & 0 \end{array}\right) @ \left(0 & -\frac{1}{12} & 0 \right) $ | [1,-5] |
| | b_2 | A_3 | A_2 | 1 | 1 | $\left(-\frac{1}{6} \frac{1}{6} 0 \right) @ \left(\frac{1}{12} \frac{1}{12} 0 \right)$ | [2,-4] |
| | b_3 | A_3 | A_1 | 1 | 1 | $\left(\begin{array}{cccccccccccccccccccccccccccccccccccc$ | [-3,6] |
| B_2 | b_4 | B ₁ | A_1 | 1 | 1 | $\left(-\frac{1}{2} \frac{1}{6} 0\right) @ \left(-\frac{5}{12} -\frac{1}{12} 0\right)$ | [1] |
| | b_5 | B_2 | A_2 | 1 | 1 | $\left \begin{array}{ccc} \left(-\frac{1}{6} & -\frac{2}{3} & 0\right) @ \left(\frac{1}{12} & -\frac{1}{3} & 0\right) \end{array} \right $ | [2] |
| | b_6 | B_3 | A_3 | 1 | 1 | $ \left(\begin{array}{cccc} \frac{2}{3} & \frac{1}{2} & 0 \end{array}\right) @ \left(\begin{array}{cccc} \frac{1}{3} & \frac{5}{12} & 0 \end{array}\right) $ | [3] |
| | b_7 | B_1 | A_3 | 1 | 1 | $\left(-\frac{2}{3} - \frac{1}{6} 0 \right) @ \left(-\frac{1}{3} \frac{1}{12} 0 \right)$ | [4] |
| | b_8 | B_3 | A_2 | 1 | 1 | $\left(\begin{array}{cccccccccccccccccccccccccccccccccccc$ | [5] |
| | b_9 | B_2 | A_1 | 1 | 1 | $\left(\begin{array}{cccc} \frac{1}{6} & -\frac{1}{2} & 0 \end{array}\right) @ \left(-\frac{1}{12} & -\frac{5}{12} & 0 \right)$ | [6] |

• SAMB:

$$\begin{split} & \boxed{ \text{No. 1} } & \hat{\mathbb{Q}}_0^{(A_1)} \; [M_1, S_1] \\ & \hat{\mathbb{Z}}_1 = \mathbb{X}_1[\mathbb{Q}_0^{(a, A_1)}] \otimes \mathbb{U}_1[\mathbb{Q}_0^{(s, A_1)}] \end{split}$$

No. 3
$$\hat{\mathbb{Q}}_{2}^{(A_1)}$$
 [M₂, S₂]

$$\hat{\mathbb{Z}}_3 = \mathbb{X}_3[\mathbb{Q}_2^{(a,A_1)}] \otimes \mathbb{U}_2[\mathbb{Q}_0^{(s,A_1)}]$$

No. 4
$$\hat{\mathbb{Q}}_1^{(A_1)}$$
 [M₂, S₂]

$$\hat{\mathbb{Z}}_4 = \frac{\sqrt{2}\mathbb{X}_4[\mathbb{Q}_{2,0}^{(a,E,1)}] \otimes \mathbb{U}_3[\mathbb{Q}_{1,0}^{(s,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_5[\mathbb{Q}_{2,1}^{(a,E,1)}] \otimes \mathbb{U}_4[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 5
$$\hat{\mathbb{Q}}_3^{(A_1,2)}$$
 [M₂, S₂]

$$\hat{\mathbb{Z}}_5 = \frac{\sqrt{2}\mathbb{X}_6[\mathbb{Q}_{2,0}^{(a,E,2)}] \otimes \mathbb{U}_3[\mathbb{Q}_{1,0}^{(s,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_7[\mathbb{Q}_{2,1}^{(a,E,2)}] \otimes \mathbb{U}_4[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 6
$$\hat{\mathbb{Q}}_0^{(A_1)}$$
 [M₁, B₁]

$$\hat{\mathbb{Z}}_6 = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_1)}] \otimes \mathbb{U}_5[\mathbb{Q}_0^{(u,A_1)}]$$

No. 7
$$\hat{\mathbb{Q}}_{1}^{(A_{1})}$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_7 = \mathbb{X}_8[\mathbb{Q}_1^{(a,A_1)}] \otimes \mathbb{U}_6[\mathbb{Q}_0^{(u,A_1)}]$$

No. 8
$$\hat{\mathbb{Q}}_0^{(A_1)}$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_8 = \frac{\sqrt{2}\mathbb{X}_{10}[\mathbb{Q}_{1,1}^{(a,E)}] \otimes \mathbb{U}_8[\mathbb{Q}_{1,1}^{(u,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_9[\mathbb{Q}_{1,0}^{(a,E)}] \otimes \mathbb{U}_7[\mathbb{Q}_{1,0}^{(u,E)}]}{2}$$

No. 9
$$\hat{\mathbb{Q}}_3^{(A_1,2)}$$
 [M₃, B₂]

$$\hat{\mathbb{Z}}_9 = \frac{\sqrt{2}\mathbb{X}_{10}[\mathbb{Q}_{1,1}^{(a,E)}] \otimes \mathbb{U}_{10}[\mathbb{Q}_{2,1}^{(u,E,2)}]}{2} + \frac{\sqrt{2}\mathbb{X}_9[\mathbb{Q}_{1,0}^{(a,E)}] \otimes \mathbb{U}_9[\mathbb{Q}_{2,0}^{(u,E,2)}]}{2}$$

Table 4: Atomic SAMB group.

| group | bra | ket | |
|-------|-----------------|-----------------|--|
| M_1 | s | s | |
| M_2 | p_x, p_y, p_z | p_x, p_y, p_z | |
| M_3 | p_x, p_y, p_z | s | |

Table 5: Atomic SAMB.

| symbol | type | group | form |
|----------------|------------------------------|----------|--|
| \mathbb{X}_1 | $\mathbb{Q}_0^{(a,A_1)}$ | M_1 | (1) |
| \mathbb{X}_2 | $\mathbb{Q}_0^{(a,A_1)}$ | M_2 | $ \begin{pmatrix} \frac{\sqrt{3}}{3} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} \end{pmatrix} $ |
| \mathbb{X}_3 | $\mathbb{Q}_2^{(a,A_1)}$ | $ m M_2$ | $ \begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{3} \end{bmatrix} $ |
| \mathbb{X}_4 | $\mathbb{Q}_{2,0}^{(a,E,1)}$ | $ m M_2$ | $\begin{pmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \end{pmatrix}$ |
| \mathbb{X}_5 | $\mathbb{Q}_{2,1}^{(a,E,1)}$ | $ m M_2$ | $\begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & \frac{\sqrt{2}}{2} & 0 \end{pmatrix}$ |
| \mathbb{X}_6 | $\mathbb{Q}_{2,0}^{(a,E,2)}$ | $ m M_2$ | $ \begin{pmatrix} \sqrt{2} & 2 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{2} & 0 \\ 0 & 0 & 0 \end{pmatrix} $ |
| \mathbb{X}_7 | $\mathbb{Q}_{2,1}^{(a,E,2)}$ | $ m M_2$ | $ \begin{pmatrix} 0 & -\frac{\sqrt{2}}{2} & 0 \\ -\frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} $ |

Table 5

| symbol | type | group | form |
|-------------------|----------------------------|----------|---|
| \mathbb{X}_8 | $\mathbb{Q}_1^{(a,A_1)}$ | M_3 | $\begin{pmatrix} 0 \\ 0 \\ 1 \end{pmatrix}$ |
| \mathbb{X}_9 | $\mathbb{Q}_{1,0}^{(a,E)}$ | $ m M_3$ | $\begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}$ |
| \mathbb{X}_{10} | $\mathbb{Q}_{1,1}^{(a,E)}$ | M_3 | $\begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix}$ |

Table 6: Uniform SAMB.

| symbol | type | cluster | form |
|----------------|--------------------------|----------------|--|
| \mathbb{U}_1 | $\mathbb{Q}_0^{(s,A_1)}$ | S_1 | $\begin{pmatrix} \frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 &$ |
| \mathbb{U}_2 | $\mathbb{Q}_0^{(s,A_1)}$ | S_2 | $\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 &$ |

Table 6

| symbol | type | cluster | form |
|----------------|----------------------------|----------------|---|
| U ₃ | $\mathbb{Q}_{1,0}^{(s,E)}$ | $ m S_2$ | $\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 &$ |
| \mathbb{U}_4 | $\mathbb{Q}_{1,1}^{(s,E)}$ | S_2 | $\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 &$ |
| \mathbb{U}_5 | $\mathbb{Q}_0^{(u,A_1)}$ | B ₁ | $\begin{pmatrix} 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{6} & 0 & 0 & 0\\ \frac{\sqrt{6}}{6} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0\\ \frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & 0 & 0 & 0 & 0 & 0\\ 0 & 0 &$ |
| \mathbb{U}_6 | $\mathbb{Q}_0^{(u,A_1)}$ | B_2 | $\begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0\\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6}\\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}}{6}\\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0\\ \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0\\ 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \end{pmatrix}$ |
| \mathbb{U}_7 | $\mathbb{Q}_{1,0}^{(u,E)}$ | B_2 | $ \begin{pmatrix} 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{pmatrix} $ $ \begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{4} & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0$ |

Table 6

| symbol | type | cluster | form |
|-------------------|------------------------------|----------------|---|
| \mathbb{U}_8 | $\mathbb{Q}_{1,1}^{(u,E)}$ | B ₂ | $ \begin{pmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{12} & 0\\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{6}\\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}}{12}\\ -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0\\ \frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{pmatrix} $ |
| \mathbb{U}_9 | $\mathbb{Q}_{2,0}^{(u,E,2)}$ | $ m B_2$ | $\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{12} & 0\\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} \\ \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0\\ \frac{\sqrt{6}}{12} & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & -\frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$ |
| \mathbb{U}_{10} | $\mathbb{Q}_{2,1}^{(u,E,2)}$ | B_2 | $\begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{4} & \frac{\sqrt{2}}{4} & 0\\ 0 & 0 & 0 & 0 & 0 & 0\\ 0 & 0 & 0 &$ |

Table 7: Polar harmonics.

| No. | symbol | rank | irrep. | mul. | comp. | form |
|-----|----------------------------|------|--------|------|-------|--|
| 1 | $\mathbb{Q}_0^{(A_1)}$ | 0 | A_1 | _ | _ | 1 |
| 2 | $\mathbb{Q}_1^{(A_1)}$ | 1 | A_1 | _ | _ | z |
| 3 | $\mathbb{Q}_{1,0}^{(E)}$ | 1 | E | _ | 0 | x |
| 4 | $\mathbb{Q}_{1,1}^{(E)}$ | 1 | E | _ | 1 | y |
| 5 | $\mathbb{Q}_2^{(A_1)}$ | 2 | A_1 | _ | _ | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$ |
| 6 | $\mathbb{Q}_{2,0}^{(E,1)}$ | 2 | E | 1 | 0 | $\sqrt{3}xz$ |

Table 7

| No. | symbol | rank | irrep. | mul. | comp. | form |
|-----|----------------------------|------|--------|------|-------|---|
| 7 | $\mathbb{Q}_{2,1}^{(E,1)}$ | 2 | E | 1 | 1 | $\sqrt{3}yz$ |
| 8 | $\mathbb{Q}_{2,0}^{(E,2)}$ | 2 | E | 2 | 0 | $\frac{\sqrt{3}yz}{\frac{\sqrt{3}(x-y)(x+y)}{2}}$ |
| 9 | $\mathbb{Q}_{2,1}^{(E,2)}$ | 2 | E | 2 | 1 | $-\sqrt{3}xy$ |
| 10 | $\mathbb{Q}_3^{(A_2)}$ | 3 | A_2 | _ | _ | $\frac{\sqrt{10}y\left(3x^2-y^2\right)}{4}$ |

• Group info.: Generator = 3^+_{001} , m_{1-10}

Table 8: Conjugacy class.

| rep. SO | symmetry operations |
|-------------------------------|---|
| 1 | 1 |
| 3 ⁺ ₀₀₁ | 3 ⁺ ₀₀₁ , 3 ⁻ ₀₀₁ |
| m_{120} | $m_{120}, m_{210}, m_{1-10}$ |

Table 9: Symmetry operations.

| No. | SO | No. | SO | No. | SO | No. | SO | No. | SO |
|-----|------------|-----|-------------------------------|-----|-------|-----|-----------|-----|-----------|
| 1 | 1 | 2 | 3 ⁺ ₀₀₁ | 3 | 3-001 | 4 | m_{120} | 5 | m_{210} |
| 6 | m_{1-10} | | | | | | | | |

Table 10: Character table.

| | 1 | 3 ⁺ ₀₀₁ | m ₁₂₀ |
|------------------|---|-------------------------------|------------------|
| $\overline{A_1}$ | 1 | 1 | 1 |
| A_2 | 1 | 1 | -1 |
| E | 2 | -1 | 0 |

Table 11: Parity conversion.

| \leftrightarrow | \leftrightarrow | \leftrightarrow |
|-------------------|-------------------|-------------------|
| $A_1 (A_2)$ | $A_2(A_1)$ | E(E) |

Table 12: Symmetric product, $[\Gamma \otimes \Gamma']_+$.

| | A_1 | A_2 | E |
|------------------|-------|-------|-----------|
| $\overline{A_1}$ | A_1 | A_2 | E |
| A_2 | | A_1 | E |
| E | | | $A_1 + E$ |

Table 13: Anti-symmetric product, $[\Gamma \otimes \Gamma]_-$.

| A_1 | A_2 | E |
|-------|-------|-------|
| _ | _ | A_2 |

Table 14: Virtual-cluster sites.

| No. | position | No. | position | No. | position | No. | position |
|-----|---|-----|--|-----|---|-----|---|
| 1 | $\begin{pmatrix} 1 & -1 & 0 \end{pmatrix}$ | 2 | $\begin{pmatrix} 1 & 2 & 0 \end{pmatrix}$ | 3 | $\begin{pmatrix} -2 & -1 & 0 \end{pmatrix}$ | 4 | $\begin{pmatrix} 2 & 1 & 0 \end{pmatrix}$ |
| 5 | $\begin{pmatrix} -1 & -2 & 0 \end{pmatrix}$ | 6 | $\begin{pmatrix} -1 & 1 & 0 \end{pmatrix}$ | | | | |

Table 15: Virtual-cluster basis.

| symbol | 1 | 2 | 3 | 4 | 5 | 6 |
|----------------------------|-----------------------|-----------------------|-----------------------|----------------------|-----------------------|----------------------|
| $\mathbb{Q}_0^{(A_1)}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ |
| $\mathbb{Q}_{1,0}^{(E)}$ | $\frac{1}{2}$ | 0 | $-\frac{1}{2}$ | $\frac{1}{2}$ | 0 | $-\frac{1}{2}$ |
| $\mathbb{Q}_{1,1}^{(E)}$ | $-\frac{\sqrt{3}}{6}$ | $\frac{\sqrt{3}}{3}$ | $-\frac{\sqrt{3}}{6}$ | $\frac{\sqrt{3}}{6}$ | $-\frac{\sqrt{3}}{3}$ | $\frac{\sqrt{3}}{6}$ |
| $\mathbb{Q}_{2,0}^{(E,2)}$ | $\frac{\sqrt{3}}{6}$ | $-\frac{\sqrt{3}}{3}$ | $\frac{\sqrt{3}}{6}$ | $\frac{\sqrt{3}}{6}$ | $-\frac{\sqrt{3}}{3}$ | $\frac{\sqrt{3}}{6}$ |
| $\mathbb{Q}_{2,1}^{(E,2)}$ | $\frac{1}{2}$ | 0 | $-\frac{1}{2}$ | $-\frac{1}{2}$ | 0 | $\frac{1}{2}$ |
| $\mathbb{Q}_3^{(A_2)}$ | $-\frac{\sqrt{6}}{6}$ | $-\frac{\sqrt{6}}{6}$ | $-\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ | $\frac{\sqrt{6}}{6}$ |
| | | | | | | |