

MPG No. 33.3.133 $\bar{4}'2'm$ (-4'm2' setting) [Type III, tetragonal] [M tensor]

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s). * Rank 2 tensor (a).

$$\begin{bmatrix} 0 & M_{xy} & 0 \\ -M_{xy} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$M_{xy} = T_{pz}^{(1)}$$

* Rank 3 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ M_{yzz} & 0 & 0 \\ 0 & M_{yzz} & 0 \\ 0 & 0 & M_{xyz} \end{bmatrix}$$

$$M_{yzz} = M_{f3}^{(1)} - T_{dv}^{(1)}$$

$$M_{xyz} = M_{f3}^{(1)} + 2T_{dv}^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} M_{yzz} & 0 & 0 \\ 0 & -M_{yzz} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$M_{yzz} = T_{dv}^{(2)}$$

* Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & M_{xxxx} \\ 0 & 0 & 0 & 0 & 0 & -M_{xxxx} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ M_{xxxx} & -M_{xxxx} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$M_{xxxx} = M_{gaz}^{(1)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & M_{xxxx} \\ 0 & 0 & 0 & 0 & 0 & -M_{xxxx} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & M_{yzz} & 0 \\ 0 & 0 & 0 & -M_{yzz} & 0 & 0 \\ -M_{xxxx} & M_{xxxx} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$M_{xxxx} = -2T_{faz}^{(1)} + 2T_{pz}^{(1)}$$

$$M_{yzz} = -4T_{faz}^{(1)} - T_{pz}^{(1)}$$

* Rank 4 tensor (aas). * Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & M_{yzz} & 0 \\ -M_{yzz} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$M_{yzzx} = -T_{pz}^{(2)}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} 0 & 0 & M_{xxxz} \\ 0 & 0 & M_{xxxy} \\ 0 & 0 & M_{zzxy} \\ 0 & M_{yzzx} & 0 \\ M_{yzzx} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$M_{xxxz} = -T_{faz}^{(2)} + T_{pz}^{(3)}$$

$$M_{xxxy} = 2T_{faz}^{(2)} + T_{pz}^{(3)} + 2T_{pz}^{(4)}$$

$$M_{zzxy} = -T_{faz}^{(2)} + T_{pz}^{(4)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{yzzx} & 0 & 0 \\ M_{xyxx} & M_{xyxx} & M_{xyzz} & 0 & 0 & 0 \end{bmatrix}$$

$$M_{yzzx} = -T_{faz}^{(3)} + T_{pz}^{(6)}$$

$$M_{xyxx} = -T_{faz}^{(3)} + T_{pz}^{(5)}$$

$$M_{xyzz} = 2T_{faz}^{(3)} + T_{pz}^{(5)} + 2T_{pz}^{(6)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & M_{xxxz} & 0 & 0 & M_{xxyx} \\ 0 & 0 & 0 & 0 & 0 & -M_{xxxy} & 0 & 0 & -M_{xxxy} \\ 0 & 0 & 0 & 0 & 0 & M_{zzxy} & 0 & 0 & -M_{zzxy} \\ 0 & 0 & 0 & 0 & M_{yzzx} & 0 & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & -M_{yzzx} & 0 & 0 & -M_{yzzx} & 0 & 0 \\ M_{xyxx} & -M_{xyxx} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$M_{xxxz} = M_{gaz}^{(1)} - 2T_{faz}^{(1)} - T_{faz}^{(2)} + 2T_{pz}^{(1)} + T_{pz}^{(3)}$$

$$M_{xxyx} = M_{gaz}^{(1)} - 2T_{faz}^{(1)} + T_{faz}^{(2)} + 2T_{pz}^{(1)} - T_{pz}^{(3)}$$

$$M_{zzxy} = 2T_{faz}^{(2)} + T_{pz}^{(3)} + 2T_{pz}^{(4)}$$

$$M_{yzzx} = -4T_{faz}^{(1)} - T_{faz}^{(2)} - T_{pz}^{(1)} + T_{pz}^{(4)}$$

$$M_{yzzz} = -4T_{faz}^{(1)} + T_{faz}^{(2)} - T_{pz}^{(1)} - T_{pz}^{(4)}$$

$$M_{xyxx} = M_{gaz}^{(1)} + 2T_{faz}^{(1)} - 2T_{pz}^{(1)}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & M_{yzzx} & 0 & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{yzzx} & 0 & 0 & M_{yzzx} & 0 & 0 \\ M_{xyxx} & M_{xyxx} & M_{xyzz} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$M_{yzzx} = -T_{faz}^{(3)} - T_{pz}^{(2)} + T_{pz}^{(6)}$$

$$M_{yzzz} = -T_{faz}^{(3)} + T_{pz}^{(2)} + T_{pz}^{(6)}$$

$$M_{xyxx} = -T_{faz}^{(3)} + T_{pz}^{(5)}$$

$$M_{xyzz} = 2T_{faz}^{(3)} + T_{pz}^{(5)} + 2T_{pz}^{(6)}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} 0 & M_{xxy} & 0 \\ -M_{xxxy} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ M_{xxxy} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & -M_{xxxy} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$M_{xxxy} = M_{gaz}^{(1)}$$