## SAMB for "C3v"

Generated on 2024-08-08 23:12 by MultiPie  $1.2.18\,$ 

• Group: No. 19  $C_{3v} - 1$  31m (31m setting) [trigonal]

• Generation condition

model type: tight\_bindingtime-reversal type: electric

- irrep: [A1]
- spinless

• Kets: dimension = 12

Table 1: Hilbert space for full matrix.

No.	ket								
1	$s@A_1$	2	$s@A_2$	3	$s@A_3$	4	$p_x@B_1$	5	$p_y@B_1$
6	$p_z@B_1$	7	$p_x@B_2$	8	$p_y@B_2$	9	$p_z@B_2$	10	$p_x@B_3$
11	$p_y@B_3$	12	$p_z@B_3$						

• Sites in (primitive) unit cell:

Table 2: Site-clusters.

	site	position	mapping
S <sub>1</sub> [3b:m]	$A_1$	$\begin{pmatrix} -\frac{1}{6} & -\frac{1}{6} & 0 \end{pmatrix}$	[1,6]
	$A_2$	$\begin{pmatrix} \frac{1}{6} & 0 & 0 \end{pmatrix}$	[2,5]
	$A_3$	$\begin{pmatrix} 0 & \frac{1}{6} & 0 \end{pmatrix}$	[3,4]

Table 2

	site	position	mapping
$S_2$ [3b:m]	$B_1$	$\left(-\frac{2}{3}  0  0\right)$	[1,4]
	$B_2$	$\left(0  -\frac{2}{3}  0\right)$	[2,6]
	$B_3$	$\left(\begin{array}{ccc} \frac{2}{3} & \frac{2}{3} & 0 \end{array}\right)$	[3,5]

• Bonds in (primitive) unit cell:

Table 3: Bond-clusters.

	bond	tail	head	n	#	b@c	mapping
B <sub>1</sub> [3b:m]	$b_1$	$A_1$	$A_2$	1	1	$ \left(\begin{array}{ccc} \frac{1}{3} & \frac{1}{6} & 0 \end{array}\right) @ \left(0 & -\frac{1}{12} & 0 \right) $	[1,-5]
	$b_2$	$A_2$	$A_3$	1	1	$ \left( \begin{array}{ccc} -\frac{1}{6} & \frac{1}{6} & 0 \end{array} \right) @ \left( \begin{array}{ccc} \frac{1}{12} & \frac{1}{12} & 0 \end{array} \right) $	[2,-4]
	$b_3$	$A_1$	$A_3$	1	1	$\left(\begin{array}{cccc} \left(\frac{1}{6} & \frac{1}{3} & 0\right)^2 & \left(-\frac{1}{12} & 0 & 0\right)^2 \end{array}\right)$	[-3,6]
B <sub>2</sub> [6c: 1]	$b_4$	$A_1$	$\mathrm{B}_1$	1	1	$\left[ \begin{array}{ccc} \left(-\frac{1}{2} & \frac{1}{6} & 0\right) @ \left(-\frac{5}{12} & -\frac{1}{12} & 0\right) \end{array} \right]$	[1]
	$b_5$	$A_2$	$B_2$	1	1	$\left( -\frac{1}{6}  -\frac{2}{3}  0 \right) @ \left( \frac{1}{12}  -\frac{1}{3}  0 \right)$	[2]
	$b_6$	$A_3$	$B_3$	1	1	$\left(\begin{array}{cccc} \frac{2}{3} & \frac{1}{2} & 0 \end{array}\right) @ \left(\begin{array}{cccc} \frac{1}{3} & \frac{5}{12} & 0 \end{array}\right)$	[3]
	$b_7$	$A_3$	$\mathrm{B}_1$	1	1	$\left( \begin{array}{ccc} -\frac{2}{3} & -\frac{1}{6} & 0 \end{array} \right) @ \left( -\frac{1}{3} & \frac{1}{12} & 0 \right)$	[4]
	$b_8$	$A_2$	$B_3$	1	1	$\left(\begin{array}{cccccccccccccccccccccccccccccccccccc$	[5]
	$b_9$	$A_1$	$B_2$	1	1	$\left(\begin{array}{cccc} \frac{1}{6} & -\frac{1}{2} & 0 \end{array}\right) @ \left(-\frac{1}{12} & -\frac{5}{12} & 0 \right)$	[6]

• SAMB:

No. 3 
$$\hat{\mathbb{Q}}_{2}^{(A_1)}$$
 [M<sub>2</sub>, S<sub>2</sub>]

$$\hat{\mathbb{Z}}_3 = \mathbb{X}_{003}[\mathbb{Q}_2^{(a,A_1)}] \otimes \mathbb{U}_{002}[\mathbb{Q}_0^{(s,A_1)}]$$

No. 4 
$$\hat{\mathbb{Q}}_{1}^{(A_{1})}$$
 [M<sub>2</sub>, S<sub>2</sub>]

$$\hat{\mathbb{Z}}_4 = \frac{\sqrt{2}\mathbb{X}_{004}[\mathbb{Q}_{2,0}^{(a,E,1)}] \otimes \mathbb{U}_{003}[\mathbb{Q}_{1,0}^{(s,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{005}[\mathbb{Q}_{2,1}^{(a,E,1)}] \otimes \mathbb{U}_{004}[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 5 
$$\hat{\mathbb{Q}}_{3}^{(A_1,2)}$$
 [M<sub>2</sub>, S<sub>2</sub>]

$$\hat{\mathbb{Z}}_5 = \frac{\sqrt{2}\mathbb{X}_{006}[\mathbb{Q}_{2,0}^{(a,E,2)}] \otimes \mathbb{U}_{003}[\mathbb{Q}_{1,0}^{(s,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{007}[\mathbb{Q}_{2,1}^{(a,E,2)}] \otimes \mathbb{U}_{004}[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 6 
$$\hat{\mathbb{Q}}_0^{(A_1)}$$
 [M<sub>1</sub>, B<sub>1</sub>]

$$\hat{\mathbb{Z}}_6 = \mathbb{X}_{001}[\mathbb{Q}_0^{(a,A_1)}] \otimes \mathbb{U}_{005}[\mathbb{Q}_0^{(u,A_1)}]$$

No. 7 
$$\hat{\mathbb{Q}}_{1}^{(A_{1})}$$
 [M<sub>3</sub>, B<sub>2</sub>]

$$\hat{\mathbb{Z}}_7 = \mathbb{X}_{008}[\mathbb{Q}_1^{(a,A_1)}] \otimes \mathbb{U}_{006}[\mathbb{Q}_0^{(u,A_1)}]$$

No. 8 
$$\hat{\mathbb{Q}}_0^{(A_1)}$$
 [M<sub>3</sub>, B<sub>2</sub>]

$$\hat{\mathbb{Z}}_8 = \frac{\sqrt{2}\mathbb{X}_{009}[\mathbb{Q}_{1,0}^{(a,E)}] \otimes \mathbb{U}_{007}[\mathbb{Q}_{1,0}^{(u,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{010}[\mathbb{Q}_{1,1}^{(a,E)}] \otimes \mathbb{U}_{008}[\mathbb{Q}_{1,1}^{(u,E)}]}{2}$$

No. 9 
$$\hat{\mathbb{Q}}_{3}^{(A_1,2)}$$
 [M<sub>3</sub>, B<sub>2</sub>]

$$\hat{\mathbb{Z}}_9 = \frac{\sqrt{2}\mathbb{X}_{009}[\mathbb{Q}_{1,0}^{(a,E)}] \otimes \mathbb{U}_{009}[\mathbb{Q}_{2,0}^{(u,E,2)}]}{2} + \frac{\sqrt{2}\mathbb{X}_{010}[\mathbb{Q}_{1,1}^{(a,E)}] \otimes \mathbb{U}_{010}[\mathbb{Q}_{2,1}^{(u,E,2)}]}{2}$$

Table 4: Atomic SAMB group.

group	bra	ket
$M_1$	s	s
$M_2$	$p_x, p_y, p_z$	$p_x, p_y, p_z$
$M_3$	$p_x, p_y, p_z$	s

Table 5: Atomic SAMB.

symbol	type	group	form
$\mathbb{X}_1$	$\mathbb{Q}_0^{(a,A_1)}$	$M_1$	(1)
$\mathbb{X}_2$	$\mathbb{Q}_0^{(a,A_1)}$	$M_2$	$ \begin{pmatrix} \frac{\sqrt{3}}{3} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} \end{pmatrix} $
$\mathbb{X}_3$	$\mathbb{Q}_2^{(a,A_1)}$	$ m M_2$	$ \begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{3} \end{bmatrix} $
$\mathbb{X}_4$	$\mathbb{Q}_{2,0}^{(a,E,1)}$	$ m M_2$	$\begin{pmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \end{pmatrix}$
$\mathbb{X}_5$	$\mathbb{Q}_{2,1}^{(a,E,1)}$	$ m M_2$	$\begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & \frac{\sqrt{2}}{2} & 0 \end{pmatrix}$
$\mathbb{X}_6$	$\mathbb{Q}_{2,0}^{(a,E,2)}$	$ m M_2$	$ \begin{pmatrix} \sqrt{2} & 2 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{2} & 0 \\ 0 & 0 & 0 \end{pmatrix} $
$\mathbb{X}_7$	$\mathbb{Q}_{2,1}^{(a,E,2)}$	$ m M_2$	$ \begin{pmatrix} 0 & -\frac{\sqrt{2}}{2} & 0 \\ -\frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} $

Table 5

symbol	type	group	form
$\mathbb{X}_8$	$\mathbb{Q}_1^{(a,A_1)}$	$M_3$	$\begin{pmatrix} 0 \\ 0 \\ 1 \end{pmatrix}$
$\mathbb{X}_9$	$\mathbb{Q}_{1,0}^{(a,E)}$	$ m M_3$	$\begin{pmatrix} 1 \\ 0 \\ 0 \end{pmatrix}$
$\mathbb{X}_{10}$	$\mathbb{Q}_{1,1}^{(a,E)}$	$M_3$	$\begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix}$

Table 6: Uniform SAMB.

symbol	type	cluster	form
$\mathbb{U}_1$	$\mathbb{Q}_0^{(s,A_1)}$	$\mathrm{S}_1$	$\begin{pmatrix} \frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 &$
$\mathbb{U}_2$	$\mathbb{Q}_0^{(s,A_1)}$	$\mathrm{S}_2$	$\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 &$

Table 6

symbol	type	cluster	form
U <sub>3</sub>	$\mathbb{Q}_{1,0}^{(s,E)}$	$ m S_2$	$\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 &$
$\mathbb{U}_4$	$\mathbb{Q}_{1,1}^{(s,E)}$	$\mathrm{S}_2$	$\begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 &$
$\mathbb{U}_5$	$\mathbb{Q}_0^{(u,A_1)}$	B <sub>1</sub>	$\begin{pmatrix} 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{6} & 0 & 0 & 0\\ \frac{\sqrt{6}}{6} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0\\ \frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & 0 & 0 & 0 & 0 & 0\\ 0 & 0 &$
$\mathbb{U}_6$	$\mathbb{Q}_0^{(u,A_1)}$	$\mathrm{B}_2$	$\begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0\\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6}\\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}}{6}\\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0\\ \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0\\ 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \end{pmatrix}$
$\mathbb{U}_7$	$\mathbb{Q}_{1,0}^{(u,E)}$	$\mathrm{B}_2$	$ \begin{pmatrix} 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{pmatrix} $ $ \begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{4} & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0$

Table 6

symbol	type	cluster	form
$\mathbb{U}_8$	$\mathbb{Q}_{1,1}^{(u,E)}$	B <sub>2</sub>	$ \begin{pmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{12} & 0\\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{6}\\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}}{12}\\ -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0\\ \frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{pmatrix} $
$\mathbb{U}_9$	$\mathbb{Q}_{2,0}^{(u,E,2)}$	$ m B_2$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{12} & \frac{\sqrt{6}}{12} & 0\\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} \\ \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0\\ \frac{\sqrt{6}}{12} & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0\\ 0 & -\frac{\sqrt{6}}{6} & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$
$\mathbb{U}_{10}$	$\mathbb{Q}_{2,1}^{(u,E,2)}$	$\mathrm{B}_2$	$\begin{pmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{4} & \frac{\sqrt{2}}{4} & 0\\ 0 & 0 & 0 & 0 & 0 & 0\\ 0 & 0 & 0 &$

Table 7: Polar harmonics.

No.	symbol	rank	irrep.	mul.	comp.	form
1	$\mathbb{Q}_0^{(A_1)}$	0	$A_1$	_	_	1
2	$\mathbb{Q}_1^{(A_1)}$	1	$A_1$	_	_	z
3	$\mathbb{Q}_{1,0}^{(E)}$	1	E	_	0	x
4	$\mathbb{Q}_{1,1}^{(E)}$	1	E	_	1	y
5	$\mathbb{Q}_2^{(A_1)}$	2	$A_1$	_	_	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
6	$\mathbb{Q}_{2,0}^{(E,1)}$	2	E	1	0	$\sqrt{3}xz$

Table 7

No.	symbol	rank	irrep.	mul.	comp.	form
7	$\mathbb{Q}_{2,1}^{(E,1)}$	2	E	1	1	$\sqrt{3}yz$
8	$\mathbb{Q}_{2,0}^{(E,2)}$	2	E	2	0	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
9	$\mathbb{Q}_{2,1}^{(E,2)}$	2	E	2	1	$-\sqrt{3}xy$

• Group info.: Generator =  $3^+_{001}$ ,  $m_{1-10}$ 

Table 8: Conjugacy class.

rep. SO	symmetry operations
1	1
3 <sup>+</sup> <sub>001</sub>	$3^{+}_{001}, \ 3^{-}_{001}$
m <sub>120</sub>	$m_{120}, m_{210}, m_{1-10}$

Table 9: Symmetry operations.

No.	SO	No.	SO	No.	SO	No.	SO	No.	SO
1	1	2	3 <sup>+</sup> <sub>001</sub>	3	3-001	4	$m_{120}$	5	m <sub>210</sub>
6	$m_{1-10}$								

Table 10: Character table.

	1	3 <sup>+</sup> <sub>001</sub>	m <sub>120</sub>
$\overline{A_1}$	1	1	1
$A_2$	1	1	-1
E	2	-1	0

Table 11: Parity conversion.

$\leftrightarrow$	$\leftrightarrow$	$\leftrightarrow$
$A_1 (A_2)$	$A_2(A_1)$	E(E)

Table 12: Symmetric product,  $[\Gamma \otimes \Gamma']_+$ .

	$A_1$	$A_2$	E
$\overline{A_1}$	$A_1$	$A_2$	E
$A_2$		$A_1$	E
E			$A_1 + E$

Table 13: Anti-symmetric product,  $[\Gamma \otimes \Gamma]_-$ .

$A_1$	$A_2$	E
_	_	$A_2$

Table 14: Virtual-cluster sites.

No.	position	No.	position	No.	position	No.	position
1	$\begin{pmatrix} 1 & -1 & 0 \end{pmatrix}$	2	$\begin{pmatrix} 1 & 2 & 0 \end{pmatrix}$	3	$\begin{pmatrix} -2 & -1 & 0 \end{pmatrix}$	4	$\begin{pmatrix} 2 & 1 & 0 \end{pmatrix}$
5	$\begin{pmatrix} -1 & -2 & 0 \end{pmatrix}$	6	$\begin{pmatrix} -1 & 1 & 0 \end{pmatrix}$				

Table 15: Virtual-cluster basis.

symbol	1	2	3	4	5	6
$\mathbb{Q}_0^{(A_1)}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$
$\mathbb{Q}_{1,0}^{(E)}$	$\frac{1}{2}$	0	$-\frac{1}{2}$	$\frac{1}{2}$	0	$-\frac{1}{2}$
$\mathbb{Q}_{1,1}^{(E)}$	$-\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{3}$	$-\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{6}$	$-\frac{\sqrt{3}}{3}$	$\frac{\sqrt{3}}{6}$
$\mathbb{Q}_{2,0}^{(E,2)}$	$\frac{\sqrt{3}}{6}$	$-\frac{\sqrt{3}}{3}$	$\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{6}$	$-\frac{\sqrt{3}}{3}$	$\frac{\sqrt{3}}{6}$
$\mathbb{Q}_{2,1}^{(E,2)}$	$\frac{1}{2}$	0	$-\frac{1}{2}$	$-\frac{1}{2}$	0	$\frac{1}{2}$
$\mathbb{Q}_3^{(A_2)}$	$-\frac{\sqrt{6}}{6}$	$-\frac{\sqrt{6}}{6}$	$-\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$