

MSG No. 47.252 $Pm'm'm$ [Type III, orthorhombic]

Table 1: Wyckoff site: 1a, site symmetry: $m'm'm$

No.	position	mapping
1	$[0, 0, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 2: Wyckoff site: 1b, site symmetry: $m'm'm$

No.	position	mapping
1	$[\frac{1}{2}, 0, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 3: Wyckoff site: 1c, site symmetry: $m'm'm$

No.	position	mapping
1	$[0, 0, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 4: Wyckoff site: 1d, site symmetry: $m'm'm$

No.	position	mapping
1	$[\frac{1}{2}, 0, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 5: Wyckoff site: 1e, site symmetry: $m'm'm$

No.	position	mapping
1	$[0, \frac{1}{2}, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 6: Wyckoff site: 1f, site symmetry: $m'm'm$

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, 0]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 7: Wyckoff site: $1g$, site symmetry: $m'm'm$

No.	position	mapping
1	$[0, \frac{1}{2}, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 8: Wyckoff site: $1h$, site symmetry: $m'm'm$

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, \frac{1}{2}]$	$[1, 2, 3, 4, 5, 6, 7, 8]$

Table 9: Wyckoff site: $2i$, site symmetry: $2'm'm$

No.	position	mapping
1	$[x, 0, 0]$	$[1, 4, 5, 8]$
2	$[-x, 0, 0]$	$[2, 3, 6, 7]$

Table 10: Wyckoff site: $2j$, site symmetry: $2'm'm$

No.	position	mapping
1	$[x, 0, \frac{1}{2}]$	$[1, 4, 5, 8]$
2	$[-x, 0, \frac{1}{2}]$	$[2, 3, 6, 7]$

Table 11: Wyckoff site: $2k$, site symmetry: $2'm'm$

No.	position	mapping
1	$[x, \frac{1}{2}, 0]$	$[1, 4, 5, 8]$
2	$[-x, \frac{1}{2}, 0]$	$[2, 3, 6, 7]$

Table 12: Wyckoff site: $2l$, site symmetry: $2'm'm$

No.	position	mapping
1	$[x, \frac{1}{2}, \frac{1}{2}]$	$[1, 4, 5, 8]$
2	$[-x, \frac{1}{2}, \frac{1}{2}]$	$[2, 3, 6, 7]$

Table 13: Wyckoff site: $2\mathbf{m}$, site symmetry: $\mathbf{m}'2'\mathbf{m}$

No.	position	mapping
1	$[0, y, 0]$	$[1, 4, 6, 7]$
2	$[0, -y, 0]$	$[2, 3, 5, 8]$

Table 14: Wyckoff site: $2\mathbf{n}$, site symmetry: $\mathbf{m}'2'\mathbf{m}$

No.	position	mapping
1	$[0, y, \frac{1}{2}]$	$[1, 4, 6, 7]$
2	$[0, -y, \frac{1}{2}]$	$[2, 3, 5, 8]$

Table 15: Wyckoff site: $2\mathbf{o}$, site symmetry: $\mathbf{m}'2'\mathbf{m}$

No.	position	mapping
1	$[\frac{1}{2}, y, 0]$	$[1, 4, 6, 7]$
2	$[\frac{1}{2}, -y, 0]$	$[2, 3, 5, 8]$

Table 16: Wyckoff site: $2\mathbf{p}$, site symmetry: $\mathbf{m}'2'\mathbf{m}$

No.	position	mapping
1	$[\frac{1}{2}, y, \frac{1}{2}]$	$[1, 4, 6, 7]$
2	$[\frac{1}{2}, -y, \frac{1}{2}]$	$[2, 3, 5, 8]$

Table 17: Wyckoff site: $2\mathbf{q}$, site symmetry: $\mathbf{m}'\mathbf{m}'2$

No.	position	mapping
1	$[0, 0, z]$	$[1, 2, 7, 8]$
2	$[0, 0, -z]$	$[3, 4, 5, 6]$

Table 18: Wyckoff site: $2\mathbf{r}$, site symmetry: $\mathbf{m}'\mathbf{m}'2$

No.	position	mapping
1	$[0, \frac{1}{2}, z]$	$[1, 2, 7, 8]$
2	$[0, \frac{1}{2}, -z]$	$[3, 4, 5, 6]$

Table 19: Wyckoff site: $2s$, site symmetry: $m'm'2$

No.	position	mapping
1	$[\frac{1}{2}, 0, z]$	$[1, 2, 7, 8]$
2	$[\frac{1}{2}, 0, -z]$	$[3, 4, 5, 6]$

Table 20: Wyckoff site: $2t$, site symmetry: $m'm'2$

No.	position	mapping
1	$[\frac{1}{2}, \frac{1}{2}, z]$	$[1, 2, 7, 8]$
2	$[\frac{1}{2}, \frac{1}{2}, -z]$	$[3, 4, 5, 6]$

Table 21: Wyckoff site: $4u$, site symmetry: $m'..$

No.	position	mapping
1	$[0, y, z]$	$[1, 7]$
2	$[0, -y, z]$	$[2, 8]$
3	$[0, -y, -z]$	$[3, 5]$
4	$[0, y, -z]$	$[4, 6]$

Table 22: Wyckoff site: $4v$, site symmetry: $m'..$

No.	position	mapping
1	$[\frac{1}{2}, y, z]$	$[1, 7]$
2	$[\frac{1}{2}, -y, z]$	$[2, 8]$
3	$[\frac{1}{2}, -y, -z]$	$[3, 5]$
4	$[\frac{1}{2}, y, -z]$	$[4, 6]$

Table 23: Wyckoff site: $4w$, site symmetry: $.m'.$

No.	position	mapping
1	$[x, 0, z]$	$[1, 8]$
2	$[-x, 0, z]$	$[2, 7]$
3	$[-x, 0, -z]$	$[3, 6]$
4	$[x, 0, -z]$	$[4, 5]$

Table 24: Wyckoff site: $4\mathbf{x}$, site symmetry: $\bar{4}2\mathbf{m}$.

No.	position	mapping
1	$[x, \frac{1}{2}, z]$	$[1, 8]$
2	$[-x, \frac{1}{2}, z]$	$[2, 7]$
3	$[-x, \frac{1}{2}, -z]$	$[3, 6]$
4	$[x, \frac{1}{2}, -z]$	$[4, 5]$

Table 25: Wyckoff site: $4\mathbf{y}$, site symmetry: $\bar{4}2\mathbf{m}$.

No.	position	mapping
1	$[x, y, 0]$	$[1, 4]$
2	$[-x, -y, 0]$	$[2, 3]$
3	$[x, -y, 0]$	$[5, 8]$
4	$[-x, y, 0]$	$[6, 7]$

Table 26: Wyckoff site: $4\mathbf{z}$, site symmetry: $\bar{4}2\mathbf{m}$.

No.	position	mapping
1	$[x, y, \frac{1}{2}]$	$[1, 4]$
2	$[-x, -y, \frac{1}{2}]$	$[2, 3]$
3	$[x, -y, \frac{1}{2}]$	$[5, 8]$
4	$[-x, y, \frac{1}{2}]$	$[6, 7]$

Table 27: Wyckoff site: $8\mathbf{A}$, site symmetry: $\bar{4}2\mathbf{m}$.

No.	position	mapping
1	$[x, y, z]$	$[1]$
2	$[-x, -y, z]$	$[2]$
3	$[-x, -y, -z]$	$[3]$
4	$[x, y, -z]$	$[4]$
5	$[x, -y, -z]$	$[5]$
6	$[-x, y, -z]$	$[6]$
7	$[-x, y, z]$	$[7]$
8	$[x, -y, z]$	$[8]$