Lineages report for GLAS

This report gives summaries of UK specific lineages sequenced by GLAS for week 2020-09-13. There are time lags due to batching, curation and analysis, the most recently sampled sequence is 2020-08-31. The analysis (eg time since last sample) is therefore undertaken from this date. 2594 sequences in the UK from the sequencing centre GLAS have been included in this analysis.

A few notes: the size of a lineage may be due to a low amount of transmission of this lineage, but it is likely also that it just hasn't been sampled as frequently, especially for newer lineages. It's also important to realise that these lineages are *estimates* of how we think the virus is spreading in the UK after being introduced from abroad, as the low evolutionary rate of the virus makes it difficult to separate lineages with certainty.

The minimum number of introductions is 28 and the maximum is 670

Sequences which were replicates or too error-prone were removed from this analysis.

150 are lineages which only contained five sequences or fewer, and so have been left out of visualisation in the interests of clarity

Furthermore, those sequences which haven't been sampled in the last month are not shown.

Of the 5 that remain: 5 lineages have reactivated.

The following table contains information about the ten largest lineages lineages and the number of sequences the dataset. Information about other lineages is found in the appendix, along with the raw data for all of the other figures.

Each entry is the count of sequences from each lineage in each country, with the percentage of the total sequences from that lineage that this count represents.

"Activity score" is calculated by taking the average gap between sampling for each lineage, and dividing it by the number of days since the lineage was last sampled. Therefore the higher the number, the more active the lineage is. If the score is above 1, then it has been sampled *more* recently than expected given its average gap size. We might interpret this as an increase in activity. If the score is below 1, it has been sampled *less* recently than expected given its average gap size, so we might interpret this as a decrease in activity.

The global lineages are correct as of the data release on 2020-07-20

It is written to "summary_files" as "lineage_summary.tsv" for further use, and the full list of lineages is available in the same directory as "all_lineages.csv"

Lineage name	Scotland	England	Date range	Global lineage	Total
UK175	533 (100.0%)	0 (0%)	Mar-01, Jun-20	B.6, B.1, B.1.35, B.1.5	533 taxa
UK336	308 (100.0%)	0 (0%)	Mar-20, Jul-22	B.1, B.1.93	308 taxa
UK5	190 (100.0%)	0 (0%)	Feb-28, Aug-31	B.1.1, B.1.1.10, B.1.1.13, B.1.1.14	190 taxa
UK40	181 (100.0%)	0 (0%)	Mar-13, Jun-23	B.16, B	181 taxa
UK39	144 (100.0%)	0 (0%)	Mar-12, May-29	A.2	144 taxa
UK5676	98 (100.0%)	0 (0%)	Mar-12, May-27	B.2	98 taxa
UK191	83 (100.0%)	0 (0%)	Mar-22, Jun-19	B.1, B.1.77	83 taxa
UK2464	80 (100.0%)	0 (0%)	Mar-19, May-22	B.1.90, B.1.11, B.1, B.1.5	80 taxa
UK2913	75 (100.0%)	0 (0%)	Mar-25, May-19	B.1.11, B.1, B.1.5	75 taxa
UK100	53 (100.0%)	0 (0%)	Apr-06, Jun-01	B.1.101, B.1	53 taxa

These data is represented in the figure one. Note that the number of sequences is likely to be due more to differing sampling efforts in different regions, rather than genuine differences in numbers of cases.

The raw data for this bar chart are in the table above.

Figure 1: Number of sequences sampled in a lineage by country

Different sequencing centres have different delays in turn around from receipt of samples to submission of sequence data. This will affect all of the figures shown after this if lineages have geographical variation, as some regions have less up to date data.

```
-------------------------------------------------------------------------NameError
Traceback (most recent call last)<ipython-input-1-2620455843ef> in
<module>
      2      lag_dict, lags = dp.sequencing_centre_lags(taxa, sc_dict,
current_date, country)
      3 elif sequencing_centre != "":
----> 4      print("The lag for this sequencing centre is " +
str(lags[sequencing_centre]) + " days")
NameError: name 'lags' is not defined
```

The relative growth and decline of the ten most sampled lineages in terms of number of counties they are present in is shown in figure three.

Figure 2: Lineages by number of adm2 regions present by epiweek

These lineages are shown on the timeline. Each line represents the length of the cluster, from oldest to most recent sampling date. The dots are sized by the number of sequences taken on that date, and again are colour coded by country. The raw data has been written to a summary file.

Figure 3: Timeline of lineages, sized by number of sequences from each country.

The date of first sequence in the cluster sampled by GLAS is shown in figure five for every cluster with date information.

Figure 4: Lineage starts per week, split by singletons and non-singletons

For comparison, here is a plot of the day that every sequence was taken, coloured by country. Note that sequences without dates were not included.

Figure 5: Sequences taken on each day by country

The map shows the number of sequences sampled in each admin2 region in the UK. The colour scale is the same for all four countries, but with different underlying base colours.

`All sequences have been assigned clean adm2 data this week.`

Figure 6: Map showing the number of sequences sampled by adm2 region

There are some sequences with locations that are not matched to real Admin2 regions, some manual curation required.

Other results modules for UK lineage analysis can be added in here if required.

Appendix

Below are the raw data tables for each of the figures in the report.

Table S1 Description of all lineages that have been circulating in the last month, and have more than 5 sequences.

| Lineage name	Scotland	England	Date range	Global lineage	Total
UK175	533 (100.0%)	0 (0%)	Mar-01, Jun-20	B.6, B.1, B.1.35, B.1.5	533 taxa
UK336	308 (100.0%)	0 (0%)	Mar-20, Jul-22	B.1, B.1.93	308 taxa
UK5	190 (100.0%)	0 (0%)	Feb-28, Aug-31	B.1.1, B.1.1.10, B.1.1.13, B.1.1.14	190 taxa
UK40	181 (100.0%)	0 (0%)	Mar-13, Jun-23	B.16, B	181 taxa
UK39	144 (100.0%)	0 (0%)	Mar-12, May-29	A.2	144 taxa
UK5676	98 (100.0%)	0 (0%)	Mar-12, May-27	B.2	98 taxa
UK191	83 (100.0%)	0 (0%)	Mar-22, Jun-19	B.1, B.1.77	83 taxa
UK2464	80 (100.0%)	0 (0%)	Mar-19, May-22	B.1.90, B.1.11, B.1, B.1.5	80 taxa
UK2913	75 (100.0%)	0 (0%)	Mar-25, May-19	B.1.11, B.1, B.1.5	75 taxa
UK100	53 (100.0%)	0 (0%)	Apr-06, Jun-01	B.1.101, B.1	53 taxa
UK87	33 (100.0%)	0 (0%)	Mar-13, Apr-24	B.1, B.1.70	33 taxa
UK1951	31 (96.88%)	1 (3.12%)	Mar-13, Jul-13	B.1.1.1	32 taxa
UK600	30 (100.0%)	0 (0%)	Mar-09, Apr-30	B.1.1	30 taxa
UK1487	29 (100.0%)	0 (0%)	Mar-17, Apr-26	B.1.5	29 taxa
UK407	27 (100.0%)	0 (0%)	Aug-29, Aug-31	B.1, B.1.79	27 taxa
UK107	27 (100.0%)	0 (0%)	Mar-09, Jun-02	B.2.1	27 taxa
UK199	27 (100.0%)	0 (0%)	Mar-05, May-25	B.1, B.1.5	27 taxa
UK1683	26 (100.0%)	0 (0%)	Mar-16, May-21	B.1.1, B.1.1.1	26 taxa
UK1684	21 (100.0%)	0 (0%)	Mar-18, May-21	B.1.1, B.1.1.1	21 taxa
UK501	21 (100.0%)	0 (0%)	Mar-19, Jun-18	B.1	21 taxa
UK72	18 (100.0%)	0 (0%)	Mar-07, Apr-24	B	18 taxa
UK14	18 (100.0%)	0 (0%)	Mar-14, Apr-12	B	18 taxa
UK261	17 (100.0%)	0 (0%)	Mar-19, Apr-15	A.3	17 taxa
UK502	16 (100.0%)	0 (0%)	Mar-06, Mar-20	B.1.69	16 taxa
UK1332	15 (100.0%)	0 (0%)	Mar-31, May-19	B.1.5	15 taxa
UK1418	15 (100.0%)	0 (0%)	Apr-08, Jul-09	B.1.5	15 taxa
UK1040	14 (100.0%)	0 (0%)	Mar-21, May-06	B.1.1, B.1.1.20	14 taxa
UK44	13 (100.0%)	0 (0%)	Mar-17, Apr-13	B	13 taxa
UK58	13 (100.0%)	0 (0%)	Mar-12, Apr-24	B.1	13 taxa

Lineage name	Scotland	England	Date range	Global lineage	Total
UK1186	13 (100.0%)	0 (0%)	Aug-24, Aug-31	B.1, B.1.79	13 taxa
UK312	13 (100.0%)	0 (0%)	Aug-10, Aug-31	B.1	13 taxa
UK2200	12 (100.0%)	0 (0%)	Mar-31, May-04	B.1, B.1.5	12 taxa
UK669	12 (100.0%)	0 (0%)	Apr-15, May-21	B.1.1	12 taxa
UK120	11 (100.0%)	0 (0%)	Mar-02, Apr-16	B	11 taxa
UK1346	11 (100.0%)	0 (0%)	Mar-08, Apr-08	B.1.1	11 taxa
UK43	10 (100.0%)	0 (0%)	Mar-23, Apr-22	A.5	10 taxa
UK719	9 (100.0%)	0 (0%)	Mar-13, May-26	B.1.1	9 taxa
UK1034	9 (100.0%)	0 (0%)	Apr-22, May-27	B.1.1.28	9 taxa
UK2022	8 (100.0%)	0 (0%)	Aug-30, Aug-31	B.1.1	8 taxa
UK917	7 (100.0%)	0 (0%)	Apr-06, Apr-25	B.1.1	7 taxa
UK1230	7 (100.0%)	0 (0%)	Apr-01, May-13	B.1.1	7 taxa
UK601	7 (100.0%)	0 (0%)	Mar-14, Apr-01	B.10	7 taxa
UK267	7 (100.0%)	0 (0%)	Mar-19, May-27	B.2	7 taxa
UK167	7 (100.0%)	0 (0%)	Mar-12, Apr-14	B.1	7 taxa
UK945	7 (100.0%)	0 (0%)	Apr-08, Apr-17	B.1.1	7 taxa
UK1060	7 (100.0%)	0 (0%)	Mar-13, May-07	B.1.1	7 taxa
UK2916	6 (100.0%)	0 (0%)	Mar-03, Apr-04	B.1	6 taxa
UK187	6 (100.0%)	0 (0%)	Apr-04, Apr-24	B.1	6 taxa
UK1964	6 (100.0%)	0 (0%)	Mar-29, Jun-17	B.1.1.14, B.1.1	6 taxa

Table S2 Raw data for figure two showing lags between the most recent sequence and current date for each sequencing centre

————————————————————————————NameError Traceback (most recent call last) in 1 if not pillar2: —-> 2 lag_df = pd.DataFrame(lag_dict) 3 print(lag_df.to_markdown()) 4 else: 5 print("Table S2 is not appropriate for this report and so has been omitted.") NameError: name 'lag_dict' is not defined

Table S3 Raw data for figure three showing the number of admin2 regions a lineage is present in over time

Week commencing	UK5	UK407	UK1186	UK312	UK2022
2020-02-23	1	0	0	0	0
2020-03-08	2	0	0	0	0
2020-03-15	3	0	0	0	0
2020-03-22	7	0	0	0	0
2020-03-29	5	0	0	0	0
2020-04-05	10	0	0	0	0
2020-04-12	10	0	0	0	0
2020-04-19	8	0	0	0	0

Week commencing	UK5	UK407	UK1186	UK312	UK2022
2020-04-26	5	0	0	0	0
2020-05-03	3	0	0	0	0
2020-05-10	3	0	0	0	0
2020-05-17	4	0	0	0	0
2020-05-24	4	0	0	0	0
2020-05-31	3	0	0	0	0
2020-06-07	2	0	0	0	0
2020-06-14	2	0	0	0	0
2020-06-21	1	0	0	0	0
2020-08-09	0	0	0	2	0
2020-08-23	4	5	3	4	0
2020-08-30	1	4	2	3	2

Table S4 is not appropriate for this report and so has been omitted.

Table S5 Raw data for figure five showing when lineages started per day, divided by singletons and non-singletons

Day	Number of singleton starts	Number of non-singleton starts	Total
2020-02-28	0	1	1
2020-03-01	0	1	1
2020-03-02	0	1	1
2020-03-03	0	2	2
2020-03-04	0	1	1
2020-03-05	0	1	1
2020-03-06	0	1	1
2020-03-07	1	1	2
2020-03-08	0	1	1
2020-03-09	1	3	4
2020-03-10	1	0	1
2020-03-11	1	0	1
2020-03-12	2	7	9
2020-03-13	3	8	11
2020-03-14	0	4	4
2020-03-15	1	0	1
2020-03-16	3	1	4
2020-03-17	4	4	8
2020-03-18	1	2	3
2020-03-19	2	7	9
2020-03-20	3	3	6
2020-03-21	3	2	5
2020-03-22	0	1	1
2020-03-23	2	2	4
2020-03-24	1	0	1
2020-03-25	3	1	4
2020-03-26	2	2	4
2020-03-27	4	1	5
2020-03-28	1	0	1
2020-03-29	4	4	8
2020-03-30	1	0	1
2020-03-31	0	5	5
2020-04-01	2	2	4
2020-04-02	1	1	2
2020-04-03	2	1	3
2020-04-04	2	2	4
2020-04-05	0	1	1
2020-04-06	1	2	3
2020-04-07	3	0	3
2020-04-08	4	2	6

Day	Number of singleton starts	Number of non-singleton starts	Total
2020-04-09	3	1	4
2020-04-10	1	0	1
2020-04-11	1	1	2
2020-04-12	4	1	5
2020-04-14	0	1	1
2020-04-15	2	3	5
2020-04-17	0	1	1
2020-04-18	1	1	2
2020-04-20	0	2	2
2020-04-21	0	2	2
2020-04-22	1	4	5
2020-04-23	1	0	1
2020-04-26	0	1	1
2020-05-07	1	0	1
2020-05-09	1	0	1
2020-05-12	0	1	1
2020-05-13	1	0	1
2020-05-14	1	0	1
2020-05-23	1	0	1
2020-05-28	1	0	1
2020-06-03	1	0	1
2020-06-10	1	0	1
2020-06-18	2	0	2
2020-07-25	0	1	1
2020-08-03	1	0	1
2020-08-09	1	0	1
2020-08-10	0	2	2
2020-08-22	0	1	1
2020-08-24	0	1	1
2020-08-25	2	0	2
2020-08-29	1	4	5
2020-08-30	1	3	4
2020-08-31	0	1	1

Table S6 Raw data for figure six showing the number of sequences taken over time.

Day	England	Scotland
2020-02-28	0	1
2020-03-01	0	1
2020-03-02	0	1
2020-03-03	0	2
2020-03-04	0	3
2020-03-05	0	2
2020-03-06	0	5
2020-03-07	0	3
2020-03-08	0	1
2020-03-09	0	8
2020-03-10	0	4
2020-03-11	0	2
2020-03-12	0	24
2020-03-13	0	41
2020-03-14	0	12
2020-03-15	0	6
2020-03-16	0	17
2020-03-17	0	28
2020-03-18	0	18
2020-03-19	0	26
2020-03-20	0	22

Day	England	Scotland
2020-03-21	0	18
2020-03-22	0	14
2020-03-23	0	31
2020-03-24	0	16
2020-03-25	0	24
2020-03-26	0	36
2020-03-27	0	41
2020-03-28	0	27
2020-03-29	0	35
2020-03-30	0	25
2020-03-31	0	52
2020-04-01	0	66
2020-04-02	0	30
2020-04-03	0	43
2020-04-04	0	22
2020-04-05	0	30
2020-04-06	0	20
2020-04-07	0	29
2020-04-08	0	70
2020-04-09	0	59
2020-04-10	0	75
2020-04-11	0	58
2020-04-12	0	67
2020-04-13	0	77
2020-04-14	0	70
2020-04-15	0	76
2020-04-16	0	85
2020-04-17	0	60
2020-04-18	0	51
2020-04-19	0	7
2020-04-20	0	47
2020-04-21	0	83
2020-04-22	0	82
2020-04-23	0	61
2020-04-24	0	59
2020-04-25	0	38
2020-04-26	0	30
2020-04-27	0	22
2020-04-28	0	21
2020-04-29	0	7
2020-04-30	0	10
2020-05-01	0	27
2020-05-02	0	13
2020-05-03	0	8
2020-05-04	0	7
2020-05-05	0	9
2020-05-06	0	17
2020-05-07	0	35
2020-05-08	0	14
2020-05-09	0	18
2020-05-10	0	16
2020-05-11	0	19
2020-05-12	0	20
2020-05-13	0	18
2020-05-14	0	15
2020-05-15	0	11
2020-05-16	0	15
2020-05-17	0	7
2020-05-18	0	22

Day	England	Scotland
2020-05-19	0	23
2020-05-20	0	9
2020-05-21	0	17
2020-05-22	0	15
2020-05-23	0	4
2020-05-24	0	6
2020-05-25	0	15
2020-05-26	0	8
2020-05-27	0	10
2020-05-28	0	5
2020-05-29	0	1
2020-05-30	0	5
2020-05-31	0	7
2020-06-01	0	4
2020-06-02	0	7
2020-06-03	0	3
2020-06-04	0	2
2020-06-05	0	6
2020-06-06	0	3
2020-06-07	0	1
2020-06-08	0	2
2020-06-09	0	6
2020-06-10	0	3
2020-06-11	0	2
2020-06-12	0	1
2020-06-14	0	1
2020-06-15	0	3
2020-06-16	0	2
2020-06-17	0	3
2020-06-18	0	3
2020-06-19	0	1
2020-06-20	0	1
2020-06-21	0	1
2020-06-23	0	1
2020-06-24	0	1
2020-06-26	0	2
2020-06-27	0	1
2020-06-28	0	1
2020-06-30	1	1
2020-07-03	0	6
2020-07-04	0	1
2020-07-09	0	1
2020-07-13	0	1
2020-07-22	0	1
2020-07-25	0	1
2020-07-29	0	3
2020-08-03	0	1
2020-08-05	0	1
2020-08-09	0	1
2020-08-10	0	2
2020-08-14	0	1
2020-08-17	0	1
2020-08-22	0	2
2020-08-24	0	2
2020-08-25	0	3
2020-08-27	0	1
2020-08-29	0	31
2020-08-30	0	27
2020-08-31	0	27

Table S7 Raw data for the figure seven with the number of sequences assigned to each admin2 region.

Admin2	Country	Number of sequences	Sequence group
ABERDEEN	Scotland	21	10-100
ABERDEENSHIRE	Scotland	1	1-10
ANGUS	Scotland	1	1-10
ARGYLL AND BUTE	Scotland	26	10-100
CLACKMANNANSHIRE	Scotland	1	1-10
CUMBRIA	England	1	1-10
DUMFRIES AND GALLOWAY	Scotland	61	10-100
DUNDEE	Scotland	12	10-100
EAST AYRSHIRE	Scotland	65	10-100
EAST DUNBARTONSHIRE	Scotland	102	100-200
EAST RENFREWSHIRE	Scotland	65	10-100
EDINBURGH	Scotland	12	10-100
EILEAN SIAR	Scotland	4	1-10
FALKIRK	Scotland	75	10-100
FIFE	Scotland	1	1-10
GLASGOW	Scotland	1236	1000-2000
HIGHLAND	Scotland	11	10-100
INVERCLYDE	Scotland	63	10-100
NORTH AYRSHIRE	Scotland	23	10-100
NORTH LANARKSHIRE	Scotland	240	200-300
NORTHAMPTONSHIRE	England	1	1-10
ORKNEY ISLANDS	Scotland	1	1-10
PERTHSHIRE AND KINROSS	Scotland	3	1-10
RENFREWSHIRE	Scotland	339	300-400
SCOTTISH BORDERS	Scotland	1	1-10
SHETLAND ISLANDS	Scotland	14	10-100
SOUTH AYRSHIRE	Scotland	9	1-10
SOUTH LANARKSHIRE	Scotland	106	100-200
STIRLING	Scotland	19	10-100
WEST DUNBARTONSHIRE	Scotland	78	10-100
WEST LOTHIAN	Scotland	1	1-10