UK lineages summary report

This report gives summaries of UK specific lineages for week 2020-05-08. There are time lags due to batching, curation and analysis, the most recently sampled sequence is 2020-05-02. The analysis (eg time since last sample) is therefore undertaken from this date. 14277 sequences in the UK have been included in this analysis. 6430 lineages have been recorded, 5368 of which only contain one sequence.

Note: the size of a lineage may be due to a low amount of transmission of this lineage, but it is likely also that it just hasn't been sampled as frequently, especially for newer lineages.

Sequences which were replicates or too error-prone were removed from this analysis.

6151 are lineages which only contained five sequences or fewer, and so have been left out of visualisation in the interests of clarity

Of the 279 that remain: 76 are pending extinction, ie last seen three weeks ago. 12 have not been seen for more than one month, and so are viewed as extinct, but will continue to be monitored. 135 lineages have gone quiet, ie haven't been seen this week. 9 lineages have reactivated. 47 lineages have been continuously circulating.

The following table contains information about lineages and the number of sequences in each country in the UK for each lineage, in reverse size order. Each entry is the count of sequences from each lineage in each country, with the percentage of the total sequences from that lineage that this count represents.

It is also written to "summary_files" as "lineage_summary.tsv" for further use.

| Lineage name | Northern Ireland | Wales | Scotland | dEngland | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|----------|----------|-----------|------------|-----------------|-------------------|-------------------------------|
| UK5 | 3 (0.4%) | 85 | 36 | 633 | Mar-03, | 757 | B.1.1 | 2 |
| | | (11.23%) | (4.76%) | (83.62%) | Apr-30 | | | |
| UK47 | 2 (0.33%) | 365 | 7 | 241 | Feb-23, | 615 | B.3, B | 9 |
| | | (59.35%) | (1.14%) | (39.19%) | Apr-23 | | | |
| UK17 | 0 (0%) | 63 | 74 | 410 | Mar-09, | 547 | B.1.11 | 2 |
| | | (11.52%) | (13.53% |)(74.95%) | Apr-30 | | | |
| UK30 | 1 (0.83%) | 0 (0%) | 79 | 40 | Mar-18, | 120 | B.1 | 5 |
| | | | (65.83% |)(33.33%) | Apr-27 | | | |
| UK67 | 0 (0%) | 95 | 0 (0%) | 18 | Mar-20, | 113 | B.1, | 20 |
| | | (84.07%) | | (15.93%) | Apr-12 | | B.1.24 | |
| UK10 | 0 (0%) | 86 | 0 (0%) | 8 | Mar-07, | 94 | B.1 | 15 |
| | | (91.49%) | | (8.51%) | Apr-17 | | | |
| UK76 | 0 (0%) | 0 (0%) | 90 | 1 | Mar-16, | 91 | B.1 | 5 |
| | | | (98.9%) | (1.1%) | Apr-27 | | | |
| UK18 | 0 (0%) | 3 | 0 (0%) | 68 | Mar-11, | 71 | B.2.4, | 12 |
| | | (4.23%) | | (95.77%) | Apr-20 | | B.2 | |
| UK45 | 0 (0%) | 0 (0%) | 67 | 3 | Mar-13, | 70 | B, B.8 | 9 |
| | | | (95.71% |)(4.29%) | Apr-23 | | | |
| UK24 | 0 (0%) | 0 (0%) | 0 (0%) | 68 | Mar-15, | 68 | B.2, | 11 |
| | | | | (100.0%) | Apr-21 | | B.2.1 | |
| UK4 | 0 (0%) | 14 | 0 (0%) | 48 | Mar-02, | 62 | B.8 | 2 |
| | | (22.58%) | | (77.42%) | Apr-30 | | | |
| UK4136 | 0 (0%) | 2 | 0 (0%) | 57 | Mar-19, | 59 | B.1 | 14 |
| | | (3.39%) | | (96.61%) | Apr-18 | | | |

| Lineage name | Northern Ireland | Wales | Scotland | dEngland | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|---------|----------|-----------|---------------|-----------------|-------------------|-------------------------------|
| UK74 | 0 (0%) | 0 (0%) | 0 (0%) | 58 | Mar-21, | 58 | B.1 | 4 |
| | - () | - (/ | - (/ | (100.0%) | | | | |
| UK61 | 0 (0%) | 1 | 0 (0%) | 54 | Mar-17, | 55 | B.1.30 | 7 |
| | , | (1.82%) | , | (98.18%) | | | | |
| UK58 | 35 | 0 (0%) | 7 | 12 | Mar-13, | 54 | В | 10 |
| | (64.81%) | , , | (12.96% |)(22.22%) | | | | |
| UK139 | 0 (0%) | 0 (0%) | 0 (0%) | 53 | Mar-19, | 53 | B.1 | 19 |
| | , , | ` , | ` , | (100.0%) | | | | |
| UK105 | 0 (0%) | 0 (0%) | 0 (0%) | 50 | Mar-11, | 50 | B.1 | 14 |
| | , , | ` , | ` , | (100.0%) | | | | |
| UK133 | 0 (0%) | 0 (0%) | 0 (0%) | 50 | Mar-15, | 50 | B.2.1 | 12 |
| | , , | , , | , , | (100.0%) | | | | |
| UK3734 | 0 (0%) | 0 (0%) | 0 (0%) | 49 | Mar-20, | 49 | B.1 | 5 |
| | , , | ` , | ` , | (100.0%) | | | | |
| UK9 | 0 (0%) | 0 (0%) | 0 (0%) | 49 | Feb-24, | 49 | B.1 | 13 |
| | , , | | . , | (100.0%) | Apr-19 | | | |
| UK126 | 0 (0%) | 0 (0%) | 0 (0%) | 47 | Mar-12, | 47 | B.2, | 13 |
| | | | | (100.0%) | Apr-19 | | B.2.1 | |
| UK159 | 0 (0%) | 0 (0%) | 0 (0%) | 46 | Mar-21, | 46 | B.1 | 3 |
| | | | | (100.0%) | Apr-29 | | | |
| UK6521 | 0 (0%) | 0 (0%) | 0 (0%) | 44 | Mar-19, | 44 | B.1 | 18 |
| | | | | (100.0%) | Apr-14 | | | |
| UK142 | 0 (0%) | 0 (0%) | 19 | 25 | Mar-26, | 44 | B.1 | 1 |
| | | | (43.18% |)(56.82%) | May-01 | | | |
| UK41 | 0 (0%) | 1 | 43 | 0 (0%) | Mar-12, | 44 | A.2 | 5 |
| | | (2.27%) | (97.73% |) | Apr-27 | | | |
| UK92 | 0 (0%) | 0 (0%) | 43 | 0 (0%) | Mar-22, | 43 | B.1.19, | 1 |
| | | | (100.0% |) | May-01 | | B.1 | |
| UK1373 | 0 (0%) | 0 (0%) | 0 (0%) | 41 | Mar-28, | 41 | B.1 | 16 |
| | | | | (100.0%) | Apr-16 | | | |
| UK51 | 1 (2.44%) | 1 | 39 | 0 (0%) | Mar-17, | 41 | В | 1 |
| | | (2.44%) | (95.12% |) | May-01 | | | |
| UK20 | 2 (5.0%) | 2 | 35 | 1 | Mar-13, | 40 | B.2 | 22 |
| | | (5.0%) | (87.5%) | (2.5%) | Apr-10 | | | |
| UK137 | 0 (0%) | 1 | 0 (0%) | 38 | Mar-25, | 39 | B.1 | 6 |
| | | (2.56%) | | (97.44%) | Apr-26 | | | |
| UK14 | 0 (0%) | 2 | 2 | 35 | Mar-03, | 39 | В | 8 |
| | | (5.13%) | (5.13%) | (89.74%) | Apr-24 | | | |
| UK28 | 0 (0%) | 0 (0%) | 1 | 38 | Mar-18, | 39 | B.1 | 7 |
| | | | (2.56%) | (97.44%) | Apr-25 | | | |
| UK103 | 0 (0%) | 0 (0%) | 0 (0%) | 38 | Mar-15, | 38 | B.1 | 12 |
| | | | | (100.0%) | Apr-20 | | | |
| UK3701 | 0 (0%) | 0 (0%) | 0 (0%) | 37 | Apr-07, | 37 | B.1 | 5 |
| | | | | (100.0%) | Apr-27 | | | |
| UK4931 | 0 (0%) | 0 (0%) | 0 (0%) | 36 | Mar-23, | 36 | B.2.1 | 6 |
| | | | | (100.0%) | • | | | |
| UK2 | 0 (0%) | 0 (0%) | 0 (0%) | 36 | Mar-01, | 36 | B.1.20 | 5 |
| | | | | (100.0%) | Apr-27 | | | |

| Lineage name | Northern Ireland | Wales | Scotland | d England | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|-----------|-----------|-----------|------------|-----------------|-------------------|-------------------------------|
| UK135 | 0 (0%) | 0 (0%) | 0 (0%) | 36 | Mar-20, | 36 | B.1.13 | 15 |
| OICIOO | 0 (070) | 0 (0 70) | 0 (070) | (100.0%) | | 00 | D.1.10 | 10 |
| UK15 | 0 (0%) | 33 | 0 (0%) | 0 (0%) | Mar-23, | 33 | B.1 | 19 |
| OTTIO | 0 (070) | (100.0%) | 0 (070) | 0 (070) | Apr-13 | 00 | D. 1 | 10 |
| UK52 | 0 (0%) | 5 | 0 (0%) | 28 | Mar-11, | 33 | В | 18 |
| 01102 | 0 (070) | (15.15%) | 0 (070) | (84.85%) | | 00 | | 10 |
| UK836 | 0 (0%) | 0 (0%) | 0 (0%) | 33 | Mar-11, | 33 | B.1 | 11 |
| 0.1000 | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | | 33 | 5., | |
| UK3737 | 0 (0%) | 0 (0%) | 0 (0%) | 32 | Mar-29, | 32 | B.1 | 4 |
| 0.10.0. | G (G/S) | G (G / G) | 0 (0 / 0) | (100.0%) | | V _ | | · |
| UK3738 | 0 (0%) | 0 (0%) | 0 (0%) | 32 | Mar-31, | 32 | B.1 | 17 |
| 0110700 | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | | 02 | D. 1 | |
| UK111 | 0 (0%) | 0 (0%) | 0 (0%) | 29 | Mar-16, | 29 | B.1 | 27 |
| O.C. | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | | | 5., | |
| UK44 | 0 (0%) | 0 (0%) | 0 (0%) | 29 | Mar-19, | 29 | B.2 | 3 |
| 0 | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | | | 5.2 | J |
| UK369 | 0 (0%) | 0 (0%) | 0 (0%) | 28 | Mar-29, | 28 | B.1 | 3 |
| 0.1000 | G (G/S) | G (G / G) | 0 (0 / 0) | (100.0%) | | | | |
| UK8 | 0 (0%) | 1 | 0 (0%) | 26 | Mar-05, | 27 | B.2.1 | 25 |
| 0.10 | G (G/S) | (3.7%) | 0 (0 / 0) | (96.3%) | Apr-07 | | | |
| UK350 | 0 (0%) | 0 (0%) | 0 (0%) | 26 | Mar-24, | 26 | B.1 | 6 |
| | · (• / • / | - (-,-) | · (•,•) | (100.0%) | | | | |
| UK112 | 0 (0%) | 1 | 0 (0%) | 25 | Mar-12, | 26 | В | 15 |
| | , | (3.85%) | () | (96.15%) | | | | |
| UK162 | 0 (0%) | 0 (0%) | 0 (0%) | 26 | Feb-25, | 26 | B.2.1 | 31 |
| | , | (, | () | (100.0%) | | | | |
| UK96 | 0 (0%) | 0 (0%) | 0 (0%) | 25 | Mar-19, | 25 | B.1 | 5 |
| | , | , | ` , | (100.0%) | | | | |
| UK53 | 0 (0%) | 0 (0%) | 0 (0%) | 24 | Mar-10, | 24 | B.2.1 | 21 |
| | , | , , | ` , | (100.0%) | | | | |
| UK63 | 0 (0%) | 9 | 14 | 0 (0%) | Mar-18, | 23 | B.1 | 14 |
| | ` , | (39.13%) | (60.87% | 5) | Apr-18 | | | |
| UK3702 | 0 (0%) | 0 (0%) | 0 (0%) | 23 | Apr-10, | 23 | B.1 | 9 |
| | , , | , , | , , | (100.0%) | Apr-23 | | | |
| UK1970 | 0 (0%) | 0 (0%) | 23 | 0 (0%) | Apr-08, | 23 | B.1.5 | 2 |
| | | | (100.0% | 5) | Apr-30 | | | |
| UK123 | 0 (0%) | 5 | 0 (0%) | 18 | Mar-01, | 23 | B.1 | 13 |
| | ` , | (21.74%) | ` , | (78.26%) | Apr-19 | | | |
| UK35 | 0 (0%) | 8 | 13 | 2 | Mar-19, | 23 | B.1, | 1 |
| | , , | (34.78%) | (56.52% | 5)(8.7%) | May-01 | | B.1.5 | |
| UK173 | 0 (0%) | 0 (0%) | 0 (0%) | 23 | Mar-16, | 23 | B.1 | 13 |
| | ` , | , , | ` , | (100.0%) | | | | |
| UK34 | 0 (0%) | 0 (0%) | 0 (0%) | 22 | Mar-14, | 22 | B.2.1 | 30 |
| | ` , | ` , | ` , | (100.0%) | | | | |
| UK50 | 0 (0%) | 1 | 0 (0%) | 21 | Mar-13, | 22 | B.2.1 | 27 |
| | . , | (4.55%) | | (95.45%) | | | | |
| UK3193 | 0 (0%) | 0 (0%) | 0 (0%) | 22 | Mar-20, | 22 | B.1 | 6 |
| | | - | - | (100.0%) | Apr-26 | | | |

| Time since las sample (day | Global lineage | Total sequences | Date range | dEngland | Scotland | Wales | Northern Ireland | Lineage name |
|----------------------------|-------------------|-----------------|------------|-----------|----------|----------|---------------------|-----------------|
| , | B.1 | | Mar-17, | 22 | 0 (0%) | 0 (0%) | 0 (0%) | UK49 |
| | D. 1 | 22 | | (100.0%) | 0 (0 /0) | 0 (0 /0) | 0 (0 /0) | 01143 |
| 3 | В | 21 | Mar-04, | 6 | 15 | 0 (0%) | 0 (0%) | UK66 |
| | Ь | ۷ ا | |)(28.57%) | | 0 (0 70) | 0 (0 /0) | OROO |
| 1 | B.1 | 21 | Mar-25, | 21 | 0 (0%) | 0 (0%) | 0 (0%) | UK140 |
| ' | D. I | 21 | | (100.0%) | 0 (0 70) | 0 (0 %) | 0 (0 %) | UK140 |
| 1 | B.1 | 21 | Mar-16, | 21 | 0 (0%) | 0 (0%) | 0 (0%) | UK129 |
| ' | D. 1 | 21 | | (100.0%) | 0 (0 /0) | 0 (0 70) | 0 (0 70) | UKIZ |
| 4 | В | 21 | Feb-27, | 15 | 6 | 0 (0%) | 0 (0%) | UK95 |
| 4 | D | 21 | |)(71.43%) | | 0 (0 70) | 0 (0 70) | UKSS |
| | B.1 | 21 | Mar-21, | 21 | • | 0 (0%) | 0 (00%) | UK72 |
| | D. I | ۷۱ | | (100.0%) | 0 (0%) | 0 (0%) | 0 (0%) | UNIZ |
| | D 1 | 20 | | | 0 (00() | 0 (00/) | 0 (00/) | UK22 |
| | B.1 | 20 | Mar-13, | 20 | 0 (0%) | 0 (0%) | 0 (0%) | UNZZ |
| | D 4 | 00 | • | (100.0%) | 00 | 0 (00() | 0 (00() | LIKCO |
| | B.1 | 20 | Mar-18, | 0 (0%) | 20 | 0 (0%) | 0 (0%) | UK60 |
| _ | D 4 7 | 00 | Apr-27 | • | (100.0% | 0 (00() | 0 (00() | 111/4.05 |
| 5 | B.1.7 | 20 | Feb-27, | 20 | 0 (0%) | 0 (0%) | 0 (0%) | UK165 |
| | D 4 | 40 | Mar-08 | , | 40 | | 0 (00() | |
| | B.1 | 19 | Mar-22, | 0 (0%) | 18 | 1 | 0 (0%) | UK2900 |
| | | | Apr-25 | • | (94.74% | (5.26%) | 0 (00() | |
| | B.1 | 19 | Mar-23, | 18 | 1 | 0 (0%) | 0 (0%) | UK3906 |
| | | | • | (94.74%) | | | | |
| 1 | B.1 | 19 | Mar-30, | 19 | 0 (0%) | 0 (0%) | 0 (0%) | UK6522 |
| | | | • | (100.0%) | | | | |
| 1 | B.1 | 19 | Mar-21, | 0 (0%) | 19 | 0 (0%) | 0 (0%) | UK93 |
| _ | | | Apr-22 | • | (100.0% | _ | | |
| 2 | B.1 | 19 | Mar-01, | 14 | 0 (0%) | 5 | 0 (0%) | UK3854 |
| | | | • | (73.68%) | | (26.32%) | | |
| | B.1 | 19 | Mar-14, | 18 | 1 | 0 (0%) | 0 (0%) | UK3707 |
| | | | • | (94.74%) | | | | |
| | B.1 | 19 | Mar-25, | 17 | 2 | 0 (0%) | 0 (0%) | UK36 |
| | | | • |)(89.47%) | • | | | |
| 1 | B.1.5 | 18 | Mar-21, | 18 | 0 (0%) | 0 (0%) | 0 (0%) | UK153 |
| | | | | (100.0%) | | | | |
| 2 | B.2, | 18 | Feb-28, | 18 | 0 (0%) | 0 (0%) | 0 (0%) | UK187 |
| | B.2.1 | | | (100.0%) | | | | |
| 2 | B.1 | 18 | Mar-21, | 18 | 0 (0%) | 0 (0%) | 0 (0%) | UK131 |
| | | | Apr-11 | (100.0%) | | | | |
| 1 | B.1, | 17 | Mar-13, | 17 | 0 (0%) | 0 (0%) | 0 (0%) | UK3704 |
| | B.1.10 | | Apr-22 | (100.0%) | | | | |
| | B.1 | 17 | Mar-20, | 17 | 0 (0%) | 0 (0%) | 0 (0%) | UK1312 |
| | | | Apr-30 | (100.0%) | | | | |
| 1 | B.2.1 | 17 | Mar-14, | 17 | 0 (0%) | 0 (0%) | 0 (0%) | UK114 |
| | | | Apr-16 | (100.0%) | | | | |
| 1 | B.1.5 | 17 | Mar-19, | 17 | 0 (0%) | 0 (0%) | 0 (0%) | UK715 |
| | | | Apr-18 | (100.0%) | | | | |
| | B.1 | 16 | Mar-25, | 1 | 15 | 0 (0%) | 0 (0%) | UK3778 |
| | | | Apr-26 |)(6.25%) | (93.75% | | | |

| name Ireland Wales Scotland England range sequences lineage same UK197 1 (6.25%) 8 3 4 Mar-30, 16 B.1 UK1292 0 (0%) 0 (0%) 0 (0%) 16 Mar-23, 16 B.1 UK110 0 (0%) 16 0 (0%) 0 (0%) Mar-23, 16 B.1 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 UK21 0 (0%) 0 (0%) 0 (0%) 16 Mar-13, 16 B.2 | 22 25 43 |
|--|----------------|
| UK1292 0 (0%) 0 (0%) 16 Mar-23, 16 B.1 UK110 0 (0%) 16 0 (0%) 0 (0%) 0 (0%) Mar-23, 16 B.1 UK110 0 (0%) 16 0 (0%) 0 (0%) Mar-23, 16 B.1 (100.0%) Apr-07 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-20 16 B.1 | 22 25 |
| UK1292 0 (0%) 0 (0%) 16 Mar-23, 16 B.1 UK110 0 (0%) 16 0 (0%) 0 (0%) Mar-23, 16 B.1 (100.0%) Apr-10 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-07 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 (100.0%) Mar-20 | 25 |
| UK110 0 (0%) 16 0 (0%) 0 (0%) Mar-23, 16 B.1 (100.0%) Apr-07 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 (100.0%) Mar-20 | 25 |
| UK110 0 (0%) 16 0 (0%) 0 (0%) Mar-23, 16 B.1 (100.0%) Apr-07 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 (100.0%) Mar-20 | |
| (100.0%) Apr-07 UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 (100.0%) Mar-20 | |
| UK12 0 (0%) 0 (0%) 16 0 (0%) Mar-06, 16 B.1 (100.0%) Mar-20 | 43 |
| (100.0%) Mar-20 | .0 |
| , | |
| | 18 |
| (100.0%) Apr-14 | _ |
| UK1231 0 (0%) 0 (0%) 0 (0%) 15 Mar-20, 15 B.1 | 18 |
| (100.0%) Apr-14 | _ |
| UK3831 0 (0%) 0 (0%) 1 14 Mar-28, 15 B.1 | 17 |
| (6.67%) (93.33%) Apr-15 | |
| UK3761 0 (0%) 0 (0%) 0 (0%) 15 Apr-03, 15 B.1 | 5 |
| (100.0%) Apr-27 | |
| UK89 0 (0%) 0 (0%) 15 0 (0%) Mar-13, 15 B.1 | 17 |
| (100.0%) Apr-15 | |
| UK3886 0 (0%) 0 (0%) 0 (0%) 15 Apr-05, 15 B.1 | 23 |
| (100.0%) Apr-09 | |
| UK976 0 (0%) 0 (0%) 0 (0%) 14 Mar-24, 14 B.1 | 22 |
| (100.0%) Apr-10 | |
| UK3759 0 (0%) 0 (0%) 2 12 Mar-13, 14 B.1 | 2 |
| (14.29%)(85.71%) Apr-30 | |
| UK1458 0 (0%) 14 0 (0%) 0 (0%) Mar-23, 14 B.1 | 23 |
| (100.0%) Apr-09 | |
| UK109 0 (0%) 7 2 5 Mar-12, 14 B.1.7, | 19 |
| (50.0%) (14.29%)(35.71%) Apr-13 B.1 | |
| UK5700 0 (0%) 0 (0%) 0 (0%) 14 Mar-27, 14 B.1 | 17 |
| (100.0%) Apr-15 | |
| UK1055 0 (0%) 1 0 (0%) 12 Mar-30, 13 B.1 | 5 |
| (7.69%) (92.31%) Apr-27 | |
| UK668 0 (0%) 0 (0%) 0 (0%) 13 Mar-27, 13 B.1 | 9 |
| (100.0%) Apr-23 | |
| UK3298 0 (0%) 0 (0%) 0 (0%) 13 Apr-04, 13 B.1 | 8 |
| (100.0%) Apr-24 | |
| UK2062 0 (0%) 0 (0%) 13 0 (0%) Apr-18, 13 B.1.5 | 2 |
| (100.0%) Apr-30 | |
| UK5303 0 (0%) 7 2 4 Mar-20, 13 B.2.2 | 19 |
| (53.85%) (15.38%)(30.77%) Apr-13 | |
| UK3827 0 (0%) 0 (0%) 0 (0%) 13 Mar-18, 13 B.1 | 21 |
| (100.0%) Apr-11 | |
| UK4088 0 (0%) 0 (0%) 0 (0%) 13 Mar-30, 13 B.1 | 18 |
| (100.0%) Apr-14 | |
| UK1065 0 (0%) 0 (0%) 1 12 Feb-13, 13 B.2 | 10 |
| (7.69%) (92.31%) Apr-22 | |
| UK184 0 (0%) 13 0 (0%) 0 (0%) Mar-28, 13 B.1 | 19 |
| (100.0%) Apr-13 | |

| Lineage | Northern | | | | Date | Total | Global | Time since last |
|----------|----------|---------------|----------|----------------|---------|-----------|-------------|-----------------|
| name | Ireland | Wales | Scotland | dEngland | range | sequences | lineage | sample (days) |
| UK3921 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Mar-29, | 12 | B.1 | 5 |
| | ` , | ` , | , , | (100.0%) | | | | |
| UK37 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Mar-29, | 12 | B.1.7, | 16 |
| | | | | (100.0%) | Apr-16 | | B.1 | |
| UK291 | 0 (0%) | 10 | 0 (0%) | 2 | Mar-27, | 12 | B.1, | 19 |
| | | (83.33%) | | (16.67%) | Apr-13 | | B.1.5 | |
| UK38 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Mar-13, | 12 | B.1 | 30 |
| | | | | (100.0%) | Apr-02 | | | |
| UK196 | 0 (0%) | 3 | 1 | 8 | Mar-26, | 12 | B.1 | 14 |
| | | (25.0%) | (8.33%) | (66.67%) | Apr-18 | | | |
| UK146 | 0 (0%) | 12 | 0 (0%) | 0 (0%) | Mar-18, | 12 | B.2.2 | 23 |
| | | (100.0%) | | | Apr-09 | | | |
| UK205 | 0 (0%) | 1 | 2 | 9 | Mar-27, | 12 | B.1 | 7 |
| | | (8.33%) | |)(75.0%) | Apr-25 | | | |
| UK3747 | 0 (0%) | 1 | 0 (0%) | 11 | Apr-01, | 12 | B.1 | 6 |
| | | (8.33%) | | (91.67%) | • | | | |
| UK566 | 0 (0%) | 0 (0%) | 12 | 0 (0%) | Apr-01, | 12 | B.1 | 0 |
| | | | (100.0% | • | May-02 | | | |
| UK1849 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Mar-06, | 12 | В | 49 |
| | | _ | | (100.0%) | | | | |
| UK1258 | 0 (0%) | 7 | 0 (0%) | 5 | Mar-28, | 12 | B.1 | 2 |
| | | (58.33%) | | (41.67%) | • | | | |
| UK3767 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Apr-01, | 12 | B.1 | 12 |
| | - (() | - (() | - (() | (100.0%) | • | | | |
| UK77 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Mar-12, | 12 | B.1 | 15 |
| | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 40 | 5 .4 | |
| UK3708 | 0 (0%) | 0 (0%) | 0 (0%) | 12 | Apr-04, | 12 | B.1 | 9 |
| 111/0010 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 44 | D 1 | 0 |
| UK2810 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Apr-12, | 11 | B.1 | 9 |
| UK4002 | 0 (0%) | 0 (0%) | 0 (004) | (100.0%) 11 | • | 11 | B.1 | 18 |
| UN4002 | 0 (0%) | 0 (0%) | 0 (0%) | (100.0%) | Mar-29, | 11 | D. I | 10 |
| UK7 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Mar-07, | 11 | B.8 | 29 |
| OIN | 0 (0 /0) | 0 (0 70) | 0 (0 /0) | (100.0%) | | | D.0 | 29 |
| UK4172 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Feb-15, | 11 | B.1 | 58 |
| ORTITE | 0 (070) | 0 (0 70) | 0 (070) | (100.0%) | | | D.1 | 00 |
| UK1124 | 0 (0%) | 1 | 0 (0%) | 10 | Mar-27, | 11 | B.1 | 7 |
| ORTIZI | 0 (070) | (9.09%) | 0 (070) | (90.91%) | | | D. 1 | • |
| UK2840 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Mar-27, | 11 | B.1.7, | 19 |
| 0112010 | 0 (070) | 0 (0 / 0) | 0 (070) | (100.0%) | | | B.1 | .0 |
| UK939 | 7 | 1 | 3 | 0 (0%) | Mar-11, | 11 | В | 30 |
| | (63.64%) | (9.09%) | (27.27% | ` , | Apr-02 | | _ | |
| UK2899 | 0 (0%) | 0 (0%) | 0 (0%) | , 11 | Apr-06, | 11 | B.1 | 2 |
| | - (-,-) | c (c / - / | - (-,-) | (100.0%) | • | | | |
| UK124 | 0 (0%) | 2 | 0 (0%) | 9 | Mar-23, | 11 | B.1 | 33 |
| | ` ' | _ (18.18%) | | (81.82%) | | | | , , |
| UK94 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Mar-16, | 11 | B.2 | 21 |
| | ` ' | ` , | . , | (100.0%) | | | | |
| | | | | . , | • | | | |

| Lineage name | Northern Ireland | Wales | Scotland | dEngland | Date range | Total sequences | Global lineage | Time since las sample (days |
|--------------|---------------------|----------|----------|-----------|-------------------|-----------------|-------------------|--------------------------------|
| | | 1 | 2 | 8 | Mar-17, | • | | 19 |
| UK118 | 0 (0%) | (9.09%) | |)(72.73%) | | 11 | B.2 | 13 |
| UK2572 | 0 (00() | ` , | • | 11 | • | 11 | B.1.11 | 10 |
| UN2372 | 0 (0%) | 0 (0%) | 0 (0%) | | Apr-08, | 11 | D. I. I I | 10 |
| 1 11/07/10 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 4.4 | D.4 | 4.0 |
| UK3740 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Mar-28, | 11 | B.1 | 15 |
| 111/000 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 4.4 | D.O | 00 |
| UK899 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Mar-20, | 11 | B.2, | 26 |
| 111/400 | 0 (00() | 0 (00() | 4.4 | (100.0%) | • | 4.4 | B.2.1 | 0- |
| UK132 | 0 (0%) | 0 (0%) | 11 | 0 (0%) | Mar-13, | 11 | B.2 | 27 |
| 111/0070 | 0 (00() | 0 (00() | (100.0% | • | Apr-05 | | D.4 | - |
| UK2270 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Apr-13, | 11 | B.1 | Ę |
| | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 4.4 | D.4 | |
| UK3774 | 0 (0%) | 0 (0%) | 0 (0%) | 11 | Apr-20, | 11 | B.1 | 11 |
| | - (() | - (() | - (() | (100.0%) | • | | | _ |
| UK3760 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Apr-04, | 10 | B.1 | 5 |
| | | | | (100.0%) | • | | | |
| UK2038 | 0 (0%) | 0 (0%) | 10 | 0 (0%) | Apr-13, | 10 | B.1.5 | 3 |
| | | | (100.0% | • | Apr-29 | | | |
| UK43 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Mar-13, | 10 | B.2, | 19 |
| | | | | (100.0%) | • | | B.2.1 | |
| UK3710 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Mar-22, | 10 | B.1 | 21 |
| | | | | (100.0%) | • | | | |
| UK690 | 1 (10.0%) | 0 (0%) | 0 (0%) | 9 | Mar-26, | 10 | B.1 | 25 |
| | | | | (90.0%) | Apr-07 | | | |
| UK720 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Feb-28, | 10 | B.2, | 55 |
| | | | | (100.0%) | Mar-08 | | B.2.1 | |
| UK1184 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Mar-15, | 10 | B.1 | 24 |
| | | | | (100.0%) | Apr-08 | | | |
| UK1586 | 0 (0%) | 0 (0%) | 10 | 0 (0%) | Mar-19, | 10 | A.3 | 24 |
| | | | (100.0% |) | Apr-08 | | | |
| UK42 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Feb-26, | 10 | B.1 | 48 |
| | | | | (100.0%) | Mar-15 | | | |
| UK57 | 0 (0%) | 1 | 0 (0%) | 9 | Mar-16, | 10 | B.8 | 33 |
| | | (10.0%) | | (90.0%) | Mar-30 | | | |
| UK3731 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Apr-07, | 10 | B.1 | 8 |
| | | | | (100.0%) | Apr-24 | | | |
| UK3411 | 0 (0%) | 0 (0%) | 9 | 1 | Apr-04, | 10 | B.1 | 2 |
| | ` , | ` , | (90.0%) | (10.0%) | Apr-28 | | | |
| UK4735 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Mar-31, | 10 | B.1 | 18 |
| | , | () | , | (100.0%) | | | | |
| UK730 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Mar-26, | 10 | B.1 | 12 |
| | J (J / J / | - (-,-, | - (-,-) | (100.0%) | | | | |
| UK3754 | 0 (0%) | 1 | 0 (0%) | 9 | Apr-07, | 10 | B.1 | 10 |
| 55.0 | J (J/J) | (10.0%) | - (-,0) | (90.0%) | • | | | 10 |
| UK2571 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Apr-01, | 10 | B.1.11 | 11 |
| UNZUI I | 0 (0 70) | 0 (0 /0) | 0 (0 /0) | (100.0%) | - | 10 | ווווט | 1 |
| UK2060 | 0 (0%) | 0 (0%) | 0 (0%) | 100.0%) | Apr-21 Apr-08, | 10 | B.1.5 | Ş |
| | U (U 70) | 0 (070) | U (U 70) | (100.0%) | • | 10 | ט.ו.ט | : |
| | | | | (100.0%) | Apr-20 | | | |

| Lineage name | Northern Ireland | Wales | Scotland | dEngland | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|---------------|-----------|-----------|--------------------|-----------------|-------------------|-------------------------------|
| UK2025 | 0 (0%) | 0 (0%) | 10 | 0 (0%) | Apr-05, | 10 | B.1.5 | 10 |
| UNZUZU | 0 (0 /0) | 0 (0 70) | (100.0% | ` , | Apr-03, Apr-22 | 10 | D.1.5 | 10 |
| UK3775 | 0 (0%) | 0 (0%) | 0 (0%) | , 10 | Mar-28, | 10 | B.1 | 28 |
| 0110770 | 0 (070) | 0 (0 70) | 0 (070) | (100.0%) | | 10 | D. 1 | 20 |
| UK1433 | 0 (0%) | 0 (0%) | 0 (0%) | 10 | Feb-15, | 10 | B.4 | 57 |
| 0111-00 | 0 (070) | 0 (0 70) | 0 (070) | (100.0%) | | 10 | D.¬ | 07 |
| UK3471 | 0 (0%) | 9 | 0 (0%) | 0 (0%) | Mar-29, | 9 | B.1 | 23 |
| | G (G/S) | (100.0%) | G (G / G) | G (G / S) | Apr-09 | | | |
| UK3812 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-30, | 9 | B.1 | 20 |
| | - () | - () | - () | (100.0%) | | _ | | |
| UK59 | 0 (0%) | 9 | 0 (0%) | 0 (0%) | Mar-14, | 9 | B.2.1 | 24 |
| | , | (100.0%) | , | , | Apr-08 | | | |
| UK179 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-18, | 9 | B.1.10 | 5 |
| | ` , | , , | ` , | (100.0%) | Apr-27 | | | |
| UK25 | 0 (0%) | 1 | 1 | 7 | Mar-10, | 9 | B.2, | 24 |
| | | (11.11%) | (11.11% |)(77.78%) | Apr-08 | | B.2.2 | |
| UK3755 | 0 (0%) | 2 | 0 (0%) | 7 | Mar-24, | 9 | B.1 | 8 |
| | | (22.22%) | | (77.78%) | Apr-24 | | | |
| UK4930 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-29, | 9 | B.2.1 | 24 |
| | | | | (100.0%) | Apr-08 | | | |
| UK104 | 0 (0%) | 5 | 0 (0%) | 4 | Mar-21, | 9 | B.1 | 19 |
| | | (55.56%) | | (44.44%) | Apr-13 | | | |
| UK5381 | 0 (0%) | 0 (0%) | 9 | 0 (0%) | Mar-24, | 9 | B.2 | 27 |
| | | | (100.0% |) | Apr-05 | | | |
| UK3197 | 0 (0%) | 9 | 0 (0%) | 0 (0%) | Mar-30, | 9 | B.1 | 20 |
| | | (100.0%) | | | Apr-12 | | | |
| UK69 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-15, | 9 | B.2.1 | 15 |
| | | | | (100.0%) | Apr-17 | | | |
| UK2240 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-23, | 9 | B.1 | 20 |
| | | | | (100.0%) | • | | | |
| UK3888 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-30, | 9 | B.1 | 19 |
| | | | | (100.0%) | | | | |
| UK3728 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Mar-19, | 9 | B.1 | 21 |
| | - (() | - () | - (() | (100.0%) | • | | | |
| UK3765 | 0 (0%) | 0 (0%) | 0 (0%) | 9 | Apr-10, | 9 | B.1 | 4 |
| | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | • | 5.04 | |
| UK158 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-10, | 8 | B.2.1 | 10 |
| 1114400 | 0 (00() | - | | (100.0%) | • | • | D 0 4 | 0.7 |
| UK138 | 0 (0%) | 7 | 1 | 0 (0%) | Mar-20, | 8 | B.2.1 | 27 |
| 1 11/4 000 | 0 (00() | (87.5%) | (12.5%) | 0 | Apr-05 | 0 | D 4 | |
| UK1632 | 0 (0%) | 0 (0%) | 0 (0%) | (100.00() | Mar-01, | 8 | B.4 | 55 |
| LIKOOGO | 0 (00/) | 0 | 0 (00/) | (100.0%) | | 0 | D 1 | 20 |
| UK3860 | 0 (0%) | (100.00() | 0 (0%) | 0 (0%) | Apr-05, | 8 | B.1 | 20 |
| 111/21/11 | 0 (00%) | (100.0%) | | 0 (00%) | Apr-12 | o | B.1 | 10 |
| UK141 | 0 (0%) | 8 (100.0%) | 0 (0%) | 0 (0%) | Mar-25, Apr-13 | 8 | ו.ם | 19 |
| UK351 | 0 (0%) | (100.0%) | 0 (0%) | 0 (0%) | Mar-24, | 8 | B.1 | 24 |
| UNOUL | 0 (070) | (100.0%) | . , | 0 (070) | Niar-24, Apr-08 | 0 | ט. ו | 24 |
| | | (100.0%) | | | Whi-no | | | |

| Lineage name | Northern Ireland | Wales | Scotland | dEngland | Date range | Total sequences | Global lineage | Time since last sample (days) |
|--------------|---------------------|----------|-----------|-----------|------------|-----------------|-------------------|-------------------------------|
| UK2161 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-27, | 8 | B.1.13 | 26 |
| | - (/ | - () | - () | (100.0%) | | | | |
| UK1109 | 0 (0%) | 5 | 0 (0%) | 3 | Mar-21, | 8 | B.2.1 | 19 |
| | G (G75) | (62.5%) | G (G / S) | (37.5%) | Apr-13 | | | |
| UK46 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-18, | 8 | B.1 | 16 |
| OIX-O | 0 (070) | 0 (070) | 0 (070) | (100.0%) | | Ü | D.1 | 10 |
| UK3572 | 0 (0%) | 8 | 0 (0%) | 0 (0%) | Mar-30, | 8 | B.1 | 20 |
| 01(0072 | 0 (0 70) | (100.0%) | 0 (0 70) | 0 (0 70) | Apr-12 | O | D. 1 | 20 |
| UK613 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-29, | 8 | B.1.7 | 17 |
| OROTO | 0 (0 70) | 0 (0 70) | 0 (0 70) | (100.0%) | | O | D.1.7 | 17 |
| UK78 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-10, | 8 | B.2.1 | 26 |
| UKIO | 0 (0 70) | 0 (0 %) | 0 (0 70) | (100.0%) | | 0 | D.Z. I | 20 |
| UK1252 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-20, | 8 | В | 22 |
| UK1232 | 0 (0 %) | 0 (0 %) | 0 (0 70) | (100.0%) | | 0 | Ь | 22 |
| 111/000 | 0 (00/) | 0 (00/) | 0 (00/) | 8 | • | 0 | D 0 1 | 17 |
| UK208 | 0 (0%) | 0 (0%) | 0 (0%) | | Mar-25, | 8 | B.2.1 | 17 |
| LUZCEOO | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 0 | D 1 | 01 |
| UK6523 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-20, | 8 | B.1 | 21 |
| 111/500 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 0 | D.0 | 40 |
| UK560 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-18, | 8 | B.2 | 18 |
| | 0 (00() | _ | 0 (00() | (100.0%) | | | D.4 | 40 |
| UK5735 | 0 (0%) | 7 | 0 (0%) | 1 | Mar-26, | 8 | B.1 | 19 |
| | 0 (00() | (87.5%) | 0 (00() | (12.5%) | Apr-13 | | 5.4 | |
| UK4009 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-31, | 8 | B.1 | 6 |
| | - (() | - (() | _ | (100.0%) | • | _ | | |
| UK5973 | 0 (0%) | 0 (0%) | 8 | 0 (0%) | Apr-24, | 8 | B.1.5 | 2 |
| | - (() | _ | (100.0% | • | Apr-30 | _ | | |
| UK13 | 0 (0%) | 2 | 1 | 5 | Mar-03, | 8 | B.2 | 25 |
| | | (25.0%) | | (62.5%) | Apr-07 | _ | | |
| UK1420 | 0 (0%) | 1 | 1 | 6 | Mar-23, | 8 | B.1 | 16 |
| | | ` , | ` , | (75.0%) | Apr-16 | | | |
| UK1179 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-26, | 8 | B.1 | 18 |
| | | | | (100.0%) | | | | |
| UK1112 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Mar-20, | 8 | B.1.13 | 29 |
| | | | | (100.0%) | • | _ | | |
| UK3703 | 0 (0%) | 0 (0%) | 0 (0%) | 8 | Apr-10, | 8 | B.1 | 12 |
| | | | | (100.0%) | • | | | |
| UK2070 | 0 (0%) | 0 (0%) | 7 | | Apr-15, | 7 | B.1.5 | 5 |
| | | | (100.0% | • | Apr-27 | | | |
| UK4643 | 0 (0%) | 0 (0%) | 1 | 6 | Mar-12, | 7 | B.1 | 24 |
| | | | • |)(85.71%) | • | | | |
| UK561 | 0 (0%) | 6 | 0 (0%) | 1 | Mar-27, | 7 | B.1 | 11 |
| | | (85.71%) | | (14.29%) | Apr-21 | | | |
| UK793 | 0 (0%) | 7 | 0 (0%) | 0 (0%) | Mar-27, | 7 | B.1 | 22 |
| | | (100.0%) | | | Apr-10 | | | |
| UK3022 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-23, | 7 | B.1 | 19 |
| | | | | (100.0%) | Apr-13 | | | |
| UK3299 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-21, | 7 | B.1 | 15 |
| | | | | (100.0%) | Apr-17 | | | |


| Lineage name | Northern Ireland | Wales | Scotlan | d England | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|----------|----------|------------------|---------------|-----------------|-------------------|-------------------------------|
| UK552 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-24, | 7 | B.1 | 24 |
| OTTOOL | 0 (070) | 0 (070) | 0 (070) | , (100.0%) | | , | D.1 | 27 |
| UK3986 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-30, | 7 | B.1 | 24 |
| 0110000 | 0 (070) | 0 (070) | 0 (070) | (100.0%) | | • | D. 1 | 2. |
| UK32 | 0 (0%) | 0 (0%) | 1 | 6 | Mar-05, | 7 | B.2.2 | 15 |
| 01102 | 0 (070) | 0 (070) | - | 6)(85.71%) | | , | D.L.L | 10 |
| UK1018 | 0 (0%) | 7 | 0 (0%) | , , | Mar-25, | 7 | B.1 | 22 |
| OKTOTO | 0 (0 /0) | (100.0%) | 0 (0 70) | 0 (0 70) | Apr-10 | • | D.1 | 22 |
| UK3367 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-28, | 7 | B.1.10 | 19 |
| 0110001 | 0 (070) | 0 (070) | 0 (070) | , (100.0%) | | , | D.11.10 | 10 |
| UK3209 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-31, | 7 | B.1 | 18 |
| 0110203 | 0 (0 70) | 0 (0 /0) | 0 (0 70) | , (100.0%) | | , | D. 1 | 10 |
| UK3736 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Apr-09, | 7 | B.1 | 7 |
| 01(0700 | 0 (0 70) | 0 (0 /0) | 0 (0 70) | , (100.0%) | • | , | D. 1 | , |
| UK2160 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-29, | 7 | B.1.13 | 12 |
| UNZ 100 | 0 (0 70) | 0 (0 /0) | 0 (0 70) | , (100.0%) | | , | D.1.10 | 12 |
| UK200 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-04, | 7 | B.2.1 | 18 |
| UN200 | 0 (0 %) | 0 (0 70) | 0 (0 %) | , (100.0%) | | , | D.Z. I | 10 |
| LIKOO | 0 (00%) | 0 (006) | 0 (004) | 7 | Mar-22, | 7 | B.1 | 5 |
| UK99 | 0 (0%) | 0 (0%) | 0 (0%) | = | | 7 | D. I | 5 |
| 111/0160 | 0 (00/) | 0 (00/) | 0 (00/) | (100.0%) | | 7 | D 1 10 | 15 |
| UK2163 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Apr-06, | 7 | B.1.13 | 15 |
| 111/0010 | 0 (00/) | 0 (00() | 0 (00() | (100.0%) | • | 7 | D 1 | 0.4 |
| UK3810 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-31, | 7 | B.1 | 24 |
| 111/00 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 7 | D 0 4 | 40 |
| UK33 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-16, | 7 | B.2.1 | 16 |
| 111/0070 | 0 (00() | 7 | 0 (00() | (100.0%) | • | 7 | D.4 | 00 |
| UK2878 | 0 (0%) | 7 | 0 (0%) | 0 (0%) | Mar-30, | 7 | B.1 | 22 |
| 111/070 | 0 (00/) | (100.0%) | 0 (00() | 0 | Apr-10 | 7 | D 0 1 | 00 |
| UK978 | 0 (0%) | 5 | . , | 2 | Mar-20, | 7 | B.2.1 | 23 |
| 111/0000 | 0 (00() | (71.43%) | | (28.57%) | • | 7 | D.4 | 10 |
| UK3822 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Apr-02, | 7 | B.1 | 16 |
| 111/40 | 0 (00() | _ | 0 (00() | (100.0%) | | 7 | D.4 | 10 |
| UK19 | 0 (0%) | 5 | 0 (0%) | 2 | Mar-06, | 7 | B.1 | 19 |
| 111/100 | 0 (00/) | (71.43%) | | (28.57%) | • | 7 | ВΟ | 00 |
| UK130 | 0 (0%) | 0 (0%) | 1 | 6 ()(05.710() | Mar-17, | 1 | B.2, | 36 |
| 111/0010 | 0 (00() | 0 (00() | • | 6)(85.71%) | | 7 | B.2.1 | F |
| UK2910 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | - | 7 | B.1 | 5 |
| 111/00 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 7 | D 0 0 | 0.4 |
| UK23 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-11, | 7 | B.2.2 | 24 |
| 11174000 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | - | D 0 4 | 40 |
| UK4932 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-22, | 1 | B.2.1 | 13 |
| 111/4055 | 0 (00() | 0 (004) | 0 (00() | (100.0%) | | - | D.4 | - |
| UK4055 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Apr-04, | 1 | B.1 | 5 |
| 111/0/10 | 0 (00() | 0 (000) | 0 (000) | (100.0%) | • | _ | D.4 | |
| UK649 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-04, | 7 | B.1 | 33 |
| | • (CC) | 0 (00: | | (100.0%) | | _ | 5. | |
| UK5701 | 0 (0%) | 0 (0%) | 0 (0%) | 7 | Mar-31, | 7 | B.1 | 9 |
| | | | | (100.0%) | Apr-23 | | | |

| Lineage name | Northern Ireland | Wales | Scotlan | d England | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|----------|----------|----------------|------------|-----------------|-------------------|-------------------------------|
| UK3709 | | 1 | 0 (0%) | 6 | | <u> </u> | B.1 | 10 |
| UK3/09 | 0 (0%) | (14.29%) | 0 (0%) | (85.71%) | Apr-07, | 7 | D. I | 10 |
| UK3656 | 0 (0%) | 0 (0%) | 0 (0%) | (65.7 1%) 7 | Mar-26, | 7 | B.1 | 26 |
| 01/3030 | 0 (0 /0) | 0 (0 70) | 0 (0 70) | , (100.0%) | | , | D. I | 20 |
| UK3678 | 0 (0%) | 4 | 0 (0%) | 3 | • | 7 | B.1 | 26 |
| UN3076 | 0 (0%) | | 0 (0%) | | Mar-21, | 7 | D. I | 20 |
| 111/2716 | 0 (00() | (57.14%) | 0 (006) | (42.86%) 7 | • | 7 | D 1 | 20 |
| UK3716 | 0 (0%) | 0 (0%) | 0 (0%) | - | Apr-01, | 7 | B.1 | 20 |
| LIK1061 | 0 (00() | 0 (00/) | 6 | (100.0%) | • | 6 | B.1.5 | 1 |
| UK1961 | 0 (0%) | 0 (0%) | 6 | 0 (0%) | Apr-20, | 6 | D.1.3 | 4 |
| 1 11/4 00 | 0 (00() | 0 (00() | (100.0%) | | Apr-28 | 0 | D O | 07 |
| UK188 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-13, | 6 | B.2 | 27 |
| 111/4004 | 0 (00() | 0 (00() | 0 (00() | (100.0%) | • | 0 | D 4 | 00 |
| UK4624 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-29, | 6 | B.1 | 20 |
| 11124 4 4 4 | 0 (00() | 4 | 0 (00() | (100.0%) | • | 0 | D.O. | 00 |
| UK1444 | 0 (0%) | 4 | 0 (0%) | 2 | Mar-22, | 6 | B.2 | 20 |
| 111/0045 | 0 (00() | (66.67%) | 0 (00() | (33.33%) | • | | D 4 | |
| UK2915 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-26, | 6 | B.1 | 26 |
| | 0 (00() | 0 (00() | | (100.0%) | • | _ | 5.4.5 | _ |
| UK1975 | 0 (0%) | 0 (0%) | 6 | 0 (0%) | Apr-13, | 6 | B.1.5 | 7 |
| | - () | - (() | (100.0% | • | Apr-25 | | | |
| UK5132 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-21, | 6 | B.2, | 33 |
| | | | | (100.0%) | | | B.2.1 | |
| UK3844 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-05, | 6 | B.1 | 11 |
| | | | | (100.0%) | • | | | |
| UK4807 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-31, | 6 | B.1 | 17 |
| | | | | (100.0%) | • | | | |
| UK951 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-21, | 6 | B.1 | 27 |
| | | | | (100.0%) | | | | |
| UK80 | 0 (0%) | 1 | 2 | 3 | Mar-20, | 6 | B.1 | 31 |
| | | (16.67%) | • | 6)(50.0%) | Apr-01 | | | |
| UK4137 | 0 (0%) | 6 | ` ' | 0 (0%) | Apr-02, | 6 | B.1 | 23 |
| | | (100.0%) | | | Apr-09 | | | |
| UK206 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-25, | 6 | B.1 | 5 |
| | | | | (100.0%) | • | | | |
| UK5039 | 0 (0%) | 0 (0%) | 1 | 5 | Mar-18, | 6 | B.2, | 30 |
| | | | • | 6)(83.33%) | • | | B.2.1 | |
| UK1075 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-24, | 6 | B.1 | 33 |
| | | | | (100.0%) | Mar-30 | | | |
| UK620 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-24, | 6 | B.2.1 | 34 |
| | | | | (100.0%) | | | | |
| UK864 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-13, | 6 | B.2.1 | 19 |
| | | | | (100.0%) | Apr-13 | | | |
| UK198 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-20, | 6 | B.2.2 | 26 |
| | | | | (100.0%) | Apr-06 | | | |
| UK4738 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-04, | 6 | B.1 | 15 |
| | | | | (100.0%) | Apr-17 | | | |
| UK204 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-20, | 6 | B.1.13 | 20 |
| | | | | (100.0%) | Apr-12 | | | |


| Lineage name | Northern Ireland | Wales | Scotlan | d England | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|-----------|-----------------------|------------|------------|-----------------|-------------------|-------------------------------|
| UK2024 | 0 (0%) | 1 | 5 | 0 (0%) | Mar-18, | 6 | B.1.5 | 19 |
| | - () | (16.67%) | | ` , | Apr-13 | - | | |
| UK157 | 0 (0%) | 6 | 0 (0%) | 0 (0%) | Mar-24, | 6 | B.1.5 | 29 |
| | - () | (100.0%) | - () | - () | Apr-03 | - | | |
| UK3192 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-03, | 6 | B.1 | 17 |
| 0.10.02 | G (G/S) | G (G / S) | G (G / S) | (100.0%) | • | | | |
| UK2736 | 0 (0%) | 1 | 0 (0%) | 5 | Mar-19, | 6 | B.1.7 | 20 |
| 0 | G (G/S) | (16.67%) | G (G / S) | (83.33%) | | | | |
| UK2279 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-03, | 6 | B.1 | 17 |
| | - (-,-) | - (-,-) | - (-,-) | (100.0%) | • | _ | | |
| UK356 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-23, | 6 | B.2.1 | 25 |
| 0.1000 | 0 (070) | 0 (0 / 0) | 0 (070) | (100.0%) | | J | D.L. . | 23 |
| UK2916 | 0 (0%) | 6 | 0 (0%) | 0 (0%) | Apr-05, | 6 | B.1 | 21 |
| 0112010 | 0 (070) | (100.0%) | 0 (070) | 0 (0 / 0) | Apr-11 | J | 2 | |
| UK6241 | 0 (0%) | 0 (0%) | 6 | 0 (0%) | Apr-13, | 6 | B.1.10 | 14 |
| 0110211 | 0 (070) | 0 (0 / 0) | (100.0% | ` , | Apr-18 | J | 2 | • • |
| UK4806 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-05, | 6 | B.1 | 18 |
| | 0 (070) | 0 (0 / 0) | 0 (070) | (100.0%) | • | J | 2 | |
| UK2919 | 0 (0%) | 6 | 0 (0%) | 0 (0%) | Mar-31, | 6 | B.1 | 22 |
| 0112010 | 0 (070) | (100.0%) | 0 (070) | 0 (0 / 0) | Apr-10 | J | 2 | |
| UK1350 | 0 (0%) | 6 | 0 (0%) | 0 (0%) | Mar-28, | 6 | B.1 | 25 |
| CITIOGO | 0 (070) | (100.0%) | 0 (070) | 0 (070) | Apr-07 | J | D. 1 | 20 |
| UK174 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-23, | 6 | B.1 | 18 |
| OITI I | 0 (070) | 0 (070) | 0 (070) | (100.0%) | | J | D. 1 | 10 |
| UK4133 | 0 (0%) | 6 | 0 (0%) | 0 (0%) | Mar-27, | 6 | B.1 | 23 |
| 0111100 | 0 (070) | (100.0%) | 0 (070) | 0 (0 / 0) | Apr-09 | J | 2 | 23 |
| UK48 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-06, | 6 | B.2 | 25 |
| | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | | J | 2.2 | 23 |
| UK3870 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-02, | 6 | B.1 | 7 |
| 0.100.0 | G (G/S) | G (G / S) | G (G / S) | (100.0%) | • | | | |
| UK3805 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-30, | 6 | B.1 | 19 |
| 0.1000 | G (G/S) | G (G / G) | G (G / S) | (100.0%) | | | | |
| UK1390 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-01, | 6 | B.2.1 | 12 |
| | - (-,-) | - (-,-) | - (-,-) | (100.0%) | • | _ | | _ |
| UK4228 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-30, | 6 | B.1 | 18 |
| | - (-,-) | - (-,-) | - (-,-) | (100.0%) | | _ | | |
| UK3366 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Apr-03, | 6 | B.1.10 | 17 |
| 0.10000 | 0 (070) | 0 (0 /0) | 0 (070) | (100.0%) | • | J | 2 | |
| UK693 | 0 (0%) | 0 (0%) | 5 | 1 | Mar-31, | 6 | B.1.11 | 0 |
| | G (G/S) | G (G / S) | | 6)(16.67%) | | | | • |
| UK1494 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-01, | 6 | B.1 | 56 |
| | G (G/S) | G (G / S) | G (G / S) | (100.0%) | | | | |
| UK120 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-20, | 6 | B.1.7, | 32 |
| 220 | | 5 (5 / 5) | - (- / 0) | (100.0%) | | Ŭ | B.1 | 32 |
| UK804 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-18, | 6 | B.1 | 18 |
| | - (-,-) | - (-,0) | - (- / - / | (100.0%) | | ŭ | | 10 |
| UK115 | 0 (0%) | 0 (0%) | 0 (0%) | 6 | Mar-16, | 6 | B.8 | 26 |
| - | \ · · / | (- · -) | \ - / | (100.0%) | | - | - | |

| Lineage name | Northern Ireland | Wales | Scotlan | d England | Date range | Total sequences | Global lineage | Time since last sample (days) |
|-----------------|---------------------|---------------|---------|---------------|-------------------|-----------------|-------------------|-------------------------------|
| UK2867 | 0 (0%) | 6 (100.0%) | 0 (0%) | 0 (0%) | Apr-05, Apr-10 | 6 | B.1 | 22 |
| UK54 | 0 (0%) | 0 (0%) | 0 (0%) | 6 (100.0%) | Mar-14, Mar-28 | 6 | B.2, B.2.1 | 35 |
| UK3781 | 0 (0%) | 0 (0%) | 0 (0%) | 6 (100.0%) | Mar-31, Apr-21 | 6 | B.1 | 11 |


These data is represented in the stacked bar chart below. Note that the number of sequences is likely to be due more to differing sampling efforts in different regions, rather than genuine differences in numbers of cases.




The relative growth and decline of the ten most sampled lineages in terms of number of counties they are present in is shown below.




The date of first sequence in the cluster is shown below for every cluster with date information.



For comparison, here is a plot of the day that every sequence was taken, coloured by country. Note that sequences without dates were not included.



These lineages are shown on the timeline below. Each line represents the length of the cluster, from oldest to most recent sampling date. The dots are sized by the number of sequences taken on that date, and again are colour coded by country.




The map below shows the number of sequences sampled in each admin2 region in the UK. The colour scale is the same for all four countries, but with different underlying base colours.

COVID-19 sequences from each Admn2 region UK



- 0-10
- 10-50
- 50-100
- 100-150
- 150-200
- 200-250
- 250-300
- 300-400
- 400-500
- >500
- No sequences yet



There are some sequences with locations that are not matched to real Admin2 regions, some manual curation required.

Other results modules for UK lineage analysis can be added in here if required.

Appendix

The plot below shows the number of sequences from each country that don't have specific enough location data to plot on the map.

