

COMP 3721

Tutorial 1

- Xiao Huiru
- hxiaoaf@connect.ust.hk
- No fixed Office Hour
- Feel free to contact with me if any questions
- Tutorials:
 - Solutions will be posted on tutorial webpage after each tutorial.

- Sets
- Languages and Regular Expressions

Sets

1) Determine whether each of the following is true or false.

a) $\emptyset \in \emptyset$

b) $\emptyset \subseteq \emptyset$

c) $\{a, b\} \subseteq \{a, b, \{a, b\}\}$

d) $\{a, b\} \in \{a, b, \{a, b\}\}$

Sets

1) Determine whether each of the following is true or false.

a) $\emptyset \in \emptyset$ False. Empty set contains no elements.

b) $\emptyset \subseteq \emptyset$

c) $\{a, b\} \subseteq \{a, b, \{a, b\}\}$

d) $\{a, b\} \in \{a, b, \{a, b\}\}$

Sets

1) Determine whether each of the following is true or false.

a) $\emptyset \in \emptyset$ False.

b) $\emptyset \subseteq \emptyset$ True.

c) $\{a, b\} \subseteq \{a, b, \{a, b\}\}$

d) $\{a, b\} \in \{a, b, \{a, b\}\}$

Sets

1) Determine whether each of the following is true or false.

a) $\emptyset \in \emptyset$ False.

b) $\emptyset \subseteq \emptyset$ True.

c) $\{a, b\} \subseteq \{a, b, \{a, b\}\}$ True.

d) $\{a, b\} \in \{a, b, \{a, b\}\}$

Sets

1) Determine whether each of the following is true or false.

a) $\emptyset \in \emptyset$ False.

b) $\emptyset \subseteq \emptyset$ True.

c) $\{a, b\} \subseteq \{a, b, \{a, b\}\}$ True.

d) $\{a, b\} \in \{a, b, \{a, b\}\}$ True.

Languages and Regular Expressions

- Definition:

Regular expressions

Regular expressions are a *finite* representation of languages.

Inductive definition of *regular expressions* for languages over an alphabet Σ . A regular expression is a string over alphabet $\Sigma_1 = \Sigma \cup \{ (,), \emptyset, \cup, * \}$.

1. \emptyset and each $\sigma \in \Sigma$ are regular expressions.
2. If α and β are regular expressions, then

$$(\alpha\beta), (\alpha \cup \beta), \alpha^*$$

are regular expressions.

3. Nothing else is a regular expression.

Languages and Regular Expressions

2) Show that if a and b are distinct symbols, then

$$\{a, b\}^* = \{a\}^* (\{b\} \{a\}^*)^*$$

Hint:

- Two sets A and B are *equal* ($A = B$) if $A \subseteq B$ and $B \subseteq A$.

Languages and Regular Expressions

2) Show that if a and b are distinct symbols, then

$$\{a, b\}^* = \{a\}^* (\{b\} \{a\}^*)^*$$

Proof:

It is clear that $\{a\}^* (\{b\} \{a\}^*)^* \subseteq \{a, b\}^*$.

Need to show that $\{a, b\}^* \subseteq \{a\}^* (\{b\} \{a\}^*)^*$.

Languages and Regular Expressions

2) Show that if a and b are distinct symbols, then

$$\{a, b\}^* = \{a\}^* (\{b\} \{a\}^*)^*$$

Proof:

It is clear that $\{a\}^* (\{b\} \{a\}^*)^* \subseteq \{a, b\}^*$.

Need to show that $\{a, b\}^* \subseteq \{a\}^* (\{b\} \{a\}^*)^*$.

For any string $w \in \{a, b\}^*$. If we mark all the occurrence of b 's in w , then w can be rewritten as:

$$w \in a^* b a^* b a^* b a^* b a^*$$

Languages and Regular Expressions

3) True or False. Justification.

a) $abcd \in (a(cd)^*b)^*$

b) $\{a^n b^n : n \geq 0\} \{b^n c^n : n \geq 0\} = \{a^n b^{2n} c^n : n \geq 0\}$

Languages and Regular Expressions

3) True or False. Justification.

a) $abcd \in (a(cd)^*b)^*$

False.

Because any nonempty string in $(a(cd)^*b)^*$ must ends with b .

Languages and Regular Expressions

3) True or False. Justification.

$$\text{b) } \{a^n b^n : n \geq 0\} \{b^n c^n : n \geq 0\} = \{a^n b^{2n} c^n : n \geq 0\}$$

False.

Counter example: abbbcc

Languages and Regular Expressions

- 4) Let $\Sigma = \{a, b\}$. Write regular expressions for the following sets.
- a) All strings in Σ^* with no more than 3 a 's.
 - b) All strings in Σ^* with a number of a 's divisible by 3.
 - c) All strings in Σ^* that does not have aab as a substring.

Languages and Regular Expressions

- 4) Let $\Sigma = \{a, b\}$. Write regular expressions for the following sets.
- a) All strings in Σ^* with no more than 3 a 's.
$$b^*(ab^* \cup b^*)(ab^* \cup b^*)(ab^* \cup b^*)$$
 - b) All strings in Σ^* with a number of a 's divisible by 3.
 - c) All strings in Σ^* that does not have aab as a substring.

Languages and Regular Expressions

4) Let $\Sigma = \{a, b\}$. Write regular expressions for the following sets.

a) All strings in Σ^* with no more than 3 a 's.

$$b^*(ab^* \cup b^*)(ab^* \cup b^*)(ab^* \cup b^*)$$

b) All strings in Σ^* with a number of a 's divisible by 3.

$$b^*(b^*ab^*ab^*ab^*)^*$$

c) All strings in Σ^* that does not have aab as a substring.

Languages and Regular Expressions

4) Let $\Sigma = \{a, b\}$. Write regular expressions for the following sets.

a) All strings in Σ^* with no more than 3 a 's.

$$b^*(ab^* \cup b^*)(ab^* \cup b^*)(ab^* \cup b^*)$$

b) All strings in Σ^* with a number of a 's divisible by 3.

$$b^*(b^*ab^*ab^*ab^*)^*$$

c) All strings in Σ^* that does not have aab as a substring.

$$(ab \cup b)^*a^*$$

Languages and Regular Expressions

5) Prove that if L is regular, then so is

$$\text{Pref}(L) = \{w : wu \in L \text{ for some string } u\}.$$

Hint: Follow the definition of regular expression.

Languages and Regular Expressions

- Proof(sketch):

- i. We first prove that if for any $L(a)$, $a \in \Sigma \cup \emptyset$, then $Pref(L(a))$ is regular.
- ii. Then we prove that if $L1$ and $L2$ are regular and have their $Pref$ also regular, so do their *union*, *concatenation* and *Kleene Star*.