

# COMPASS\_TEMPEST\_SGW\_2023: July

Stephanie J. Wilson


2023-01-14

```
##Set Up
```

## Read in first data file and assess standard curves


```
##      Machine      User Run_Date Sample_Type Type1 Sample_Year Sample_Month
## 1 Varian GC M. Wegner 202309119     Blank Blank        2023       <NA>
## 2 Varian GC M. Wegner 202309119   STD_CH4 STDs        2023       <NA>
## 3 Varian GC M. Wegner 202309119   STD_CO2 STDs        2023       <NA>
## 4 Varian GC M. Wegner 202309119   STD_CH4 STDs        2023       <NA>
## 5 Varian GC M. Wegner 202309119   STD_CH4 STDs        2023       <NA>
## 6 Varian GC M. Wegner 202309119   STD_CH4 STDs        2023       <NA>
##               Sample_ID Dilution_Factor STD_Conc CO2_Area CH4_Area Lab_Notes
## 1           Blank_0            1       0.0       0       0
## 2 Blank_0_repeatforCH4        1       0.0       0       0
## 3 Blank_0_repeatforCO2        1       0.0       0       0
## 4      STD_1ppm_CH4         1       1.0    24040      570
## 5      STD_2.5ppm_CH4        1       2.5    69965     1565
## 6      STD_5ppm_CH4         1       5.0   141345     3140
## `geom_smooth()` using formula = 'y ~ x'
```

## CH4 LOW Std Curve




```
##  
## Call:  
## lm(formula = stds_ch4_low$CH4_Area ~ stds_ch4_low$STD_Conc)  
##  
## Residuals:  
##      Min       1Q   Median       3Q      Max  
## -601.45  -26.16  105.02  146.24  304.49  
##  
## Coefficients:  
##                               Estimate Std. Error t value Pr(>|t|)  
## (Intercept)           -176.619    140.374 -1.258   0.255  
## stds_ch4_low$STD_Conc  642.201     3.448 186.237 1.62e-12 ***  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 319.4 on 6 degrees of freedom  
## Multiple R-squared:  0.9998, Adjusted R-squared:  0.9998  
## F-statistic: 3.468e+04 on 1 and 6 DF,  p-value: 1.617e-12  
  
## 'geom_smooth()' using formula = 'y ~ x'
```

## CH4 HIGH Std Curve




```
##  
## Call:  
## lm(formula = stds_ch4$CH4_Area ~ stds_ch4$STD_Conc)  
##  
## Residuals:  
##      Min       1Q   Median       3Q      Max  
## -61816 -11202 -10793 -7024  94033  
##  
## Coefficients:  
##                               Estimate Std. Error t value Pr(>|t|)  
## (Intercept)           11202.408  12293.663   0.911   0.382  
## stds_ch4$STD_Conc    618.455     3.864 160.045 <2e-16 ***  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 39670 on 11 degrees of freedom  
## Multiple R-squared:  0.9996, Adjusted R-squared:  0.9995  
## F-statistic: 2.561e+04 on 1 and 11 DF,  p-value: < 2.2e-16  
  
## 'geom_smooth()' using formula = 'y ~ x'
```

## CO2 Std Curve



```
##
## Call:
## lm(formula = stds_co2$CO2_Area ~ stds_co2$STD_Conc)
##
## Residuals:
##      1       2       3       4       5       6 
## -10330  -6999  -5091   6970  17478 -2028 
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)    
## (Intercept) 1.033e+04 5.378e+03  1.921   0.127    
## stds_co2$STD_Conc 1.472e+02 2.618e-01 562.080 6.01e-11 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11620 on 4 degrees of freedom
## Multiple R-squared:      1, Adjusted R-squared:      1
## F-statistic: 3.159e+05 on 1 and 4 DF,  p-value: 6.011e-11

##      X          Curve      R2      Slope     Intercept Run_Date
## 1 1 Slope_CH4_low 0.9997982 642.2013 -176.61917 202307
## 2 2 Slope_CH4_high 0.9995317 618.4551 11202.40792 202307
## 3 3 Slope_CO2 0.9999842 147.1737 10330.39781 202307
## 4 4 Slope_CH4_low 0.9990979 658.8841 -87.56451 202307
## 5 5 Slope_CH4_high 0.9999901 661.2523 176.62351 202307
## 6 6 Slope_CO2 0.9999978 152.3154 8787.66721 202307
```



Now calculate the CH4 & CO2 concentrations in ppm

```
#head(raw)

#pull out methane standards
Samples <- raw %>%
  filter(!str_detect(Sample_Type, "STD_CH4")) %>%
  filter(!str_detect(Sample_Type, "STD_CO2")) %>%
  filter(!str_detect(Sample_Type, "Blank")) %>%
  filter(!str_detect(Sample_Type, "Chk_STD")) %>%
  filter(!str_detect(Sample_Type, "CHKSTD")) %>%
  filter(!str_detect(Sample_Type, "NA"))

#head(Samples)

#Now flag any areas that are above the 100ppm area for CH4
Samples$CH4_Curve <- ifelse(Samples$CH4_Area >71000, "High", "Low")
#head(Samples)

#Calculate CH4 concentrations in ppm
Samples$CH4_Conc_ppm <- ifelse(Samples$CH4_Area >71000, (Samples$CH4_Area-Slope_CH4_high$Intercept)/Slope_CH4_high$Slope, (Samples$CH4_Area-Slope_CH4_low$Intercept)/Slope_CH4_low$Slope)

#Calculate CO2 concentrations in ppm
Samples$CO2_Conc_ppm <- ((Samples$CO2_Area-Slope_CO2$Intercept)/Slope_CO2$Slope)
```

```

#head(Samples)

##### make flags for any dilutions needed
#highest CH4 standard = 10000
#highest CO2 standard = 50000

Samples$CH4_Flag <- ifelse(Samples$CH4_Conc_ppm >10000, "Needs Dilution", "Within Range")
Samples$CO2_Flag <- ifelse(Samples$CO2_Conc_ppm >50000, "Needs Dilution", "Within Range")
#head(Samples)


```

## Check the Check Standards

```

## Warning: Using 'size' aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use 'linewidth' instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
## generated.

```



## Dilution correct samples

```

#multiply the concentration by the dilution factor
Samples$CH4_Conc_ppm_dilcorr <- (Samples$CH4_Conc_ppm * Samples$Dilution_Factor)

```

```

Samples$CO2_Conc_ppm_dilcorr <- (Samples$CO2_Conc_ppm * Samples$Dilution_Factor)

#check results
#head(Samples)


#quick first look at the samples
ch4_samples <- ggplot(data = Samples, aes(x = Sample_ID, y = CH4_Conc_ppm, fill=CH4_Flag)) +
  geom_bar(stat = 'identity') +
  scale_fill_manual(values=c("red","darkgreen"))+
  #scale_fill_gradient2(low='red', mid='white', high='blue', space='Lab') +
  theme_classic() + labs(x= " ", y="CH4 (ppm)", title="CH4: Green = Within Range") +
  theme(legend.position="none")

co2_samples <- ggplot(data = Samples, aes(x = Sample_ID, y = CO2_Conc_ppm, fill=CO2_Flag)) +
  geom_bar(stat = 'identity') +
  scale_fill_manual(values=c( "darkgreen", "red"))+
  #scale_fill_gradient2(low='red', mid='white', high='blue', space='Lab') +
  theme_classic() + labs(x= " ", y="CO2 (ppm)", title="CO2: Green = Within Range") +
  theme(legend.position="none")

ggarrange(ch4_samples, co2_samples, nrow=1, ncol=2)

## Warning: Removed 1 row containing missing values or values outside the scale range
## ('geom_bar()').
## Removed 1 row containing missing values or values outside the scale range
## ('geom_bar()').

```



If samples are water calculate gas in water - only need if there is water

Write out processed data & slopes

```
#check results
#head(Samples)

#pull out what we need
Samples1 <- Samples[,c(1:3,6:9,17:20)]
#head(Samples1)

IDs <- data.frame(do.call('rbind', strsplit(as.character(Samples1$Sample_ID), '_', fixed=TRUE)))

## Warning in rbind(c("MSM", "UP", "SgwA", "10cm"), c("MSM", "UP", "SgwA", :
## number of columns of result is not a multiple of vector length (arg 10)

colnames(IDs) <- c("Site", "Zone", "Replicate", "Depth")
IDs$Depth1 <- ifelse(IDs$Depth == '10cm', '10',
                      ifelse(IDs$Depth == '20cm', '20',
                            ifelse(IDs$Depth == '45cm', '45', '0')))
head(IDs)

##   Site Zone Replicate Depth Depth1
```

```

## 1 MSM UP SgwA 10cm 10
## 2 MSM UP SgwA 20cm 20
## 3 MSM UP SgwA 45cm 45
## 4 MSM UP SgwB 10cm 10
## 5 MSM UP SgwB 20cm 20
## 6 MSM UP SgwB 45cm 45

#rejoin them to the dataframe
alldat <- cbind(IDs, Samples1)
head(alldat)

##   Site Zone Replicate Depth Depth1 Machine      User Run_Date Sample_Year
## 1  MSM   UP       SgwA  10cm     10 Varian GC M. Wegner 202309119    2023
## 2  MSM   UP       SgwA  20cm     20 Varian GC M. Wegner 202309119    2023
## 3  MSM   UP       SgwA  45cm     45 Varian GC M. Wegner 202309119    2023
## 4  MSM   UP       SgwB  10cm     10 Varian GC M. Wegner 202309119    2023
## 5  MSM   UP       SgwB  20cm     20 Varian GC M. Wegner 202309119    2023
## 6  MSM   UP       SgwB  45cm     45 Varian GC M. Wegner 202309119    2023
##   Sample_Month      Sample_ID Dilution_Factor      CH4_Flag      CO2_Flag
## 1       July MSM_UP_SgwA_10cm           1 Within Range Within Range
## 2       July MSM_UP_SgwA_20cm           1 Within Range Within Range
## 3       July MSM_UP_SgwA_45cm           1 Within Range Within Range
## 4       July MSM_UP_SgwB_10cm           1 Within Range Within Range
## 5       July MSM_UP_SgwB_20cm           1 Within Range Within Range
## 6       July MSM_UP_SgwB_45cm           1 Within Range Within Range
##   CH4_Conc_ppm_dilcorr CO2_Conc_ppm_dilcorr
## 1           2.585823           5151.048
## 2           2.489280           7337.818
## 3           2.507966          20438.171
## 4           2.576481           4715.501
## 5           2.328895          10199.281
## 6           2.237023          19528.585

write.csv(alldat, "Processed Data/COMPASS_CBSYN_SGW_202307_Processed.csv")

```

#end