ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Carl Leukefeld
University of Kentucky. Center on Drug and
Alcohol Research

Variable Description and Frequencies for Restructuring Risky Relationships 90-Day Follow-up

> Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30842/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS)
Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008
Part 3: RRR-HIV 90 Day Follow-up Data

1) For better understanding of the recoded and other computed variables, it is advisable that the users read the documentations files before reviewing or analyzing the data.

ICPSR 30842

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Criminal Justice Drug Abuse Treatment Studies (CJDATS): Restructuring Risky Relationships-HIV (RRR-HIV), 2005-2008 [United States]

Restructuring Risky Relationships 90-Day Follow-up

CJDID	CJDATS Study ID Number

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Study site

Value	Label	Unweighted Frequency	%
2100	RRR/HIV	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2100.00
Median: 2100.00
Mode: 2100.00
Minimum: 2100.00
Maximum: 2100.00
Standard Deviation: 0.00

RCTR Research Center

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

Question: Research Center

Value	Label	Unweighted Frequency	%
2	University of Kentucky	119	49.0 %
3	Connecticut	30	12.3 %
5	University of Delaware	80	32.9 %
8	Rhode Island	14	5.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 3.46 Median: 3.00 Mode: 2.00 Minimum: 2.00 Maximum: 8.00

• Standard Deviation: 1.75

SITE Research Site

Location: 8-11 (width: 4; decimal: 0)

Variable Type:

numeric

Question:

Research Site

Value	Label	Unweighted Frequency	%
3	Site 3	30	12.3 %
4	Site 4	80	32.9 %
5	Site 5	119	49.0 %
6	Site 6	14	5.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.48Median: 5.00Mode: 5.00Minimum: 3.00Maximum: 6.00

Standard Deviation: 0.78

WAVE Interview Visit/Wave

Location: 12-13 (width: 2; decimal: 0)

Variable Type:

Question:

Interview Visit/Wave

numeric

Value	Label	Unweighted Frequency	%
1	90 day follow up	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.00Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 1.00

• Standard Deviation: 0.00

COND Study Condition

Location: 14-21 (width: 8; decimal: 0)

Variable Type: numeric

Question: Study Condition

Value	Label	Unweighted Frequency	%
0	Control	117	48.1 %
1	RRR	124	51.0 %
. (M)	-	2	0.8 %

Based upon 241 valid cases out of 243 total cases.

Mean: 0.51Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

STAFFID Staff ID

Location: 22-25 (width: 4; decimal: 0)

Variable Type: numeric

Question: Interviewer ID number

Value	Unweighted Frequency	%
208	3	1.2 %
212	27	11.1 %
316	48	19.8 %
323	23	9.5 %
329	9	3.7 %
410	51	21.0 %
414	42	17.3 %
430	22	9.1 %
431	4	1.6 %
608	14	5.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 369.96Median: 410.00Mode: 410.00Minimum: 208.00Maximum: 608.00

• Standard Deviation: 91.11

CID Client ID Number

Location: 26-29 (width: 4; decimal: 0)

Variable Type: numeric

Question: Subject ID

Based upon 243 valid cases out of 243 total cases.

Mean: 5875.32Median: 6003.00Minimum: 5001.00

Maximum: 8050.00

· Standard Deviation: 982.94

INTSTRT Interview Start Time

Location: 30-34 (width: 5; decimal: 0)

Variable Type: character

Question: Start time.

Based upon 243 valid cases out of 243 total cases.

INTLOC Interview Location

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Question: Interview location.

Value	Label	Unweighted Frequency	%
1	Prison	19	7.8 %
2	Work furlough program	11	4.5 %
3	Community corrections	19	7.8 %
4	Half-way home	8	3.3 %
6	Community tx program	2	0.8 %
7	Other	184	75.7 %

Based upon 243 valid cases out of 243 total cases.

Mean: 5.88Median: 7.00Mode: 7.00Minimum: 1.00Maximum: 7.00

Standard Deviation: 2.07

INTLOC1 Interview Location Other Specify

Location: 37-136 (width: 100; decimal: 0)

Variable Type: character

Question: Specify other interview location.

Value	Unweighted Frequency	%
Masked	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

REDATE Release date from prison

Location: 137-147 (width: 11; decimal: 0)

Variable Type: character

Question: Release date from prison.

Based upon 243 valid cases out of 243 total cases.

RECALL Number of days since last interview

Location: 148-151 (width: 4; decimal: 0)

Variable Type: numeric

Question: Number of days since last interview.

Value	Unweighted Frequency	%
0	5	2.1 %
1	1	0.4 %
8	1	0.4 %
10	1	0.4 %
13	1	0.4 %
16	1	0.4 %
21	1	0.4 %
23	2	0.8 %
27	1	0.4 %
28	1	0.4 %
29	1	0.4 %
30	1	0.4 %
31	2	0.8 %
32	1	0.4 %
34	1	0.4 %
36	1	0.4 %
37	2	0.8 %
38	2	0.8 %
39	1	0.4 %
42	5	2.1 %
43	4	1.6 %
44	4	1.6 %
45	3	1.2 %
46	1	0.4 %
47	4	1.6 %
48	2	0.8 %
49	4	1.6 %
50	3	1.2 %
51	12	4.9 %
52	5	2.1 %
53	7	2.9 %
54	1	0.4 %

Value	Unweighted Frequency	%
55	3	1.2 %
56	11	4.5 %
57	7	2.9 %
58	6	2.5 %
59	4	1.6 %
60	6	2.5 %
61	4	1.6 %
62	9	3.7 %
63	6	2.5 %
64	5	2.1 %
65	1	0.4 %
66	4	1.6 %
67	6	2.5 %
68	4	1.6 %
69	5	2.1 %
70	7	2.9 %
71	3	1.2 %
72	1	0.4 %
73	3	1.2 %
74	5	2.1 %
75	1	0.4 %
76	1	0.4 %
77	2	0.8 %
78	8	3.3 %
82	1	0.4 %
83	2	0.8 %
85	2	0.8 %
86	2	0.8 %
89	1	0.4 %
90	1	0.4 %
94	1	0.4 %
95	1	0.4 %
98	1	0.4 %
101	1	0.4 %
106	1	0.4 %
112	1	0.4 %
116	1	0.4 %
118	2	0.8 %
119	3	1.2 %
122	1	0.4 %

Value	Unweighted Frequency	%
125	1	0.4 %
126	1	0.4 %
127	1	0.4 %
128	1	0.4 %
129	1	0.4 %
133	1	0.4 %
134	1	0.4 %
135	1	0.4 %
141	1	0.4 %
145	1	0.4 %
149	1	0.4 %
150	1	0.4 %
155	1	0.4 %
158	1	0.4 %
159	1	0.4 %
160	1	0.4 %
163	1	0.4 %
165	1	0.4 %
168	1	0.4 %
170	1	0.4 %
172	1	0.4 %
206	1	0.4 %
208	1	0.4 %
273	1	0.4 %
286	1	0.4 %
340	1	0.4 %
404	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 72.13Median: 61.00Mode: 51.00Minimum: 0.00Maximum: 404.00

• Standard Deviation: 48.42

INT30D Date 30 days post-release

Location: 152-162 (width: 11; decimal: 0)

Variable Type: character

Question: Date 30 day post-release.

Based upon 243 valid cases out of 243 total cases.

AODTX Client currently in drug treatment

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

Question: Is the client currently in drug treatment?

Value	Label	Unweighted Frequency	%
0	NO	124	51.0 %
1	YES	119	49.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.49Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.50

JAILC Currently Incarcerated

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

Question: Interviewer: Is respondent currently incarcerated (e.g., jail, prison, work release, or community

correctional facility)?

Value	Label	Unweighted Frequency	%
0	NO	164	67.5 %
1	YES	79	32.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.33Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.47

IDATE Interview Date

Location: 165-175 (width: 11; decimal: 0)

Variable Type: character

Question: Date of interview.

Based upon 243 valid cases out of 243 total cases.

ARST30 NUMBER ARRESTS 30 DAYS

Location: 176-179 (width: 4; decimal: 0)

Variable Type: numeric

Question: Altogether, how many TIMES were you arrested in the past 30 days?

Value	Unweighted Frequency	%
0	230	94.7 %
1	12	4.9 %
2	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.06Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.25

JAIL30 Number nights jail 30 days

Location: 180-183 (width: 4; decimal: 0)

Variable Type: numeric
Range of Missing Values (M): -9

Question: How many nights did you spend in jail during the past 30 days?

Value	Label	Unweighted Frequency	%
0	-	4	1.6 %
1	-	2	0.8 %
2	-	1	0.4 %
3	-	1	0.4 %
4	=	2	0.8 %
7	-	3	1.2 %
14	-	1	0.4 %
21	-	1	0.4 %
26	-	1	0.4 %
30	=	12	4.9 %
-9 (M)	Legitimate skip	215	88.5 %

Based upon 28 valid cases out of 243 total cases.

Mean: 16.32Median: 17.50Mode: 30.00Minimum: 0.00

Maximum: 30.00

Standard Deviation: 13.40

CLIVE Current Living Situation

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the 3 months since your release, where have you been living most of the time?

Value	Label	Unweighted Frequency	%
1	Shelter	10	4.1 %
2	Street	1	0.4 %
3	Institution	73	30.0 %
4	Own/rent apt/house/room	39	16.0 %
5	Someone else apt/house/rooom	82	33.7 %
6	Halfway house	17	7.0 %
7	Residential Tx	6	2.5 %
8	Other	15	6.2 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.37Median: 4.00Mode: 5.00Minimum: 1.00Maximum: 8.00

Standard Deviation: 1.55

CLIVE1 Other Specified living situation

Location: 186-285 (width: 100; decimal: 0)

Variable Type: character

Question: Specify other living situation.

	Unweighted Frequency	%	
Masked	243	100.0 %	

Based upon 243 valid cases out of 243 total cases.

LIVEDAYS # Days in Current Living Situation

Location: 286-289 (width: 4; decimal: 0)

Variable Type: numeric

Question: How long have you been living there (at that place)? In days.

Value	Unweighted Frequency	%
0	2	0.8 %
1	1	0.4 %
4	4	1.6 %
5	4	1.6 %
6	2	0.8 %
7	1	0.4 %
10	1	0.4 %
14	1	0.4 %
15	2	0.8 %
17	2	0.8 %
18	1	0.4 %
20	1	0.4 %
21	2	0.8 %
22	1	0.4 %
26	1	0.4 %
30	17	7.0 %
34	1	0.4 %
37	1	0.4 %
40	3	1.2 %
42	1	0.4 %
45	2	0.8 %
49	2	0.8 %
50	3	1.2 %
51	1	0.4 %
55	2	0.8 %
56	1	0.4 %
59	2	0.8 %
60	12	4.9 %
61	1	0.4 %
64	1	0.4 %
67	1	0.4 %
68	1	0.4 %
71	1	0.4 %
72	1	0.4 %
74	1	0.4 %
75	5	2.1 %
78	2	0.8 %
80	1	0.4 %
83	3	1.2 %
84	4	1.6 %

- Study 30842 -

Value	Unweighted Frequency	%
85	1	0.4 %
86	1	0.4 %
87	3	1.2 %
89	3	1.2 %
90	79	32.5 %
91	2	0.8 %
92	2	0.8 %
93	1	0.4 %
94	2	0.8 %
95	4	1.6 %
96	4	1.6 %
97	3	1.2 %
98	1	0.4 %
99	3	1.2 %
100	1	0.4 %
102	1	0.4 %
104	3	1.2 %
105	1	0.4 %
106	1	0.4 %
108	3	1.2 %
113	1	0.4 %
117	1	0.4 %
119	1	0.4 %
121	1	0.4 %
131	1	0.4 %
136	1	0.4 %
150	1	0.4 %
161	1	0.4 %
165	1	0.4 %
175	1	0.4 %
180	5	2.1 %
194	1	0.4 %
210	9	3.7 %
235	1	0.4 %
240	1	0.4 %
310	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 83.10Median: 90.00

Mode: 90.00Minimum: 0.00Maximum: 310.00

• Standard Deviation: 48.58

LIVSP

Live w/Spouse or Partner (last 30 days)

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 30 days, have you been living with a spouse, significant other, or domestic partner?

Value	Label	Unweighted Frequency	%
0	No	201	82.7 %
1	Yes	42	17.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.17Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.38

ILACTSP

Support from Illegal Activities (last 30 days)

Location: 292-295 (width: 4; decimal: 0)

Variable Type: numeric

Question: How much of your income or source of support in the 30 days since your release came from some

kind of ILLEGAL ACTIVITY?

Value	Label	Unweighted Frequency	%
0	NONE	227	93.4 %
1	LESS HALF	2	0.8 %
2	HALF	6	2.5 %
3	MORE HALF	3	1.2 %
4	ALL	5	2.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.18Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 4.00

Standard Deviation: 0.72

ARSTFLW # Times Arrested Recall Period

Location: 296-298 (width: 3; decimal: 0)

Variable Type: numeric

Question: Altogether, how many TIMES were you arrested in the 3 months since your release?

Value	Unweighted Frequency	%
0	220	90.5 %
1	16	6.6 %
2	6	2.5 %
3	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.13Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 3.00

• Standard Deviation: 0.43

CHARGES Types of Charges if Arrrested

Location: 299-398 (width: 100; decimal: 0)

Variable Type: character

Range of Missing Values (M): -9

Question: What were the charges?

Value	Unweighted Frequency	%
	4	1.6 %
2nd offense DUI	1	0.4 %
PV	3	1.2 %
PV, PDP, Absconding	1	0.4 %
alluding the police	1	0.4 %
contempt of court	1	0.4 %
disorderly conduct	1	0.4 %
driving on suspended	1	0.4 %
drug paraphanalia	1	0.4 %
escape	2	0.8 %
parole violation - noncompliance	1	0.4 %
parole violation, possession of drug paraphenalia	1	0.4 %
parole violation/old theft charge	1	0.4 %
possession-cocaine/methadone/xanax/paraphenalia	1	0.4 %
possession/failure to appear	1	0.4 %
possession/theft by deception	1	0.4 %

Value	Unweighted Frequency	%
probation violation (dirty urine)	1	0.4 %
public intoxication	1	0.4 %
shoplifting, speeding, PI, drinking in public	1	0.4 %
solicitation of prostitution, traf cocaine	1	0.4 %
-9 (M)	217	89.3 %

Based upon 26 valid cases out of 243 total cases.

ARSTDRUG Arrested on Drug Charges

Location: 399-402 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Question:

About how many of these arrests (refer to 2.a) were for things you did while using drugs or trying to get drugs?

Value	Label	Unweighted Frequency	%
0	-	11	4.5 %
1	-	9	3.7 %
2	-	3	1.2 %
-9 (M)	Legitimate skip	220	90.5 %

Based upon 23 valid cases out of 243 total cases.

Mean: 0.65Median: 1.00Mode: 0.00Minimum: 0.00Maximum: 2.00

· Standard Deviation: 0.71

JAILREC # Days in Jail Recall Period

Location: 403-406 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: How many nights did you spend in jail during this 3 month period?

Value	Label	Unweighted Frequency	%
0	-	2	0.8 %
1	-	2	0.8 %
2	-	1	0.4 %
3	-	2	0.8 %
4	-	2	0.8 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
7	-	3	1.2 %
10	-	1	0.4 %
13	-	1	0.4 %
14	-	1	0.4 %
30	-	1	0.4 %
39	-	1	0.4 %
43	-	1	0.4 %
50	-	2	0.8 %
59	-	1	0.4 %
67	-	1	0.4 %
71	-	1	0.4 %
75	-	1	0.4 %
80	-	1	0.4 %
83	-	1	0.4 %
90	-	3	1.2 %
-9 (M)	Legitimate skip	214	88.1 %

Based upon 29 valid cases out of 243 total cases.

Mean: 34.24Median: 14.00Minimum: 0.00Maximum: 90.00

• Standard Deviation: 33.89

PROBRC

Day On Probation (recall period)

Location: 407-409 (width: 3; decimal: 0)

Variable Type: numeric

Question: In the 3 months since your release, what is the total length of time that you were on probation?

Value	Unweighted Frequency	%
0	209	86.0 %
1	1	0.4 %
9	1	0.4 %
14	1	0.4 %
15	1	0.4 %
17	2	0.8 %
18	1	0.4 %
30	2	0.8 %
34	1	0.4 %
40	1	0.4 %

- Study 30842 -

Value	Unweighted Frequency	%
60	1	0.4 %
75	1	0.4 %
82	1	0.4 %
90	19	7.8 %
99	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 9.26Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 99.00

• Standard Deviation: 26.09

PAROLRC

Day On Parole (recall period)

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Question: In the 3 months since your release, what is the total length of time that you were on parole?

Value	Unweighted Frequency	%
0	170	70.0 %
4	1	0.4 %
9	1	0.4 %
21	1	0.4 %
30	1	0.4 %
35	1	0.4 %
40	1	0.4 %
45	1	0.4 %
66	1	0.4 %
74	1	0.4 %
89	2	0.8 %
90	44	18.1 %
91	2	0.8 %
92	1	0.4 %
95	1	0.4 %
96	1	0.4 %
98	2	0.8 %
99	2	0.8 %
100	1	0.4 %
103	1	0.4 %

Value	Unweighted Frequency	%
104	1	0.4 %
109	1	0.4 %
113	1	0.4 %
117	1	0.4 %
119	1	0.4 %
126	1	0.4 %
210	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 26.43Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 210.00

· Standard Deviation: 42.86

LEGSTAT Current Legal Status

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

Question: What is your CURRENT LEGAL STATUS?

Value	Label	Unweighted Frequency	%
0	None	26	10.7 %
1	Probation no prison	21	8.6 %
2	Probation prison	11	4.5 %
3	Parole	70	28.8 %
4	Mandatory release	8	3.3 %
7	Incarceration	13	5.3 %
8	Work Release	67	27.6 %
9	Community facility	9	3.7 %
10	Other	18	7.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.83Median: 3.00Mode: 3.00Minimum: 0.00Maximum: 10.00

• Standard Deviation: 3.29

LEGSTAT1

Location: 415-514 (width: 100; decimal: 0)

Variable Type: character

Range of Missing Values (M): -9

Question: Specify other current legal status.

Value	Unweighted Frequency	%
	1	0.4 %
drug court	1	0.4 %
incarcerated	1	0.4 %
jail	1	0.4 %
serve out	13	5.3 %
served out	2	0.8 %
-9 (M)	224	92.2 %

Based upon 19 valid cases out of 243 total cases.

ALCRE Days used Alcohol last 3 months

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used alcohol.

Value	Unweighted Frequency	%
0	184	75.7 %
1	13	5.3 %
2	12	4.9 %
3	5	2.1 %
4	4	1.6 %
5	1	0.4 %
6	1	0.4 %
7	1	0.4 %
9	1	0.4 %
10	2	0.8 %
12	1	0.4 %
15	1	0.4 %
20	2	0.8 %
23	1	0.4 %
30	5	2.1 %
40	1	0.4 %
45	1	0.4 %
53	1	0.4 %
60	4	1.6 %
80	1	0.4 %

	Unweighted Frequency	%
90	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 3.72Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 90.00

• Standard Deviation: 12.65

ALC30D

Days used Alcohol last 30 days

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

Tell me how many days in the past 30 days you used alcohol.

Value	Label	Unweighted Frequency	%
0	-	16	6.6 %
1	-	13	5.3 %
2	-	11	4.5 %
3	-	3	1.2 %
4	-	2	0.8 %
5	-	1	0.4 %
10	-	3	1.2 %
12	-	1	0.4 %
14	-	2	0.8 %
15	-	2	0.8 %
20	-	2	0.8 %
23	-	1	0.4 %
30	-	2	0.8 %
-9 (M)	Legitimate skip	184	75.7 %

Based upon 59 valid cases out of 243 total cases.

Mean: 4.75Median: 2.00Mode: 0.00Minimum: 0.00Maximum: 30.00

• Standard Deviation: 7.46

TOBRE

Location: 519-521 (width: 3; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used tobacco.

Value	Unweighted Frequency	%
0	37	15.2 %
1	2	0.8 %
2	1	0.4 %
3	1	0.4 %
4	2	0.8 %
5	2	0.8 %
7	3	1.2 %
8	4	1.6 %
9	1	0.4 %
10	1	0.4 %
15	1	0.4 %
19	1	0.4 %
21	1	0.4 %
24	1	0.4 %
30	8	3.3 %
35	1	0.4 %
36	3	1.2 %
40	2	0.8 %
42	1	0.4 %
44	1	0.4 %
45	6	2.5 %
48	2	0.8 %
49	1	0.4 %
55	2	0.8 %
60	11	4.5 %
65	1	0.4 %
75	1	0.4 %
78	1	0.4 %
80	2	0.8 %
84	3	1.2 %
89	2	0.8 %
90	114	46.9 %
91	1	0.4 %
94	3	1.2 %
95	1	0.4 %
96	1	0.4 %
97	1	0.4 %

- Study 30842 -

Value	Unweighted Frequency	%
98	1	0.4 %
99	3	1.2 %
100	1	0.4 %
103	1	0.4 %
104	2	0.8 %
105	1	0.4 %
108	1	0.4 %
113	1	0.4 %
120	1	0.4 %
126	1	0.4 %
180	1	0.4 %
210	1	0.4 %
300	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 64.64Median: 90.00Mode: 90.00Minimum: 0.00Maximum: 300.00

• Standard Deviation: 42.45

TOB30D Days used Tobacco last 30 days

Location: 522-524 (width: 3; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used tobacco.

Value	Label	Unweighted Frequency	%
0	-	10	4.1 %
1	-	1	0.4 %
2	-	2	0.8 %
4	-	1	0.4 %
5	-	3	1.2 %
7	-	2	0.8 %
8	-	9	3.7 %
12	-	2	0.8 %
14	-	1	0.4 %
16	-	1	0.4 %
20	-	4	1.6 %

Value	Label	Unweighted Frequency	%
28	-	1	0.4 %
29	-	1	0.4 %
30	-	164	67.5 %
38	-	2	0.8 %
180	-	1	0.4 %
300	-	1	0.4 %
-9 (M)	Legitimate skip	37	15.2 %

Based upon 206 valid cases out of 243 total cases.

Mean: 28.04Median: 30.00Mode: 30.00Minimum: 0.00Maximum: 300.00

Standard Deviation: 23.75

INHRE Days used Inhalants last 3 months

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used inhalants (glue, spray, paint,

toluene, liquid paper, etc.).

	Unweighted Frequency	%
0	242	99.6 %
2	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.01Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.13

INH30D Days used Inhalants last 30 days

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used inhalants (glue, spray, paint, toluene, liquid

paper, etc.).

Value	Label	Unweighted Frequency	%
0	-	1	0.4 %
-9 (M)	Legitimate skip	242	99.6 %

Based upon 1 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

Standard Deviation: 0.00

MJRE

Days used Marijuana last 3 months

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used marijuana/hashish.

Value	Unweighted Frequency	%
0	225	92.6 %
1	1	0.4 %
2	1	0.4 %
5	2	0.8 %
10	3	1.2 %
11	1	0.4 %
23	1	0.4 %
38	1	0.4 %
45	2	0.8 %
60	2	0.8 %
75	1	0.4 %
80	2	0.8 %
90	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.67Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 90.00

• Standard Deviation: 12.61

MJ30D

Days used Marijuana last 30 days

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

-9

Question:

Tell me how many days in the past 30 days you used marijuana/hashish.

Value	Label	Unweighted Frequency	%
0	-	4	1.6 %
2	-	1	0.4 %
5	-	2	0.8 %
10	-	1	0.4 %
11	-	1	0.4 %
15	-	2	0.8 %
20	-	1	0.4 %
25	-	1	0.4 %
30	-	5	2.1 %
-9 (M)	Legitimate skip	225	92.6 %

Based upon 18 valid cases out of 243 total cases.

 Mean: 14.33 Median: 13.00 Mode: 30.00 Minimum: 0.00 Maximum: 30.00

Standard Deviation: 12.25

HLUCRE

Days used Hallucinogens last 3 months

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used

hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote.

Value	Unweighted Frequency	%
0	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

 Mean: 0.00 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 0.00

Standard Deviation: 0.00

HLUC30D

Days used Hallucinogens last 30 days

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

-9

Question: Tell me how many days in the past 30 days you used

hallucinogens/LSD/Psychedelics/PCP/Mushrooms/Peyote.

,	Value	Label	Unweighted Frequency	%
-	-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

CRCKRE Days used Crack last 3 months

537-538 (width: 2; decimal: 0) Location:

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used crack/freebase.

Value	Unweighted Frequency	%
0	222	91.4 %
1	3	1.2 %
2	2	0.8 %
7	1	0.4 %
9	1	0.4 %
20	2	0.8 %
21	1	0.4 %
22	1	0.4 %
30	1	0.4 %
35	1	0.4 %
37	1	0.4 %
50	1	0.4 %
60	2	0.8 %
70	1	0.4 %
75	1	0.4 %
90	2	0.8 %

Based upon 243 valid cases out of 243 total cases.

• Mean: 2.89 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 90.00

Standard Deviation: 12.82

CRCK30D

Days used Crack last 30 days

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Tell me how many days in the past 30 days you used crack/freebase.

Value	Label	Unweighted Frequency	%
0	-	10	4.1 %
1	-	1	0.4 %
2	-	2	0.8 %
5	-	1	0.4 %
20	-	1	0.4 %
22	-	1	0.4 %
30	-	5	2.1 %
-9 (M)	Legitimate skip	222	91.4 %

Based upon 21 valid cases out of 243 total cases.

Mean: 9.62Median: 1.00Mode: 0.00Minimum: 0.00Maximum: 30.00

• Standard Deviation: 13.18

COCRE Days used Cocaine last 3 months

Location: 541-543 (width: 3; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used cocaine (by itself).

Value	Unweighted Frequency	%
0	237	97.5 %
1	1	0.4 %
5	2	0.8 %
20	1	0.4 %
60	1	0.4 %
160	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.03Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 160.00

Standard Deviation: 11.02

COC30D Days used Cocaine last 30 days

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Tell me how many days in the past 30 days you used cocaine (by itself).

Value	Label	Unweighted Frequency	%
0	-	2	0.8 %
5	-	2	0.8 %
20	-	1	0.4 %
30	-	1	0.4 %
-9 (M)	Legitimate skip	237	97.5 %

Based upon 6 valid cases out of 243 total cases.

Mean: 10.00Median: 5.00Minimum: 0.00Maximum: 30.00

Standard Deviation: 12.25

HCOCRE Days used speedball last 3 months

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used heroin and cocaine (mixed

together).

	Unweighted Frequency	%
0	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

• Standard Deviation: 0.00

HCOC30D Days used speedball last 30 days

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used heroin and cocaine (mixed together).

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

HMTHRE Days used heroin and meth last 3 months

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used heroin and meth (mixed together).

	Unweighted Frequency	%
0	242	99.6 %
30	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.12Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 30.00

Standard Deviation: 1.92

HMTH30D Days used heroin and meth last 30 days

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used heroin and meth (mixed together).

Value	Label	Unweighted Frequency	%
8	-	1	0.4 %
-9 (M)	Legitimate skip	242	99.6 %

Based upon 1 valid cases out of 243 total cases.

Mean: 8.00Median: 8.00Mode: 8.00Minimum: 8.00Maximum: 8.00

Standard Deviation: 0.00

HERRE Days used heroin last 3 months

Location: 554-555 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Tell me how many days in the 3 months since your release you used heroin (by itself).

Value	Unweighted Frequency	%
0	238	97.9 %
2	1	0.4 %
3	2	0.8 %
30	1	0.4 %
35	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.30Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 35.00

• Standard Deviation: 2.96

HER30D

Days used heroin last 30 days

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

Tell me how many days in the past 30 days you used heroin (by itself).

Value	Label	Unweighted Frequency	%
0	-	3	1.2 %
1	-	1	0.4 %
8	-	1	0.4 %
-9 (M)	Legitimate skip	238	97.9 %

Based upon 5 valid cases out of 243 total cases.

Mean: 1.80Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 8.00

Standard Deviation: 3.49

MTHDRE

Days used methadone last 3 months

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used street methadone.

Value	Unweighted Frequency	%
0	239	98.4 %
1	2	0.8 %
5	1	0.4 %
20	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.11Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 20.00

• Standard Deviation: 1.32

MTHD30D Days used methadone last 30 days

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric
Range of Missing Values (M): -9

Range of Missing Values (M): -9
Question: Te

Tell me how many days in the past 30 days you used street methadone.

Value	Label	Unweighted Frequency	%
0	-	1	0.4 %
1	-	1	0.4 %
5	-	1	0.4 %
7	-	1	0.4 %
-9 (M)	Legitimate skip	239	98.4 %

Based upon 4 valid cases out of 243 total cases.

Mean: 3.25Median: 3.00Minimum: 0.00Maximum: 7.00

• Standard Deviation: 3.30

OPIATRE Days used opiates last 3 months

Location: 562-564 (width: 3; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used other opiates/Opium

Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin.

- Study 30842 -

Value	Unweighted Frequency	%
0	224	92.2 %
1	3	1.2 %
2	1	0.4 %
3	3	1.2 %
4	1	0.4 %
6	1	0.4 %
7	2	0.8 %
15	1	0.4 %
20	1	0.4 %
24	1	0.4 %
25	1	0.4 %
30	1	0.4 %
70	1	0.4 %
75	1	0.4 %
160	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.88
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 160.00

Standard Deviation: 12.56

OPIAT30D Days used opiates last 30 days

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used other opiates/Opium Morphine/Demerol/Dilaudid/Percodan/Viocodin/Oxycotin.

Unweighted Value Label % Frequency 0 6 2.5 % 1 1 0.4 % 3 3 1.2 % 6 1 0.4 % 7 2 0.8 % 8 1 0.4 % 10 2 0.8 % 0.4 % 15

Value	Label	Unweighted Frequency	%
30	-	2	0.8 %
-9 (M)	Legitimate skip	224	92.2 %

Based upon 19 valid cases out of 243 total cases.

Mean: 7.00Median: 3.00Mode: 0.00Minimum: 0.00Maximum: 30.00

Standard Deviation: 9.19

METARE Days used meth last 3 months

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used

Methamphetamine/Speed/Ice/Ecstasy/Crystal.

Value	Unweighted Frequency	%
0	241	99.2 %
6	1	0.4 %
7	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.05Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 7.00

• Standard Deviation: 0.59

METH30D Days used meth last 30 days

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used Methamphetamine/Speed/Ice/Ecstasy/Crystal.

Value	Label	Unweighted Frequency	%
2	-	1	0.4 %
4	-	1	0.4 %
-9 (M)	Legitimate skip	241	99.2 %

Based upon 2 valid cases out of 243 total cases.

Mean: 3.00Median: 3.00Minimum: 2.00Maximum: 4.00

Standard Deviation: 1.41

AMPHRE Days used amphetamine last 3 months

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used other Amphetamines/Uppers/Diet

Pills.

Value	Unweighted Frequency	%
0	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

Standard Deviation: 0.00

AMP30D Days used amphetamine last 30 days

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the past 30 days you used other Amphetamines/Uppers/Diet Pills.

Value	Label	Unweighted Frequency	%
-9	Legitimate skip	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: -9.00Median: -9.00Mode: -9.00Minimum: -9.00Maximum: -9.00

Standard Deviation: 0.00

LIBRE Days used librium last 3 months

Location: 575-576 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Tell me how many days in the 3 months since your release you used Librium/Valium/Minor Tranquilizers.

Value	Unweighted Frequency	%
0	232	95.5 %
1	1	0.4 %
2	1	0.4 %
3	1	0.4 %
4	1	0.4 %
6	1	0.4 %
8	1	0.4 %
15	1	0.4 %
20	1	0.4 %
45	1	0.4 %
60	1	0.4 %
90	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.05Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 90.00

• Standard Deviation: 7.66

LIB30D

Days used librium last 30 days

Location:

577-578 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

Tell me how many days in the past 30 days you used Librium/Valium/Minor Tranquilizers.

Value	Label	Unweighted Frequency	%
0	-	4	1.6 %
1	-	1	0.4 %
3	-	1	0.4 %
7	-	1	0.4 %
10	-	2	0.8 %
20	-	1	0.4 %
30	-	1	0.4 %
-9 (M)	Legitimate skip	232	95.5 %

Based upon 11 valid cases out of 243 total cases.

Mean: 7.36Median: 3.00Mode: 0.00Minimum: 0.00Maximum: 30.00

· Standard Deviation: 9.81

BARBRE Days used barbituates last 3 months

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used barbiturates.

	Unweighted Frequency	%
0	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

Standard Deviation: 0.00

BARB30D Days used barbituates last 30 days

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used barbiturates.

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

SEDRE Days used sedatives last 3 months

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used other

sedatives/Hypnotics/Quaaludes.

,	Value	Unweighted Frequency	%
()	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

• Standard Deviation: 0.00

SED30D Days used sedatives last 30 days

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used other sedatives/Hypnotics/Quaaludes.

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

GHBRE Days used GHB last 3 months

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used non-prescription GHB.

	Unweighted Frequency	%	
0	243	100.0 %	

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

Standard Deviation: 0.00

GHB30D Days used GHB last 30 days

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used non-prescription GHB.

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

KETRE Days used ketamine last 3 months

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used ketamine.

	Unweighted Frequency	%
0	243	100.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

Standard Deviation: 0.00

KET30D Days used ketamine last 30 days

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: Tell me how many days in the past 30 days you used ketamine.

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	243	100.0 %

Based upon 0 valid cases out of 243 total cases.

OTHDRE Days used other drug last 3 months

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

Question: Tell me how many days in the 3 months since your release you used other drug.

	Unweighted Frequency	%
0	242	99.6 %
1	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.06

OTHD30D Days used other drug last 30 days

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

range of ivilasing values (ivi).

Question:

Tell me how many days in the past 30 days you used other drug.

Value	Label	Unweighted Frequency	%
1	-	1	0.4 %
-9 (M)	Legitimate skip	242	99.6 %

Based upon 1 valid cases out of 243 total cases.

Mean: 1.00Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 1.00

Standard Deviation: 0.00

SHLP30D Attended Self Help Meetings Past 30 Days

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

Question: In the last 30 days have you gone to self-help meetings like AA, NA, CA, etc.? (include non-12-step

groups such as Rational recovery, SOS and SMART)?

Valu	e Label	Unweighted Frequency	%
0	NO	84	34.6 %
1	YES	159	65.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.65Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.48

NSHLPM # Self Help Meetings Attended Last 30 days

Location: 600-603 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

About how many meetings have you attended in the last 30 days?

Value	Label	Unweighted Frequency	%
0	-	1	0.4 %
1	-	4	1.6 %
2	-	2	0.8 %
3	-	6	2.5 %
4	-	3	1.2 %
5	-	6	2.5 %
6	-	1	0.4 %
8	-	3	1.2 %
9	-	5	2.1 %
10	-	10	4.1 %
12	-	20	8.2 %
15	-	8	3.3 %
16	-	2	0.8 %
18	-	1	0.4 %
20	-	2	0.8 %
21	-	2	0.8 %
24	-	6	2.5 %
25	-	3	1.2 %
30	-	7	2.9 %
32	-	1	0.4 %
36	-	4	1.6 %
40	-	1	0.4 %
42	-	1	0.4 %
45	-	3	1.2 %
48	-	5	2.1 %
50	-	1	0.4 %
52	-	2	0.8 %
58	-	1	0.4 %
60	-	15	6.2 %
63	-	1	0.4 %
65	-	2	0.8 %
72	-	3	1.2 %
84	-	2	0.8 %
85	-	1	0.4 %
90	-	12	4.9 %

Value	Label	Unweighted Frequency	%
100	-	3	1.2 %
144	=	1	0.4 %
150	-	1	0.4 %
160	-	1	0.4 %
180	-	2	0.8 %
200	-	3	1.2 %
250	-	1	0.4 %
-9 (M)	Legitimate skip	84	34.6 %

Based upon 159 valid cases out of 243 total cases.

Mean: 41.60Median: 24.00Mode: 12.00Minimum: 0.00Maximum: 250.00

· Standard Deviation: 45.74

AIDSR5

Times Injected Drugs Past 30 Days

Location: 604-607 (width: 4; decimal: 0)

Variable Type: numeric

Question:

In the past 30 days, how many times did you inject illegal drugs with a needle?

Value	Unweighted Frequency	%
0	236	97.1 %
1	2	0.8 %
3	1	0.4 %
30	1	0.4 %
200	1	0.4 %
210	1	0.4 %
1280	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 7.10
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1280.00
Standard Deviation: 84.09

AIDSR6

Times Used Dirty Needles Past 30 Days

Location: 608-611 (width: 4; decimal: 0)

-9

Variable Type: numeric

Range of Missing Values (M):

Question:

How many times did you use needles or syringes that were dirty that is, that someone else had used and were not sterilized or cleaned with bleach before you used them? In the last 30 days?

Value	Label	Unweighted Frequency	%
0	-	6	2.5 %
1	-	1	0.4 %
2	-	1	0.4 %
3	-	1	0.4 %
-9 (M)	Legitimate skip	234	96.3 %

Based upon 9 valid cases out of 243 total cases.

• Mean: 0.67 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 3.00

Standard Deviation: 1.12

AIDSR7

Times Shared Cooker/Cotton/Rinse Water Past 30 Days

Location: 612-615 (width: 4; decimal: 0)

Variable Type: numeric -9

Range of Missing Values (M):

Question:

And how many times did you use the same cooker, cotton, or rinse water that someone else had already used? In the last 30 days?

Value	Label	Unweighted Frequency	%
0	-	7	2.9 %
1	-	1	0.4 %
1280	-	1	0.4 %
-9 (M)	Legitimate skip	234	96.3 %

Based upon 9 valid cases out of 243 total cases.

• Mean: 142.33 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1280.00

Standard Deviation: 426.63

AIDSR8

Times Injected w/Others Past 30 Days

Location: 616-619 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

And how many of the times that you injected drugs were you with other people who were also injecting?

Value	Label	Unweighted Frequency	%
0	-	4	1.6 %
1	-	2	0.8 %
3	-	1	0.4 %
200	-	1	0.4 %
1280	-	1	0.4 %
-9 (M)	Legitimate skip	234	96.3 %

Based upon 9 valid cases out of 243 total cases.

Mean: 165.00Median: 1.00Mode: 0.00Minimum: 0.00Maximum: 1280.00

Standard Deviation: 423.29

AIDSR10

Times Gave Dirty Needles to Others Past 30 Days

Location: 620-623 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

How many TIMES did you give or loan your used needles or syringes to someone else, who then used them without cleaning them with bleach? In the last 30 days?

Value	Label	Unweighted Frequency	%
0	-	7	2.9 %
2	-	1	0.4 %
3	-	1	0.4 %
-9 (M)	Legitimate skip	234	96.3 %

Based upon 9 valid cases out of 243 total cases.

Mean: 0.56Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 3.00

• Standard Deviation: 1.13

AIDSR15 # People Had Sex With Past 30 Days

Location: 624-627 (width: 4; decimal: 0)

Variable Type: numeric

Question: How many different PEOPLE did you have any kind of sex with in the last 30 days (including vaginal,

oral, or anal)?

Value	Unweighted Frequency	%
0	104	42.8 %
1	102	42.0 %
2	23	9.5 %
3	6	2.5 %
5	1	0.4 %
6	1	0.4 %
8	1	0.4 %
15	2	0.8 %
20	1	0.4 %
30	1	0.4 %
50	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.30
Median: 1.00
Mode: 0.00
Minimum: 0.00
Maximum: 50.00
Standard Deviation: 4.17

AIDSR16 # Male Partners Past 30 Days

Location: 628-631 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: How many of your partners were male?

Value	Label	Unweighted Frequency	%
0	-	16	6.6 %
1	-	96	39.5 %
2	-	18	7.4 %
3	-	3	1.2 %
6	-	1	0.4 %
8	-	1	0.4 %
15	-	2	0.8 %
18	-	1	0.4 %

Value	Label	Unweighted Frequency	%
20	-	1	0.4 %
-9 (M)	Legitimate skip	104	42.8 %

Based upon 139 valid cases out of 243 total cases.

Mean: 1.60Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 20.00

Standard Deviation: 2.84

AIDSR17 # Female Partners Past 30 Days

Location: 632-635 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question: How many of your partners were female?

Value	Label	Unweighted Frequency	%
0	-	128	52.7 %
1	-	8	3.3 %
2	-	2	0.8 %
3	-	1	0.4 %
-9 (M)	Legitimate skip	104	42.8 %

Based upon 139 valid cases out of 243 total cases.

Mean: 0.11Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 3.00

· Standard Deviation: 0.41

AIDSR18 # Times Had Sex Past 30 Days

Location: 636-639 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Altogether, how many times did you have sex (including vaginal, oral, and anal)? In the past 30 days.

Value	Label	Unweighted Frequency	%
0	-	3	1.2 %

- 4 - 10 - 5 - 3 - 6 - 5 - 1	1.6 % 4.1 % 2.1 % 1.2 % 2.5 %
- 5 - 3 - 6 - 5	2.1 % 1.2 % 2.5 %
- 3 - 6 - 5	1.2 % 2.5 %
- 6 - 5	2.5 %
- 5	
	0.4.04
1	2.1 %
- 	0.4 %
- 5	2.1 %
- 4	1.6 %
- 7	2.9 %
- 1	0.4 %
- 1	0.4 %
- 2	0.8 %
- 3	1.2 %
- 1	0.4 %
- 4	1.6 %
- 2	0.8 %
- 3	1.2 %
- 1	0.4 %
- 2	0.8 %
	0.8 %
- 4	1.6 %
- 1	0.4 %
- 4	1.6 %
- 2	0.8 %
- 2	0.8 %
- 1	0.4 %
	0.8 %
	0.4 %
	0.4 %
	0.4 %
- 1	0.4 %
	0.4 %
	0.4 %
	2.1 %
	0.8 %
	0.4 %
	1.2 %
	0.4 %
	1.2 %
	- 4 - 7 - 11 - 11 - 22 - 33 - 11 - 27 - 33 - 11 - 27 - 38 - 11 - 27 - 38 - 11 - 28 - 38 - 11 - 29 - 38 - 11 - 38 - 38 - 38 - 38 - 38 - 38 - 38 - 38

- Study 30842 -

Value	Label	Unweighted Frequency	%
90	-	4	1.6 %
91	-	1	0.4 %
100	-	1	0.4 %
105	-	1	0.4 %
110	-	3	1.2 %
120	-	4	1.6 %
122	-	1	0.4 %
130	-	1	0.4 %
131	-	1	0.4 %
132	-	1	0.4 %
135	-	1	0.4 %
137	-	1	0.4 %
143	-	1	0.4 %
160	-	2	0.8 %
182	-	1	0.4 %
184	-	1	0.4 %
213	-	1	0.4 %
270	-	1	0.4 %
-9 (M)	Legitimate skip	104	42.8 %

Based upon 139 valid cases out of 243 total cases.

Mean: 43.78Median: 20.00Mode: 2.00Minimum: 0.00Maximum: 270.00

Standard Deviation: 51.30

AIDSR19

Times had Sex w/out Condom Past 30 Days

Location: 640-643 (width: 4; decimal: 0)

Variable Type: numer

Question: Altogether, how many times did you have sex (including vaginal, oral, anal) without using protection (i.e. condoms, dental dams, etc.)?

Unweighted Value % Frequency 0 63.0 % 153 1 1.2 % 3 2 6 2.5 % 3 1 0.4 % 4 6 2.5 %

Value	Unweighted Frequency	%
5	2	0.8 %
6	3	1.2 %
8	5	2.1 %
9	4	1.6 %
10	6	2.5 %
12	2	0.8 %
14	1	0.4 %
15	2	0.8 %
18	2	0.8 %
19	2	0.8 %
20	1	0.4 %
22	1	0.4 %
24	1	0.4 %
25	1	0.4 %
30	2	0.8 %
36	2	0.8 %
40	1	0.4 %
41	1	0.4 %
45	1	0.4 %
47	1	0.4 %
60	6	2.5 %
67	1	0.4 %
69	1	0.4 %
70	2	0.8 %
80	2	0.8 %
90	2	0.8 %
91	1	0.4 %
100	1	0.4 %
105	1	0.4 %
110	1	0.4 %
120	3	1.2 %
122	1	0.4 %
130	1	0.4 %
131	1	0.4 %
135	2	0.8 %
137	1	0.4 %
143	1	0.4 %
160	2	0.8 %
182	1	0.4 %
184	1	0.4 %

ν	'alue	Unweighted Frequency	%
2	70	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 18.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 270.00

• Standard Deviation: 41.11

AIDSR20

Times Had Sex w/out Condom w/Casual Partner Past 30 Days

Location: 644-647 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

When you had sex without using a condom that month, how many times was it with someone who is not your spouse or primary partner?

Value	Label	Unweighted Frequency	%
0	-	76	31.3 %
1	-	6	2.5 %
2	-	1	0.4 %
4	-	1	0.4 %
5	-	1	0.4 %
6	-	1	0.4 %
11	-	1	0.4 %
15	-	1	0.4 %
30	-	1	0.4 %
60	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 1.54Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 60.00

• Standard Deviation: 7.28

AIDSR21

Times Had Sex w/out Condom w/ Injection Drug User Past 30 Days

Location: 648-651 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Question:

When you had sex without using a condom that month, how many times was itwith someone who shot drugs with needles?

Value	Label	Unweighted Frequency	%
0	-	84	34.6 %
1	-	2	0.8 %
60	-	1	0.4 %
135	-	1	0.4 %
137	-	1	0.4 %
143	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 5.30Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 143.00

Standard Deviation: 25.64

AIDSR22

Times Had Sex w/out Condom w/Someone Who Smokes Crack/Cocaine Past 30 Days

Location: 652-655 (width: 4; decimal: 0)

-9

-9

Variable Type: numeric

Range of Missing Values (M):

Question:

When you had sex without using a condom that month, how many times was it with someone who sometimes smokes crack/cocaine, and/or Methamphetamine?

Value	Label	Unweighted Frequency	%
0	-	75	30.9 %
1	-	2	0.8 %
4	-	1	0.4 %
5	-	1	0.4 %
8	-	1	0.4 %
9	-	1	0.4 %
10	-	1	0.4 %
15	-	1	0.4 %
28	-	1	0.4 %
45	-	1	0.4 %
60	-	3	1.2 %
137	-	1	0.4 %
143	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 6.51Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 143.00

• Standard Deviation: 23.59

AIDSR23

Times Had Sex w/out Condom While High Past 30 Days

Location: 656-659 (width: 4; decimal: 0)

-9

Variable Type: numeric

Range of Missing Values (M):

Question:

When you had sex without using a condom that month, how many times was it while you or your partner were high on drugs or alcohol?

Value	Label	Unweighted Frequency	%
0	-	68	28.0 %
1	-	2	0.8 %
2	-	2	0.8 %
3	-	3	1.2 %
4	-	2	0.8 %
5	-	1	0.4 %
9	-	1	0.4 %
10	-	1	0.4 %
12	-	1	0.4 %
15	-	2	0.8 %
25	-	1	0.4 %
28	-	1	0.4 %
45	-	1	0.4 %
60	-	2	0.8 %
137	-	1	0.4 %
143	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 6.52Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 143.00

• Standard Deviation: 22.95

AIDSR24 # Times Had Sex w/out Condom While Trading Sex for Drugs/Money Past 30 Days

Location: 660-663 (width: 4; decimal: 0)

-9

Variable Type: numeric

Range of Missing Values (M):

Question:

When you had sex without using a condom that month, how many times was it while trading (giving/getting) sex for drugs, money, or gifts?

Value	Label	Unweighted Frequency	%
0	-	85	35.0 %
1	-	1	0.4 %
2	-	1	0.4 %
4	-	1	0.4 %
15	-	1	0.4 %
60	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 0.91Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 60.00

Standard Deviation: 6.51

AIDSR25 # Times Had Sex w/out Condom During Vaginal Sex Past 30 Days

Location: 664-667 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

When you had sex without using a condom that month, how many times was it involving vaginal sex (penis to vagina)?

Value	Label	Unweighted Frequency	%
0	-	11	4.5 %
1	-	5	2.1 %
2	-	7	2.9 %
3	-	6	2.5 %
4	-	3	1.2 %
5	-	4	1.6 %
6	-	2	0.8 %
8	-	2	0.8 %
9	-	2	0.8 %
10	-	4	1.6 %
12	-	3	1.2 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
15	-	3	1.2 %
20	-	2	0.8 %
22	-	1	0.4 %
25	-	1	0.4 %
28	-	1	0.4 %
30	-	3	1.2 %
36	-	1	0.4 %
40	-	3	1.2 %
45	-	1	0.4 %
50	-	2	0.8 %
60	-	8	3.3 %
61	-	1	0.4 %
65	-	1	0.4 %
80	-	5	2.1 %
90	-	6	2.5 %
98	-	1	0.4 %
120	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 27.84Median: 10.00Mode: 0.00Minimum: 0.00Maximum: 120.00

• Standard Deviation: 32.18

AIDSR26 # Times Had Sex w/out Condom During Oral Sex Past 30 Days

Location: 668-671 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

When you had sex without using a condom that month, how many times was it involving oral sex (mouth to penis/vagina)?

Value	Label	Unweighted Frequency	%
0	-	18	7.4 %
1	-	7	2.9 %
2	-	9	3.7 %
3	-	6	2.5 %
5	-	4	1.6 %

- Study 30842 -

Value	Label	Unweighted Frequency	%
6	-	4	1.6 %
8	-	3	1.2 %
9	-	1	0.4 %
10	-	6	2.5 %
12	-	1	0.4 %
15	-	3	1.2 %
20	-	5	2.1 %
22	-	2	0.8 %
30	-	5	2.1 %
33	-	1	0.4 %
40	-	3	1.2 %
45	-	1	0.4 %
50	-	1	0.4 %
60	-	3	1.2 %
61	-	1	0.4 %
70	-	1	0.4 %
75	=	1	0.4 %
80	=	2	0.8 %
90	=	1	0.4 %
100	-	1	0.4 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

• Mean: 16.83 Median: 6.00 • Mode: 0.00 Minimum: 0.00 Maximum: 100.00

Standard Deviation: 23.79

AIDSR27 # Times Had Sex w/out Condom During Anal Sex Past 30 Days

Location: 672-675 (width: 4; decimal: 0)

Variable Type: numeric -9

Range of Missing Values (M):

Question: When you had sex without using a condom that month, how many times was itinvolving anal sex (penis to anus)?

Value	Label	Unweighted Frequency	%
0	-	78	32.1 %
1	-	3	1.2 %

Value	Label	Unweighted Frequency	%
2	-	3	1.2 %
3	-	1	0.4 %
4	-	1	0.4 %
5	-	2	0.8 %
6	-	2	0.8 %
-9 (M)	Legitimate skip	153	63.0 %

Based upon 90 valid cases out of 243 total cases.

Mean: 0.42Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 6.00

Standard Deviation: 1.28

AIDSR30A

Times Used Alcohol before or during Sex Past 30 Days

Location: 676-679 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

How many times in the past 30 days have you used alcohol immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	100	41.2 %
1	-	3	1.2 %
2	-	5	2.1 %
3	-	1	0.4 %
4	-	1	0.4 %
6	-	2	0.8 %
8	-	2	0.8 %
18	-	1	0.4 %
21	-	1	0.4 %
30	-	1	0.4 %
60	-	1	0.4 %
135	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 2.62Median: 0.00Mode: 0.00

Minimum: 0.00 Maximum: 135.00

Standard Deviation: 13.94

AIDSR30B

Times Used Marijuana before or during Sex Past 30 Days

Location: 680-683 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: How many times in the past 30 days have you used marijuana (weed, grass, reefer) immediately

before or during sex?

Value	Label	Unweighted Frequency	%
0	-	111	45.7 %
1	-	3	1.2 %
2	-	1	0.4 %
5	-	1	0.4 %
11	-	1	0.4 %
12	-	1	0.4 %
15	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

• Mean: 0.40 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 15.00

Standard Deviation: 2.06

AIDSR30C

Times Used Crack before or during Sex Past 30 Days

Location: 684-687 (width: 4; decimal: 0)

Variable Type: numeric -9

Range of Missing Values (M):

Question: How many times in the past 30 days have you used crack immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	113	46.5 %
6	-	1	0.4 %
15	-	1	0.4 %
20	-	1	0.4 %
30	-	1	0.4 %
54	-	1	0.4 %
60	-	1	0.4 %

Value	Label	Unweighted Frequency	%
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 1.55
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 60.00

Standard Deviation: 8.12

AIDSR30D

Times Used Cocaine before or during Sex Past 30 Days

Location: 688-691 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

How many times in the past 30 days have you used cocaine by itself (other than crack) that you injected or snorted immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	119	49.0 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 0.00

• Standard Deviation: 0.00

AIDSR30E

Question:

Times Used Heroin before or during Sex Past 30 Days

Location: 692-695 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

ange of Missing values (M).

How many times in the past 30 days have you used heroin (by itself) immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	118	48.6 %
20	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.17Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 20.00

Standard Deviation: 1.83

AIDSR30F

Times Used Heroin and Cocaine before or during Sex Past 30 Days

Location: 696-699 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):

Question:

How many times in the past 30 days have you used heroin and cocaine mixed together (e.g. speedball) immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	119	49.0 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.00 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 0.00

Standard Deviation: 0.00

AIDSR30G

Times Used Methadone before or during Sex Past 30 Days

Location: 700-703 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

Question:

How many times in the past 30 days have you used nonprescription methadone immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	118	48.6 %
1	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.01Median: 0.00Mode: 0.00

Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.09

AIDSR30H # Times Used Opiates before or during Sex Past 30 Days

Location: 704-707 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

How many times in the past 30 days have you used other opiates (e.g. Demerol, Codeine, Dilaudid) immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	113	46.5 %
4	-	2	0.8 %
5	-	1	0.4 %
8	-	1	0.4 %
10	-	1	0.4 %
67	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.82Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 67.00

Standard Deviation: 6.26

AIDSR30I # Times Used Amphetamines before or during Sex Past 30 Days

Location: 708-711 (width: 4; decimal: 0)

Variable Type: numeric Range of Missing Values (M): -9

values (IVI).

Question:

How many times in the past 30 days have you used amphetamines (e.g. speed, uppers, bennies) immediately before or during sex?

Value	Label	Unweighted Frequency	%
0	-	119	49.0 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.00Median: 0.00Mode: 0.00

Minimum: 0.00 Maximum: 0.00

Standard Deviation: 0.00

AIDSR30J # Times Used Methamphetamines before or during Sex Past 30 Days

Location: 712-715 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

How many times in the past 30 days have you used methamphetamines immediately before or during

sex?

Value	Label	Unweighted Frequency	%
0	-	119	49.0 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

Mean: 0.00 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 0.00

Standard Deviation: 0.00

Times Used Other Drug before or during Sex Past 30 Days AIDSR30K

Location: 716-719 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: How many times in the past 30 days have you used some other drug (specify) immediately before

or during sex?

Value	Label	Unweighted Frequency	%
0	-	118	48.6 %
8	-	1	0.4 %
-9 (M)	Legitimate skip	124	51.0 %

Based upon 119 valid cases out of 243 total cases.

• Mean: 0.07 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 8.00

Standard Deviation: 0.73

AIDSR30KOTH Other Drug Used Before or during Sex Past 30 Days (Specify)

Location: 720-819 (width: 100; decimal: 0)

Variable Type: character

Range of Missing Values (M): -9

Question: Specify other drug.

Value	Unweighted Frequency	%
xanax, valium	1	0.4 %
-9 (M)	242	99.6 %

Based upon 1 valid cases out of 243 total cases.

RR1A Think unprotected sex strengthen relationship 6 mo

Location: 820-821 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you think that having unprotected sex would strengthen your

relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	196	80.7 %
2	-	7	2.9 %
3	-	6	2.5 %
4	-	5	2.1 %
5	-	6	2.5 %
6	-	2	0.8 %
7	-	2	0.8 %
8	-	3	1.2 %
10	EVERYDAY	16	6.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.01Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

Standard Deviation: 2.48

RR1B Have unprotected sex strengthen relationship 6 mo

Location: 822-823 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you have unprotected sex to strengthen your relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	210	86.4 %
2	-	4	1.6 %
3	-	2	0.8 %
4	-	1	0.4 %
5	-	5	2.1 %
6	-	1	0.4 %
7	-	1	0.4 %
8	-	5	2.1 %
10	EVERYDAY	14	5.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.84Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.38

RR1C

Have unprotected sex strengthen relationship 30 days

Location: 824-825
Variable Type: numeric

824-825 (width: 2; decimal: 0)

Question:

In the next 30 days, how often will you have unprotected sex to strengthen your relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	210	86.4 %
2	-	3	1.2 %
3	-	3	1.2 %
4	-	4	1.6 %
5	-	8	3.3 %
6	-	1	0.4 %
7	-	1	0.4 %
8	-	2	0.8 %
9	-	1	0.4 %
10	EVERYDAY	10	4.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.72Median: 1.00Mode: 1.00Minimum: 1.00

Maximum: 10.00

Standard Deviation: 2.12

RR2A Feel good in a relationship 6 mo

Location: 826-827 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you only feel good about yourself when you were in a relationship,

even if it was a risky relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	163	67.1 %
2	-	6	2.5 %
3	-	10	4.1 %
4	-	9	3.7 %
5	-	15	6.2 %
6	-	6	2.5 %
7	-	3	1.2 %
8	-	4	1.6 %
9	-	5	2.1 %
10	EVERYDAY	22	9.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.76 Median: 1.00 Mode: 1.00 Minimum: 1.00 Maximum: 10.00

• Standard Deviation: 3.00

RR2B Have unprotected sex to feel good in relationship 6 mo

Location: 828-829 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you have unprotected sex in order to feel good about yourself

when you were in a relationship, even if it was a risky relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	207	85.2 %
2	-	3	1.2 %
3	-	2	0.8 %
4	-	5	2.1 %
5	-	8	3.3 %
6	-	2	0.8 %
7	-	2	0.8 %

Value	Label	Unweighted Frequency	%
8	-	4	1.6 %
10	EVERYDAY	10	4.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.80Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.19

RR2C

Have unprotected sex to feel good in relationship 30 days

Location: 830-831 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex in order to feel good about yourself

when you were in a relationship, even if it is a risky relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	212	87.2 %
2	-	4	1.6 %
3	-	4	1.6 %
4	-	4	1.6 %
5	-	4	1.6 %
6	-	1	0.4 %
7	-	2	0.8 %
8	-	2	0.8 %
9	-	2	0.8 %
10	EVERYDAY	8	3.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.65Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.02

RR3A

Healthy choices about protection 6 mo

Location: 832-833 (width: 2; decimal: 0)

Variable Type: numeric

Question:

In the past 6 months, how often did you feel that you made healthy choices about using protection during sex when using drugs?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.4 %
1	Never	148	60.9 %
2	-	2	0.8 %
3	-	4	1.6 %
4	-	6	2.5 %
5	-	5	2.1 %
6	-	4	1.6 %
7	-	2	0.8 %
8	-	11	4.5 %
9	-	2	0.8 %
10	Every day	58	23.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 3.86Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 10.00

· Standard Deviation: 3.91

RR3B

Have unprotected sex using drugs 6 mo

Location:

834-835 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

In the past 6 months, how often did you have unprotected sex when using drugs?

Value	Label	Unweighted Frequency	%
1	NEVER	215	88.5 %
2	-	3	1.2 %
3	-	2	0.8 %
4	-	2	0.8 %
5	-	2	0.8 %
6	-	3	1.2 %
7	-	2	0.8 %
8	-	3	1.2 %
9	-	1	0.4 %
10	EVERYDAY	10	4.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.69Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.15

RR3C Have unprotected sex using drugs 30 days

Location: 836-837 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex when using drugs?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.4 %
1	Never	223	91.8 %
2	-	4	1.6 %
3	-	2	0.8 %
4	-	2	0.8 %
5	-	2	0.8 %
6	-	1	0.4 %
8	-	1	0.4 %
10	Every day	7	2.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.40Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 10.00

Standard Deviation: 1.66

RR4A Partner safe by looks 6 mo

Location: 838-839 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you feel that your partner was safe by the way your partner

looked, talked, and/or acted?

Value	Label	Unweighted Frequency	%
1	NEVER	171	70.4 %
2	-	4	1.6 %
3	-	3	1.2 %
4	-	6	2.5 %

Value	Label	Unweighted Frequency	%
5	-	9	3.7 %
6	-	4	1.6 %
7	-	3	1.2 %
8	-	7	2.9 %
9	-	2	0.8 %
10	EVERYDAY	34	14.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.95Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

Standard Deviation: 3.36

RR4B

Have unprotected sex by partner looks 6 mo

Location:

840-841 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

In the past 6 months, how often did you have unprotected sex because you felt your partner was safe by the way your partner looked, talked, and/or acted?

Value	Label	Unweighted Frequency	%
1	NEVER	200	82.3 %
2	-	3	1.2 %
3	-	3	1.2 %
4	-	4	1.6 %
5	-	3	1.2 %
6	-	3	1.2 %
7	-	1	0.4 %
8	-	6	2.5 %
9	-	1	0.4 %
10	EVERYDAY	19	7.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.13Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.72

RR4C Have unprotected sex by partner looks 30 days

Location: 842-843 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex because you feel your partner is safe

by the way your partner looks, talks, and/or acts?

Value	Label	Unweighted Frequency	%
1	NEVER	210	86.4 %
2	-	3	1.2 %
3	-	4	1.6 %
4	-	2	0.8 %
5	-	4	1.6 %
6	-	1	0.4 %
8	-	5	2.1 %
10	EVERYDAY	14	5.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.82Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.35

RR5A Not get HIV b/c not at risk 6 mo

Location: 844-845 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you feel that you would not get HIV because you are not really

at risk?

Value	Label	Unweighted Frequency	%
1	NEVER	156	64.2 %
2	-	4	1.6 %
3	-	7	2.9 %
4	-	4	1.6 %
5	-	12	4.9 %
6	-	3	1.2 %
7	-	2	0.8 %
8	-	3	1.2 %
9	-	1	0.4 %
10	EVERYDAY	51	21.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 3.44Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 3.69

RR5B Have unprotected sex b/c not at risk HIV 6 mo

Location: 846-847 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you have unprotected sex because you felt that you were not

really at risk for HIV?

Value	Label	Unweighted Frequency	%
1	NEVER	187	77.0 %
2	-	8	3.3 %
3	-	2	0.8 %
4	-	6	2.5 %
5	-	5	2.1 %
6	-	2	0.8 %
8	-	6	2.5 %
10	EVERYDAY	27	11.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.42Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

· Standard Deviation: 3.01

RR5C Have unprotected sex b/c not at risk HIV 30 days

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex because you feel that you are not really

at risk for HIV?

Value	Label	Unweighted Frequency	%
1	NEVER	192	79.0 %
2	-	5	2.1 %
3	-	3	1.2 %
4	-	3	1.2 %
5	-	7	2.9 %

Value	Label	Unweighted Frequency	%
6	-	2	0.8 %
7	-	2	0.8 %
8	-	5	2.1 %
10	EVERYDAY	24	9.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.32Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

· Standard Deviation: 2.91

RR6A

No safe sex w/partner long time 6 mo

Location:

850-851 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

In the past 6 months, how often did you feel that you did not need to practice safe sex because you have been with your partner for a long time?

Value	Label	Unweighted Frequency	%
1	NEVER	162	66.7 %
2	-	6	2.5 %
3	-	4	1.6 %
4	-	7	2.9 %
5	-	11	4.5 %
6	-	2	0.8 %
7	-	4	1.6 %
8	-	1	0.4 %
9	-	1	0.4 %
10	EVERYDAY	45	18.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 3.19Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 3.55

RR6B

Have unprotected sex w/partner long time 6 mo

Location: 852-853 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you have unprotected sex because you have been with your partner for a long time?

Value Label Unweighted % Frequency 1 **NEVER** 179 73.7 % 2 5 2.1 % 3 4 1.6 % 5 2.1 % 5 9 3.7 % 6 1 0.4 % 3 1.2 % 8 2 0.8 %

35

14.4 %

Based upon 243 valid cases out of 243 total cases.

EVERYDAY

Mean: 2.71Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

10

Standard Deviation: 3.25

RR6C Have unprotected sex w/partner long time 30 days

Location: 854-855 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex because you have been with your partner for a long time?

Unweighted Value Label % Frequency 1 **NEVER** 184 75.7 % 2 5 2.1 % 3 4 1.6 % 4 1 0.4 % 5 6 2.5 % 3 1.2 % 6 2 0.8 % 7 8 4 1.6 % **EVERYDAY** 14.0 % 10 34

Based upon 243 valid cases out of 243 total cases.

Mean: 2.65Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 3.25

RR7A Use sex to get what want 6 mo

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you feel that you had to use sex as a way to get what you wanted in a relationship?

in a relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	207	85.2 %
2	-	4	1.6 %
3	-	7	2.9 %
4	-	5	2.1 %
5	-	3	1.2 %
6	-	4	1.6 %
7	-	2	0.8 %
8	-	2	0.8 %
10	EVERYDAY	9	3.7 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.71
Median: 1.00
Mode: 1.00
Minimum: 1.00
Maximum: 10.00
Standard Deviation: 2.04

RR7B Have unprotected sex to get what want 6 mo

Location: 858-859 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the past 6 months, how often did you have unprotected sex as a way to get what you wanted in

a relationship?

Value	Label	Unweighted Frequency	%
1	NEVER	219	90.1 %
2	-	3	1.2 %
3	-	4	1.6 %
5	-	2	0.8 %

Value	Label	Unweighted Frequency	%
6	-	2	0.8 %
7	-	3	1.2 %
8	-	3	1.2 %
9	-	1	0.4 %
10	EVERYDAY	6	2.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.53Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 1.86

RR7C

Have unprotected sex to get what want 30 days

Location: 860-861 (width: 2; decimal: 0)

Variable Type: numeric

Question: In the next 30 days, how often will you have unprotected sex as a way to get what you want in a relationship?

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.4 %
1	Never	222	91.4 %
2	-	4	1.6 %
3	-	5	2.1 %
4	-	1	0.4 %
5	-	2	0.8 %
6	-	1	0.4 %
8	-	2	0.8 %
9	-	3	1.2 %
10	Every day	2	0.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.35Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 10.00

Standard Deviation: 1.46

RRRHIV1

Location: 862-863 (width: 2; decimal: 0)

Variable Type: numeric

Question: Please tell me to what extent do you believe the statement is true: There is a cure for HIV.

Value	Label	Unweighted Frequency	%
1	Definitely false	217	89.3 %
2	Maybe false	9	3.7 %
3	Undecided/not sure	3	1.2 %
4	Maybe true	6	2.5 %
5	Definitely true	8	3.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.27Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

Standard Deviation: 0.88

RRRHIV2 Is no vaccination for Hepatitis B

Location: 864-865 (width: 2; decimal: 0)

Variable Type: numeric

Question: Please tell me to what extent do you believe the statement is true: There is no vaccination for Hepatitis

В.

Value	Label	Unweighted Frequency	%
1	Definitely false	135	55.6 %
2	Maybe false	22	9.1 %
3	Undecided/not sure	41	16.9 %
4	Maybe true	20	8.2 %
5	Definitely true	25	10.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.09Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 1.41

RRRHIV3 Can get HIV sharing cottons/cookers/water

Location: 866-867 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: If a woman injects drugs, she can get HIV through sharing cookers, cotton, and rinse water.

Value	Label	Unweighted Frequency	%
1	Definitely false	10	4.1 %
2	Maybe false	3	1.2 %
3	Undecided/not sure	11	4.5 %
4	Maybe true	14	5.8 %
5	Definitely true	205	84.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.65Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 0.94

RRRHIV4

Crack/cocaine increase risk HIV/HBV/HCV

Location:

868-869 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: Crack and cocaine use can increase my risk for HIV, Hepatitis B, and Hepatitis C.

Value	Label	Unweighted Frequency	%
1	Definitely false	13	5.3 %
2	Maybe false	3	1.2 %
3	Undecided/not sure	3	1.2 %
4	Maybe true	19	7.8 %
5	Definitely true	205	84.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.65Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 0.99

RRRHIV5

Female/male condom should not be used same time

Location: 870-871 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: A female and a male condom should never be used at the same time.

Value	Label	Unweighted Frequency	%
1	Definitely false	70	28.8 %
2	Maybe false	11	4.5 %
3	Undecided/not sure	36	14.8 %
4	Maybe true	5	2.1 %
5	Definitely true	121	49.8 %

Based upon 243 valid cases out of 243 total cases.

 Mean: 3.40 Median: 4.00 • Mode: 5.00 Minimum: 1.00 Maximum: 5.00

• Standard Deviation: 1.75

RRRHIV6

Woman use drugs make healthy choices

Location: 872-873 (width: 2; decimal: 0)

numeric

Variable Type:

Question:

Please tell me to what extent do you believe the statement is true: Women can use drugs and still make healthy choices.

Value	Label	Unweighted Frequency	%
1	Definitely false	169	69.5 %
2	Maybe false	22	9.1 %
3	Undecided/not sure	14	5.8 %
4	Maybe true	18	7.4 %
5	Definitely true	20	8.2 %

Based upon 243 valid cases out of 243 total cases.

 Mean: 1.76 Median: 1.00 Mode: 1.00 Minimum: 1.00 Maximum: 5.00

• Standard Deviation: 1.32

RRRHIV7

Unhealthy relationship increase risk HIV

874-875 (width: 2; decimal: 0) Location:

Question:

Please tell me to what extent do you believe the statement is true: An unhealthy relationship can increase a woman's risk of HIV.

Value	Label	Unweighted Frequency	%
1	Definitely false	11	4.5 %
2	Maybe false	6	2.5 %
3	Undecided/not sure	8	3.3 %
4	Maybe true	21	8.6 %
5	Definitely true	197	81.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.59Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 1.00

RRRHIV8

Use drugs in unhealthy relationship to keep going

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Please tell me to what extent do you believe the statement is true: Women sometimes use drugs in an unhealthy relationship to keep the relationship going.

Value	Label	Unweighted Frequency	%
1	Definitely false	4	1.6 %
2	Maybe false	4	1.6 %
3	Undecided/not sure	4	1.6 %
4	Maybe true	40	16.5 %
5	Definitely true	191	78.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.69Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 0.74

RRRHIV9

Can stop effect drugs/alcohol if try hard enough

Location: 878-879 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: A woman can stop the effects of drugs and alcohol on her body if she tries hard enough.

Value	Label	Unweighted Frequency	%
1	Definitely false	112	46.1 %
2	Maybe false	11	4.5 %
3	Undecided/not sure	11	4.5 %
4	Maybe true	22	9.1 %
5	Definitely true	87	35.8 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.84Median: 2.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.84

RRRHIV10

Sex w/o protection strengthen relationship

Location: 880-881 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Please tell me to what extent do you believe the statement is true: Having sex without protection will strengthen a relationship.

Value	Label	Unweighted Frequency	%
1	Definitely false	200	82.3 %
2	Maybe false	13	5.3 %
3	Undecided/not sure	8	3.3 %
4	Maybe true	10	4.1 %
5	Definitely true	12	4.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.44Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.08

RRRHIV11

Think good things about themselves in unhealthy relationship

Location: 882-883 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: Women should only think good things about themselves when they are in a relationship, even if it is a risky relationship.

Value	Label	Unweighted Frequency	%
1	Definitely false	124	51.0 %
2	Maybe false	6	2.5 %
3	Undecided/not sure	14	5.8 %
4	Maybe true	19	7.8 %
5	Definitely true	80	32.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.69Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.84

RRRHIV12

Dangerous time when women leaves abusive relationship

Location:

884-885 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: The most dangerous time for an abused woman is when she attempts to leave the abusive relationship.

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.4 %
1	Definitely false	23	9.5 %
2	Maybe false	3	1.2 %
3	Undecided/not sure	15	6.2 %
4	Maybe true	23	9.5 %
5	Definitely true	178	73.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.35Median: 5.00Mode: 5.00Minimum: 0.00Maximum: 5.00

• Standard Deviation: 1.28

RRRHIV13

Abuser says ok victim feel good about relationship

Location: 886-887 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: When an abuser says everything is ok the victim should feel good about the relationship.

Value	Label	Unweighted Frequency	%
1	Definitely false	201	82.7 %
2	Maybe false	19	7.8 %
3	Undecided/not sure	8	3.3 %
4	Maybe true	4	1.6 %
5	Definitely true	11	4.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.37Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 0.97

RRRHIV14

Sex partner safe by looks/talks/acts

Location: 888-889 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Please tell me to what extent do you believe the statement is true: A woman can tell her sex partner is safe by the way he/she looks, talks, and/or acts.

Value	Label	Unweighted Frequency	%
1	Definitely false	227	93.4 %
2	Maybe false	7	2.9 %
3	Undecided/not sure	1	0.4 %
4	Maybe true	1	0.4 %
5	Definitely true	7	2.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.16Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 0.72

RRRHIV15

W/sex partner long time no need safe sex

Location: 890-891 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: If a woman has been with her sex partner for a long time, she doesn't need to practice safe sex.

Value	Label	Unweighted Frequency	%
1	Definitely false	206	84.8 %
2	Maybe false	10	4.1 %
3	Undecided/not sure	5	2.1 %
4	Maybe true	12	4.9 %
5	Definitely true	10	4.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.40Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.04

RRRHIV16

Women not get HIV not at risk

Location: 892-893 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Please tell me to what extent do you believe the statement is true: Women won't get HIV because we really aren't at risk.

Value	Label	Unweighted Frequency	%
1	Definitely false	229	94.2 %
2	Maybe false	7	2.9 %
3	Undecided/not sure	1	0.4 %
4	Maybe true	3	1.2 %
5	Definitely true	3	1.2 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.12Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 0.58

RRRHIV17

Cant get HIV unprotected sex 1 time

Location: 894-895 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: A woman can't get HIV just from having unprotected sex one time.

Value	Label	Unweighted Frequency	%
0	Unknown	1	0.4 %
1	Definitely false	216	88.9 %
2	Maybe false	5	2.1 %
3	Undecided/not sure	1	0.4 %
4	Maybe true	5	2.1 %
5	Definitely true	15	6.2 %

Based upon 243 valid cases out of 243 total cases.

Mean: 1.33Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 5.00

• Standard Deviation: 1.05

RRRHIV18 Knowing relationship triggers avoid unprotected sex

Location: 896-897 (width: 2; decimal: 0)

Variable Type: numeric

Question: Please tell me to what extent do you believe the statement is true. Knowing about relationship triggers can help a woman avoid situations where she might have unprotected sex.

Value	Label	Unweighted Frequency	%
1	Definitely false	37	15.2 %
2	Maybe false	4	1.6 %
3	Undecided/not sure	12	4.9 %
4	Maybe true	21	8.6 %
5	Definitely true	169	69.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.16Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 1.47

RRRHIV19 Women use sex to get what want risky relationship

Location: 898-899 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: Women have to use sex as a way to get what they want in a risky relationship.

Value	Label	Unweighted Frequency	%
1	Definitely false	159	65.4 %
2	Maybe false	10	4.1 %
3	Undecided/not sure	12	4.9 %
4	Maybe true	28	11.5 %
5	Definitely true	34	14.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.05Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 1.56

RRRHIV20

Safer for women have support people in life

Location:

900-901 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Please tell me to what extent do you believe the statement is true: It is safer for a woman to have several support people in her life so she does not have to rely on a sex partner to meet her needs.

Value	Label	Unweighted Frequency	%
1	Definitely false	22	9.1 %
2	Maybe false	3	1.2 %
3	Undecided/not sure	5	2.1 %
4	Maybe true	21	8.6 %
5	Definitely true	192	79.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.47Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.21

RRRHIV21

Women feel desperate leaving prison if no plan

Location: 902-903 (width: 2; decimal: 0)

Question:

Please tell me to what extent do you believe the statement is true: Women can feel very desperate when they leave prison and can end up being mistreated if they don't make plans before they leave prison.

Value	Label	Unweighted Frequency	%
1	Definitely false	9	3.7 %
2	Maybe false	1	0.4 %
3	Undecided/not sure	2	0.8 %
4	Maybe true	26	10.7 %
5	Definitely true	205	84.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 4.72Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 0.83

RRRTMS1

Sex w/o protection strengthen relationship

Location:

904-905 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Circle the number that indicates how much you believe the statement is true: Having sex without protection will strengthen my relationship.

Value	Label	Unweighted Frequency	%
1	Definitely true	8	3.3 %
3	-	2	0.8 %
4	-	2	0.8 %
5	-	2	0.8 %
6	-	7	2.9 %
7	-	3	1.2 %
8	-	9	3.7 %
9	-	6	2.5 %
10	Definitely not true	204	84.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 9.30Median: 10.00Mode: 10.00Minimum: 1.00Maximum: 10.00

Standard Deviation: 1.96

RRRTMS2 Using drugs w/partner strengthen relationship

Location: 906-907 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: Using drugs with my

partner will strengthen my relationship.

Value	Label	Unweighted Frequency	%
1	Definitely true	4	1.6 %
3	-	1	0.4 %
4	-	1	0.4 %
5	-	3	1.2 %
6	-	5	2.1 %
7	-	2	0.8 %
8	-	2	0.8 %
9	-	4	1.6 %
10	Definitely not true	221	90.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 9.60 Median: 10.00 Mode: 10.00 Minimum: 1.00 Maximum: 10.00

· Standard Deviation: 1.51

RRRTMS3 Think good things about myself in relationship

908-909 (width: 2; decimal: 0) Location:

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I only think good things

about myself when I am in a relationship, even if it is a risky relationship.

Value	Label	Unweighted Frequency	%
1	Definitely true	30	12.3 %
2	-	3	1.2 %
3	-	6	2.5 %
4	-	6	2.5 %
5	-	10	4.1 %
6	-	11	4.5 %
7	-	4	1.6 %
8	-	11	4.5 %
9	-	10	4.1 %
10	Definitely not true	152	62.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 7.90Median: 10.00Mode: 10.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 3.26

RRRTMS4

Think good things about myself when not in risky relationship

Location: 910-911 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I think good things

about myself even when I'm not in a risky relationship.

Value	Label	Unweighted Frequency	%
1	Definitely true	153	63.0 %
2	-	12	4.9 %
3	-	10	4.1 %
4	-	3	1.2 %
5	-	20	8.2 %
6	-	8	3.3 %
7	-	2	0.8 %
8	-	7	2.9 %
9	-	2	0.8 %
10	Definitely not true	26	10.7 %

Based upon 243 valid cases out of 243 total cases.

Mean: 2.94Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 3.10

RRRTMS5

Can use drugs make healthy choices protection

Location: 912-913 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I can use drugs and

always make healthy choices about protection.

Value	Label	Unweighted Frequency	%
1	Definitely true	14	5.8 %

Value	Label	Unweighted Frequency	%
2	-	2	0.8 %
3	-	5	2.1 %
4	-	4	1.6 %
5	-	7	2.9 %
6	-	7	2.9 %
7	-	7	2.9 %
8	-	13	5.3 %
9	-	13	5.3 %
10	Definitely not true	171	70.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 8.67Median: 10.00Mode: 10.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.60

RRRTMS6

Dont make healthy choices HIV when use drugs

Location:

914-915 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Circle the number that indicates how much you believe the statement is true: I don't make healthy choices about HIV protection when I use drugs.

Value	Label	Unweighted Frequency	%
1	Definitely true	100	41.2 %
2	-	8	3.3 %
3	-	5	2.1 %
4	-	7	2.9 %
5	-	14	5.8 %
6	-	10	4.1 %
7	-	9	3.7 %
8	-	10	4.1 %
9	-	4	1.6 %
10	Definitely not true	76	31.3 %

Based upon 243 valid cases out of 243 total cases.

Mean: 5.05Median: 5.00Mode: 1.00Minimum: 1.00

Maximum: 10.00

Standard Deviation: 3.96

RRRTMS7 Know partner safe from HIV by looks

Location: 916-917 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I know my partner is

safe from HIV by the way my partner looks.

Value	Label	Unweighted Frequency	%
1	Definitely true	4	1.6 %
5	-	2	0.8 %
6	-	1	0.4 %
7	-	1	0.4 %
8	-	6	2.5 %
9	-	13	5.3 %
10	Definitely not true	216	88.9 %

Based upon 243 valid cases out of 243 total cases.

• Mean: 9.68 • Median: 10.00 Mode: 10.00 Minimum: 1.00 Maximum: 10.00

• Standard Deviation: 1.30

RRRTMS8 Know partner safe from HIV by how talks

Location: 918-919 (width: 2; decimal: 0)

Variable Type:

Question: Circle the number that indicates how much you believe the statement is true: I know my partner is

safe from HIV by the way my partner talks.

Value	Label	Unweighted Frequency	%
1	Definitely true	4	1.6 %
2	-	1	0.4 %
3	-	1	0.4 %
5	-	1	0.4 %
7	-	1	0.4 %
8	-	7	2.9 %
9	-	14	5.8 %
10	Definitely not true	214	88.1 %

Based upon 243 valid cases out of 243 total cases.

• Mean: 9.64 Median: 10.00 • Mode: 10.00 • Minimum: 1.00 Maximum: 10.00

• Standard Deviation: 1.41

RRRTMS9 Know partner safe from HIV by how acts

Location: 920-921 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I know my partner is

safe from HIV by the way my partner acts.

Value	Label	Unweighted Frequency	%
1	Definitely true	3	1.2 %
4	-	2	0.8 %
5	-	1	0.4 %
7	-	1	0.4 %
8	-	7	2.9 %
9	-	16	6.6 %
10	Definitely not true	213	87.7 %

Based upon 243 valid cases out of 243 total cases.

 Mean: 9.68 Median: 10.00 Mode: 10.00 Minimum: 1.00 Maximum: 10.00

Standard Deviation: 1.23

RRRTMS10 Know partner is safe from HIV by looks/talks/acts

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

Question: Circle the number that indicates how much you believe the statement is true: I know my partner is

safe by the way my partner looks, talks, and/or acts.

Value	Label	Unweighted Frequency	%
1	Definitely true	5	2.1 %
3	-	1	0.4 %
4	-	1	0.4 %
5	-	2	0.8 %
7	-	1	0.4 %
8	-	5	2.1 %

Value	Label	Unweighted Frequency	%
9	-	15	6.2 %
10	Definitely not true	213	87.7 %

Based upon 243 valid cases out of 243 total cases.

Mean: 9.60Median: 10.00Mode: 10.00Minimum: 1.00Maximum: 10.00

Standard Deviation: 1.50

RRRTMS11

Will not get HIV b/c not at risk

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Circle the number that indicates how much you believe the statement is true: I will not get HIV because I'm not really at risk.

Value	Label	Unweighted Frequency	%
1	Definitely true	22	9.1 %
2	-	2	0.8 %
3	-	4	1.6 %
4	-	3	1.2 %
5	-	11	4.5 %
6	-	6	2.5 %
7	-	3	1.2 %
8	-	8	3.3 %
9	-	14	5.8 %
10	Definitely not true	170	70.0 %

Based upon 243 valid cases out of 243 total cases.

Mean: 8.44Median: 10.00Mode: 10.00Minimum: 1.00Maximum: 10.00

• Standard Deviation: 2.92

RRRTMS12

Will get HIV b/c at risk

Location: 926-927 (width: 2; decimal: 0)

Question:

Circle the number that indicates how much you believe the statement is true: I will get HIV because I am at risk.

Value	Label	Unweighted Frequency	%
1	Definitely true	59	24.3 %
2	-	4	1.6 %
3	-	10	4.1 %
4	-	7	2.9 %
5	-	15	6.2 %
6	-	12	4.9 %
7	-	8	3.3 %
8	-	11	4.5 %
9	-	14	5.8 %
10	Definitely not true	102	42.0 %
12	Unknown	1	0.4 %

Based upon 243 valid cases out of 243 total cases.

Mean: 6.48Median: 8.00Mode: 10.00Minimum: 1.00Maximum: 12.00

• Standard Deviation: 3.78

HIVKQ1 Coughing/sneezing do not spread HIV

Location: 928-929 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Coughing and sneezing DO NOT spread HIV.

Value	Label	Unweighted Frequency	%
0	False	35	14.4 %
1	True	208	85.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.86Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.35

HIVKQ2 Can get HIV sharing water

Location: 930-931 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

True or False: A person can get HIV by sharing a glass of water someone who has HIV.

Value	Label	Unweighted Frequency	%
0	False	239	98.4 %
1	True	4	1.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.02Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.13

HIVKQ3 Pulling out prevent woman HIV

Location: 932-933 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

True or False: Pulling out the penis before a man climaxes/cums keeps a woman from getting HIV during sex.

Value	Label	Unweighted Frequency	%
0	False	233	95.9 %
1	True	10	4.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.04Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.20

HIVKQ4 Woman can get HIV anal sex w/man

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A woman can get HIV if she has anal sex with a man.

Value	Label	Unweighted Frequency	%
0	False	11	4.5 %
1	True	232	95.5 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.95Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.21

HIVKQ5 Showering after sex prevents HIV

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Showering, or washing ones genitals/private parts after sex keeps a person from

getting HIV.

	Value	Label	Unweighted Frequency	%
ſ	0	False	239	98.4 %
	1	True	4	1.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.02Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.13

HIVKQ6 Pregnant women w/HIV have babies w/HIV

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: All pregnant women infected with HIV will have babies born with AIDS.

Value	Label	Unweighted Frequency	%
0	False	197	81.1 %
1	True	46	18.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.19Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.39

HIVKQ7 Infected with HIV show serious signs

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: People who have been infected with HIV quickly show serious signs of being infected.

Value	Label	Unweighted Frequency	%
0	False	234	96.3 %
1	True	9	3.7 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.04Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.19

HIVKQ8 Vaccine for HIV

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: There is a vaccine that can stop adults from getting HIV.

Value	Label	Unweighted Frequency	%
0	False	236	97.1 %
1	True	7	2.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.03Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.17

HIVKQ9 Can get HIV by tongue kissing

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: People are likely to get HIV by deep kissing, putting their tongue in their partners

mouth, if their partner has HIV.

Value	Label	Unweighted Frequency	%
0	False	221	90.9 %
1	True	22	9.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.09Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.29

HIVKQ10 Woman cannot get HIV if sex on period

Location: 946-947 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A woman cannot get HIV if she has sex during her period.

Value	Label	Unweighted Frequency	%
0	False	236	97.1 %
1	True	7	2.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.03Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.17

HIVKQ11 Female condom can decrease risk HIV

Location: 948-949 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: There is a female condom that can help decrease a womans chance of getting HIV.

Value	Label	Unweighted Frequency	%
0	False	35	14.4 %
1	True	208	85.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.86Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.35

HIVKQ12 Natural skin condom work better latex

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A natural skin condom works better against HIV than does a latex condom.

Value	Label	Unweighted Frequency	%
0	False	202	83.1 %
1	True	41	16.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.17Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.38

HIVKQ13 Cannot get HIV if taking antibiotics

Location: 952-953 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A person will NOT get HIV if she or he is taking antibiotics.

Value	Label	Unweighted Frequency	%
0	False	239	98.4 %
1	True	4	1.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.02Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.13

HIVKQ14 Sex w/more than 1 partner increase risk HIV

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Having sex with more than one partner can increase a persons chance of being

infected with HIV.

Value	Label	Unweighted Frequency	%
0	False	7	2.9 %

Value	Label	Unweighted Frequency	%
1	True	236	97.1 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.97Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.17

HIVKQ15 Taking test 1 week after sex tell if has HIV

Location: 956-957 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Taking a test for HIV one week after having sex will tell a person if he/she has HIV.

Value	Label	Unweighted Frequency	%
0	False	227	93.4 %
1	True	16	6.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.07Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.25

HIVKQ16 Can get HIV sitting in tub/swim with person w/HIV

Location: 958-959 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A person can get HIV by sitting in a hot tub or a swimming pool with a person who

has HIV.

Value	Label	Unweighted Frequency	%
0	False	236	97.1 %
1	True	7	2.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.03Median: 0.00

Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.17

HIVKQ17 Can get HIV from oral sex

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A person can get HIV from oral sex.

Value	Label	Unweighted Frequency	%
0	False	27	11.1 %
1	True	216	88.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.89Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.31

HIVKQ18 Vaseline/baby oil w/condom lowers risk HIV

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Using Vaseline or baby oil with condoms lowers the chance of getting HIV.

Value	Label	Unweighted Frequency	%
0	False	227	93.4 %
1	True	16	6.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.07Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.25

Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.17

HIVKQ17 Can get HIV from oral sex

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: A person can get HIV from oral sex.

Value	Label	Unweighted Frequency	%
0	False	27	11.1 %
1	True	216	88.9 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.89Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.31

HIVKQ18 Vaseline/baby oil w/condom lowers risk HIV

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

Question: True or False: Using Vaseline or baby oil with condoms lowers the chance of getting HIV.

Value	Label	Unweighted Frequency	%
0	False	227	93.4 %
1	True	16	6.6 %

Based upon 243 valid cases out of 243 total cases.

Mean: 0.07Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.25