Many Voices Publishing Platform Technology Review

D. Kevin McGrath & Dr. Kirsten Winters - CS461 Fall 2016 Commix

Steven Powers, Josh Matteson, Evan Tschuy

Abstract

The Many Voices Publishing Platform uses a variety of technologies to handle different aspects of the project, from the user interface to the backend database operations. These technologies enable to the Many Voices Publishing Platform to succeed in delivering a working platform for textbook collaboration.

CONTENTS

1 1	Techno	logy Revi	ew	1
1	.1	Introduc	tion	1
1	.2	Steven		1
		1.2.1	User Interface Tools	1
		1.2.2	User Login & Authentication	5
		1.2.3	Interface Design	8
1	.3	Josh		11
		1.3.1	Testing	11
		1.3.2	Version Control	15
		1.3.3	Database	16
1	.4	Evan		17
		1.4.1	Server Back-end	17
		1.4.2	Text Formatting	17
		1.4.3	Password Storage	18
1	.5	Conclusi	on	19
Refere	nces			20

1 TECHNOLOGY REVIEW

1.1 Introduction

The Many Voices Publishing Platform is being developed for the purpose of fixing the problems currently associated with the textbook market. We will accomplish this by giving the MVP Platform an easy to use interface, a search bar with a built in results pane, source control, and many other features. Authorship is divided by subsection header.

1.2 Steven

1.2.1 User Interface Tools

Option 1 - React [1]

React is a JavaScript rendering engine that is developed by Facebook. Originally used with Instagram, React is often paired with Redux for added functionality. React is a popular JavaScript library meant for building user interfaces that is component based.

Option 2 - Aurelia [2]

Aurelia is a newer JavaScript client framework for mobile, desktop, and the web, by using simplistic integration.

Option 3 - Ember [3]

Ember uses web components and templates to increase productivity.

Option 4 - Angular2 [4]

Angular2 is a project started by Google for their internal Green Tea project. Angular2 is a widely documented JavaScript cross-platform library that is used to create native mobile and desktop web applications.

Goals

The use of this technology will aid in the development of the user interface. Having a beautiful and scalable user interface will help users interact with the platform more easily, on whatever device they choose to use it on.

Evaluation Criteria

- Ease of Use
- File Size
- Features
- Performance
- Standards Compliance
- Non-Compliance
- Release
- License

[5]	React	Aurelia	Ember	Angular 2
Ease of Use	Substantial	Simple setup us-	Simple setup us-	Substantial
	setup required	ing NPM and in-	ing NPM and in-	setup required
	for working	stallation	stallation	for working
	system, lots of			system, lots of
	documentation			documentation
	and tutorials.			and tutorials.
File Size	156kb to ???kb,	323kb	435kb	1023kb
	due to added			
	frameworks			
Features	View rendering	Router,	Router, HTTP	Router, HTTP
	engine with plu-	Animation,	Client	Client
	gin frameworks	HTTP Client		
Performance	45-50	90-150 (Higher	60-100	80-130 (Higher
(Paints per		end with		end with
Second)		additional		additional
		plugins)		plugins)
Standards	ES 2015	HTML, ES	HTML, ES 2015	ES 2016
Compliance		2016, Web		
		Components		
Non-	JSX	N/A	N/A	NG2 Markup,
Compliance				Dart
Release	15.x	Beta	2.x	Release
				Candidate
License	BSD	MIT	MIT	MIT

Discussion

All of the chosen options have their pros and cons for our web application. All of them however would be a learning and research experience. Angular2 and React have the benefit of being created by large software companies, Google and Facebook respectively. This means that there will be large adoption and documentation / tutorials available. Aurelia and Ember seem to be easier to implement however, they are much newer products and they have a smaller adoption population. This could prove troublesome if we run into problems. If our implementation ends up being a fork of Ward Cunningham's Federated Wiki, then this decision will be null most likely.

Selection

Initially we were set on using Angular2 as part of the team has experience using this JavaScript library, before meeting with our client. Angular2 has a wide adoption and is used by Google for internal projects so the longevity of the framework is expected to last. With this in mind, we plan to use Angular2 if we need to use a JavaScript framework for our user interface.

1.2.2 User Login & Authentication

Option 1 - OpenID Connect

OpenID Connect allows for clients of all types, including browser-based JavaScript and native mobile apps, to launch sign-in flows and receive verifiable assertions about the identity of signed-in users [6].

Option 2 - Facebook

Facebook Login for Apps is a fast and convenient way for people to create accounts and log into your app across multiple platforms [7].

Option 3 - PHP & SQL

Using PHP and SQL to compare submitted usernames and passwords against stored data on a database.

Goals

An efficient and secure method for allowing for users to login and continue editing their documents from any computer or device they choose.

Evaluation Criteria

- Ease of Use
- Features
- Security

	OpenID	Facebook Login	PHP & SQL
Ease of Use	Requires Credentials	Requires Credentials with	Easy to implement, but if
	with Corresponding	Facebook and an App ID	setup incorrectly can lead
	Login Providers, Lots of	with Facebook	to problems
	available libraries		
Security	Relies on credential host	Relies on Facebook and	Relies on password protec-
	and user security	user security	tion implementation and
			user security
Features	Easily log in with OpenID	Easily log in with Face-	Easily log in with user
	partner credential hosts	book credentials	created account and pass-
	(Google, Microsoft, Yahoo,		word
	etc)		

Discussion

The ideal user authentication system would be a combination of all three of the above implementations. While logging in with Facebook would make it easier to determine who is using the service, preventing unauthorized users from accessing unreleased copyrighted material, not everyone has a Facebook. Additionally using an OpenID login system would be reliant on other platform holders that use OAuth 2.0. Finally, using a self created account is often the easiest and can allow users to not be tied to a given account and also prevent private information from being retrieved from user accounts.

Selection

For our implementation, we plan on using initially a PHP and SQL system to validate user account information on our database. Additionally, we will look into adding both OpenID and Facebook Login down the road.

1.2.3 Interface Design

Option 1 - User Centered Design

A deep understanding of the target audience is able to provide insights into how to design and develop your application to suit your intended users [8].

Option 2 - Activity-Centered Design

Instead of focusing on research about intended users, the design and development are focused around making a given activity logically designed [9].

Option 3 - Self Design

The designer is responsible for representing the target audience. Though this can be a poor representation of the intended audience [9].

Goals

A design principle that allows for user interfaces that lead to user interfaces that are accepted by users and are easy to understand.

Evaluation Criteria

- Ease of Use
- Strengths
- Weaknesses

	User Centered Design	Activity-Centered Design	Self Design
Ease of Use	Long process, that takes	Easier to design an activity	Very easy to design what
	a lot of data gathering to	when not trying to cater a	works well for you as a
	provide insights into a tar-	specific audience.	designer.
	get audience.		
Strengths	Allows for the designer to	Allows the designer to de-	Allows for easy creation of
	understand what makes a	sign a user interface based	user interface of how the
	user think the way they do.	around an activity that a	designers see fit. Perfect
	This allows for an interface	user will be performing	for a target audience that
	design to be molded to an	instead of designing to a	is just like the designer.
	expected user.	users wants and desires.	
Weaknesses	Takes a long time to gather	Designed interface might	Interface could be
	enough information to be	work well for an intended	intended for an entirely
	able to design a good solu-	activity, but could be an-	different audience, leaving
	tion that feels natural to a	tagonistic to a target audi-	a confusing experience.
	target audience user.	ence.	

Discussion

The MVP Platform is highly user focused, which initially led the team to decided on User Centered Design. Activity-Centered Design or Self Design would greatly reduce the burden of research and discovery into what our target audience would like to see or be comfortable with naturally. Activity-Centered Design, if performed properly would result in interfaces that clearly work as intended, though might be off putting to our users. Self Design would allow for one of the team members to decide how a certain element shall look, but again can fall into an interface that does not satisfy our users.

Selection

For our implementation, we plan on using User Centered Design. This is because users are our very important for our project. If our users do not like our user interface, then they will be less likely to use our software.

1.3 Josh

1.3.1 Testing

Option 1 - Mocha

Mocha is a JavaScript testing framework, loaded with features. It runs on Node.js and also in the browser, making asynchronous testing simple and easy to use. Mocha tests run serially, allowing for flexible and accurate reporting, while mapping uncaught exceptions to the correct test cases. [10]

Option 2 - QUnit

QUnit is a powerful, easy-to-use JavaScript unit testing framework. It's used by the jQuery, jQuery UI and jQuery Mobile projects and is capable of testing any generic JavaScript code. [11]

Option 3 - Jasmine

Jasmine is a behavior-driven development framework for testing JavaScript code. It does not depend on any other JavaScript frameworks. It does not require a DOM. And it has a clean, obvious syntax so that you can easily write tests. [12]

Goals

Using this technology will aid in proper functionality and minimize errors. Without properly testing code, a number of problems can occur that can disrupt and slow down progress in a team. In extreme cases, not properly testing could lead to failure of the application.

Evaluation Criteria

- Ease of Use
- Features
- Documentation
- Integration
- Other

Option Compar	ison		
	Mocha	QUnit	Jasmine
Language is	Not as friendly,	Language is like	
like spoken	language is sim-	spoken English,	
language,	iliar to other ba-	fairly easy to un-	
which makes	sic Unit testing	derstand	
for easier to	frameworks		
understand			
Rich in	Most testing is	Rich in features:	
features:	done through	Spys, mocks,	
Spys, mocks,	assertions only,	stubs, callbacks,	
stubs,	not as many	etc. Lacks	
callbacks,	features	Assertions,	
etc. Most		but can be	
features		implemented	
		with library	
Fairly	Not well docu-	Most popular,	
common,	mented	abundant	
moderate		documentation	
amount of			
documenta-			
tion			

Moderate	Easiest to set up	Moderate diffi-
difficulty to		culty to set up
set up		
		Familiarity

Discussion

It is well known that an application that ensures proper functionality supersedes other applications and, more importantly, competitors. Quality assurance is acknowledged as highly distinguished, and therefore, an attribute deserving of notable consideration. Having this in mind, we will be considering these mentioned testing frameworks: Mocha, QUnit, and Jasmine.

Selection

Jasmine, even though more difficult to integrate and set up, would be most feasible. Jasmine has many features that win out over Mocha and QUnit, as well as thorough documenation. The test are easily grouped through describe blocks, which makes it easy to identify where certain problems are. There is familiarity with Jasmine over the other testing frameworks, which means less time learning for the team.

1.3.2 Version Control

Further information is needed to begin planning built in source control.

Option 1 - Git

Option 2 -

Option 3 -

Goals

Evaluation Criteria

- API
- License
- Integration
- Other

Option 1	Option 2	Option 3	
----------	----------	----------	--

Discussion

Selection

1.3.3 Database

Option 1 - SQL Server

SQL Server is owned by Microsoft, and is known for its scalable, hybrid database platform. Being owned by Microsoft, this database is well known. [?]

Option 2 - MongoDB

MongoDB is a document based database, with an Expressive Query Language and Secondary Indexes. [?]

Option 3 - MySQL

Many of the worlds largest companies rely on MySQL, such as Facebook, Google, and others. It is a relational database. [?]

Goals

Having an understandable, well built database can aid in the flow of building an application as well as delivery. This in mind, we want to balance cost with effectiveness.

Evaluation Criteria

- Cost
- Type
- Ease of Use

Option Compar	15011		
	SQL Server	MongoDB	MySQL
Enterprise:	OpenSource, but	Enterprise:	
\$12,256,	essential periph-	\$5000,	
Standard:	ery software can	Standard: \$2000,	
\$3717,	range from \$45	Community	
Developer:	a month to as	Edition: Free	
Free	much as \$5225 a		
	month		
Structured	Expressive	Structured	
Query	Query Language	Query Language	
Language			
Uses Queries	EQL data	Uses Queries to	
to gather in-	access and	gather informa-	
formation	manipulation in	tion	
	sophisticated		
	ways,		
	supporting		
	operational		
	and analytical		
	applications [?]		
1	1	1	ı

Discussion

The most obvious and transparent qualities for a database are the cost and type, however, databases that come with a free edition allow for us to test and experiment while developing. This is imperative to the development process, and shouldn't be overlooked. Allowing for an easy transition from the free edition to a standard or express edition is important as well. A non relational database like MongoDB could be beneficial when not knowing the type of data that will be stored.'

Selection

All things considered, SQL Server would be considered our top pick. Experience using an SQL based database before aids in the difficulty of using a query. Having a free edition contributes a moderate amount into the decision as well.

1.4 Evan

1.4.1 Server Back-end

Option 1 - NodeJS

NodeJS is a modern web back-end framework developed by the Node Foundation, primarily led by Joyent. By using JavaScript its language of choice, Node allows developers to use the language's unique concurrency paradigms to quickly develop scalable applications.

Option 2 - Django

The Django framework is a massive web framework developed in Python that comes "batteries included". The Framework includes everything from geo-libraries to support for four different kinds of databases, meaning a large initial learning curve but a large payoff.

Option 3 - Flask

Flask is a micro-framework. It comes with the bare minimum needed to do HTTP handling, leaving what other frameworks come with to an array of choices from third party developers. This means the core framework is quick to learn, but can quickly leave a developer feeling constrained.

Option 4 - Ruby on Rails

Ruby on Rails is the old standard of web frameworks. It was the original batteries included framework, and has over the years been known for its ease of use. However, the framework is quite old and shows some signs of age, using sometimes outdated paradigms and generally being less friendly to beginners than more modern frameworks.

1.4.2 Text Formatting

Option 1 - Markdown

Markdown is a highly lightweight markup language that allows easy, human-readable markup of text to include headings, bold/italic/underline/etc, bullets, and numbered lists. The original markdown does not support things like images, videos, or links; Markdown has various "flavors", or implementations, that sometimes allow for such things.

Option 2 - Restructured Text

Restructured Text is a markup language written in Python for writing documentation, simple websites, etc. It allows for highly varied but still restricted markup; it allows for image embeds, fancy linking, titles, etc. It does not allow users to embed arbitrary elements.

Option 3 - Raw HTML

Storing simply raw HTML allows the greatest flexibility, as it is literally the same elements rendered in browser. Raw HTML allows for things like scripting, video embeds, etc., and as such must be filtered to a restricted subset to be suitable for use in a public-facing scenario.

1.4.3 Password Storage

Option 1 - Bcrypt

Bcrypt is a password hashing function that takes a very large amount of time to crack an individual password – it is designed to be slow. This means a hacker cannot simply crack a database worth of passwords in one sitting, as with older hashes like MD5.

Option 2 - Scrypt

Scrypt is designed to take up large amounts of time, and large amounts of RAM, when hashing. This ensures that a hacker cannot simply buy a powerful CPU and crack passwords with pure power. However, scrypt, being designed more-so for computer hard disk passwords, can take multiple seconds and hundreds of megabytes of RAM to process.

Option 3 - pbkdf2

PBKDF2 is a function that repeatedly hashes a password using the HMAC, or "keyed-hash message authentication code", function. For a CPU, cracking a large number of passwords using pbkdf2 is difficult, as it takes a large amount of time to crack an individual password. Using a GPU, however, a large number of hashes can be run in parallel, making it quick to crack with high end hardware.

Option 4 - raw storage

text

1.5 Conclusion

The Many Voices Publishing Platform is a combination of User Interfaces, Documentation, User Centered Design, Testing, User Authentication, Databases, Server Back-end, Text Formatting, Password Storage, and the users themselves. Determining the technologies behind these parts and pieces is a difficult task to accomplish, as many choices can satisfy the requirements of the project. Finding the best solution however is the goal of this document, to provide a clear path forward for the platform as a whole.

REFERENCES

- [1] Facebook, "A javascript library for building user interfaces react," https://facebook.github.io/react/index.html.
- [2] Aurelia, "Aurelia," http://aurelia.io/.
- [3] Ember, "A framework for creating ambitious web applications," http://emberjs.com/.
- [4] Google, "Our framework," http://angular.io/.
- [5] R. Eisenberg, "Choosing a javascript framework," https://www.youtube.com/watch?v=6I_GwgoGm1w.
- [6] OpenID, "Openid the internet identity layer," http://openid.net/connect/faq/.
- [7] Facebook, "Facebook login for apps," https://developers.facebook.com/docs/facebook-login/overview.
- [8] U. D. of Health & Human Services, "User-centered design basics," https://www.usability.gov/what-and-why/user-centered-design.html.
- [9] C. Bowles, "Looking beyond user-centered design," http://alistapart.com/column/looking-beyond-user-centered-design.
- [10] MochaJs, "Mocha, simple, flexible, fun," https://mochajs.org/.
- [11] QUnit, "Qunit: A javascript unit testing framework," https://qunitjs.com/.
- [12] Jasmine, "Jasmine," https://jasmine.github.io/2.0/introduction.html.