Many Voices Publishing Platform Technology Review

D. Kevin McGrath & Dr. Kirsten Winters - CS461 Fall 2016 Commix

Steven Powers, Josh Matteson, Evan Tschuy

Abstract

The Many Voices Publishing Platform uses a variety of technologies to handle different aspects of the project, from the user interface to the backend database operations. These technologies enable to the Many Voices Publishing Platform to succeed in delivering a working platform for textbook collaboration.

CONTENTS

1	Technology Review				
	1.1	Introduction			
	1.2	Steven Powers 1			
		1.2.1 User Interface Tools			
		1.2.1.1 Goals			
		1.2.1.2 Evaluation Criteria			
		1.2.1.3 Option Comparison			
		1.2.1.4 Discussion			
		1.2.1.5 Selection			
		1.2.2 User Login & Authentication			
		1.2.2.1 Goals			
		1.2.2.2 Evaluation Criteria			
		1.2.2.3 Option Comparison			
		1.2.2.4 Discussion			
		1.2.2.5 Selection			
		1.2.3 Interface Design			
		1.2.3.1 Goals			
		1.2.3.2 Evaluation Criteria			
		1.2.3.3 Option Comparison			
		1.2.3.4 Discussion			
		1.2.3.5 Selection			
	1.3	Josh Matteson			
		1.3.1 Testing			
		1.3.1.1 Goals			
		1.3.1.2 Evaluation Criteria			
		1.3.1.3 Option Comparison			
		1.3.1.4 Discussion			
		1.3.1.5 Selection			
TR		TECH-1 1			

		TECH-2	2
1.5	Conclusi	ion	34
	1.4.3.4	Selection	33
	1.4.3.3	Discussion	33
	1.4.3.2	Option Comparison	32
	1.4.3.1	Evaluation Criteria	
	1.4.3	Password Storage	30
	1.4.2.4	Selection	29
	1.4.2.3	Discussion	29
	1.4.2.2	Option Comparison	28
	1.4.2.1	Evaluation Criteria	
	1.4.2	Text Formatting	27
	1.4.1.4	Selection	26
	1.4.1.3	Discussion	
	1.4.1.2	Option Comparison	25
	1.4.1.1	Evaluation Criteria	24
	1.4.1	Server Back-end	23
1.4	Evan Tso	chuy	23
	1.3.3.5	Selection	22
	1.3.3.4	Discussion	22
	1.3.3.3	Option Comparison	21
	1.3.3.2	Evaluation Criteria	20
	1.3.3.1	Goals	19
	1.3.3	Database	19
	1.3.2.5	Selection	18
	1.3.2.4	Discussion	
	1.3.2.3	Option Comparison	17
	1.3.2.2	Evaluation Criteria	
	1.3.2.1	Goals	15
	1.3.2	Revision Control Software	15

References 35

1 Technology Review

1.1 Introduction

The Many Voices Publishing Platform is being developed for the purpose of fixing the problems currently associated with the textbook market. We will accomplish this by giving the MVP Platform an easy to use interface, a search bar with a built in results pane, source control, and many other features. Authorship is divided by subsection header.

1.2 Steven Powers

1.2.1 User Interface Tools

Option 1 - React [1]

React is a JavaScript rendering engine that is developed by Facebook. Originally used with Instagram, React is often paired with Redux for added functionality. React is a popular JavaScript library meant for building user interfaces that is component based.

Option 2 - Aurelia [2]

Aurelia is a newer JavaScript client framework for mobile, desktop, and the web, by using simplistic integration.

Option 3 - Ember [3]

Ember uses web components and templates to increase productivity.

Option 4 - Angular2 [4]

Angular2 is a project started by Google for their internal Green Tea project. Angular2 is a widely documented JavaScript cross-platform library that is used to create native mobile and desktop web applications.

1.2.1.1 Goals: The use of this technology will aid in the development of the user interface. Having a beautiful and scalable user interface will help users interact with the platform more easily, on whatever device they choose to use it on.

1.2.1.2 Evaluation Criteria:

- Ease of Use
- File Size
- Features
- Performance
- Standards Compliance
- Non-Compliance
- Release
- License

1.2.1.3 Option Comparison:

1.2.1.3 Opt			I	
[5]	React	Aurelia	Ember	Angular 2
Ease of Use	Substantial	Simple setup us-	Simple setup us-	Substantial
	setup required	ing NPM and in-	ing NPM and in-	setup required
	for working	stallation	stallation	for working
	system, lots of			system, lots of
	documentation			documentation
	and tutorials.			and tutorials.
File Size	156kb to ???kb,	323kb	435kb	1023kb
	due to added			
	frameworks			
Features	View rendering	Router,	Router, HTTP	Router, HTTP
	engine with plu-	Animation,	Client	Client
	gin frameworks	HTTP Client		
Performance	45-50	90-150 (Higher	60-100	80-130 (Higher
(Paints per		end with		end with
Second)		additional		additional
		plugins)		plugins)
Standards	ES 2015	HTML, ES	HTML, ES 2015	ES 2016
Compliance		2016, Web		
		Components		
Non-	JSX	N/A	N/A	NG2 Markup,
Compliance				Dart
Release	15.x	Beta	2.x	Release
				Candidate
License	BSD	MIT	MIT	MIT

1.2.1.4 Discussion:

All of the chosen options have their pros and cons for our web application. All of them however would be a learning and research experience. Angular2 and React have the benefit of being created by large software companies, Google and Facebook respectively. This means that there will be large adoption and documentation / tutorials available. Aurelia and Ember seem to be easier to implement however, they are much newer products and they have a smaller adoption population. This could prove troublesome if we run into problems. If our implementation ends up being a fork of Ward Cunningham's Federated Wiki, then this decision will be null most likely.

1.2.1.5 Selection:

Initially we were set on using Angular2 as part of the team has experience using this JavaScript library, before meeting with our client. Angular2 has a wide adoption and is used by Google for internal projects so the longevity of the framework is expected to last. With this in mind, we plan to use Angular2 if we need to use a JavaScript framework for our user interface.

1.2.2 User Login & Authentication

Option 1 - OpenID Connect

OpenID Connect allows for clients of all types, including browser-based JavaScript and native mobile apps, to launch sign-in flows and receive verifiable assertions about the identity of signed-in users [6].

Option 2 - Facebook

Facebook Login for Apps is a fast and convenient way for people to create accounts and log into your app across multiple platforms [7].

Option 3 - PHP & SQL

Using PHP and SQL to compare submitted usernames and passwords against stored data on a database.

1.2.2.1 Goals: An efficient and secure method for allowing for users to login and continue editing their documents from any computer or device they choose.

1.2.2.2 Evaluation Criteria:

- Ease of Use
- Features
- Security

1.2.2.3 Option Comparison:

	OpenID	Facebook Login	PHP & SQL
Ease of Use	Requires Credentials	Requires Credentials with	Easy to implement, but if
	with Corresponding	Facebook and an App ID	setup incorrectly can lead
	Login Providers, Lots of	with Facebook	to problems
	available libraries		
Security	Relies on credential host	Relies on Facebook and	Relies on password protec-
	and user security	user security	tion implementation and
			user security
Features	Easily log in with OpenID	Easily log in with Face-	Easily log in with user
	partner credential hosts	book credentials	created account and pass-
	(Google, Microsoft, Yahoo,		word
	etc)		

1.2.2.4 Discussion:

The ideal user authentication system would be a combination of all three of the above implementations. While logging in with Facebook would make it easier to determine who is using the service, preventing unauthorized users from accessing unreleased copyrighted material, not everyone has a Facebook. Additionally using an OpenID login system would be reliant on other platform holders that use OAuth 2.0. Finally, using a self created account is often the easiest and can allow users to not be tied to a given account and also prevent private information from being retrieved from user accounts.

1.2.2.5 Selection:

For our implementation, we plan on using initially a PHP and SQL system to validate user account information on our database. Additionally, we will look into adding both OpenID and Facebook Login down the road.

1.2.3 Interface Design

Option 1 - User Centered Design

A deep understanding of the target audience is able to provide insights into how to design and develop your application to suit your intended users [8].

Option 2 - Activity-Centered Design

Instead of focusing on research about intended users, the design and development are focused around making a given activity logically designed [9].

Option 3 - Self Design

The designer is responsible for representing the target audience. Though this can be a poor representation of the intended audience [9].

1.2.3.1 Goals: A design principle that allows for user interfaces that lead to user interfaces that are accepted by users and are easy to understand.

1.2.3.2 Evaluation Criteria:

- Ease of Use
- Strengths
- Weaknesses

1.2.3.3 Option Comparison:

	onon companison.		
	User Centered Design	Activity-Centered Design	Self Design
Ease of Use	Long process, that takes	Easier to design an activity	Very easy to design what
	a lot of data gathering to	when not trying to cater a	works well for you as a
	provide insights into a tar-	specific audience.	designer.
	get audience.		
Strengths	Allows for the designer to	Allows the designer to de-	Allows for easy creation of
	understand what makes a	sign a user interface based	user interface of how the
	user think the way they do.	around an activity that a	designers see fit. Perfect
	This allows for an interface	user will be performing	for a target audience that
	design to be molded to an	instead of designing to a	is just like the designer.
	expected user.	users wants and desires.	
Weaknesses	Takes a long time to gather	Designed interface might	Interface could be
	enough information to be	work well for an intended	intended for an entirely
	able to design a good solu-	activity, but could be an-	different audience, leaving
	tion that feels natural to a	tagonistic to a target audi-	a confusing experience.
	target audience user.	ence.	

1.2.3.4 Discussion:

The MVP Platform is highly user focused, which initially led the team to decided on User Centered Design. Activity-Centered Design or Self Design would greatly reduce the burden of research and discovery into what our target audience would like to see or be comfortable with naturally. Activity-Centered Design, if performed properly would result in interfaces that clearly work as intended, though might be off putting to our users. Self Design would allow for one of the team members to decide how a certain element shall look, but again can fall into an interface that does not satisfy our users.

1.2.3.5 Selection:

For our implementation, we plan on using User Centered Design. This is because users are our very important for our project. If our users do not like our user interface, then they will be less likely to use our software.

1.3 Josh Matteson

1.3.1 Testing

Option 1 - Mocha

Mocha is a JavaScript testing framework, loaded with features. It runs on Node.js and also in the browser, making asynchronous testing simple and easy to use. Mocha tests run serially, allowing for flexible and accurate reporting, while mapping uncaught exceptions to the correct test cases. [10]

Option 2 - QUnit

QUnit is a powerful, easy-to-use JavaScript unit testing framework. It's used by the jQuery, jQuery UI and jQuery Mobile projects and is capable of testing any generic JavaScript code. [11]

Option 3 - Jasmine

Jasmine is a behavior-driven development framework for testing JavaScript code. It does not depend on any other JavaScript frameworks. It does not require a DOM. And it has a clean, obvious syntax so that you can easily write tests. [12]

1.3.1.1 Goals: Using this technology will aid in proper functionality and minimize errors. Without properly testing code, a number of problems can occur that can disrupt and slow down progress in a team. In extreme cases, not properly testing could lead to failure of the application.

1.3.1.2 Evaluation Criteria:

- Ease of Use
- Features
- Documentation
- Integration
- Other

1.3.1.3 Option Comparison:

	Mocha	QUnit	Jasmine
Ease of Use	Language is	Not as friendly,	Language is like
	like spoken	language is sim-	spoken English,
	language, which	iliar to other ba-	fairly easy to un-
	makes for easier	sic Unit testing	derstand
	to understand	frameworks	
Features	Spys, mocks,	Most testing is	Spys, mocks,
	stubs, callbacks,	done through	stubs, callbacks,
	etc. Most	assertions only,	etc. Lacks
	features	not as many	Assertions,
		features	but can be
			implemented
			with library
Documentation	Fairly common,	Not well docu-	Most popular,
	moderate	mented	abundant
	amount of		documentation
	documentation		
Integration	Moderate diffi-	Easiest to set up	Moderate diffi-
	culty to set up		culty to set up

1.3.1.4 Discussion:

It is well known that an application that ensures proper functionality supersedes other applications and, more importantly, competitors. Quality assurance is acknowledged as highly distinguished, and therefore, an attribute deserving of notable consideration. Having this in mind, we will be considering these mentioned testing frameworks: Mocha, QUnit, and Jasmine.

1.3.1.5 Selection:

Jasmine, even though more difficult to integrate and set up, would be most feasible. Jasmine has many features that win out over Mocha and QUnit, as well as thorough documenation. The test are easily grouped through describe blocks, which makes it easy to identify where certain problems are. There is familiarity with Jasmine over the other testing frameworks, which means less time learning for the team.

1.3.2 Revision Control Software

Option 1 - Git

Git is an open source, free, distributed version control system. It's designed to handle small to very large projects with speed and accuracy. It is commonly used by a variety of companies. [13]

Option 2 - CVS - Concurrent Versions System

CVS is the most popular and widely adopted revision control system to date. It is widely considered because of its low learning curve. [14]

Option 3 - SVN

Subversion is another open source version control software used by platforms like Ruby, Python Apache, and more. SVN has many versions and IDEs available. [15]

1.3.2.1 Goals: Our application will widely revolve around the revision/version control software that we use, which makess choicing the correct one ideal. The main goals for our revision control would be ease of incorporation into our app, ease of use, and the features it comes with. More criteria found on the next page.

1.3.2.2 Evaluation Criteria:

- Established
- Features
- Ease of Use
- Speed

1.3.2.3 Option Comparison:

	Git	CVS	SVN
Established	More than a	More than three	Around 15 years
	decade	decades	
Features	Access to tree of-	Basic Features	Atomic
	fline, highly dis-		Operations,
	tributed peer-to-		Various IDE
	peer model		Plugins
Ease of Use	Steep learning	Relatively low	Relatively low
	curve	learning curve	learning curve
Speed	Very fast	Very slow	Slow

[14]

1.3.2.4 Discussion:

Revision control will be used frequently in our app to save progress and ensure progress hasn't been lost. This in mind, we need software that ensures speed and can perform various operations inexpensively. While most of the revision control software offers features, only one of them offers the speed required for frequent revisions.

1.3.2.5 Selection:

Although accompanied by a steep learning curve, Git offers all the features and speed required for the operations of our application. Fortunately, most of our team members are familiar with using Git to one extent or another. This makes the trade off feasible.

1.3.3 Database

Option 1 - SQL Server

SQL Server is owned by Microsoft, and is known for its scalable, hybrid database platform. Being owned by Microsoft, this database is well known. [16]

Option 2 - MongoDB

MongoDB is a document based database, with an Expressive Query Language and Secondary Indexes. [17]

Option 3 - MySQL

Many of the worlds largest companies rely on MySQL, such as Facebook, Google, and others. It is a relational database. [18]

1.3.3.1 Goals: Having an understandable, well built database can aid in the flow of building an application as well as delivery. This in mind, we want to balance cost with effectiveness.

1.3.3.2 Evaluation Criteria:

- Cost
- Type
- Ease of Use

1.3.3.3 Option Comparison:

1.0.0.0	SQL Server	MongoDB	MySQL
Cost	Enterprise:	OpenSource, but	Enterprise:
	\$12,256,	essential periph-	\$5000,
	Standard: \$3717,	ery software can	Standard: \$2000,
	Developer: Free	range from \$45	Community
		a month to as	Edition: Free
		much as \$5225 a	
		month	
Туре	Structured	Expressive	Structured
	Query Language	Query Language	Query Language
Ease of Use	Uses Queries to	EQL data	Uses Queries to
	gather informa-	access and	gather informa-
	tion	manipulation in	tion
		sophisticated	
		ways,	
		and analytical	
		applications [19]	

1.3.3.4 Discussion:

The most obvious and transparent qualities for a database are the cost and type, however, databases that come with a free edition allow for us to test and experiment while developing. This is imperative to the development process, and shouldn't be overlooked. Allowing for an easy transition from the free edition to a standard or express edition is important as well. A non relational database like MongoDB could be beneficial when not knowing the type of data that will be stored.'

1.3.3.5 Selection:

All things considered, SQL Server would be considered our top pick. Experience using an SQL based database before aids in the difficulty of using a query. Having a free edition contributes a moderate amount into the decision as well.

1.4 Evan Tschuy

1.4.1 Server Back-end

Option 1 - NodeJS

NodeJS is a modern web back-end framework developed by the Node Foundation, primarily led by Joyent. By using JavaScript its language of choice, Node allows developers to use the language's unique concurrency paradigms to quickly develop scalable applications.

Option 2 - Django

The Django framework is a massive web framework developed in Python that comes "batteries included". The Framework includes everything from geo-libraries to support for four different kinds of databases, meaning a large initial learning curve but a large payoff.

Option 3 - Flask

Flask is a micro-framework. It comes with the bare minimum needed to do HTTP handling, leaving what other frameworks come with to an array of choices from third party developers. This means the core framework is quick to learn, but can quickly leave a developer feeling constrained.

Option 4 - Ruby on Rails

Ruby on Rails is the old standard of web frameworks. It was the original batteries included framework, and has over the years been known for its ease of use. However, the framework is quite old and shows some signs of age, using sometimes outdated paradigms and generally being less friendly to beginners than more modern frameworks.

1.4.1.1 Evaluation Criteria:

- Ease of use
- Language
- Features
- Ecosystem
- License

1.4.1.2 Option Comparison:

	NodeJS	Django	Flask	Ruby on Rails
Ease of Use	Javascript	Large	Microframework	Old framework
	backend shares	framework	containing	with massive,
	language with	containing all	only minimal	but aging,
	frontend; super	needs within,	needs; requires	ecosystem
	quick iteration	with a large	finding external	
		learning curve	packages	
Language	Javascript	Python	Python	Ruby
Features	Minimal HTTP	Massive built-	Minimal	Massive built-
	interaction,	ins	with external	ins
	massive external		ecosystem for	
	ecosystem for		extras	
	extras			
Ecosystem	Massively	Decently large	Decently large	Large ecosystem
	popular today	ecosystem with	ecosystem	but fairly old
	with expansive	built-ins for		
	and growing	most tasks		
	ecosystem			
Release	7.1.0	1.10.3	0.11	5.0.0.1
License	MIT	BSD	BSD	MIT

1.4.1.3 Discussion:

All backends listed are popular within their respective communities. However, more new projects are being created using NodeJS, as its modern paradigms and sharing of a language with frontend development allow developers familiar with it to iterate quicker and write more expressive code. Django's built-ins allow for a quicker initial development time but mean being isolated from the rapidly expanding ecosystem around NodeJS. Ruby on Rails is a rather old backend, and has not shown to have the modern flexibility of Node.

1.4.1.4 Selection:

As NodeJS has the most expansive ecosystem, and allows us to share a common language between the front and backennds of the project, we will be using it over the other options considered. Additionally, Ward Cunningham's Federated Wiki uses it as one of its backends, and if we fork it, we can continue to use its NodeJS backend.

1.4.2 Text Formatting

Option 1 - Markdown

Markdown is a highly lightweight markup language that allows easy, human-readable markup of text to include headings, bold/italic/underline/etc, bullets, and numbered lists. The original markdown does not support things like images or videos; Markdown has various "flavors", or implementations, that sometimes allow for such things.

Option 2 - Restructured Text

Restructured Text is a markup language written in Python for writing documentation, simple websites, etc. It allows for highly varied but still restricted markup; it allows for image embeds, fancy linking, titles, etc. It does not allow users to embed arbitrary elements.

Option 3 - Raw HTML

Storing simply raw HTML allows the greatest flexibility, as it is literally the same elements rendered in browser. Raw HTML allows for things like scripting, video embeds, etc., and as such must be filtered to a restricted subset to be suitable for use in a public-facing scenario.

1.4.2.1 Evaluation Criteria:

The options are evaluated on

- Ease of use for end-users
- Markup options
- Compile language
- Security

1.4.2.2 Option Comparison:

	Markdown	ReStructured Text	HTML
Ease of Use	Easy to use, with mini-	Relatively human-readable	Essentially infinite
	mal options and human-	markup but with massive	options but not very
	readable markup; differ-	number of options	human-readable/human-
	ent implementations have		writeable
	slight differences leading		
	to confusion		
Markup	Options readable in single-	Highly featureful with	Allows for infinite options
	page document, not allow-	well-defined language	along; can use CSS to fine-
	ing for high flexibility		tune display
Compile	Dozens of different li-	Python	No compilation needed to
Language	braries for different lan-		display but some backend
	guages, each with slightly		processing needed for se-
	different interpretation of		curity
	the markup		
Security	Small language leads to	Well-defined with real-	Needs careful processing
	minimal exploits	world-tested libraries	to stop end-users from in-
			putting harmful raw input
			(including scripts)

1.4.2.3 Discussion:

All languages listed allow users to do simple things like bold text and link to other pages. However, HTML offers the most flexibility and allows users to be able to do anything they want. Allowing this while maintaining ease-of-use would require a frontend library that can allow users to interact with the document in "what you see is what you get", or WYSIWYG, mode.

1.4.2.4 Selection:

The Federated Wiki uses HTML with minimal security processing. If we fork the Federated Wiki, we will use HTML with some added processing to increase its security. Otherwise, for ease of implementation, we will use Markdown for its backend language support, but implemented in such a way as to allow easy replacement of the code with some other markup language as wanted.

1.4.3 Password Storage

Option 1 - Bcrypt

Bcrypt is a password hashing function that takes a very large amount of time to crack an individual password – it is designed to be slow. This means a hacker cannot simply crack a database worth of passwords in one sitting, as with older hashes like MD5.

Option 2 - Scrypt

Scrypt is designed to take up large amounts of time, and large amounts of RAM, when hashing. This ensures that a hacker cannot simply buy a powerful CPU and crack passwords with pure power. However, scrypt, being designed more-so for computer hard disk passwords, can take multiple seconds and hundreds of megabytes of RAM to process.

Option 3 - pbkdf2

PBKDF2 is a function that repeatedly hashes a password using the HMAC, or "keyed-hash message authentication code", function. For a CPU, cracking a large number of passwords using pbkdf2 is difficult, as it takes a large amount of time to crack an individual password. Using a GPU, however, a large number of hashes can be run in parallel, making it quick to crack with high end hardware.

Option 4 - raw storage

Another option for password storage is to store the passwords in plain text. This allows users to recover their passwords directly through a password reminder email. However, this comes with the major downside that compromising the database allows a hacker to be able to access any accounts on unrelated services where users use the same username and password (a common pattern in non-technical and technical users alike).

1.4.3.1 Evaluation Criteria:

- Cracking
- Storage
- Resistance to Hacking

1.4.3.2 Option Comparison:

1.4.3.2 Opt	1.4.3.2 Option Comparison:				
	Bcrypt	Scrypt	pbkdf2	plain text	
Cracking	Bcrypt is highly	Scrypt is highly	pbkdf2 is highly	A plaintext	
	resistant to	resistant to	resistant to	password does	
	cracking on	cracking on	cracking on	not need to be	
	CPUs and	CPUs, GPUs, etc	CPUs but can be	cracked as it is	
	GPUs, but can	but takes a large	easily cracked	already stored as	
	be cracked	amount of time	on a GPU.	a raw password.	
	quickly using	to verify a valid			
	specialized	password.			
	FPGAs.				
Storage	can be stored in	can be stored in	can be stored in	Plain passwords	
	a database with-	a database with-	a database with-	must be stored	
	out issue.	out issue.	out issue.	in a way that	
				ensures they can	
				never be hacked,	
				which is impos-	
				sible.	
Resistance to	A bcrypt pass-	Scrypt hashes	pbkdf2 hashes	A plain	
Hacking	word hash must	must be cracked	must be cracked	password,	
	be cracked be-	before use	before use	once retrieved	
	fore it can be	elsewhere.	elsewhere.	from a database,	
	used elsewhere.			can be used	
				along with the	
				username/email	
				associated to	
				hack other sites.	

1.4.3.3 Discussion:

Password storage is a tradeoff between ease of use and difficulty of reversing. Scrypt is too slow for use on a website with many users, whereas plain text passwords are too insecure as a hacker can reuse the password immediately without cracking. pbkdf2 and bcrypt do a good job defending against CPU cracking, but as pbkdf2 can be cracked using a GPU, bcrypt is left remaining as the best tradeoff between speed and cracking.

1.4.3.4 Selection:

As mentioned above, bcrypt-hashed passwords present a good tradeoff between cracking ability and verification speed. As such, the Many Voices Platform will use bcrypt to securely verify any password used with the system.

1.5 Conclusion

The Many Voices Publishing Platform is a combination of User Interfaces, Documentation, User Centered Design, Testing, User Authentication, Databases, Server Back-end, Text Formatting, Password Storage, and the users themselves. Determining the technologies behind these parts and pieces is a difficult task to accomplish, as many choices can satisfy the requirements of the project. Finding the best solution however is the goal of this document, to provide a clear path forward for the platform as a whole.

REFERENCES

- [1] Facebook, "A javascript library for building user interfaces react," https://facebook.github.io/react/index.html.
- [2] Aurelia, "Aurelia," http://aurelia.io/.
- [3] Ember, "A framework for creating ambitious web applications," http://emberjs.com/.
- [4] Google, "Our framework," http://angular.io/.
- [5] R. Eisenberg, "Choosing a javascript framework," https://www.youtube.com/watch?v=6I_GwgoGm1w.
- [6] OpenID, "Openid the internet identity layer," http://openid.net/connect/faq/.
- [7] Facebook, "Facebook login for apps," https://developers.facebook.com/docs/facebook-login/overview.
- [8] U. D. of Health & Human Services, "User-centered design basics," https://www.usability.gov/what-and-why/user-centered-design.html.
- [9] C. Bowles, "Looking beyond user-centered design," http://alistapart.com/column/looking-beyond-user-centered-design.
- [10] MochaJs, "Mocha, simple, flexible, fun," https://mochajs.org/.
- [11] QUnit, "Qunit: A javascript unit testing framework," https://qunitjs.com/.
- [12] Jasmine, "Jasmine," https://jasmine.github.io/2.0/introduction.html.
- [13] Git, "Git-local-branching-on-the-cheap," https://git-scm.com/.
- [14] K. Padia, "Top 5 open source version control systems," https://jaxenter.com/top-5-open-source-version-control-systems-pros-cons-129538.html.
- [15] SVN, "Subversion," https://subversion.apache.org/.
- [16] Microsoft, "Platform for intelligent applications," https://www.microsoft.com/en-us/sql-server/.
- [17] MongoDB, "Mongodb for giant ideas," https://www.mongodb.com/.
- [18] MySQL, "Mysql," http://www.mysql.com/.
- [19] I. B. Network, "Why are we excited to talk about mongodb?" http://www.ibmbpnetwork.com/linux-blog/excited-about-mongodb.