Many Voices Publishing Platform Software Design Document

D. Kevin McGrath & Dr. Kirsten Winters - CS461 Fall 2016

Commix, Team 61

Steven Powers, Josh Matteson, Evan Tschuy

Abstract

The Many Voices Publishing Platform uses a variety of technologies to handle different aspects of the project, from the user interface to the backend database operations. This document covers these technologies and follows the process that enable to the Many Voices Publishing Platform to succeed in delivering a working platform for textbook collaboration.

CONTENTS

1	Overvi	ew	1						
	1.1	Scope	1						
	1.2	Purpose	1						
	1.3	Intended Audience	1						
2	Definit	nitions							
3	Concep	Conceptual model for software design descriptions							
	3.1	Software design descriptions within the life cycle	3						
4	Design Description								
	4.1	Introduction	3						
	4.2	Design Stakeholders	3						
	4.3	Design Concerns	3						
	4.4	Design Views	4						
	4.5	Design Viewpoints	4						
	4.6	Design Elements	4						
	4.7	Design Rationale	5						
	4.8	Design Timeline	5						
	4.9	Design Languages	5						
5	Design	Viewpoints	6						
	5.1	Introduction	6						
	5.2	Viewpoint: User Interface Tools	6						
		5.2.1 Interface	6						
		5.2.2 Design Concerns	6						
		5.2.3 Design Elements	6						
		5.2.4 Function Attribute	7						
		5.2.5 Relationship	7						
	5.3	Viewpoint: User Login & Authentication	8						
SDD		DESIGN-1	1						

SDD		DESIGN-2	2
5.8	Viewpo	oint: Testing	6
	5.7.5	Relationship	5
	5.7.4	Function Attribute	5
	5.7.3	Design Elements	5
	5.7.2	Design Concerns	4
	5.7.1	Password hashing	4
5.7	Viewpo	oint: Password Storage	4
	5.6.5	Relationship	3
	5.6.4	Function Attribute	3
	5.6.3	Design Elements	3
	5.6.2	Design Concerns	3
	5.6.1	Formatting	2
5.6	Viewpo	pint: Text Formatting	2
	5.5.5	Relationship	1
	5.5.4	Function Attribute	1
	5.5.3	Design Elements	1
	5.5.2	Design Concerns	
0.0	5.5.1	Backend	
5.5		pint: Server Back-end	
	5.4.5	Relationship	
	5.4.4		9
	5.4.2 5.4.3		9
	5.4.1		9
5.4	•		8
	5.3.4		8
	5.3.3		8
	5.3.2	8	8
	5.3.1	1 7	8
			_

8	Signat	ture Page		23
7	Concl	usion		22
Ref	erences			21
6	Anne	x A - (info	rmation Bibliography	21
		5.10.4	Function Attribute	. 20
		5.10.3	Design Elements	. 20
		5.10.2	Design Concerns	. 20
		5.10.1	Database	. 20
	5.10	Viewpo	int: Database	. 20
		5.9.5	Relationship	. 19
		5.9.4	Function Attribute	. 18
		5.9.3	Design Elements	. 18
		5.9.2	Design Concerns	. 18
		5.9.1	Revision Control	. 18
	5.9	Viewpo	int: Revision Control Software	. 18
		5.8.5	Relationship	. 17
		5.8.4	Function Attribute	. 16
		5.8.3	Design Elements	. 16
		5.8.2	Design Concerns	. 16
		5.8.1	Information	. 16

1 OVERVIEW

The Software Design Document is a document to provide aid for the software development process by providing detailed information on how the software should be built. Additionally providing information on interactions between different pieces of software and users through use cases, UML diagrams, and other supporting information.

1.1 Scope

This Software Design Document is used to record design information and communicate design information to project stakeholders. This Software Design Document also provides the details of required functionality for the Many Voices Publishing Platform, a textbook creation platform for publishing textbooks.

1.2 Purpose

The purpose of this document is to describe the implementation of the Many Voices Publishing Platform (MVP Platform) software. The Many Voices Publishing platform is designed to allow for the creation of textbooks by College and University professors or any person interested in creating their own textbook.

1.3 Intended Audience

This document is intended for Professor D. Kevin McGrath, Dr. Kirsten M. Winters, and PhD Student Jonathan Dodge of Oregon State University for curriculum grading purposes. Additionally this document is intended for Dr. Carlos Jensen for the purpose of client information and senior capstone project purposes.

2 DEFINITIONS

Aurelia A JavaScript client framework for mobile, desktop and web leveraging simple

conventions and empowering creativity [1].

Alpha Test Limited release(s) to selected, outside testers (Friends and Family)

Beta Test Limited release(s) to cooperating customers wanting early access to developing

systems (Professors and other educators)

Federated Individual parts that stand as an individual but can be combined into a single

unit

Final Test Release of full functionality to customer for approval

PDF Portable Document Format, that is able to combine text, graphics, and other

information into a single document

PCI Payment Card Industry, is a proprietary information security standard for credit

cards in an effort to reduce credit card fraud

Scrap A section of a textbook, which can contain formatted text (markdown or latex),

and media

Section An ordered collection of Scraps belonging to a chapter

Chapter An ordered collection of Sections and Scraps

SDD Software Design Document

SSRS System and Software Requirements Specification

Source Control An element of software design management, version control, and is the manage-

ment of changes to documents, large web sites, computer programs, and other

collections of data

Media A standalone image, figure, or video. Can be embedded in a Scrap

Node A JavaScript runtime designed to build scalable network applications

UML Unified Modeling Language – A general purpose, development modeling lan-

guage in the field of computer science

UI User Interface – The means by which the user and a computer system interact, in

particular the use of input devices and software

Web Application An interactive program that can be accessed and is based through a web server

instead of being stored on a user's desktop

Wiki

A collaborative content editing platform

3 CONCEPTUAL MODEL FOR SOFTWARE DESIGN DESCRIPTIONS

3.1 Software design descriptions within the life cycle

The Software Design Description (SDD) is based in large part upon the System and Software Requirements Specification (SSRS) document. Requirements listed within the SSRS influence details within the SDD and the SDD may influence the SSRS details.

4 DESIGN DESCRIPTION

4.1 Introduction

When designing software to handle the creation of a textbook, the technologies in the background are equally as necessary as those in the foreground. The creation of a textbook requires various systems and technologies to handle the storing and presentation of data to allow the user to create their project.

4.2 Design Stakeholders

The stakeholders consist of Dr. Carlos Jensen, members of the Oregon State University senior capstone educational team, including Professor D. Kevin McGrath, Dr. Kirsten M. Winters, and PhD student Jonathan Dodge. Additional stakeholders include the development team consisting of Steven Powers, Evan Tschuy, and Josh Matteson.

4.3 Design Concerns

The design concerns for this project include the building of a User Interface with a functional JavaScript framework that allows for ease of use for users and developers.

User login and authentication will also be a design concern for this project, as preventing unintended access to another users work is very important.

Another concern consists of the usability of the interface and being able to inform the user of actions they expect to perform and can perform to complete their task of creating a textbook.

4.4 Design Views

The SDD will use UML diagrams to describe and visualize aspects of the design.

4.5 Design Viewpoints

This SDD will cover a number of different viewpoints, including: context, composition, logical, dependency, information, interface, and interaction viewpoints.

Context viewpoints cover the relationships, dependencies, and interactions between the system and its environment [2].

Composition viewpoints cover what information will be handled by the software.

Logical viewpoints cover what purpose the software will serve and how the software will achieve this purpose.

Dependency viewpoints cover outside elements that need to be integrated into the software in some way, as the implementation will depend on these outside elements.

Information viewpoints cover data that is present within the software or managed by the software in some way.

Interface viewpoints cover how designers and developers will be using the software, detailing the internal and external interfaces of the software.

Interaction viewpoints cover the interactions between different entities or elements within the software.

4.6 Design Elements

Design elements within our software will include a variety of different features that are often considered standard elements within software. These elements include buttons, text boxes, search boxes, menus, and clickable links just to name a few. The menus of the system will be limited for user convenience and will provide a meaningful icon or text representation for quick affordability for the user. Within the text editing area, the user will be able to arrange text how they would like it to appear in a finalized—compiled version.

The text area will also allow users to specify other documents to include, which will be handled by the software in the background at time of compilation. Each included document or file will be stored as a separate document with version control capabilities.

4.7 Design Rationale

For this project, design choices are made based on client specifications as well as development concerns due to technology availability and adaptability to the current system. Our client Dr. Carlos Jensen wants the project to allow for the easy creation of textbooks through what is called the Many Voices Publishing Platform. Design choices will be made to accommodate this requirement.

4.8 Design Timeline




Fig. 1. A preliminary Gantt Chart that outlines a rough sketch of our anticipated working time line as of Fall term

4.9 Design Languages

This document will use UML as the design language.

5 DESIGN VIEWPOINTS

5.1 Introduction

This section will cover: context, composition, logical, dependency, information, interface, and interac-

tion viewpoints.

Steven Powers is covering User Interface Tools, User Login & Authentication, and Interface Design.

Evan Tschuy is covering Server Back-end, Text Formatting, and Password Storage.

Josh Matteson is covering Testing, Revision Control Software, and Database.

5.2 Viewpoint: User Interface Tools

By: Steven Powers

5.2.1 Interface

The user interface is one of the most important parts to the Many Voices Publishing Platform. An

easy to use UI can make the difference between two competing software solutions. The Many Voices

Publishing Platform will be interacted through a website that will display a users documents and their

current document. The User Interface Tools will allow for a high quality user experience with a high

number of screen repaints per second, further increasing the ease of use with the software through a

fluid user interface [3].

5.2.2 Design Concerns

A poorly implemented UI can result in users choosing a competing product or simply deciding not to

use any software for their intended purpose. Users are often impatient and quick to abandon software,

further proving the need for a robust and easy to use User Interface Toolset.

5.2.3 Design Elements

The User Interface Tools will allow for scalability when it comes to using the software on different

platforms, including mobile, and desktop environments. Additionally the tools will provide great

interact-ability for the user.

5.2.4 Function Attribute

This component provides the user interface for users to interact with while using the software. Handles display of information and provides the interface for input.

5.2.5 Relationship




Fig. 2. A preliminary UML diagram of how the user interface tool of Aurelia will enable transmission of data to the screen or from the screen, up to date as of Fall term

5.3 Viewpoint: User Login & Authentication

By: Steven Powers

5.3.1 Context-Dependency

A user login system is standard affair for most websites on the Internet. How these user logins take

place and authenticate users can vary quite significantly depending on the implementation. User

login security is important for protecting the customer as well as the reputation of the software and

company. User Login & Authentication are dependent on Evan Tschuy's section on Password Storage

section.

5.3.2 Design Concerns

Handling user logins and user authentication can be quite a painstaking process, as any mistake

can cost you customers and any reputation that was present before the mistake was exploited.

Authentication, or the matching of user submitted data with our stored credentials can be exploited

though a simple MySQL command, if our servers are not secured properly. In house solutions can be

buggy, or not as secure. Third party solutions require an account with those services and has security

in their hands.

5.3.3 Design Elements

A way to login securely, through created credentials or through a third party login system, such as

Login with Facebook or Google.

5.3.4 Function Attribute

This component provides the functionality of user login process and user authentication within the

software.

5.4 Viewpoint: Interface Design

By: Steven Powers

SDD DESIGN-8 8

5.4.1 Information

The approach for user interface design is quite different than that of the tools being used. Interface Design refers to the methodologies employed to create the UI. This often takes the form of user studies, and demoing of prototypes and release candidate mockups for feedback. For our software, our target audience is professors, especially those interested in publishing their own book currently or in the near future. Using the target audience as a design requirement, the designer is able to gleam a lot of information about how to best serve this user. Methodologies include user centered design, activity centered design, and self design principles to list a few common disciplines.

5.4.2 Design Concerns

Interface Design is an often overlooked portion of any software product. For some software products it would be no surprise that the software is never used in house, we are trying to avoid this feeling. User centered design, while often the standard for the Computer Science industry, it very costly, both in terms of time and money. There is a large amount of time into user research studies and live demos. Self design, while much faster, and easier to perform, can lead to results that do not satisfy your users expectations.

5.4.3 Design Elements

An Interface Design methodology that allows for efficient use of time as well as successful design choices to best suit our users.

5.4.4 Function Attribute

Provides methodologies for improving Interface Design to assist users and developers.

5.4.5 Relationship




Fig. 3. A preliminary UML diagram of how user centered design & user research can improve a UI for increased affordance and usability for the target audience, up to date as of Fall term

5.5 Viewpoint: Server Back-end

By: Evan Tschuy

5.5.1 Backend

A standard web application follows more or less a standard design flow. When a request is received, a

URL parser parses the URL and passes it to the appropriate function, along with all of its parameters.

The function then operates on the data somehow, and returns either the result of a template render or

a block of data in JSON/XML to be returned to the client. Inside the function, the heavy lifting of data

manipulation, storage, etc. takes place.

5.5.2 Design Concerns

The main concern for the backend of the project is how the back end will communicate with the

version control system. For instance, building on top of Git, it is necessary to also verify that the

backend language chosen has a library that can be used to easily interact with Git. Then, it will be

necessary to build an internal library that can be placed on top of Git that exposes only the operations

needed for the textbook project.

5.5.3 Design Elements

The backend design, especially the layer interacting with Git, will play a critical role in speed of

development. By implementing a Snippet and Textbook super-layer on top of the existing Git library,

we can eliminate having to think about Git as early as possible, and spend our time instead on

interacting with Snippets and the Textbooks.

5.5.4 Function Attribute

This function provides the base on which the rest of the project is built the interaction layer between

the frontend and the revision control system.

5.5.5 Relationship




Fig. 4. An example backend handling flow. The application determines which function to call, and the function handles the request and sends any necessary file operations to the git module.

5.6 Viewpoint: Text Formatting

By: Evan Tschuy

5.6.1 Formatting

The front end of the platform lets users interact with "snippets" of documents a block of text that, paired with potentially dozens of other snippets, can make a chapter. Then, chapters need to be combined together to make a full textbook. Using a LaTeX backend, snippets can be related to an

\input{}

command, which takes the raw commands of a document and puts them into another document. Chapters can be related to

\include{}

commands, which start a new page and add the new section. In this way, we can have one file for the table of contents, which controls which chapters are included in which order, and one file for each chapter, which controls which snippets are included in which order.

5.6.2 Design Concerns

The files referenced are all stored in version control, as discussed below. Therefore we need to relate the files to a specific version as stored. Additionally, it needs to be entirely invisible to users how the text is being split the users should not know whether the backend is written in LaTeX using include and input statements, or in Markdown with string concatenation, or any other possible implementation.

5.6.3 Design Elements

An abstraction of snippets and chapters into LaTeX documents in such a way as to make manipulation of them individually and as a whole simple.

5.6.4 Function Attribute

This component provides the functionality of document generation, storage, and manipulation.

5.6.5 Relationship




Fig. 5. A document is divided into chapters (which are included under a table of contents) and snippets (which are parts of a chapter).

5.7 Viewpoint: Password Storage

By: Evan Tschuy

5.7.1 Password hashing

Any time a password is being requested from a user, it should be securely and irreversibly hashed. By securely hashing a password, it becomes impossible for hackers with access to the user database to use stored credentials to compromise user accounts on other sites even if users reuse passwords between sites. A well designed cryptographic hash, such as bcrypt, includes a salt value, which is simply added to the beginning of the password at hash time, stored in the database in plain text, so that two uses of the same password result in different hashes.

5.7.2 Design Concerns

A secure password storage system always hashes passwords, and requires hackers to crack each password individually by guessing passwords one by one. Another alternative to storing user passwords at all is, as discussed above in the user authentication section, to use a third-party user authentication service such as those offered by Google, Facebook, etc. For a platform used by professors, who may

not all have a Google or Facebook account, however, it should always be possible to create an account that does not require a third-party account.

5.7.3 Design Elements

A well-designed, secure system in which any password stored cannot be reversed without a slow cracking process. Preferably, users would not store any passwords at all with the service and instead would use third-party authentication.

5.7.4 Function Attribute

This component provides the functionality of secure password storage.

5.7.5 Relationship




Fig. 6. Passwords will either be securely hashed, if the user is not using external authentication, or not needed at all, if the user is using external authentication.

5.8 Viewpoint: Testing

By: Josh Matteson

5.8.1 Information

Testing is one of the most substantial parts when considering the success and thoroughness of an

application. If not properly tested, the application will contain numerous bugs resulting in: faulty

functionality, unpredictable behavior, and the pages not loading.

5.8.2 Design Concerns

The main concerns with working with a testing framework is the level of complexity and with

that the learning curve. Jasmine, existing for almost a decade, has had numerous contributors to

its documenation. This ensures that, while making progress, we won't be short of useful information

in the furthest reaches of the internet.

5.8.3 Design Elements

Jasmine is open source, and therefore, will be used as the main testing framework for application. It

will be one of the developer dependencies and will mostly interact with the existing javascript/type-

script of our application. Jasmine will be ran through our node express backend, and will come with

a coverage report for our app. Whether this is from Jasmine or from another testing framework that

works closely with it.

5.8.4 Function Attribute

Assist in development and thoroughness of the application. Will drastically reduce bugs.

5.8.5 Relationship




Fig. 7. A preliminary UML diagram demonstrating the flow of testing with Jasmine

5.9 Viewpoint: Revision Control Software

By: Josh Matteson

5.9.1 Revision Control

One of the more important elements of our application, the revision control will let the user have full

control over their current work and back ups. If the user realizes that a section they wrote conflicts with

something someone else wrote, they can then backup from a previous version. This will all be done

with Git as the background technology, which in essence, is the backbone of major web platforms like

Github. This component will give users endless control with branches, previous versions, and much

more.

5.9.2 Design Concerns

One of the main design concerns is properly integrating Git with the rest of the application. Ensuring

that the flow from user to Git then to database will require well force all parts of the app to be working.

5.9.3 Design Elements

Git will act as middleware in between the front end and the backend, this will be taken into mind

when moving forward. The user will use one of the front end functions, which will request an action

of Git, and finally perform database operations.

5.9.4 Function Attribute

The overarching purpose of Git is to give users free reign to write whatever they want with little to

no consequences from themselves or other users.

5.9.5 Relationship




Fig. 8. A preliminary UML diagram demonstrating the relationship of Git to the request of the user

5.10 Viewpoint: Database

By: Josh Matteson

5.10.1 Database

While understanding what a database does is more common even among non computer science

majors, the aspects of its relation to other components of our application are not self explanatory. The

database's most important role consist of storing user information, and ensuring that information does

get misplaced or skewed a long the way to the user.

5.10.2 Design Concerns

As with most databases, one of the main design concerns is the complexity of the calls to it. Some

databases use a query structure, other ones use explicit calls. SQL Server, as is part of the name, will

be using query calls to receive information.

5.10.3 Design Elements

Our backend components, being Node.js and Express, will be doing the calls to the database. Front

end functions will call general purpose functions in the backend, which will then make a call to the

database. This will then go back up the ladder to the user.

5.10.4 Function Attribute

The database stores all important information about the user and their revisions, passwords, and

preferences.

6 ANNEX A - (INFORMATION BIBLIOGRAPHY

REFERENCES

- [1] Aurelia, "Aurelia," http://aurelia.io/.
- [2] R. Woods, "Viewpoints," http://www.viewpoints-and-perspectives.info/home/viewpoints/.
- [3] R. Eisenberg, "Choosing a javascript framework," https://www.youtube.com/watch?v=6I_GwgoGm1w.
- [4] W. Cunningham, "Smallest federated wiki," http://wardcunningham.github.io/.
- [5] Google, "Our framework," http://angular.io/.
- [6] Facebook, "A javascript library for building user interfaces react," https://facebook.github.io/react/index.html.
- [7] Ember, "A framework for creating ambitious web applications," http://emberjs.com/.
- [8] Facebook, "Facebook login for apps," https://developers.facebook.com/docs/facebook-login/overview.
- [9] OpenID, "Openid the internet identity layer," http://openid.net/connect/faq/.
- [10] C. Bowles, "Looking beyond user-centered design," http://alistapart.com/column/looking-beyond-user-centered-design.
- [11] U. D. of Health & Human Services, "User-centered design basics," https://www.usability.gov/what-and-why/user-centered-design.html.
- [12] Microsoft, "Microsoft word document and word processing software," https://products.office.com/en-us/word.
- [13] Dozuki, "Visual documentation for a paperless future," http://www.dozuki.com/.
- [14] T. L. Project, "Latex a document preparation system," http://www.latex-project.org/.
- [15] D. K. McGrath, "Latex learning curve."
- [16] MochaJs, "Mocha, simple, flexible, fun," https://mochajs.org/.
- [17] QUnit, "Qunit: A javascript unit testing framework," https://qunitjs.com/.
- [18] Jasmine, "Jasmine," https://jasmine.github.io/2.0/introduction.html.
- [19] CoderWall, "Javascript test framework comparison," https://coderwall.com/p/ntbixw/javascript-test-framework-comparison.
- [20] Microsoft, "Platform for intelligent applications," https://www.microsoft.com/en-us/sql-server/.
- [21] MongoDB, "Mongodb for giant ideas," https://www.mongodb.com/.
- [22] MySQL, "Mysql," http://www.mysql.com/.
- [23] I. B. Network, "Why are we excited to talk about mongodb?" http://www.ibmbpnetwork.com/linux-blog/excited-about-mongodb.

7 CONCLUSION

The Many Voices Publishing Platform is a combination of User Interfaces, Documentation, User Centered Design, Testing, User Authentication, Databases, Server Back-end, Text Formatting, Password Storage, and the users themselves. Determining the technologies behind these parts and pieces is a difficult task to accomplish, as many choices can satisfy the requirements of the project. Finding the best solution however is the goal of this document, to provide a clear path forward for the platform as a whole.

8 SIGNATURE PAGE

Dr. Carlos Jensen, Client	 Date	
Steven Powers, Developer	 Date	
Josh Matteson, Developer	 Date	
Evan Tschuy, Developer	 Date	