

Sign up form:

What it accomplishes?

The sign up form used in this project is from the `django.contrib.auth.forms` library where the specific form used is called the `UserCreationForm`. This form allows us to create a new user in the application. We have accomplished this by altering the `UserCreationForm` by adding in extra fields as shown in the authentication/forms and we have renamed this to `UserRegisterForm`. Hence, the problems it solves are that it parses the user data, storing said data and takes care of hashing, and adding salt to the password as well.

How does this technology accomplish what it does?

The form itself is within `authentication/templates/Authentication/Register.html`. This form will be within the standard html form with the method set to POST. Now, when submit is clicked a post request will be sent and received by `Register()` in views. This request will contain the POST request information.

What the form does is basically parses and extracts all the field information. This information is within `request.POST` and will be in the form of JSON. So each field (username, password etc) will be extracted from this JSON string within `request.POST`.

After the information is extracted it will be saved. When `form.save` is called, we are calling `UserCreationForm.save` function [here](#). Once this function is called two things happen:

- 1) `save_password()` is called which is linked [here](#). Here django first calls `make_password()` listed [here](#), where it basically hashes and salts the password and thus returns the hashed+salted password. This returned password is then set to be the users new secure password. To reinforce that Django does by default returns a salted hash of the password, please visit [this](#)
- 2) Once, the password has been hashed and a secure one is stored another `save()` is called which causes django to make an insert sql statement which pushes this data to the database. This is listed on django's official website [here](#)

When `form.save` is done, we use `form.cleaned_data.get`, which is also used throughout the application. This is a simple function that simply gets a particular dictionary value from the JSON within `request.POST`.

On completion of the registration, the user is redirected based on the `LOGIN_URL` variable within `course_project/settings.py`. This dictates where the application will be sent.

Login Form:

What it accomplishes?

The login form solves the problem of authenticating a user everytime they want to login. Using this form a user can login, if and only if they have registered via the Register form listed above. It authenticates if a user has previously signed up, and if they have then it allows the user to proceed to the application.

How does this technology accomplish what it does?

The login form is initialized with `class_project/settings.py`. Here you can see the `auth_views.LoginView`, the code for this can be found [here](#). Here we see the form being initialized in `auth_views.LoginView` is the `AuthenticationForm`, linked [here](#).

The `auth_views.LoginView` is given a `template_name` which specifies the html file to display. This specifies that the request data from the `template_name` variable must be received.
`auth_views.LoginView` takes the request data which contains the username and password and begins to authenticate the user.

Once the login page is called via `auth_views.LoginView`, one of two things happen as described [here](#).

- 1) If a GET request is received then it displays the template along with the `AuthenticationForm`
- 2) If a POST request is received then it checks the database for the user information. If the credentials match then it looks in `course_project/settings.py` and looks for a `LOGIN_REDIRECT_URL`, which we have set to the home page. However, if the user is not authenticated then it just shows the same page again.

Model Querying:

What it accomplishes?

This accomplishes querying data for the right match. This accomplishes the task of getting all logged in and signed up users. This form of querying is present within `blog/views.py`, in the `get_all_logged_in_users()` and `get_all_users()` methods.

How does this technology accomplish what it does?

As described [here](#) a model that is created can be queried for specific data, which in turn creates SQL queries on the backend and returns the data that fits that specific query. This act of querying is the equivalent of writing SQL statements such as INSERT, DELETE etc

Hence, all the queries that one sees within the `get_all_logged_in_users()` and `get_all_users()` methods, are just the django version of simple SQL statements.

Sessions model:

What it accomplishes?

This basically allows us to get a list of all user IDs based on the sessions.

How does this technology accomplish what it does?

The code for the session model used is [here](#). The Sessions model is implemented by calling `SessionStore` linked [here](#).

Django Stores session info by simply sending a session key in a cookie called `SessionID` to the client. This Session Key is associated with data on the server side, which is used by our code. Creating and deleting said cookies are done using Sessions in django and is listed [here](#)

`SessionStore` stores all sessions thus far and it also supports adding and deleting sessions. The `SessionStore` approach is also talked about in the [official django docs](#).

This Session model will be like any other model (for example Profile model for registration), and can be queried as such. Hence, this will store all session details thus far and a model query is done on this model instance in order to gain only the unexpired sessions. These unexpired sessions are the users currently logged in currently.

Logout:

What it accomplishes?

This logs users out of the application, thus “unauthenticating them”

How does this technology accomplish what it does?

The Logout feature is pretty simple in that all that is done is add LogoutView class in `class_project/urls.py`. The class is provided a `template_name` that shows which html template to use. We have given the template `authentication/Logout.html` which will be displayed. The class being referenced is [here](#). This class takes a request object, takes the session data and then wipes the session data from the list of Sessions.

By doing this, the users session is “closed” hence they would have to authenticate again in order to use the service.

login_required Decorator:

What it accomplishes?

When this decorator is placed above a method, then it only allows the method to be used if the user is logged in and authenticated. This allows for people to only use the various pages other than login/register only if they are an authenticated and registered user.

How does this technology accomplish what it does?

The `login_required` decorated [here](#), simply calls the `is_authenticated` function. This function has two instances in two different classes, and based on which class gets called different results are returned. The two cases are:

- 1) If the user is an actual registered/authenticated user then this method [here](#) gets called, which always returns true. Thus function is from the `BaseUser` class and will only be invoked if the user was logged in the first place.
- 2) However, if the user was not authenticated in the first place, then [this](#) gets called and the answer is always false. This method is a part of the `AnonymousUser` class which will be invoked if the user is not logged in or authenticated.

Now, if the user was authenticated(`is_authenticated` returns true) then this decorator allows the method it is above to run smoothly. If the user is not authenticated (`is_authenticated` returns False) then this decorator does NOT allow the method to run.

What license(s) or terms of service apply to this technology?

The entire application runs on the django framework. The owner of the license of all django libraries is Django Software Foundation as mentioned [here](#). They give the right to use django under many circumstances mentioned in the link provided.

It is mentioned that you can use the libraries within the following conditions of :

- 1) Service Identification
- 2) Django-related software project
- 3) Groups and Events
- 4) Merchandise

- 5) Products and services serving the community
- 6) Other Commercial activity
- 7) Domain Names
- 8) Uses outside of this license
- 9) Community standards
- 10) Interpretation