## Discrete and Algorithmic Geometry

Julian Pfeifle, UPC, 2019

## Sheet 1

Due on Tuesday, November 19, 2019

To submit your solutions to these exercises,

- ▷ create a new branch your-awesome-team-name-sheet-1,
- □ create a subdirectory exercises/sheet1/your-awesome-team-name/,
- ▷ and put your solutions to the exercises into a .pdf file into that directory.
- ▷ Now encrypt this .pdf using julian.pfeifle@upc.edu.public.gpg.key, and
- ▷ add, commit and push only this encrypted pdf, not the original .tex
- □ and create a pull request.

You will be graded collectively on these exercises, and individually in the final exam.

Exercises not submitted via this mechanism will not be graded.

Let  $([n], \mathscr{I})$  be a matroid on the ground set  $[n] = \{1, 2, ..., n\}$  with independent sets  $\{I : I \in \mathscr{I}\}$ .

- ⊳ For any proper subset  $S \subset [n]$ , the deletion  $M \setminus S$  is the matroid on the ground set  $[n] \setminus S$  whose independent sets are  $\{I \subset [n] \setminus S : I \in \mathscr{I}\}$ .
- $\triangleright$  The dual matroid  $M^*$  of M is the matroid on [n] where I is a basis iff  $[n] \setminus I$  is a basis of M.
- $\triangleright$  If  $S \subset [n]$ , then the contraction of M with respect to S is  $M/S = (M^* \setminus S)^*$ .
- $\triangleright$  Let G be a graph whose edges are labeled by [n]. The bases of the graphical matroid  $M_G$  are the sets of edges corresponding to spanning trees of G.
  - (1) True or false?
    - (a) This notion of contraction agrees with the notion of contraction in graph theory.
    - (b)  $M_{G^*} = (M_G)^*$ , if *G* is a planar graph and  $G^*$  its dual planar graph.
  - (2) Prove that if a matroid M is realizable over a ground field  $\mathbb{R}$ , then the dual matroid  $M^*$  is also realizable over  $\mathbb{R}$ . [Hint. Suppose that M has rank d and n elements. After a change of basis, M can be realized by the  $d \times n$  matrix A = [I|B], where I is the  $d \times d$  identity matrix, and B has size  $d \times (n-d)$ . Now find a matrix that realizes  $M^*$ .]
  - (3) Consider the matroid M realized by the columns of the matrix

$$\begin{bmatrix} 0 & 1 & 1 & 0 & 1 \\ 1 & 0 & 1 & 0 & 1 \\ 0 & 1 & 1 & 1 & 0 \end{bmatrix}.$$

1

Compute a realization of  $M^*$ , and some contractions of M of your choosing.