Flexbox Sample

Create a flexbox layout

Flexbox layout is an easy way to arrange multiple items inside a container.

To create a flex container, simply apply display: flex to the desired container.

```
.flex {
    display: flex;
}
```

The children of a flex container are called flex items. They will flow horizontally by default, so they will be positioned in a row:



The flow direction can be modified using the flex-direction property. Setting flex-direction: column will cause the flex items to flow vertically in a column:

```
.flex {
    display: flex;
    flex-direction: column;
}
```

}	
Item A	
Item B	
Item C	
Item D	

Setting flex-direction: row-reverse will cause the flex items to flow in a row in reverse order:

```
.flex {
    display: flex;
    flex-direction: row-reverse;
}

Item Item Item Item
```

As we saw in the example above, flex-direction: row-reverse reverses the item order and aligns the items to the right. Let's align them to the left instead:

```
.flex {
    display: flex;
    flex-direction: row-reverse;
    justify-content: flex-end;
}

Item Item Item Item
```

If the flex items are arranged in a column, they can be aligned to the bottom of the flex container using justify-content: flex-end:

```
.flex {
    display: flex;
    flex-direction: column;
    justify-content: flex-end;
}
```

Item B Item C Item D	Item A	
	Item B	
Item D	Item C	
	Item D	

Flex items can be centered by using both align-items and justify-content:

```
.flex {
    display: flex;
    flex-direction: row;
    align-items: center;
    justify-content: center;
}

Item Item Item Item
```

Flex items can also be justified.

.flex { display: flex; justify-content: space-betv }	ween;		
Item	Item	Item	Item


Growing flex items

Flex items grow to fill the row when the flex-grow property is set to a positive value:

```
.flex {
    display: flex;
}
.flex div {
    flex-grow: 1;
}
```

Item A	

Item B	





Item D

Different values of flex-grow for items in the same row cause different amounts of growth:

```
.flex {
    display: flex;
}
.flex div {
    flex-grow: 1;
}
.flex div:nth-of-type(3) {
    flex-grow: 3;
}
```

Item A		






Item D

Wrapping flex items in rows or columns


You can wrap flex items in multiple rows by specifying flex-wrap: wrap or flex-flow: row wrap, which is a shorthand for flex-direction: row; flex-wrap: wrap:

```
.flex {
    display: flex;
    flex-flow: row wrap;
}
```




The flow of the flex items can also be reversed:

```
.flex {
    display: flex;
    flex-flow: row-reverse wrap;
}
```




Flex items can also be wrapped into columns:

```
.flex {
    display: flex;
    flex-flow: column wrap;
    align-content: flex-start;
}
```



When no height is set on the flex container the columns wrap at the bottom edge of the page:

```
.flex {
    display: flex;
    flex-flow: column wrap;
    align-content: flex-start;
}
```



Flex items and pagination

When PDFreactor paginates documents with flex layouts, the flex items are paginated according to the wrap layout mode specified for the flex container.

If the container specifies flex-flow: row wrap and a page break occurs between two rows, the rows are continued on the next page:



If the container specifies flex-flow: column wrap and a page break occurs between two columns, the columns are continued on the next page:

```
.flex {
 display: flex;
flex-flow: column wrap;
                                                                Item H
    Item A
    Item B
                                                                Item I
    Item C
                                                                Item J
    Item D
                                                                Item K
    Item E
    Item F
    Item G
```