Layered Architecture

CSSE6400

Richard Thomas

February 28, 2022

Ogres are like onions.

Orgres have layers, onions have layers... You get it? We both have layers.

- Shrek

In the beginning...

There was the big ball of mud [1]

```
import gui
import database

button = gui.make_button("Click me to add to counter")
```

database.query("INSERT INTO clicks (time) VALUES {{e.time}}"))

button.onclick(e =>

6


Problem


software.


Any change can affect any other part of the


"Solution"


Layered architecture











```
>> cat presentation.code
import gui
import business

button = gui.make_button("Click me to add to counter")
button.onclick(business.click)
```

```
>> cat business.code
import persistence

def click():
    persistence.click_counts.add(1)
```

```
import db
   class ClickCounter:
       clicks = 0
       def constructor():
           clicks = db.query("SELECT COUNT(*) FROM clicks")
       def get_click():
           return clicks
       def add(amount):
12
           db.query("INSERT INTO clicks (time) VALUES {{time.now}}")
1.3
   click_counts = ClickCounter()
15
```

» cat persistence.code

Question

Can you identify an example of layered architecture?

Question

Can you identify an example of layered architecture?

Answer

Pick any website.

References

[1] Brian Foote and Joseph Yoder.

Big ball of mud.

Pattern languages of program design, 4:654–692, 1997.