

Microkernel Architecture

CSSE6400

Richard Thomas

March 14, 2022

So far...

Simplicity – Monolith, Pipeline

Modularity – Layered, Pipeline

Definition 1. Extensibility

Features or extensions can be easily added to the software over its lifespan.

Question

How easy is it to extend *Monolith*, *Layered* or *Pipeline*?

Question

How easy is it to extend *Monolith*, *Layered* or *Pipeline*?

Answer

Monolith – Everything in one container



Question

How easy is it to extend *Monolith*, *Layered* or *Pipeline*?

Answer

Monolith – Everything in one container



Layered – Typically all layers



Question

How easy is it to extend *Monolith*, *Layered* or *Pipeline*?

Answer

Monolith – Everything in one container



Layered – Typically all layers



Pipeline – Create a new filter



Definition 2. Interoperability

Software can easily share information and exchange data with internal components and other systems.

Question

What about interoperability?

Question

What about interoperability?

Answer

Monolith – Everything in one container

- Internal 🤗 External 🤔

Question

What about interoperability?

Answer

Monolith – Everything in one container

- Internal 🤗 External 🤔

Layered – Nearest Neighbour

- Internal 🤗 External 🤔

Question

What about interoperability?

Answer

Monolith – Everything in one container

- Internal 🤖👍 External 🤖👎

Layered – Nearest Neighbour

- Internal 🤖👍 External 🤖👎

Pipeline – Standard Interface

- Internal 🤖👍 External 🤖👎

Question

What if I want simplicity, extensibility and interoperability?

Question

What if I want simplicity, extensibility and interoperability?

Answer

Consider *Microkernel Architecture*

Definition 3. Microkernel Architecture

Core system providing interfaces that allow plug-ins to extend its functionality.



Definition 4. Registry

Tracks which plug-ins are available to the core system and how to access them.

Loading Plug-ins

Static Loading when application starts

Dynamic Loading as needed at run-time

Registry designed for the selected strategy

Question

Can you think of a *microkernel architecture*?

Question

Can you think of a *microkernel architecture*?

Answer

Web Browser?

Definition 5. Independent Plug-in Principle

Plug-ins should be independent, with no dependencies on other plug-ins. The only dependency on the core system is through the plug-in interface.

Definition 6. Standard Interface Principle

There should be a single interface that defines how the core system uses plug-ins.

Question

Does a plug-in architecture equate to a microkernel architecture?

Question

Does a plug-in architecture equate to a microkernel architecture?

Answer

What about *IntelliJ*?

Plug-ins with Separate Databases

- Plug-ins cannot access core system data
 - Core system may pass data to the plug-in
- Plug-ins may have their own persistent data




Plug-ins as External Services

- Need communication protocol
- Registry records communication contract
 - e.g. URL of the REST endpoint & data passed to it



Adapting Non-Conforming Interfaces



Technical Partitioning



Technical Partitioning



Domain Partitioning



Question

Is the microkernel architecture suited to *technical* or *domain* partitioning?

Question

Is the microkernel architecture suited to *technical* or *domain* partitioning?

Answer

Core system can be partitioned either way.

Domain Standard Interfaces



Distributed Microkernel

- Partitions in the core system can be distributed
 - Technical or domain partitions
 - Plug-ins could also be distributed



Pros & Cons

Simplicity Core system & Plug-in interface



Extensibility Plug-ins



Interoperability Plug-ins



Scalability



Reliability

