Experiment 5.1

Student Name: Anshika Goel UID: 22BCS10076
Branch: CSE Section: KRG 2B
DOP:25/02/25

Subject: PBLJ Subject Code:22CSH-359

Aim: Write a Java program to calculate the sum of a list of integers using autoboxing and unboxing. Include methods to parse strings into their respective wrapper classes (e.g., Integer.parseInt()).

Objective: The goal of this Java program is to demonstrate autoboxing and unboxing while calculating the sum of a list of integers.

Code:

```
import java.util.*;
public class autoboxing {
  public static List<Integer> parseStringToIntegers(List<String> strNumbers) {
    List<Integer> intNumbers = new ArrayList<>();
    for (String num : strNumbers) {
       intNumbers.add(Integer.parseInt(num));
    return intNumbers;
  }
  public static int calculateSum(List<Integer> numbers) {
    int sum = 0;
    for (Integer num: numbers) {
       sum = num+sum;
    return sum:
  }
  public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
    System.out.println("Enter the number of elements:");
    int n = scanner.nextInt();
    scanner.nextLine():
    List<String> strNumbers = new ArrayList<>();
    System.out.println("Enter " + n + " numbers:");
    for (int i = 0; i < n; i++) {
       strNumbers.add(scanner.nextLine());
     }
    List<Integer> numbers = parseStringToIntegers(strNumbers);
    int sum = calculateSum(numbers);
```

```
System.out.println("The sum of the numbers is: " + sum);
scanner.close();
}
```

Output:

```
Enter the number of elements:

5
Enter 5 numbers:

2
3
4
5
6
The sum of the numbers is: 20
```

Learning Outcomes:

Understand the concept of autoboxing and unboxing in Java and how primitive types are
automatically converted to their wrapper classes and vice versa.
Learn how to convert string values into Integer objects using Integer.parseInt() and store them
in a list.
Gain experience in working with ArrayLists to store and manipulate a collection of numbers
dynamically.
Develop proficiency in iterating through collections and performing arithmetic operations like
cummation

Experiment 5.2

- ¹.Aim: Create a Java program to serialize and deserialize a Student object. The program should: Serialize a Student object (containing id, name, and GPA) and save it to a file. Deserialize the object from the file and display the student details. Handle FileNotFoundException, IOException, and ClassNotFoundException using exception handling.
 - **2. Objective:** The objective is to serialize and describlize a Student object, store and retrieve its id, name, and GPA from a file, and handle exceptions like FileNotFoundException, IOException, and ClassNotFoundException.

3. Implementation Code:

```
import java.io.*;
import java.util.Scanner;
class Student implements Serializable {
  static final long serialVersionUID = 1L;
  int id:
  String name;
  double gpa;
  public Student(int id, String name, double gpa) {
     this.id = id;
     this.name = name;
     this.gpa = gpa;
  }
  public void display() {
     System.out.println("Student ID: " + id);
     System.out.println("Name: " + name);
     System.out.println("GPA: " + gpa);
  }
public class StudentSerialization {
  public static void serializeStudent(Student student, String filename) {
     try (ObjectOutputStream oos = new ObjectOutputStream(new FileOutputStream(filename))) {
       oos.writeObject(student);
       System.out.println("Student object serialized successfully.");
     } catch (IOException e) {
       System.err.println("Error during serialization: " + e.getMessage());
     }
  }
  public static Student deserializeStudent(String filename) {
     try (ObjectInputStream ois = new ObjectInputStream(new FileInputStream(filename))) {
       return (Student) ois.readObject();
     } catch (FileNotFoundException e) {
       System.err.println("File not found: " + e.getMessage());
```

```
} catch (IOException e) {
       System.err.println("Error during deserialization: " + e.getMessage());
     } catch (ClassNotFoundException e) {
       System.err.println("Class not found: " + e.getMessage());
    return null;
  }
  public static void main(String[] args) {
     Scanner scanner = new Scanner(System.in);
    System.out.println("Enter Student ID:");
    int id = scanner.nextInt();
     scanner.nextLine();
     System.out.println("Enter Student Name:");
    String name = scanner.nextLine();
     System.out.println("Enter Student GPA:");
    double gpa = scanner.nextDouble();
     Student student = new Student(id, name, gpa);
     String filename = "student.ser";
     serializeStudent(student, filename);
    Student deserializedStudent = deserializeStudent(filename);
    if (deserializedStudent != null) {
       System.out.println("Deserialized Student:");
       deserializedStudent.display();
    scanner.close();
  }
}
```

4. Output

```
Enter Student ID:
14557
Enter Student Name:
Ravi
Enter Student GPA:
7.11
Student object serialized successfully.
Deserialized Student:
Student ID: 14557
Name: Ravi
GPA: 7.11
```



5. Learning Outcomes:

Understand object serialization and deserialization in Java.
Learn how to use ObjectOutputStream and ObjectInputStream for file operations.
Implement exception handling for FileNotFoundException, IOException, and
ClassNotFoundException.
Gain hands-on experience in storing and retrieving objects from a file.
Develop skills in data persistence and file management using Java

Experiment 5.3

- 1. **Aim:** Create a menu-based Java application with the following options. 1.Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather details of the employee like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.
- 2. Objective: The objective of this Java application is to create a **simple** menu-driven employee management **system** using file handling for data persistence.

3 .Implementation Code:

```
import java.io.*;
import java.util.*;
class Employee {
  int id:
  String name;
  String designation;
  double salary;
  public Employee(int id, String name, String designation, double salary) {
     this.id = id;
     this.name = name;
     this.designation = designation;
     this.salary = salary;
  }
  @Override
  public String toString() {
     return id + "," + name + "," + designation + "," + salary;
  public static Employee fromString(String line) {
     String[] parts = line.split(",");
     return new Employee(Integer.parseInt(parts[0]), parts[1], parts[2],
Double.parseDouble(parts[3]));
}
public class EmployeeManagement {
  static final String FILE_NAME = "employees.txt";
  public static void addEmployee() {
     Scanner scanner = new Scanner(System.in);
     System.out.print("Enter Employee ID: ");
     int id = scanner.nextInt();
     scanner.nextLine();
```

```
System.out.print("Enter Employee Name: ");
     String name = scanner.nextLine();
     System.out.print("Enter Designation: ");
     String designation = scanner.nextLine();
     System.out.print("Enter Salary: ");
     double salary = scanner.nextDouble();
    Employee employee = new Employee(id, name, designation, salary);
     try (FileWriter fw = new FileWriter(FILE_NAME, true);
       BufferedWriter bw = new BufferedWriter(fw);
       PrintWriter pw = new PrintWriter(bw)) {
       pw.println(employee);
     } catch (IOException e) {
       System.err.println("Error saving employee data: " + e.getMessage());
    System.out.println("Employee added successfully!");
  public static void displayAllEmployees() {
    File file = new File(FILE_NAME);
    if (!file.exists()) {
       System.out.println("No employee records found.");
       return;
    try (BufferedReader br = new BufferedReader(new FileReader(FILE_NAME))) {
       String line;
       while ((line = br.readLine()) != null) {
         Employee emp = Employee.fromString(line);
         System.out.println("ID: " + emp.id + ", Name: " + emp.name + ", Designation: " +
emp.designation + ", Salary: " + emp.salary);
     } catch (IOException e) {
       System.err.println("Error reading employee data: " + e.getMessage());
     }
  }
  public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
     while (true) {
       System.out.println("\n1. Add Employee");
       System.out.println("2. Display All Employees");
       System.out.println("3. Exit");
       System.out.print("Choose an option: ");
       int choice = scanner.nextInt();
       switch (choice) {
         case 1:
            addEmployee();
            break;
         case 2:
            displayAllEmployees();
            break;
         case 3:
```

```
System.out.println("Exiting the application...");
scanner.close();
return;
default:
System.out.println("Invalid option, try again.");
}
}
}
```

4. Output:

```
1. Add Employee
2. Display All Employees
3. Exit
Choose an option: 1
Enter Employee ID: 14557
Enter Employee Name: Ravi Kant
Enter Designation: Student
Enter Salary: 30000
Employee added successfully!
1. Add Employee
2. Display All Employees
3. Exit
Choose an option: 2
ID: 10406, Name: Sumit, Designation: student, Salary: 20000.0
ID: 14557, Name: Ravi Kant, Designation: student, Salary: 30000.0
ID: 14557, Name: Ravi Kant, Designation: Student, Salary: 30000.0
1. Add Employee
2. Display All Employees
3. Exit
Choose an option: 3
Exiting the application...
```

5. Learning Outcomes:

	Understand file handling and serialization in Java to store and retrieve objects
_	persistently.
	Learn how to implement a menu-driven console application using loops and
	conditional statements.
	Gain experience in object-oriented programming (OOP) by defining and managing
_	Employee objects.
	Practice exception handling to manage file-related errors like FileNotFoundException
	and IOException.
	Develop skills in list manipulation and user input handling using ArrayList and
	Scanner.