

LaPIS Diagnostic Test Workbook - Mathematics

Name : Varshini V K


Class : 7

Section : B

School : AKV Public School

Login ID : AKV165

Varshini V K's Performance Report



Score: 21/40

Percentage: 52.5%

Varshini V K's Study Planner

Date	Topics Planned	Q. Numbers	Teacher Remark	Teacher Sign	Parent Sign

Teacher's Feedback to Student

Class Teacher Signature

Principal Signature

Basic arithmetic

Topics to be Improved	
Types of angles	Identification of types of angles

Hi, here in this video you will learn **Types of Angles**



Question: 1

Find the angles.




Answer:

The angle ranges from ____° to ____°.

The angle perpendicular to 0° is ____°.

The straight line measures ____°.

Question: 2



The angle formed between the directions

(i) West and East is _____ angle.

(ii) North and East is _____ angle.

(iii) East and South is _____ angle.

Answer:

The angle formed between West and East is ____° and it is called _____ angle.

The angle formed between North and East is ____° and it is called _____ angle.

The angle formed between East and South is ____° and it is called _____ angle.

Question: 3

The addition of straight angle and right angle is _____ angle.

Answer:

The measurement of straight angle is _____°

The measurement of right angle is _____°.

Straight angle + Right angle = _____ + _____ = _____

It is called as _____ angle.

Mensuration

Topics to be Improved

Perimeter


Perimeter of triangle

Hi, here in this video you will learn **Perimeter**



Question: 4

Highlight the perimeter in the given image.




Answer:

Perimeter is the _____ (outer / inner) boundary of the shape

Question: 5

Find the perimeter of the given figure.



Answer:

Sides of the given shape = _____.


Perimeter of a shape is _____ (sum / difference) of _____ (all/ opposite) sides.

Perimeter of the given shape = _____

Question: 6

Find the length of the rectangular floor if its perimeter is 60 ft and breadth is 3 ft.

Answer:



Shape of the floor is _____ and its perimeter formula is _____.

Given:

floor perimeter = _____, and breadth = _____.

Perimeter of the floor = $2(\text{_____} + \text{_____})$.

Therefore, length of the rectangular floor is _____.

Data handling

Topics to be Improved	
Range	Finding the range
Chance of probability	Sample space in probability

Hi, here in this video you will learn **Range**



Question: 7

Range of the data = _____ - _____

Answer:

The difference between highest value and lowest value is _____.

Example: Find the range of 10, 5, 30, 23, 54, 39 and 16

Highest value = _____ , Lowest value = _____ .

Range = _____ - _____ = _____.

Question: 8

Circle the correct range for the following data 31, -20, 35, -38, 29, 0, 43, -25, 51, 14, 9

$$-20 + 51$$

$$\frac{-38-51}{2}$$

$$51 + 38$$

$$\frac{51+20}{2}$$

Answer:

Range = _____ - _____.

Arranging the data in ascending order, _____

In the given data,

Highest value = _____ , Lowest value = _____ , Range = _____ - _____ = _____

Question: 9

Find the range of first 10 multiple of 5.

Answer:

First 10 multiple of 5 = _____

Therefore,

Highest value = _____ , Lowest value = _____ , Range = _____ - _____ = _____

Hi, here in this video you will learn **Basics of probability**



Question: 10

Which of the following contains list of all possible outcomes.

Probability

Sample space

Sure events

Impossible events

Answer:

Probability is the measure of _____ (chance /number) of an events happenings.

Sample space consists of _____ (possible/ impossible) outcomes.


Sure events always _____ (occurs/don't occurs).

Impossible events _____ (occurs/ don't occurs).

Therefore, _____ contains list of possible outcomes.

Question: 11

Write the possible outcomes while spinning the given wheel.



Answer:

Outcomes are _____ (possible/impossible) results of an experiment.

The possible outcomes while spinning wheel are ₹0, ₹10, _____

Question: 12

A bag contains three balls of colour blue, green and red. Write the possible outcomes if two balls are taken out.

Answer:

A bag contains _____, _____ and _____ balls.

If one of the ball is blue in colour, then other ball can be _____ or _____

If one of the ball is green in colour, then other ball can be _____ or _____.

If one of the ball is red in colour, then other ball can be _____ or _____.

Therefore, if two balls are taken out then possible outcomes are blue + _____ ,
 _____ + _____, _____ + _____,

Geometry

Topics to be Improved	
Right angle triangle and pythagoras property	Basics of Pythagoras property
Angle sum property of triangle	Angle sum property of triangle
Sum of lengths of two sides of a triangle	Sum of two sides of a triangle

Hi, here in this video you will learn **Pythagoras property**



Question: 13

In a right angled triangle, square of the _____ = sum of the squares of the legs.

Answer:

Pythagoras theorem is only applicable for _____ triangle.


Longest side of the triangle is _____ (hypotenuse/ legs) and other two sides are called _____(hypotenuse/ legs).

Pythagoras theorem states that _____.

Question: 14

Find the hypotenuse of the triangle ABC if base is 12 m and altitude is 5 m.

Answer:



Pythagoras theorem states that square of the _____ = sum of the squares of its _____.

Given: Base = _____, Altitude = _____,

Base and altitude are _____ (hypotenuse/ legs) of the triangle.


By Pythagoras theorem, $(\text{---})^2 = (\text{---})^2 + (\text{---})^2$
 $\text{---} = \text{---} + \text{---}$

Therefore, hypotenuse of the triangle is --- .

Question: 15

Find the length of the rectangle, if breadth is 3 cm and diagonal is 5 cm.

Answer:



Pythagoras theorem states that square on the --- = sum of the squares on --- .

Is Pythagoras theorem applicable in rectangle? --- (yes/ no).

Given: breadth = --- , length of diagonal = ---

By Pythagoras theorem, $(\text{---})^2 = (\text{---})^2 + (\text{---})^2$
 $\text{---} = \text{---} + \text{---}$

Therefore, diagonal of the rectangle is ---


Hi, here in this video you will learn **Angle sum property**



Question: 16

Sum of the angles of triangle is --- .

Answer:



$$\angle A + \angle B + \angle C = \text{---}$$


Angle sum formula = $(n - 2) \times 180^\circ$, n = number of sides

Triangle has --- sides.

Sum of the angles of triangle = $(\text{---} - 2) \times 180^\circ = \text{---}$

Question: 17

Which of the following triangle satisfy the angle sum property.



Answer:

Angle sum property of triangle: sum of the angles of a triangle is _____

In $\triangle ABC$, Sum of the angles = $\angle A + \angle B + \angle C = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

In $\triangle PQR$, Sum of the angles = $\underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

In $\triangle KLM$, Sum of the angles = $\underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

In $\triangle XYZ$, Sum of the angles = $\underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

Therefore, the triangles that satisfy the angle sum property are = _____

Question: 18

Find the angles of triangle, if their angles are in the ratio 8:6:4.

Answer:

Ratio of angles in the triangle is _____

Let's consider the angles of triangle be $8x$, _____ and _____

We know sum of the angles of a triangle is _____

Therefore, $8x + \underline{\hspace{1cm}} + \underline{\hspace{1cm}} = 180^\circ$. The value of $x = \underline{\hspace{2cm}}$


The angles of the triangle are _____

Hi, here in this video you will learn **Sum of the length of sides of the triangle**



Question: 19

Find the greatest distance to reach C from A in the given diagram.



Answer:

The sides of the given triangle are _____.

The possible way to reach point C from point A are _____ and AB then to

Side AC = _____

Side AB + BC = _____ + _____ = _____

Therefore, the greatest distance to reach C from A in the given diagram is _____.

Question: 20

_____ (Sum of / Difference between) the length of any two sides of a triangle is smaller than the length of the third side.


Answer:

There are _____ sides in a triangle.

The sum of the two sides of a triangle is _____ than the other side of the triangle.

The difference of the two sides of a triangle is _____ than the other side of the triangle.

Example: In triangle XYZ,



Question: 21

The lengths of two sides of a triangle are 7 cm and 10 cm. Between which two numbers can length of the third side fall?

Answer:

1. The sum of the two sides of a triangle is _____ than the third side of the triangle.
Therefore, the third side should be _____ (less/ greater) than sum of other two sides.
Here, sum of the two sides = _____ + _____ = _____
Therefore, the length of the third side is less than _____
2. The difference of the two sides of a triangle is _____ than the third side of the triangle.
Therefore, the third side should be _____ (less/ greater) than sum of other two sides.
Here, difference of the two sides = _____ - _____ = _____
Therefore, the length of the third side is greater than _____

Therefore, length of the third side is greater than _____ but less than _____.

Number system


Topics to be Improved	
Fractions	Division of fraction
Operations on rational numbers	Subtraction of rational numbers
Exponents	Solving exponents
Positive and negative rational numbers	Identification of positive rational numbers

Hi, here in this video you will learn **Division on fractions**



Question: 22

Find the shape which contains the improper fraction of $5\frac{2}{7}$.



Answer:

$5\frac{2}{7}$ is a _____ (proper/mixed) fraction.

Here, 5 is _____, 2 is _____ and 7 is _____.

To convert mixed fraction into improper fraction, $\frac{(\text{Whole} \times \text{Denominator}) + \text{Numerator}}{\text{Denominator}}$

$$5\frac{2}{7} = \frac{(\text{ } \times \text{ }) + \text{ }}{7} = \frac{\boxed{}}{\boxed{}}$$

Question: 23

Solve: $\frac{1}{3} \div \frac{14}{3}$

Answer:

To divide a fraction by another fraction, multiply the dividend by _____ (same / reciprocal) of the divisor. Here, dividend = _____ and divisor = _____.

$$\frac{1}{3} \div \frac{14}{3} = \frac{1}{3} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Question: 24

Find the half of the fraction $\frac{12}{40}$.

Answer:

To find half of a number, divide the number by _____

$$\frac{12}{40} \div \underline{\hspace{2cm}} = \frac{12}{40} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Then the answer is _____

Hi, here in this video you will learn **Operation on rational numbers**



Question: 25

Solve: $\frac{-3}{3} + \frac{1}{3}$

Answer:


Fractions with same denominators are called _____ (like/ unlike) fractions.

Fraction can be added only if they are _____ (like/ unlike) fractions.


$$\frac{-3}{3} + \frac{1}{3} = \frac{}{3} =$$

Question: 26

Find the addition of shaded part of box A and shaded part of box B.



A



B

Answer:

Total number of square in box A = _____.

Number of shaded square in box A = _____

Shaded part of box A in fraction = _____

Total number of square in box B = _____.


Number of shaded square in box B = _____.

Shaded part of box B in fraction = _____.

Shaded part of box A + Shaded part of box B = _____ + _____ = _____

Question: 27

Find the missing values in the given figure.



Answer:

One litre = _____ ml

$\frac{7}{10}$ of one liter = $\frac{7}{10} \times$ _____ ml = _____ ml

Given: $1 = \frac{7}{10} +$ _____

Transposing $\frac{7}{10}$ to other sides, $1 - \frac{7}{10} =$ _____

Therefore, result is _____.

Hi, here in this video you will learn **Exponents and power**



Question: 28

Find the exponential form of 1000.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

Exponents is also called as _____ (Base / Power).

1000 can be written as = $10 \times$ _____ \times _____

10 is raised to the power of _____ = $(10)^{\text{_____}}$

Question: 29

Find the value of $(-2)^3$.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

In this exponential form $(-2)^3$, base = ____, power = ____.
 $(-2)^3 = ___ \times ___ \times ___ = ___.$

Question: 30

- (i) Tenth power of 100 is ____ ($(10)^{100}$ or $(100)^{10}$).
- (ii) k is raised to the power of 5 is ____ ($(k)^5$ or $(5)^k$).

Answer:

Exponential form = (Base)——


- (i) Tenth power of 100 : Base = ____, Power/Exponents = ____, exponential form = ____.
- (ii) k is raised to the power of 5 : Base = ____, Power/Exponent = ____, exponential form = ____.

Hi, here in this video you will learn **Positive and Negative rational numbers**



Question: 31

Segregate positive and negative rational number.



Answer:

- If both the numerator and the denominator of a rational number are _____ (positive/negative), then it is positive rational number.

- If either the numerator and the denominator of a rational number are negative, then it is _____ (positive/negative) rational number.

In the given circle, positive rational numbers are _____ and negative rational numbers are _____.

Question: 32

$\frac{-3}{-4}$ is a _____ (positive /negative / neither positive nor negative) rational number.

Answer:

-3 is a _____ number, -4 is a _____ number.

Division of $\frac{-3}{-4} = \frac{\boxed{}}{\boxed{}}$ and this _____ rational number.

(Positive / Negative / Neither positive nor negative rational number)

Question: 33

The product of a positive rational number and a negative rational number is _____ rational number. (Positive/ Negative/ neither positive nor negative)

Answer:

Examples for positive rational numbers: _____

Examples for negative rational numbers: _____

Positive rational number \times Negative rational number = _____ \times _____ = _____ and this is _____ rational number

Comparing Quantities

Topics to be Improved	
Equivalent ratios	Basic of proportion
Simple interest	Calculation of simple interest

Hi, here in this video you will learn **Basics of proportion**



Question: 34


If $a:b$ and $c:d$ are equivalent ratio, then it can be expressed as _____

Answer:


A _____ (proportion / ratio) is used to express _____ (one/two) equivalent ratios.
Standard form to express proportion is _____.

Question: 35

Find the ratio of shaded part to unshaded part of A and B. Are the two ratios equivalent ?



A




B

Answer:

Shaded part of A = _____, Unshaded part of A = _____.
Ratio of shaded to unshaded parts of A is _____. Fractional form = _____.
Shaded part of B = _____ ,
Unshaded part of B = _____.
Ratio of shaded to unshaded parts of B is _____.
Fractional form = _____.
Fraction form of A _____ (equal/ not equal) to Fraction form of B.

Question: 36

If $a : b :: c : d$ is proportion, shade the correct expression



Answer:

Two equivalent ratio which are proportion, it can be written as $a : b :: c : d$

or _____ = _____ (in fraction) .

First and fourth term are called _____ and second and third term are called _____.

In proportion, product of extreme terms is _____ (equal to/ not equal to) product of middle terms.

Therefore, $a \times d =$ _____,

then $a =$ _____ and $c =$ _____

Hi, here in this video you will learn **Simple Interest**



Question: 37

Match the following.

Column A	
i	Principle(P)
ii	Amount (A)
iii	Rate (R)
iv	Time period (T)

Column B	
a	Interest calculated based on this
b	Total sum you borrow
c	Number of years
d	Total sum with interest

Answer:

Formula for calculating simple interest = _____.

Interest calculated based on _____.

Total sum you borrow is known as _____.

Number of years is _____. Total sum with interest is _____.

Question: 38

Sara deposited Rs.1200 in a bank. After three years, she received Rs.1320. Find the interest she earned.

Answer:

Given:

Amount = _____ , Principle = _____ , Time period = _____.

If Amount and principle is given, then formula for calculating interest is _____.

Interest = _____ - _____ = _____

Question: 39

The simple interest on Rs.5000 for 3 years is Rs.1350. Find the rate of interest.

Answer:

Interest = _____ , Time period = _____ , Principal = _____.

$$\text{Rate of interest} = \frac{\text{_____} \times 100}{\text{Principal} \times \text{_____}}$$

Substituting values in the formula,

$$\text{Rate of interest} = \frac{\text{_____} \times 100}{\text{Principal} \times \text{_____}}$$

Rate of interest = _____

Therefore, the rate of interest is _____ %

Algebra

Topics to be Improved	
Basics of simple equation	Solving of simple equation, Formating of simple equation
Monomials, binomials, trinomials and polynomials	Types of algebraic expression
Addition and subtraction of algebraic expressions	Like terms and Unlike terms
Terms of an expression	Identification of terms in an expression
subtraction of algebraic expressions	subtraction of algebraic expressions

Hi, here in this video you will learn **Solving an equation**



Question: 40

If $\odot = 5$, then $5 \odot + 5 = \underline{\hspace{2cm}}$

Answer:

The value of the given smiley \odot is $\underline{\hspace{2cm}}$.

Substituting the value in the expression $= 5(\underline{\hspace{1cm}}) + 5 = \underline{\hspace{2cm}} + \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$.

Question: 41

Which of the following number can be placed in the box to make the equation correct (-2, -1, 0, 1, 2)

$$7 \square + 3 = -4$$

Answer:

The given equation is $7\underline{\hspace{1cm}} + 3 = -4$ Substitute the values (-2, -1, 0, 1, 2) in the circle,

$$7 \times \underline{\hspace{1cm}} + 3 = \underline{\hspace{2cm}}$$

$$7 \times \underline{\hspace{1cm}} + 3 = \underline{\hspace{2cm}}$$

$$7 \times \underline{\hspace{1cm}} + 3 = \underline{\hspace{2cm}}$$

$$7 \times \underline{\hspace{1cm}} + 3 = \underline{\hspace{2cm}}$$

$$7 \times \underline{\hspace{1cm}} + 3 = \underline{\hspace{2cm}}$$

Therefore, $\underline{\hspace{2cm}}$ is the number that can be placed in a box to make the equation correct.

Question: 42

Arrange the terms in the descending order when the value of x is 2.

$$2x \quad 5x \times 1 \quad x + 3 \quad 2x - 4 \quad \frac{1}{2}x$$

Answer:

The given expression are _____.

The value of x is _____.

substituting value of x

$$2x = 2 \times \text{_____} = \text{_____}$$

$$2x - 4 = 2 \times \text{_____} - 4 = \text{_____}$$

$$x + 3 = \text{_____} = \text{_____}$$

$$\frac{1}{2}x = \frac{1}{2} \times \text{_____} = \text{_____}$$

$$5x \times 1 = 5 \times \text{_____} \times 1 = \text{_____}$$

Arranging in descending order: _____, _____, _____, _____, _____.

Their respective algebraic terms are _____, _____, _____, _____, _____.

Hi, here in this video you will learn **Types of expression**



Question: 43

There are _____ terms in the expression $7x + 3y + m + 5$.

Answer:

In algebraic expression, _____ (variables/ terms) are connected together with operations of addition.

The terms in the expression are _____, _____, _____, and _____.

Therefore, there are _____ terms in the expression.

Question: 44

Classify the following expression into monomial, binomial and polynomial.

1. $7m + n + 2$

2. $8x^2 + 0$

3. $7xy + 4m$

Answer:

1. The terms in expression $8x^2 + 0$ are _____.

Here, expression has _____ term and it is a _____.

2. The terms in expression $7xy + 4m$ are _____.

Here, expression has _____ term and it is a _____.

3. The terms in expression $7m + n + 2$ are _____.

Here, expression has _____ term and it is a _____.

Answer:

	Chocolates	Icecream
Sam		
Ram		

- (i) Total chocolates Ram and Sam have :
Ram's chocolate + Sam's chocolates = _____ + _____ = _____
- (ii) How many icecreams Sam have more than Ram :
_____ icecream - _____ icecream = _____ - _____ = _____

Hi, here in this video you will learn **Terms of an expression**



Question: 49

Separate the variables and constants for all the terms given in the box

1816r54c^4-4mn4
0z^2
4x12xab

Answer:

In algebraic expression, variables are represented by _____ and Constant is a _____.

Terms	Constants	Variables

Question: 50

Mark the expression that contains two terms.

3x + 5 12a 4xy 12a + b + 1 7m + 0

Answer:


- The terms in the expression 3x + 5 is/are _____.
- The terms in the expression 12a is/are _____.
- The terms in the expression 4xy is/are _____.
- The terms in the expression 12a + b + 1 is/are _____.

The terms in the expression $7m + 0$ is/are _____.

Question: 51

Shade the outline of circle that contains the term of the given expression.

$6m^2 - 7mn + nl$



Answer:

In algebraic expression, _____ (variables/ terms) are connected together with operations of addition.

Here, _____, _____, _____ are the terms of the given expression.

Hi, here in this video you will learn **Subtraction on expression**



Question: 52

Find the sum of two expressions $a + b + c$ and $b + c + d$

Answer:

The given two expressions are _____ and _____.

The two terms will get added only if they are _____(Like/ Unlike) terms.

The sum of two expressions = _____ + _____.

The answer is _____

Question: 53

	School A	School B
Number of boys	$100b$	$250b$
Number of girls	$150g$	$200g$
Number of teachers	$25t$	$45t$

(i) Total number of boys in school A and B is _____

(ii) Total number of students in school B is _____

(iii) How many more teachers are there in school B than school A ? _____

Answer:

- Question: 54*

$$\begin{array}{r} 13x + ______ \\ (+) 12x + 10y \\ \hline ______ + 25y \end{array}$$


$$\begin{array}{r} 3a - 5b \\ (-) \quad 5a - 7b \\ \hline -2a - \underline{\hspace{1cm}} \end{array}$$

$$\begin{array}{r} 13x + ___ \\ (+) 12x + 10y \\ \hline ___ + 25y \end{array}$$

$$\begin{array}{r} 3a - 5b \\ (-) \quad 5a - 7b \\ \hline -2a - \underline{\hspace{1cm}} \end{array}$$



Question: 55



Subtracting four times of m from 4 is n

Answer:

Four times of m = _____

Subtracting four times of m from 4 = _____

The equation is _____

Question: 57

Compare the given two statements ($<$, $>$, $=$)

Sum of $2a$ and 9 ☐ Add 9 to the product of a and 2

Answer:

Sum of $2a$ and 9 = _____

Product of a and 2 = _____

Add 9 to the product of a and 2 = _____

Therefore, sum of $2a$ and 9 ☐ Add 9 to the product of a and 2