

LaPIS Diagnostic Test Workbook - Mathematics

Name : Mukilan R


Class : 7

Section : B

School : AKV Public School

Login ID : AKV143

Mukilan R's Performance Report



Score: 27/40

Percentage: 67.5%

Mukilan R's Study Planner

Date	Topics Planned	Q. Numbers	Teacher Remark	Teacher Sign	Parent Sign

Teacher's Feedback to Student

Class Teacher Signature

Principal Signature

Basic arithmetic

Topics to be Improved

LCM


Finding LCM

Hi, here in this video you will learn **LCM**



Question: 1

Fill the hexagon with factors and multiples of 10.



Answer:

A _____ (factor/multiple) of a number is an exact divisor of that number.

The factors of 10 are

$10 \times 1 = \underline{\quad}$	$\underline{\quad} \times \underline{\quad} = 10$
$2 \times \underline{\quad} = 10$	$\underline{\quad} \times \underline{\quad} = 10$

Let's find the multiple of 10

$10 \times 1 = \underline{\quad}$	$10 \times 4 = \underline{\quad}$
$10 \times 2 = \underline{\quad}$	$10 \times 5 = \underline{\quad}$
$10 \times 3 = \underline{\quad}$	$10 \times 6 = \underline{\quad}$

Therefore, factors of 10 are _____ and multiples of 10 are _____.

Question: 2

Find the LCM of 50, 100.

Answer:

Complete the division using least common multiple.

50 , 100

The LCM of 50, 100 is $2 \times 2 \times \underline{\hspace{1cm}} \times \underline{\hspace{1cm}}$.

Question: 3

Every number is the multiple of _____

Answer:

Let's find the first ten multiple of random numbers,

Multiple of 1 = _____

Multiple of 2 = _____

Multiple of 13 = _____

Multiple of 20 = _____

Here, _____ is the common factor of every number.

Mensuration

Topics to be Improved

Area


Area of rectangle

Hi, here in this video you will learn **Area**



Question: 4

Find which of the shaded portion in the given shape represent it's area.



Answer:


Given figure is _____ in shape.

Area is the _____ (inside/ outside/ boundary) of a shape.

Question: 5

Find the area of a rectangular garden whose dimension is 25 ft in length and 20 ft in breadth.

Answer:



The garden is in _____ shape.


Length of garden is _____ and breadth of garden is _____.

Formula for area of the shape = _____.

The area of garden = _____ x _____ = _____ cm^2

Question: 6

Shade the possible dimension of the door whose area is $500\ m^2$



Answer:

Door is _____ in shape. Area of the _____ shaped door is _____.

Dimensions	Length	Breadth	Area
50m × 10m			
25m × 25m			
25m × 20m			
30m × 20m			

Therefore, possible dimension of the door whose area is 500 m^2 is/are _____

Data handling

Topics to be Improved	
Arithmetic mean, mode and median	Mean, Median and Mode
Range	Finding the range

Hi, here in this video you will learn **Mean, Median, Mode**



Question: 7


Find the mode of the following data: 5, 15, 23, 5, 32, 44, 72, 55, 6, 3, 5, 65, 45, 67, 24, 19 and 98.

Answer:

Mode is the number that occurs _____ (frequently / rarely) in a given list of observations.
Arranging the data in ascending order: _____
_____ occurs most number of times. Then, mode of the given data is _____

Question: 8

Which shape contains median of the given data 3, 5, 6, 2, 7, 9, 6, 4 and 1



Answer:

Median is the _____(first/central/last) value of a data when the data is arranged in ascending or descending order.

Arrange the given data in ascending order : _____

Central value of the given data is _____ and it is the _____ of a data.

Question: 9

Marks scored	100	90	80	70
Number of students	4	5	2	1

Mean = _____ , Median = _____ and Mode = _____.

Answer:

Mean = $\frac{\text{sum of all observation}}{\text{number of observation}}$.

Here s sum of all observation = _____ , number of observation = _____

Therefore, mean = _____

Arrange the data in ascending order : _____

Here, median = _____ , mode = _____.

Hi, here in this video you will learn **Range**



Question: 10

Range of the data = _____ - _____

Answer:

The difference between highest value and lowest value is _____.

Example: Find the range of 10, 5, 30, 23, 54, 39 and 16

Highest value = _____ , Lowest value = _____ .

Range = _____ - _____ = _____.

Question: 11

Circle the correct range for the following data 31, -20, 35, -38, 29, 0, 43, -25, 51, 14, 9

$$-20 + 51$$

$$\frac{-38-51}{2}$$

$$51 + 38$$

$$\frac{51+20}{2}$$

Answer:

Range = _____ - _____.

Arranging the data in ascending order, _____

In the given data,

Highest value = _____ , Lowest value = _____ , Range = _____ - _____ = _____

Question: 12

Find the range of first 10 multiple of 5.

Answer:

First 10 multiple of 5 = _____

Therefore,

Highest value = _____ , Lowest value = _____ , Range = _____ - _____ = _____

Geometry

Topics to be Improved

Criteria for congruence of triangle


Identification of criteria of congruence of triangles

Hi, here in this video you will learn **Criteria of congruence**



Question: 13

Circle the groups that contain congruent images.



Answer:

Two geometrical shapes are said to be congruent if they are _____ (identical/non-identical) in shapes and size.

Example: Square and Rectangle are _____ (congruent/not congruent).

Question: 14

If the three sides of the triangle are equal to the corresponding sides of the other triangle, then two triangles are congruent under _____ (SSS/ASA/SAS) criteria .

Answer:


Two triangle are _____ (congruent/not congruent) if they are identical in shapes and size. Criteria for congruence of triangles are SSS, _____ and _____.

1. In SSS Congruence criteria - ____ (2/ 3/ 5) sides of the triangle are _____ (equal/ not equal) to the three corresponding sides of the other triangle.
2. In SAS Congruence criteria - ____ (2/ 3/ 5) sides and _____ (one/two) angle between them are equal to the corresponding sides and the included angle of the other triangle.
3. In ASA Congruence criteria - ____ (2/ 3/ 5) angles and _____ (one/two) side between them are equal to the corresponding angles and the included side of the other triangle.

SSS	_____ sides and _____ angles are equal
SAS	_____ sides and _____ angles are equal
ASA	_____ sides and _____ angles are equal

Question: 15

The triangles LNM and PRQ are congruent by SAS criteria. Then find the side PR



Answer:

The given two triangles satisfy _____ criteria of congruence.

By SAS congruence criteria, $MN =$ _____, _____ and $\angle N =$ _____

The side $MN = 8\text{ cm}$ in $\triangle LNM$ is equal to the side _____ in $\triangle PRQ$

The common included angle in $\triangle LNM$ and $\triangle PRQ$ are _____

The side PR is equal to the side in _____ $\triangle LNM$.

Therefore, length of side $PR =$ _____

Number system


Topics to be Improved	
Positive and negative rational numbers	Identification of positive rational numbers
Integers	Basics of integers
Operations on rational numbers	Division of rational numbers
Fractions	Multiplication of fractions
Introduction to rational numbers	Basics of rational numbers

Hi, here in this video you will learn **Positive and Negative rational numbers**



Question: 16

Segregate positive and negative rational number.



Answer:

- If both the numerator and the denominator of a rational number are _____ (positive/negative), then it is positive rational number.
- If either the numerator and the denominator of a rational number are negative, then it is _____ (positive/negative) rational number.

In the given circle, positive rational numbers are _____ and negative rational numbers are _____.

Question: 17

$\frac{-3}{-4}$ is a _____ (positive /negative / neither positive nor negative) rational number.

Answer:

-3 is a _____ number, -4 is a _____ number.

Division of $\frac{-3}{-4} = \frac{\boxed{}}{\boxed{}}$ and this _____ rational number.

(Positive / Negative / Neither positive nor negative rational number)

Question: 18

The product of a positive rational number and a negative rational number is _____ rational number. (Positive/ Negative/ neither positive nor negative)

Answer:

Examples for positive rational numbers: _____

Examples for negative rational numbers: _____


Positive rational number \times Negative rational number = _____ \times _____ = _____ and this is _____ rational number

Hi, here in this video you will learn **Basics of integers**



Question: 19

Highlight the ring that contains whole numbers.



Answer:


The numbers inside the inner ring (1, 2, 3,....) are _____ numbers.

The numbers inside the middle ring are _____ numbers.

The numbers inside the outer ring are negative numbers, positive numbers and zero and they are called as _____.

Question: 20

Colour the frame of the box which contains the number 1, 4 and -10



Answer:

Whole number consists of 0,1,2,3,4,...... Negative number consists of _____.
 Natural numbers consists of _____. Integers consists of _____.
 Now, 1, 4, -10 are in _____.

Question: 21

State whether the statement is true or false.
 Every positive number is an integer.

Answer:

Positive numbers are _____. Integers consists of _____.
 Therefore, positive numbers are _____ (in/not in) integers.

Hi, here in this video you will learn **Operation on rational numbers**



Question: 22

Fill in the boxes to make the given expression correct.

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\boxed{}} \times \frac{\boxed{}}{\boxed{}}$$

Answer:

When any fraction is divided by a fraction, we multiply the dividend by the _____
 (same/reciprocal) of the divisor.

Here, dividend = _____ and divisor = _____

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\boxed{}} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Question: 23

Solve: $\frac{18}{7} \div 0.6$

Answer:

Fraction form of 0.6 = _____,
 when any fraction is divided by a fraction, we multiply the dividend by the _____
 (same/reciprocal) of the divisor. Here, dividend = _____ and divisor = _____.

$$\frac{18}{7} \div \frac{\square}{\square} = \frac{18}{7} \times \frac{\square}{\square} = \frac{\square}{\square}$$

Question: 24

Find the missing number in the expression $\frac{8}{3} \div \frac{16}{\square} = 2$

Answer:

$$\frac{8}{3} \div \frac{16}{\square} = 2$$

$$\frac{8}{3} \times \frac{\square}{16} = 2$$

Transposing 8/3 to RHS,

$$\frac{\square}{16} = 2 \times \frac{8}{3}$$

$$\frac{\square}{16} = 2 \times \frac{\square}{\square}$$

$$\frac{\square}{16} = \frac{\square}{\square}$$

Transposing 16 to other side, the result is _____.

Hi, here in this video you will learn **Multiplication on fractions**



Question: 25

Fill the boxes

$$2 + 4 + \frac{6}{2} = \frac{2}{\square} + \frac{4}{\square} + \frac{3}{\square} = \frac{\square}{\square} = 9$$

Answer:

The whole number can be expressed in fraction with denominator equal to _____ (zero/one).

Therefore, 2 can be written as _____ in fraction.

4 can be written as _____ in fraction.

$$2 + 4 + \frac{6}{2} = \frac{2}{1} + \frac{4}{\square} + \frac{3}{\square} = \frac{\square}{\square} = 9$$

Question: 26

There are 400 students in a school. Find the number of girls, if three sixteenth of the students are girls.

Answer:

Total number of students = _____

Fraction of students who are girls = _____

Number of girls = $\frac{\boxed{}}{\boxed{}} \times \text{_____} = \text{_____}$

Question: 27

Solve : $2\frac{7}{4} \times \frac{2}{3}$

Answer:

$2\frac{7}{4}$ is a _____ (proper / mixed) fraction.

Here, 2 is _____, 7 is _____ and 4 is _____.

To convert mixed fraction into improper fraction, $\frac{(\text{Whole} \times \text{Denominator}) + \text{Numerator}}{\text{Denominator}}$

Improper fraction of $2\frac{7}{4} = \text{_____}$


$$2\frac{7}{4} \times \frac{2}{3} = \frac{\boxed{}}{\boxed{}} \times \frac{2}{3} = \frac{\boxed{}}{\boxed{}}$$

Hi, here in this video you will learn **Basics of rational numbers**



Question: 28

The numbers in the diagram represents _____.



Answer:

0, 4, 5, 2, 3, 1 are _____ numbers.

-1, -2, -3, -4 are _____ numbers.


The combination of these circles are called _____.

$\frac{1}{49}$, $\frac{1}{2}$, $\frac{8}{27}$, $\frac{11}{5}$, $\frac{13}{75}$ are _____.

Combination of all three circles are called as _____ numbers.

Question: 29

Shade the correct form of rational numbers.



Answer:

Rational number can be expressed as _____, where both numerator and denominator are _____ (integer/ not a integer), denominator is equal to _____ (zero/ one/ any integer other than zero).

Question: 30

Circle the number which is not a rational number.

$\frac{-5}{-8}$ $\frac{-3}{2}$ $\frac{12}{-6}$ $\frac{0}{-9}$ 256 $\frac{4}{0}$

Answer:

Rational number can be expressed as _____, where both numerator and denominator are _____ (integer/ not a integer), denominator is equal to _____ (zero/ one/ any integer other than zero).

Here, _____ is/are rational number and _____ is/are not a rational number.

Comparing Quantities

Topics to be Improved

Equivalent ratios

Basic of proportion

Hi, here in this video you will learn **Basics of proportion**



Question: 31


If a:b and c:d are equivalent ratio, then it can be expressed as _____

Answer:


A _____ (proportion / ratio) is used to express _____ (one/two) equivalent ratios.
Standard form to express proportion is _____.

Question: 32

Find the ratio of shaded part to unshaded part of A and B. Are the two ratios equivalent ?



A



B

Answer:

Shaded part of A = _____, Unshaded part of A = _____.
Ratio of shaded to unshaded parts of A is _____. Fractional form = _____.
Shaded part of B = _____ ,
Unshaded part of B = _____.
Ratio of shaded to unshaded parts of B is _____.
Fractional form = _____.
Fraction form of A _____ (equal/ not equal) to Fraction form of B.

Question: 33

If a : b :: c : d is proportion, shade the correct expression

$a = \frac{bc}{d}$

$c = \frac{ad}{b}$

$ad=cd$

Answer:

Two equivalent ratio which are proportion, it can be written as $a : b :: c : d$
or _____ = _____ (in fraction) .

First and fourth term are called _____ and second and third term are called _____.

In proportion, product of extreme terms is _____ (equal to/ not equal to) product of middle terms.

Therefore, $a \times d =$ _____,

then $a =$ _____ and $c =$ _____

Algebra

Topics to be Improved	
subtraction of algebraic expressions	subtraction of algebraic expressions
Addition and subtraction of algebraic expressions	Like terms and Unlike terms

Hi, here in this video you will learn **Subtraction on expression**



Question: 34

Find the sum of two expressions $a + b + c$ and $b + c + d$

Answer:

The given two expressions are _____ and _____.

The two terms will get added only if they are _____(Like/ Unlike) terms.

The sum of two expressions = _____ + _____.

The answer is _____

Question: 35

	School A	School B
Number of boys	$100b$	$250b$
Number of girls	$150g$	$200g$
Number of teachers	$25t$	$45t$

(i) Total number of boys in school A and B is _____

(ii) Total number of students in school B is _____

(iii) How many more teachers are there in school B than school A ? _____

Answer:

(i) Number of boys in school A = _____,

Number of boys in school B = _____.

Total number of boys in school A and school B is _____ + _____ = _____.

- (ii) Number of boys in school B = _____,
 Number of girls in school B = _____.
 Total number of students in school B is _____ + _____ = _____.
- (iii) Number of teachers more in school B than school A = Teachers in school B – Teachers in school A = _____.

Question: 36

Solve the following:

$$\begin{array}{r} 13x + \underline{\hspace{1cm}} \\ (+) 12x + 10y \\ \hline \underline{\hspace{1cm}} + 25y \end{array}$$

$$\begin{array}{r} 3a - 5b \\ (-) \quad 5a - 7b \\ \hline -2a - \underline{\hspace{1cm}} \end{array}$$

Answer:

The two terms will get added only if they are _____ (like/unlike) terms.

$$\begin{array}{r} 13x + ______ \\ (+) 12x + 10y \\ \hline ______ + 25y \end{array}$$


$$\begin{array}{r} 3a - 5b \\ (-) \quad 5a - 7b \\ \hline -2a - ____ \end{array}$$

Hi, here in this video you will learn **Addition on expression**



Question: 37

Shade the like terms.



Answer:

Given terms are _____.

Two or more term have _____ (same/ different) variables is called like terms.

Here, like terms are _____.

Question: 38

Complete the expression $7r^2 + r \square - 2 \square = \square r^2$

Answer:

_____ (Like / Unlike) terms can be added or subtracted.

$$7r^2 + r \square - 2\square = (7 + \underline{\hspace{1cm}} - 2)r^2 = \underline{\hspace{2cm}}$$

Question: 39

Sam have 3a chocolates and 9y icecream. Ram have 7a chocolates and 5y icecream.

- (i) Total chocolates Ram and Sam have : _____.
- (ii) How many icecreams Sam have more than Ram : _____ .

Answer:

	Chocolates	Icecream
Sam		
Ram		

- (i) Total chocolates Ram and Sam have :
 Ram's chocolate + Sam's chocolates = _____ + _____ = _____
- (ii) How many icecreams Sam have more than Ram :
 _____ icecream - _____ icecream = _____ - _____ = _____