LaPIS Diagnostic Test Workbook - Mathematics

Name : Abinanthan L


Class: 7

Section : C

School : AKV Public School

Login ID : AKV166

Abinanthan L's Performance Report



Score: 28/40 Percentage: 70.0%

Abinanthan L's Study Planner

Date	Topics Planned	Q. Numbers	Teacher Remark	Teacher Sign	Parent Sign
		Teacher's Fe	edback to Student		
				ipal Signature	

Basic arithmetic


Topics to be Improved	
LCM	Finding LCM

Hi, here in this video you will learn LCM



Question: 1

Fill the hexagon with factors and multiples of 10.



......

Answer:

A _____ (factor/multiple) of a number is an exact divisor of that number.

The factors of 10 are

10 x 1 =	x = 10
2 x = 10	x = 10

Let's find the multiple of 10

10 x 1 =	10 x 4 =
10 x 2 =	10 x 5 =
10 x 3 =	10 x 6 =

Therefore, factors of 10 are _____ and multiples of 10 are ____.

Question: 2

Find the LCM of 50, 100.

Answer:

Complete the division using least common multiple.

50	, 100	

Question: 3

Every number is the multiple of _____

Answer:

Let's find the first ten multiple of random numbers,

Multiple of $1 = \underline{\hspace{1cm}}$

Multiple of $2 = \underline{\hspace{1cm}}$

Multiple of 13 =

Multiple of 20 = _____

Here, _____ is the common factor of every number.

Mensuration

Topics to be Improved	
Perimeter	Perimeter of triangle


.....

Hi, here in this video you will learn **Perimeter**



Question: 4

Highlight the perimeter in the given image.




1	n	SI	,,	o	n.
\boldsymbol{H}	Ή.	S 7	17	ייש	

Perimeter is the _____ (outer / inner) boundary of the shape

Question: 5

Find the perimeter of the given figure.



Answer:

Sides of the given shape = _____


Perimeter of a shape is _____ (sum / difference) of _____ (all/ opposite) sides.

Perimeter of the given shape = _____

Question: 6

Find the length of the rectangular floor if its perimeter is 60 ft and breadth is 3 ft.

Answer:



Shape of the floor is _____ and its perimeter formula is _____. Given:

floor perimeter =
$$___$$
, and breadth = $___$.
Perimeter of the floor = $2(____+ ___)$.

Therefore, length of the rectangular floor is ______.

Data handling

	Topics to be Improved	
Chance of probability	Basis of probability, Sample space in probability	
Hi, here in this video you	will learn Basics of probability	
Identify the sure events and im	possible events	
(i) The sun rises in the west.		
(ii) Water is colourless.		
(iii) Clock rotates in clock wis	se direction.	
(iv) Ball is square in shape.		
Answer:		
Events that cannot occur are ca Here, The sun rises in the west event.	alled (sure/ impossible) events. alled (sure/ impossible) events. is event. Water is colourless is ection is event. Ball is square in shape is	
Question: 8		
Probability of sure events is	(greater / smaller) than probability of im	possible events.
Answer:		
Probability of sure event = Probability of impossible event Therefore, Probability of sure e	= $(0/1/ any number).$ $=$ $(0/1/ any number).$ event $=$ Probability of impossible event.	
Question: 9		
Raju has pencil, an eraser, a sc probability of getting a pen from	eale, sharpener, colour pencil and protractor in his bom his box.	ox. What is the
Answer:		
Things Raju have Does Raju have pen in his box,	, (Yes/ No).	

Then probability of getting pen from his box is $\underline{\hspace{1cm}}$ $(0/1)$
Hi, here in this video you will learn Basics of probability
Question: 10
Which of the following contains list of all possible outcomes.
Probability Sample space Sure events Impossible events
$\underline{Answer:}$
Probability is the measure of (chance /number) of an events happenings. Sample space consists of (possible/ impossible) outcomes. Sure events always (occurs/don't occurs). Impossible events (occurs/ don't occurs). Therefore, contains list of possible outcomes.
Question: 11
Write the possible outcomes while spinning the given wheel.
0 10 250 100 5 25 1 500
Answer:
Outcomes are (possible/impossible) results of an experiment. The possible outcomes while spinning wheel are $\P0$, $\P10$,
Question: 12
A bag contains three balss of colour blue, green and red. Write the possible outcomes if two balls are taken out.

A bag contains	, and	balls.
If one of the ball is blue	e in colour, then other ball can be	or
If one of the ball is gree	en in colour, then other ball can be	or
If one of the ball is red	in colour, then other ball can be	or
Therefore, if two balls a	are taken out then possible outcomes are	blue +,
+	+	

Geometry


Topics to be Improved		
Sum of lengths of two sides of a triangle Sum of two sides of a triangle		
Right angle triangle and pythagoras property	Basics of Pythagoras property	
Lines of symmetry for regular polygons	Identification of lines of symmetry	

Hi, here in this video you will learn Sum of the length of sides of the triangle



Question: 13

Find the greatest distance to reach C from A in the given diagram.



.....

Answer:

The	sides	of	the	${\rm given}$	${\bf triangle}$	are		
-----	-------	----	-----	---------------	------------------	-----	--	--

The possible way to reach point C from point A are _____ and AB then to

$$Side AC = \underline{\hspace{1cm}}$$

Therefore, the greatest distance to reach C from A in the given diagram is ______.

Question: 14

_____ (Sum of / Difference between) the length of any two sides of a triangle is smaller than the length of the third side.

......


Answer:

There are ______ sides in a triangle.

The sum of the two sides of a triangle is _____ than the other side of the triangle.

The difference of the two sides of a triangle is ______ than the other side of the triangle.

Example: In triangle XYZ,



The lengths of two sides of a triangle are 7 cm and 10 cm. Between which two numbers can length of the third side fall?

Answer:

- 1. The sum of the two sides of a triangle is ______ than the third side of the triangle. Therefore, the third side should be _____ (less/ greater) than sum of other two sides. Here, sum of the two sides = ____ + ___ = ____ Therefore, the length of the third side is less than _____
- 2. The difference of the two sides of a triangle is ______ than the third side of the triangle.

 Therefore, the third side should be ______ (less/ greater) than sum of other two sides.

 Here, difference of the two sides = _____ ___ = ____ = ____

 Therefore, the length of the third side is greater than ______

Therefore, length of the third side is greater than ______ but less than _____.

Hi, here in this video you will learn Pythagoras property



Question: 16	

In a right angled triangle, square of the _____ = sum of the squares of the legs.

Answer:

Pythagoras theorem is only applicable for ______ triangle.


Longest side of the triangle is _____ (hypotenuse/ legs) and other two sides are called _____ (hypotenuse/ legs).

Pythagoras theorem states that _____ ...

Question: 17

Find the hypotenuse of the triangle ABC if base is 12 m and altitude is 5 m.

Answer:



Pythagoras theorem states that square of the _____ = sum of the squares of its

 $Given: Base = \underline{\hspace{1cm}}, Altitude = \underline{\hspace{1cm}},$

Base and altitude are _____ (hypotenuse/ legs) of the triangle.

By Pythagoras theorem,
$$(____)^2 = (___)^2 + (___)^2$$


 $= __ + ___$

Therefore, hypotenuse of the triangle is _____.

Question: 18

Find the length of the rectangle, if breadth is 3 cm and diagonal is 5 cm.

Answer:



Pythagoras theorem states that square on the _____ = sum of the squares on

Is Pythagoras theorem applicable in rectangle? $_$ (yes/ no).

Given: breadth = _____, length of diagonal = _____

By Pythagoras theorem, $(____)^2 = (____)^2 + (____)^2$ $= ___ + ___$

Therefore, diagonal of the rectangle is _____

Hi, here in this video you will learn **Symmerty**



Question: 19

Line of symmetry is of identical) halves.	divides any shape into	(one / two)	(identical / non
Answer:			
Symmetrical image h	ave (ident	ape into (eical / non identical) parts. pe into hal	
Question: 20			
How many lines of sy	mmetry does square have?	?	
Answer:			
Square haveAll sides of square are	sides. e and all a	angles are	
	Mark the line	es of symmetry.	
Therefore, square has	s lines of symmetry	y.	
v -	based on the symmetry. scalene triangle, Letter K,	Rhombus, Number 8, and	circle.
Answer:			
		ape into (easymmetrical) and have	
	(symmetrical	/ asymmetrical) and have	lines of
symmetry. The letter K is symmetry.	(symmetrical /	asymmetrical) and have _	lines of
Rhombus is	(symmetrical / asyn	mmetrical) and have	lines of
		trical) and haveetrical) and have	

Number system


	Topics to be Improved
Positive and negative rational numbers	Identification of positive rational numbers
Operations on rational numbers	Subtraction of rational numbers
Decimals	Multiplication and division of decimals

Hi,	here	in	this	video	you	will	learn	Positive	and	Negative	ra-
tio	nal n	un	nber	`S							



Question: 22

Segregate positive and negative rational number.



.....

Answer:

- If both the numerator and the denominator of a rational number are ______ (positive/negative), then it is positive rational number.
- If either the numerator and the denominator of a rational number are negative, then it is _____ (positive/negative) rational number.

In the given circle, positive rational numbers are _____ and negative rational numbers are

Question: 23

 $\frac{-3}{-4}$ is a _____ (positive /negative / neither positive nor negative) rational number.

A	nsu	ner:
$\boldsymbol{\sigma}$. <i>1 6</i> 5 0	σ

-3 is a _____ number, -4 is a _____ number. Division of $\frac{-3}{-4} = \Box$ and this _____ rational number.

(Positive / Negative / Neither positive nor negative rational number)

Question: 24

The product of a positive rational number and a negative rational number is _____ rational number. (Positive/ Negative/ neither positive nor negative)

......

......

......

Answer:

Examples for positive rational numbers:

Examples for negative rational numbers:

Positive rational number × Negative rational number = _____ × ____ = ____ and this is _____ rational number

Hi, here in this video you will learn **Operation on rational num**bers



Question: 25

Solve: $\frac{-3}{3} + \frac{1}{3}$


Answer:


Fractions with same denominators are called ______ (like/ unlike) fractions. Fraction can be added only if they are ______ (like/ unlike) fractions.

$$\frac{-3}{3} + \frac{1}{3} = \frac{}{} =$$

Question: 26

Find the addition of shaded part of box A and shaded part of box B.





Answer:

Total number of square in box $A = \underline{\hspace{1cm}}$.

Number of shaded square in box $A = \underline{\hspace{1cm}}$

Shaded part of box A in fraction = _____

Total number of square in box $B = \underline{\hspace{1cm}}$.

Number of shaded square in box $B = \underline{\hspace{1cm}}$. Shaded part of box B in fraction = $_$ Shaded part of box A + Shaded part of box B = $___$ + $___$ = $_$ Question: 27 Find the missing values in the given figure. $(700 \,\mathrm{ml}) \, \frac{7}{10} \qquad (\underline{} \,\mathrm{ml})$ Answer: Given: $1 = \frac{7}{10} +$ _____ Transposing $\frac{7}{10}$ to other sides, $1 = \frac{7}{10} =$ _____ Therefore, result is _ Hi, here in this video you will learn Basics of decimals Question: 28 Shade 0.4 part of the given shape. Answer: There are _____ boxes. 0.4 can be expressed as _____ in fraction This fraction represents _____ parts out of ____equal parts. So, we need to shade ______boxes out of ____boxes.

 $\underline{Question:~29}$

(i) 0.4×1.2

Solve the following.

(ii) 0.48×1.2

$\underline{Answer:}$

()	0.4×1.2 : Multiplication of 0.4×1.2 assuming there is no decimal point is The number of digits after decimal point in 0.4 is and 1.2 is Total digits after decimal point in the product of two numbers is Count that digits from the right towards left and place the decimal point, the result is
	0.48 × 1.2: Multiplication of 0.48 × 1.2 assuming there is no decimal point is The number of digits after decimal point in 0.48 is and 1.2 is Total digits after decimal point in the product of two numbers is Count that digits from the right towards left and place the decimal point, the result is
One b	ox of chocolate costs Rs.20.10. What is the cost of 15 chocolates, if a box contains 10
choco Ansu	
One b	cost of one chocolate = ÷ =
(i)	Total digits after decimal point in decimal number =
(ii)	Divide the two numbers assuming there is no decimal point.
	$\frac{2010}{15} = $
` /	Place the decimal point after digits counting from the right in the quotient after division.
	the cost of one chocolate is ost of 15 chocolates = cost of one chocolate \times = x =

Comparing Quantities

	Topics to be Improved
Conversion of fraction into percentage	Conversion of fraction into percentage
Simple interest	Calculation of simple interest

Hi, here in this video you will learn Converting fraction into percentage



Question:	31
Q account.	o_{\perp}

Complete the box in the given equation.

$$5\% = \frac{5}{}$$

Answer:

Percentage are the fraction with the denominator ______.

Therefore, 5% can be expressed as _____

Question: 32

Mark the correct conversion form of fraction $\frac{1}{2}$ to percentage.

(i)
$$\frac{1}{2} \times \frac{50}{50} = \frac{50}{100} = 50\%$$

(ii)
$$\frac{1}{2} \times \frac{100}{100} = \frac{100}{200} = 200\%$$


(iii)
$$\frac{1}{2} \times 100 = \frac{100}{2} = 50\%$$

Answer:

To convert fraction into percentage, the value of ______ (denominator / numerator)should be 100 or _____ (multiply / divide) the fraction with 100 %. Therefore, correct conversion form is _____

Question: 33

Find the percentage of shaded part of square.



4			
A	กรบ	ver	۰

The square shape is divided into parts.	
Number of shaded part of square is	
Shaded part of square in fraction is	
To Convert into percentage , x 100	
Hi, here in this video you will learn Simple Interest	

Column A				
i	Principle(P)			
ii	Amount (A)			
iii	Rate (R)			
iv	Time period (T)			

Column B					
a	Interest calculated based on this				
b	Total sum you borrow				
c	Number of years				
d	Total sum with interest				

Answer:

Question: 34

Match the following.

Formula for calculating simple interest =	
Interest calculated based on	
Total sum you borrow is known as	
Number of years is Total sum with interest is	
Question:~35	
Sara deposited Rs.1200 in a bank. After three years, she received Rs.1320. Find the interest she earned.	

$\underline{Answer:}$

If Amount and princ	, Principle =iple is given, then formula	la for calculati	ng interest is	
Question: 36				
The simple interest of	on Rs.5000 for 3 years is	Rs.1350. Find	the rate of inter	est.
Answer:				
Interest =	$_{}$, Time period = $_{-}$		$_{-}$, Principal = $_{-}$	
Rate of interest =	x 100 Principal x			
Substituting values is	n the formula,			
Rate of interest =	x 100 Principal x			
Rate of interest = Therefore, the rate o	f interest is	%		