

中原大學  
0000 學系  
0 士 0000

英文論文範本 (Template)

**This is an English thesis template.**

指導教授：000  
研究生：000

中華民國 000 年 0 月

## 摘要

本文件修改自中原大學論文模板。

關鍵字：研究所、論文



中原大學

## Abstract

This is a modified CYCU thesis template.

**Keywords:** postgraduate, thesis



中原大學

## Acknowledgement

I want to extend my many thanks to the numerous individuals who provided online solutions for various syntax and compiling issues. These sources are documented as commented links in this  $\text{\LaTeX}$  source code template.



中原大學

# Table of Contents

摘要	I
Abstract	II
Acknowledgement	III
Table of Contents	IV
List of Figures	V
List of Tables	VI
<b>1 Introduction</b>	<b>1</b>
1.1 Description of template . . . . .	1
1.2 Notes on usage . . . . .	1
<b>2 Syntax</b>	<b>2</b>
2.1 Text . . . . .	2
2.2 Figure . . . . .	2
2.3 Table . . . . .	3
2.4 Equation . . . . .	4
2.5 Algorithm . . . . .	4
2.6 Citation . . . . .	4
2.7 Hyperlink . . . . .	4
2.8 Custom commands and additional packages . . . . .	4
<b>Appendices</b>	<b>5</b>
A Links . . . . .	5
<b>References</b>	<b>6</b>

## List of Figures

Figure 2.1	Embed entire script file. . . . .	2
Figure 2.2	Embed selected lines script file. . . . .	2
Figure 2.3	A example of embedding a PDF image. . . . .	3



## List of Tables

Table 2.1	Assessment of different tools to create figures. . . . .	2
Table 2.2	Basic table. . . . .	3
Table 2.3	Table with column and row names. . . . .	3
Table 2.4	Table with merged rows and columns. . . . .	3
Table A.1	List of question links used in this template. . . . .	5



中原大學

# 1 Introduction

## 1.1 Description of template

This template was modified from the original version provided by Chung Yuan Christian University (CYCU) [1], written by Chen [2], and hosted on CYCU-AIoT-System-Lab [3].

## 1.2 Notes on usage

1. This template is **NOT** officially released or endorsed by CYCU. Please ensure that this template meets your requirements before use.
2. The creator of this template designed it to demonstrate  $\text{\LaTeX}$  usage, reduce time spent on error correction, and incorporate necessary elements. The creator is not responsible for any issues arising from its use.
3. This template is distributed under the **Apache License 2.0** [4]. If you believe there are any license violations, please contact the creator at [dachuan516@gmail.com](mailto:dachuan516@gmail.com).
4. Contributions are welcome and encouraged! If you have improvements or suggestions, please submit a pull request or reach out to the creator at [dachuan516@gmail.com](mailto:dachuan516@gmail.com).



中原大學



## 2 Syntax

### 2.1 Text

Display text in **bold**, *italic*, typewriter [5].

Embed website links with displaying text, <https://www.overleaf.com/learn/latex/Hyperlinks> [6].

Use different formats of list to display [7]:

- item 1

1. item 1

**Bold title** item 1

Use special characters like ✓, ✗ [8].

Embed code from file as figure, as shown in Fig. 2.1 and 2.2.

```
1 #!/bin/bash
2
3 echo "hello_world"
4 ping 8.8.8.8
```



Figure 2.1 Embed entire script file.

```
1 echo "hello_world"
2 ping 8.8.8.8
```




Figure 2.2 Embed selected lines script file.

### 2.2 Figure

Various tools can be use to create figures and are roughly classified as 1 (best) to 3 (worst) in Table 2.1.

Table 2.1 Assessment of different tools to create figures.

Tool	Time required	Ease of use	Adjustability	Image quality	Scripting
Mermaid (PDF) [9]	1	1	3	1	1
draw.io (PDF) [10]	2	1	2	1	3
GNU Plot (PDF) [11]	3	3	1	1	1
MS PowerPoint	2	1	2	3	3
L <sup>A</sup> T <sub>E</sub> X TikZ [12]	3	3	1	1	1

To embed a downloaded figure or figure created with external tools mentioned in Table 2.1, the following format can be used for PNG, JPG and PDF (best quality) format [13].




Figure 2.3 A example of embedding a PDF image.

To use TikZ in L<sup>A</sup>T<sub>E</sub>X, visit the Minimal Working Example (MWE) example page [14]. Additional packages will be needed and should be added in the `main.tex` file.

### 2.3 Table

A basic version of L<sup>A</sup>T<sub>E</sub>X two by two table with custom border is shown in Table 2.2; another table with specific column and row name is shown in Table 2.3; an additional table with merged rows and columns is shown in Table 2.4.

Table 2.2 Basic table.

cell	cell
cell	cell

Table 2.3 Table with column and row names.

	Column A	Column B
Row 1	cell	cell
Row 2	cell	cell

Table 2.4 Table with merged rows and columns.

	Column A	Column B
Row 1-2	cell	cell
	merged cell	
Row 3	cell	cell

If it is too confusing to edit the entire table manually, visit Table Generator for web-based Graphical User Interface (GUI) editor and copy the generated code into the document [15].

## 2.4 Equation

When displaying math symbols, they can be used inline like  $a + b = c$ . As shown in Equation 2.1, it can be used to create complicated equations. It can use additional “aligned” environment to align multiple equations against certain location within equation with symbol &, as shown in Equation 2.2.

$$a^2 + b_1 = \frac{\sum_{n=1}^m c_n}{d} \quad (2.1)$$

$$\begin{aligned} a_1 + b &= c \\ \sqrt{d} &= c \\ d &= \int_f^e x^5 dx + \alpha^{2^2} \end{aligned} \quad (2.2)$$

## 2.5 Algorithm

Algorithms can be expressed with basic usage of the “algorithm” environment, as shown in Algorithm 1. If it requires math expressions, inline expression can be mixed within, as shown in Algorithm 2 [16].

---

**Algorithm 1** Basic example of algorithm.

---

```
if condition A then
  state 1
else
  state 2
end if
```

---

---

**Algorithm 2** Advance example of algorithm.

---

```
if  $a + b + c > \text{threshold}$  then
   $a + b + c$  is too large
else
  Normal state
end if
```

---

## 2.6 Citation

## 2.7 Hyperlink

## 2.8 Custom commands and additional packages

# Appendices

## A Links

Table A.1 List of question links used in this template.

No.	Parameter
1	<a href="https://tex.stackexchange.com/questions/286094/insert-code-keywords-inline">https://tex.stackexchange.com/questions/286094/insert-code-keywords-inline</a>
2	<a href="https://tex.stackexchange.com/questions/197507/listings-escapeinside-option-is-not-working-for-me">https://tex.stackexchange.com/questions/197507/listings-escapeinside-option-is-not-working-for-me</a>
3	<a href="https://tex.stackexchange.com/questions/313507/autoref-for-algorithms">https://tex.stackexchange.com/questions/313507/autoref-for-algorithms</a>
4	<a href="https://tex.stackexchange.com/questions/142687/customize-of-autoref">https://tex.stackexchange.com/questions/142687/customize-of-autoref</a>
5	<a href="https://tex.stackexchange.com/questions/20698/reference-multiple-subfloated-figures-using-refx-y-z-to-give-fig-1a-1b-1c-in">https://tex.stackexchange.com/questions/20698/reference-multiple-subfloated-figures-using-refx-y-z-to-give-fig-1a-1b-1c-in</a>
6	<a href="https://tex.stackexchange.com/questions/144759/how-to-modify-the-label-output-in-cleveref-and-varioref">https://tex.stackexchange.com/questions/144759/how-to-modify-the-label-output-in-cleveref-and-varioref</a>
7	<a href="https://ctan.mirror.twds.com.tw/tex-archive/macros/latex/contrib/cleveref/cleveref.pdf">https://ctan.mirror.twds.com.tw/tex-archive/macros/latex/contrib/cleveref/cleveref.pdf</a>
8	<a href="https://tex.stackexchange.com/questions/381119/how-to-make-a-range-reference-use-an-en-dash">https://tex.stackexchange.com/questions/381119/how-to-make-a-range-reference-use-an-en-dash</a>
9	<a href="https://tex.stackexchange.com/questions/508107/lines-abstract-keyword">https://tex.stackexchange.com/questions/508107/lines-abstract-keyword</a>
10	<a href="https://tex.stackexchange.com/questions/69379/how-do-i-cite-author-in-latex">https://tex.stackexchange.com/questions/69379/how-do-i-cite-author-in-latex</a>
11	<a href="https://www.overleaf.com/learn/latex/Bibliography_management_with_natbib">https://www.overleaf.com/learn/latex/Bibliography_management_with_natbib</a>
12	<a href="https://tex.stackexchange.com/questions/61877/natbib-sorting-and-citation-order-by-appearance">https://tex.stackexchange.com/questions/61877/natbib-sorting-and-citation-order-by-appearance</a>
13	<a href="https://en.wikibooks.org/wiki/LaTeX/Special_Characters">https://en.wikibooks.org/wiki/LaTeX/Special_Characters</a>
14	<a href="https://tex.stackexchange.com/questions/72945/how-to-merge-cells-vertically">https://tex.stackexchange.com/questions/72945/how-to-merge-cells-vertically</a>
15	<a href="https://tex.stackexchange.com/questions/4118/whats-the-quickest-way-to-write-2nd-3rd-etc-in-latex">https://tex.stackexchange.com/questions/4118/whats-the-quickest-way-to-write-2nd-3rd-etc-in-latex</a>
16	<a href="https://tex.stackexchange.com/questions/3033/forcing-linebreaks-in-url">https://tex.stackexchange.com/questions/3033/forcing-linebreaks-in-url</a>
17	<a href="https://tex.stackexchange.com/questions/2099/how-to-include-svg-diagrams-in-latex">https://tex.stackexchange.com/questions/2099/how-to-include-svg-diagrams-in-latex</a>
18	<a href="https://graphicdesign.stackexchange.com/questions/5880/how-to-export-an-inkscape-svg-file-to-a-pdf-and-maintain-the-integrity-of-the-image">https://graphicdesign.stackexchange.com/questions/5880/how-to-export-an-inkscape-svg-file-to-a-pdf-and-maintain-the-integrity-of-the-image</a>
19	<a href="https://tw.mirrors.cicku.me/ctan/macros/xetex/latex/xecjk/xecjk.pdf">https://tw.mirrors.cicku.me/ctan/macros/xetex/latex/xecjk/xecjk.pdf</a>
20	<a href="https://tex.stackexchange.com/a/60218">https://tex.stackexchange.com/a/60218</a>

## References

- [1] 中原大學張靜愚紀念圖書館 | CYCU Chang Ching Yu Memorial Library. Thesis/dissertation template. [https://www.lib.cycu.edu.tw/cycu/Fpage.action?muid=440&fid=410&lang=en\\_US&changeLang=true](https://www.lib.cycu.edu.tw/cycu/Fpage.action?muid=440&fid=410&lang=en_US&changeLang=true), 2024. Accessed: 2024-09-01.
- [2] Da-Chuan Chen. belongtothenight github. <https://github.com/belongtothenight>, 2024. Accessed: 2024-09-01.
- [3] CYCU-AIoT-System-Lab. Cycu-aiot-system-lab github. <https://github.com/CYCU-AIoT-System-Lab>, 2024. Accessed: 2024-09-01.
- [4] The Apache Software Foundation. Licenses. <https://www.apache.org/licenses/>, 2024. Accessed: 2024-09-02.
- [5] Overleaf. Font sizes, families, and styles. [https://www.overleaf.com/learn/latex/Font\\_sizes%2C\\_families%2C\\_and\\_styles](https://www.overleaf.com/learn/latex/Font_sizes%2C_families%2C_and_styles), 2024. Accessed: 2024-09-03.
- [6] Overleaf. Hyperlinks. <https://www.overleaf.com/learn/latex/Hyperlinks>, 2024. Accessed: 2024-09-03.
- [7] Overleaf. Lists. <https://www.overleaf.com/learn/latex/Lists>, 2024. Accessed: 2024-09-03.
- [8] Walter Schmidt. pifont –access to postscript standard symbol and dingbats fonts. <https://ctan.org/pkg/pifont?lang=en>, 2024. Accessed: 2024-09-03.
- [9] Mermaid. About mermaid. <https://mermaid.js.org/intro/>, 2024. Accessed: 2024-09-03.
- [10] draw.io. draw.io. <https://www.drawio.com/>, 2024. Accessed: 2024-09-03.
- [11] Gnuplot. gnuplot homepage. <http://www.gnuplot.info/>, 2024. Accessed: 2024-09-03.
- [12] TikZ. Tikz.net. <https://tikz.net/>, 2024. Accessed: 2024-09-03.
- [13] Overleaf. Inserting images. [https://www.overleaf.com/learn/latex/Inserting\\_Images](https://www.overleaf.com/learn/latex/Inserting_Images), 2024. Accessed: 2024-09-03.
- [14] TExample.net. Tikz and pgf examples. <https://texample.net/tikz/examples/all/>, 2024. Accessed: 2024-09-03.
- [15] TableGenerator.com. Table generator. <https://www.tablesgenerator.com/>, 2024. Accessed: 2024-09-03.
- [16] Overleaf. Algorithms. <https://www.overleaf.com/learn/latex/Algorithms>, 2024. Accessed: 2024-09-03.