

*Q.* What about LLG's?

**Theorem :**  $L$  is regular  $\iff \exists$  LLG  $G$  s.t.  $L = L(G)$ .

**Proof :** Recall: for any language,

$$L^R = \{u^R \mid u \in L\}.$$

And for an **nfa**  $M$ , define the **reverse nfa**  $M^R$  by:

1. **reversing** all **arrows** and,
2. **interchanging start** and **final** states.

(Details on p. 3-12)

**Notes:**

(1) If  $L(M) = L$  then  $L(M^R) = L^R$

(2)  $L$  is regular  $\iff L^R$  is regular (\*)

Now: Given a  $\Sigma$ -LLG  $G$  with productions of form:

$$A \longrightarrow Bv \quad \text{and}$$

$$A \longrightarrow v$$

(with  $v \in \Sigma^*$ )

Define **RLG**  $G^R$ , by replacing all such productions by:

$$A \longrightarrow v^R B \quad \text{and}$$

$$A \longrightarrow v^R \quad (\text{respectively})$$

Can check:  $L(G^R) = (L(G))^R$  (\*\*)

Hence:

$L$  is regular  $\iff L^R$  is regular (by (\*))

$\iff L^R$  is generated by an **RLG**,  $G$

(by Theorem)

$\iff L$  is generated by an **LLG**,  $G^R$  (by (\*\*))