Minecraft Modding - Day 3

Name: Ender Dragon Spawner

Purpose: Spawn an Ender Dragon when Dragon Egg is placed.

Steps

1. In the package org.devoxx4kids.forge.mods, make a new class called DragonSpawner and replace its code with the code shown:

```
package org.devoxx4kids.forge.mods;
import net.minecraft.entity.boss.EntityDragon;
import net.minecraft.init.Blocks;
import net.minecraft.util.BlockPos;
import net.minecraftforge.event.world.BlockEvent.PlaceEvent;
import net.minecraftforge.fml.common.eventhandler.SubscribeEvent;
public class DragonSpawner {
   @SubscribeEvent
   public void spawnDragon(PlaceEvent event) {
         if (event.placedBlock ==
Blocks.dragon_egg.getBlockState().getBaseState()) {
               event.world.setBlockToAir(new BlockPos(event.pos.getX(),
event.pos.getY(), event.pos.getZ()));
               EntityDragon dragon = new EntityDragon(event.world);
               dragon.setLocationAndAngles(event.pos.getX(),
event.pos.getY(), event.pos.getZ(), 0, 0);
               event.world.spawnEntityInWorld(dragon);
         }
   }
}
```

2. Register the DragonSpawner class by adding the following code in MainMod:

```
MinecraftForge.EVENT_BUS.register(new DragonSpawner());
```

Gameplay

 Use the command "/give <your player name> dragon_egg" to give yourself a dragon egg 2. Place down the dragon egg, and an Ender Dragon should spawn

The player name will not be your normal player name, it will be a Forgegenerated player name. Check your chat window to see what your player name is.

Change Block/Entity

Change block that triggers spawning and spawn a different item. For example change the block to sponge and entity to EntitySquid. Use Ctrl+Space to show the list of items.

After doing this, press Control + Shift + O on a Windows computer or Cmd + Shift + O on a Mac computer to import certain classes and fix some errors. When you test out this mod, place down a Wet Sponge, not a Sponge.

Change offset of entities

Change event.pos.getX(), event.pos.getY(), event.pos.getZ() and add or subtract 5 to show entities are produced at an offset.

```
dragon.setLocationAndAngles(event.pos.getX() + 5, event.pos.getY(),
event.pos.getZ(), 0, 0);
```