

# **Minecraft Modding - Day 4**

## **Creeper Spawn Alert**

**Purpose**: To alert all players when a creeper spawns.

#### <u>Steps</u>

1. In the package org.devoxx4kids.forge.mods, make a new class called CreeperSpawnAlert and replace its code with the code shown:

```
package org.devoxx4kids.forge.mods;
   import java.util.List;
   import net.minecraft.entity.monster.EntityCreeper;
   import net.minecraft.entity.player.EntityPlayer;
   import net.minecraft.util.ChatComponentText;
   import net.minecraft.util.EnumChatFormatting;
   import net.minecraftforge.event.entity.EntityJoinWorldEvent;
   import net.minecraftforge.fml.common.eventhandler.SubscribeEvent;
   public class CreeperSpawnAlert {
      @SubscribeEvent
      public void sendAlert(EntityJoinWorldEvent event) {
            if (!(event.entity instanceof EntityCreeper)) {
                  return;
            }
            List players = event.entity.worldObj.playerEntities;
            for (int i = 0; i < players.size(); i++) {
                  EntityPlayer player = (EntityPlayer) players.get(i);
                  if (event.world.isRemote) {
                        player.addChatMessage(new ChatComponentText(
                                    EnumChatFormatting.GREEN + "A creeper has
spawned!"));
                  }
      }
  }
```

Register the CreeperSpawnAlert class by adding the following code in MainMod:



MinecraftForge.EVENT\_BUS.register(new CreeperSpawnAlert());

#### **Gameplay**

- 1. Make sure you are not on peaceful mode.
- 2. Set the time to night time ("/time set night")

You should get a bunch of messages saying "A creeper has spawned!" in light green letters. One of these messages is sent to you every time a creeper spawns.

#### **Change color of message**

Change the code to:

Try different colors by code completion after EnumChatFormatting.

## **Change style to italics**

Change the code to:

Try different styles by code completion after EnumChatFormatting.

## Change text of message

Change the code to:

## Print same message for different mobs



#### Change the code to:

```
if (!(event.entity instanceof EntityCreeper && event.entity instanceof
EntityZombie)) {
    return;
}

OR

if (!(event.entity instanceof EntityCreeper) || !(event.entity instanceof
EntityZombie)) {
    return;
}
```

## Print different message for different mobs

#### Change the code to:

```
public void sendAlert(EntityJoinWorldEvent event) {
      if (!(event.entity instanceof EntityCreeper || event.entity instanceof
EntityZombie)) {
            return;
      }
      String message;
      if (event.entity instanceof EntityCreeper) {
            message = "A creeper has spawned";
      } else {
            message = "A zombie has spawned";
      }
      List players = event.entity.worldObj.playerEntities;
      for (int i = 0; i < players.size(); i++) {</pre>
            EntityPlayer player = (EntityPlayer) players.get(i);
            if (event.world.isRemote) {
                  player.addChatMessage(new ChatComponentText(
                              EnumChatFormatting.GREEN + message));
            }
      }
}
```

## Print message for all mobs

```
if (!(event.entity instanceof EntityMob)) {
    return;
}
```