
On the Subject of Crazy Talk

Nothing. Literally nothing. Blank. Nada.

THEN TWO DIGITS. ONE THREE 24.

WE JUST BLEW UP

- 1. Text will appear on a display.
- 2. Find the exact match and the action in the table below.
- 3. Flip the switch down when the bomb timer has the number before the forward slash in the seconds column.
- 4. Flip the switch back up when the bomb timer has the
- · number after the forward slash in the seconds column.



Display	Action	Display	Action
$\leftarrow \leftarrow \rightarrow \leftarrow \rightarrow \rightarrow$	5/4	NO REALLY.	5/2
1324	3/2	$\leftarrow \texttt{LEFT} \rightarrow \texttt{LEFT} \rightarrow \texttt{RIGHT}$	5/6
LEFT ARROW LEFT WORD RIGHT ARROW	5/8	ONE AND THEN 3 TO 4	4/7
LEFT WORD RIGHT ARROW RIGHT WORD		STOP TWICE	7/6
BLANK	1/3	LEFT	6/9
LITERALLY BLANK	1/5	•• *	8/5
FOR THE LOVE OF ALL THAT IS GOOD AND HOLY PLEASE FULLSTOP FULLSTOP.	9/0	PERIOD PERIOD	8/2
AN ACTUAL LEFT ARROW LITERAL PHRASE	5/3	THERE ARE THREE WORDS NO PUNCTUATION READY? STOP DOT PERIOD	5/0
FOR THE LOVE OF - THE DISPLAY JUST CHANGED, I DIDN'T KNOW THIS MOD COULD DO THAT. DOES IT MENTION THAT IN THE MANUAL?	8/7	NOVEBMER OSCAR SPACE, LIMA INDIGO TANGO ECHO ROMEO ALPHA LIMA LIMA YANKEE SPACE NOVEMBER OSCAR TANGO HOTEL INDEGO NOVEMBER GOLF	2/9
ALL WORDS ONE THREE TO FOR FOR AS IN THIS IS FOR YOU	4/0	FIVE WORDS THREE WORDS THE PUNCTUATION FULLSTOP	1/9
LITERALLY NOTHING	1/4	THE PHRASE: THE PUNCTUATION FULLSTOP	9/3
NO, LITERALLY NOTHING	2/5	EMPTY SPACE	1/6
THE WORD LEFT	7/0	ONE THREE TWO FOUR	3/7
HOLD ON IT'S BLANK	1/9	IT'S SHOWING NOTHING	2/3
SEVEN WORDS FIVE WORDS THREE WORDS THE PUNCTUATION FULLSTOP	0/5	LIMA ECHO FOXTROT TANGO SPACE ALPHA ROMEO ROMEO OSCAR RISKY SPACE SIERRA	1/2
THE PHRASE THE WORD STOP TWICE	9/1	YANKEE MIKE BRAVO OSCAR LIMA	
THE FOLLOWING SENTENCE THE WORD	2/7	ONE 3 2 4	3/4
NOTHING	7.10	STOP.	7/4
ONE THREE TO FOR	3/9	.PERIOD	8/1
THREE WORDS THE WORD STOP	7/3	NO REALLY STOP	5/1
DISREGARD WHAT I JUST SAID. FOUR WORDS, NO PUNCTUATION. ONE THREE 2 4.	3/1	1 3 T00 4	2/0
132 FOR	1/0	PERIOD TWICE	8/3
DISREGARD WHAT I JUST SAID. TWO WORDS THEN TWO DIGITS. ONE THREE 2.4.	0/8	• 11.20	

4/2

Display	Action	Display	Action
1 3 TOO WITH 2 OHS FOUR	4/2	THIS ONE IS ALL ARROW SYMBOLS NO	2/8
1 3 TO 4	3/0	WORDS	2,70
STOP DOT PERIOD	5/0	←	6/3
LEFT LEFT RIGHT LEFT RIGHT RIGHT	6/7	THE WORD STOP TWICE	9/4
IT LITERALLY SAYS THE WORD ONE AND	4/5	$\leftarrow \leftarrow \texttt{RIGHT LEFT} \rightarrow \rightarrow$	6/1
THEN THE NUMBERS 2 3 4	4/5	THE PUNCTUATION FULLSTOP	9/2
ONE IN LETTERS 3 2 4 IN NUMBERS	3/5	1 3 TOO WITH TWO OS 4	4/1
WAIT FORGET EVERYTHING I JUST SAID, TWO WORDS THEN TWO SYMBOLS THEN TWO	1/6	THREE WORDS THE PUNCTUATION FULLSTOP	9/9
WORDS: ← ← RIGHT LEFT → →	7.40	OK WORD FOR WORD LEFT ARROW SYMBOL	2 (0
1 THREE TWO FOUR	3/6	TWICE THEN THE WORDS RIGHT LEFT RIGHT THEN A RIGHT ARROW SYMBOL	6/0
PERIOD	7/9	DOT DOT	8/6
•STOP	7/8	LEFT ARROW	6/8
NOVEBMER OSCAR SPACE, LIMA INDIA TANGO ECHO ROMEO ALPHA LIMA LIMA YANKEE SPACE NOVEMBER OSCAR TANGO HOTEL INDIA NOVEMBER GOLF	0/7	AFTER I SAY BEEP FIND THIS PHRASE WORD FOR WORD BEEP AN ACTUAL LEFT ARROW	7/2
LIMA ECHO FOXTROT TANGO SPACE ALPHA		ONE THREE 2 WITH TWO OHS 4	4/3
ROMEO ROMEO OSCAR WHISKEY SPACE	6/5	LEFT ARROW SYMBOL	6/4
SIERRA YANKEE MIKE BRAVO OSCAR LIMA	7.60	AN ACTUAL LEFT ARROW	6/2
NOTHING	1/2	THAT'S WHAT IT'S SHOWING	2/1
THERE'S NOTHING	1/8	THE PHRASE THE WORD NOTHING	2/6
STOP STOP RIGHT ALL IN WORDS STARTING NOW ONE	7/5 4/9	THE WORD ONE AND THEN THE NUMBERS 3 2 4	4/8
TWO THREE FOUR		ONE 3 2 FOUR	3/8
THE PHRASE THE WORD LEFT	7/1	ONE WORD THEN PUNCTUATION. STOP STOP.	0/9
LEFT ARROW SYMBOL TWICE THEN THE WORDS RIGHT LEFT RIGHT THEN A RIGHT	5/9	THE WORD BLANK	0/1
ARROW SYMBOL	0, 3	FULLSTOP FULLSTOP	8/4
LEFT LEFT RIGHT \leftarrow RIGHT \rightarrow	5/7		<u> </u>
NO COMMA LITERALLY NOTHING	2/4		

2/1


HOLD ON CRAZY TALK WHILE I DO THIS

NEEDY

On the Subject of Two Bits

This poorly programmed lookup device is as maddening with its slow responses as it is unforgiving with ill-timed inputs. Patience required.

Query a series of two-letter codes to track down the correct answer before submitting it. This primitive lookup machine is intolerant to incomplete and excessive inputs, as well as any input while it is busy.



Step 1: Determine Initial Code

If the serial number contains a letter, use the leftmost letter's numeric position in the alphabet as your base value (e.g. A=1, B=2). For no letters, use 0.

Add the last digit of the serial number multiplied by the number of batteries present.

If there is a Stereo RCA port present, double the current value.*

This value is now the current code.

Step 2: Determine character pair and Perform Query

Using the current code, look up the character pair. Enter that pair into the device and press "Query".

	-0	-1	-2	-3	-4	-5	-6	-7	-8	-9
0-	kb	dk	gv	tk	pv	kp	bv	vt	pz	đt
, 1-	ee	zk	ke	ck	zp	pp	tp	tg	pd	pt
2-	tz	éb	ec	cc	cz	zv	cv	gc	bt	gt
3-	bz	pk	kz	kg	vd	ce	νb	kd	gg	dg
4-	pb	vv	ge	kv	dz	рe	db	cd	td	c b
5-	gb	tv	kk	bg	bр	v p	ep	tt	ed	zg
6-	de	dd,	ev	t e	zd	bb	p c	bd	kc	zb
7-	eg	bc -	tc	ze	zc	gp	et	vc	t b	vz
- 8-	ez	ek	dv	cg	ve	d p	bk	pg	gk	gz
9-	kt	ct	ZZ	vg	gd	c p	be	zt	vk	dc

Step 3: Repeat and Submit

The response code from the device from the query in Step 2 is now your current code. Perform Step 2 an additional 2 times, using the new code each time.

After receiving the response code from the final query, look up the corresponding character pair, enter the pair into the device and press "Submit".


^{*} Note: Skip this step if there is also an RJ45 port present.


On the Subject of Switches

A yes or no choice isn't too bad. Unfortunately you have to make five of them and any of them could be your last.

Switches need to be flipped to match the lit indicators either above or below them.

Avoid the following switch states:





On the Subject of Flashing Colors

It's easy to identify colors. Red, Blue, Green, etc. Turns out it's a bit harder when you display a word color in a different color though...

- A color flash module will repeatedly flash a sequence of 8 different words representing colors in different colors.
- The possible colors are Red, Yellow, Green, Blue, Magenta and White.
- There is also a Yes button and a No button on the module.
- Only one of the Yes and No buttons need to be pressed to disarm the module, but must be pressed at the correct time according to the rules below.
- The color of the last word in the sequence determines which set of rules to follow below.
- Follow the rules down from the top-most rule, down to the bottom-most rule for the block that applies to your module.

The color of the last word in the sequence is Red:

If Green is used as the word at least three times in the sequence, press Yes on the third time Green is used as either the word or the color of the word in the sequence.

Otherwise, if Blue is used as the color of the word exactly once, press No when the word Magenta is shown.

Otherwise, press Yes the last time White is either the word or the color of the word in the sequence.

The color of the last word in the sequence is Yellow:

If the word Blue is shown in Green color, press Yes on the first time Green is used as the color of the word.

Otherwise, if the word White is shown in either White or Red color, press Yes on the second time in the sequence where the color of the word does not match the word itself.


Otherwise, count the number of times Magenta is used as either the word or the color of the word in the sequence (the word Magenta in Magenta color only counts as one), and press No on the color in the total's position (e.g. a total of 4 means the fourth color in sequence).

The color of the last word in the sequence is Green:

If a word occurs consecutively with different colors, press No on the fifth entry in the sequence.

If Magenta is used as the word as least three times in the sequence, press No on the first time Yellow is used as either the word or the color of the word in the sequence.

Otherwise, press Yes on any color where the color of the word matches the word itself.



Continuation of previous table...

The color of the last word in the sequence is Blue:

If the color of the word does not match the word itself three times or more in the sequence, press Yes on the first time in the sequence where the color of the word does not match the word itself.

If the word Red is shown in Yellow color, or the word Yellow is shown in White color, press No when the word White is shown in Red color.

Otherwise, press Yes the last time Green is either the word or the color of the word in the sequence.

The color of the last word in the sequence is Magenta:

If a color occurs consecutively with different words, press Yes on the third entry in the sequence.

If the number of times the word Yellow appears is greater than the number of times that the color of the word is Blue, press No the last time the word Yellow is in the sequence.

Otherwise, press No on the first time in the sequence where the color of the word matches the word of the seventh entry in the sequence.

The color of the last word in the sequence is White:

If the color of the third word matches the word of the fourth word or fifth word, press No the first time that Blue is used as the word or the color of the word in the sequence.

If the word Yellow is shown in Red color, press Yes on the last time Blue is used as the color of the word.

Otherwise, press No.

On the Subject of Logic

Logic, Logic. That's an easy stuff but with the complexity of this bomb this maybe harder than you think.

- Each row will display 3 letters. Each letter will represent a statement.
- If ALL statement in the top row is true. That row is true.
- If ANY statement in the bottom row is true. That row is true.
- Use T/F button to the right to select True/False.
- Press "Submit" when done.

See Appendix A for indicator identification reference. See Appendix B for battery identification reference. See Appendix C for port identification reference.

0
UUU F
SUBMIT

Letter	This letter is true if:	Letter	This letter is true if:
A	More than 2 batteries.	N	Exactly 1 battery.
В	Has Serial port.	0	No battery.
C	Has Parallel port.	P	Has RJ-45 port.
D	Serial number has vowel.	Q	Has DVI-D port.
E	Serial number doesn't have vowel.	R	More than 5 batteries.
F	Has Stereo RCA port.	S	Has SIG and CAR lit indicators.
G	Has CLR lit indicator.	Т	Has at least 2 batteries and PS/2 port.
Н	Has IND lit indicator.	U	Has serial and parallel port.
I	Less than 1 battery.	V	Has BOB lit indicator.
J	Has MSA lit indicator.	W	No letter in serial number.
K	Last digit of serial number is odd.	Х	Has at least 4 port types.
L	Last digit of serial number is even.	Y	No lit indicator.
M	Has FRK lit indicator.	z	Has RJ-45 port and Serial port.

On the Subject of Emoji Math



Math is easy. But is it easy when the numbers are in another language? Let's find out.

Decipher the characters on the display into numbers and solve the answer to the question. Enter the answer with the keypad and press '=' to submit it. Use '-' to toggle the negative sign for negative answers. There's no delete button so press those buttons carefully!

For example: =(+=(translates to 1+1 The answer to enter is 2.


Character	Number
:)	0
=(1
(:	2
)=	3
: (4
):	5
=)	6
(=	7
:	8
1:	9

On the Subject of Semaphore

This module demands attention from the sea - unlucky for you the bomb's bone dry.

See the next page for semaphore reference.

- A semaphore module will present with a previous button, a next button, an OK button and a semaphore indicator.
- Use the previous and next buttons to navigate through the semaphore sequence, starting from the left-most semaphore character to the right-most semaphore character.




- The semaphore sequence will contain some characters from the serial number on the bomb, but also includes one other character not present in the serial number.
- Navigate to the one and only character that is missing from the serial number, and then press the OK button.
- Control characters, such as 'Numerals', 'Letters', 'Error', 'Rest' and 'Cancel' are not considered as a valid answer.

Semaphore Reference

Numbers are signalled by first signalling 'Numerals', then the numbers. Similarly, letters are signalled by first signalling 'Letters', then the letters.

Use the following graphics as a reference to how to interpret semaphore characters.




(All images by <u>Denelson83</u>

(https://commons.wikimedia.org/wiki/User:Denelson83), used under CC-BY-SA-3.0 (http://creativecommons.org/licenses/by-sa/3.0/), via Wikimedia Commons (https://commons.wikimedia.org/))


On the Subject of Astrology


Sometimes, the stars have it out for you. Is this bomb a good or a poor omen?

- Your fortune reading consists of the alchemical symbols of a classical element, a celestial body, and a zodiac sign.
- Calculate the Omen score of this reading:
- For each pair of symbols, look up their relationship value in the tables below, and add to the Omen score.



- Subtract 1 from the Omen score for each symbol without a letter in common with the serial number.
- If the Omen score is positive, press GOOD OMEN anytime the number of the Omen score is a digit in the timer.
- If the Omen score is negative, press POOR OMEN anytime the number of the Omen score is a digit in the timer.
- If the Omen score is 0, press NO OMEN at any time.





	Υ	ጸ	Ц	69	શ	M	<u> </u>	M	Z	J,	***	+
\triangle	1	0	-1	0	0	2	2	0	1	0	1	0
\bigvee	2	2	-1	2	-1	-1	-2	1	2	0	0	2
\triangle	-2	-1	0	0	1	0	1	2	-1	-2	1	1
\triangle	1	1	-2	-2	2	0	-1	1	0	0	-1	-1

	Υ	ጸ	Ц	69	શ	M	त	M	Z	ŋ	<i>m</i>	+
\odot	-1	-1	2	0	-1	0	-1	1	0	0	-2	-2
\supset	-2	0	1	0	2	0	-1	1	2	0	1	0
4	-2	-2	-1	-1	1	-1	0	-2	0	0	-1	1
2	-2	2	-2	0	0	1	-1	0	2	-2	-1	1
o d	-2	0	-1	-2	-2	-2	-1	1	1	1	0	-1
24	-1	-2	1	-1	0	0	0	1	0	-1	2	0
ħ	-1	-1	0	0	1	1	0	0	0	0	-1	-1
\mathcal{H}	-1	2	0	0	1	-2	1	0	2	-1	1	0
\$	1	0	2	1	-1	1	1	1	0	-2	2	0
9+	-1	0	0	-1	-2	1	2	1	1	0	0	-1

Symbol	<u>Element</u>	Symbol	Planet	Symbol	Planet
\triangle	Fire	\odot	Sun	24	Jupiter
\bigvee	Water	\bigcirc	Moon	ħ	Saturn
$\overline{\forall}$	Earth	\$\frac{1}{2}	Mercury	\mathcal{H}	Uranus
\triangle	Air	2	Venus	\$	Neptune
		\bigcirc	Mars	9+	Pluto


Symbol	Zodiac	Symbol	Zodiac	Symbol	<u>Zodiac</u>
Υ	Aries	श्	Leo	Z	Sagittarius
R	Taurus	m	Virgo	J.	Capricorn
I	Gemini	$\overline{\sigma}$	Libra	***	Aquarius
69	Cancer	M	Scorpio	+	Pisces

On the Subject of Lettered Keys

I haven't thought of anything yet...

See Appendix A for indicator identification reference. See Appendix B for battery identification reference.

Follow these rules in the order they are listed. Perform the first action that applies:



- 1. If the number indicated is equal to sixty-nine, Press the button with the label 'D'
- 2. If the number indicated is divisible by six, press the button with the label 'A'
- 3. If there are two or more batteries on the bomb and the number is divisible by three, press the button with the label 'B'
- 4. If the Serial number contains a 'C' 'E' or '3' and the number is greater than or equal to twenty-two, and less than or equal to seventy-nine, then press the button labelled 'B'
- 5. Otherwise, if the serial number contains a 'C' 'E' or '3', then press the button labelled 'C'
- 6. If the indicated number is less than forty-six, then press the button labelled 'D'
- 7. Otherwise, press the button labelled 'A'

On the Subject of Connection Check

What is this, some kind of circuit visualization? I don't even care anymore...

- This module contains 4 number pairs placed on each side of 4 LEDs and a "Check" button.
- To disarm this module, you must follow these steps:
 - 1. Find out in which chart you will be loking for connections, using the rules given below.
 - 2. For each LED look at the numbers on each side of it and check if there is a line connecting the circles denoted with those numbers in the right chart.
 - 3. If there is such a connection, switch the LED to GREEN, otherwise switch it to RED.
 - 4. Press the "CHECK" button. If LED positions are correct, the module will disarm. Otherwise the bomb will register a strike.

To determine the right chart on the next page you will need a character of the bomb's serial number. Use the following rules to find out which character you need. Then, on the next page, search for that character in the codes just above the charts. The chart with a code containing your character is the chart you are looking for.

If all of the numbers on this module are **distinct**, use the **last** character of the serial number.

Otherwise, if there is more than one "1" on the module, look at the first character of the serial number.

Otherwise, if there is more than one "7" on the module, look at the last character of the serial number.


Otherwise, if there are at least three "2" on the module, look at the second character of the serial number.

Otherwise, if there is no "5" on the module, look at the fifth character of the serial number.


Otherwise, if there are exactly two "8"s on the module, look at the third character of the serial number.

Otherwise, if there are more than 6 batteries or no batteries on the bomb, look at the last character of the serial number.


Otherwise, count the number of batteries on the bomb. Use that number to decide which character of the serial number you should look at. E.g.: if there are 3 batteries, look at the third character of the serial number.




If your digit is contained within 7HPJ use this chart:




If your digit is contained within SLIM use this chart:




If your digit is contained within **20DGT** use this chart:




If your digit is contained within 9QVN use this chart:




If your digit is contained within 34XYZ use this chart:




If your digit is contained within 15BRO use this chart:



If your digit is contained within **8CAKE** use this chart:




If your digit is contained within 6WUF use this chart:



On the Subject of Listening

"Why did we send a deaf person to defuse a bomb?" - Person who is no longer alive.

Press the <u>play</u> button to play a sound clip through the speaker. Each sound clip has a corresponding code that contains any of the four symbols $\frac{$* \& \#$}{}$. Match the sound clip to the table below and enter the code via the four button keypad.




Taxi Dispatch	**&&&	Dial-up Internet	*#&*&
Cow	&\$#\$&	Police Radio Scanner	**###
Extractor Fan	\$#\$*&	Censorship Bleep	&&\$&*
Train Station	#\$\$**	Medieval Weapons	&\$**&
Arcade	\$#\$#*	Door Closing	#\$#&\$
Casino	**\$*#	Chainsaw	&#&&#</td></tr><tr><td>Supermarket</td><td>#\$\$&*</td><td>Compressed Air</td><td>\$\$*\$*</td></tr><tr><td>Soccer Match</td><td>##*\$*</td><td>Servo Motor</td><td>\$&#\$\$.</td></tr><tr><td>Tawny Owl</td><td>\$#*\$&</td><td>Waterfall</td><td>&**\$\$</td></tr><tr><td>Sewing Machine</td><td>#&&*#</td><td>Tearing Fabric</td><td>\$&&*&</td></tr><tr><td>Thrush Nightingale</td><td>**#**</td><td>Zipper</td><td>&\$&##</td></tr><tr><td>Car Engine</td><td>&#**&</td><td>Vacuum Cleaner</td><td>#&\$*&</td></tr><tr><td>Reloading Glock 19</td><td>\$&**#</td><td>Ballpoint Pen Writing</td><td>\$*\$**</td></tr><tr><td>Oboe</td><td>&#\$\$#</td><td>Rattling Iron Chain</td><td>*#\$&&</td></tr><tr><td>Saxaphone</td><td>\$&&**</td><td>Book Page Turning</td><td>###&\$</td></tr><tr><td>Tuba</td><td>#&\$##</td><td>Table Tennis</td><td>*\$\$&\$</td></tr><tr><td>Marimba</td><td>&*\$*\$</td><td>Squeeky Toy</td><td>\$*&##</td></tr><tr><td>Phone Ringing</td><td>&\$\$&*</td><td>Helicopter</td><td>#&\$&&</td></tr><tr><td>Tibetan Nuns</td><td>#&&&&</td><td>Firework Exploding</td><td>\$&\$\$*</td></tr><tr><td>Throat Singing</td><td>**\$\$\$</td><td>Glass Shattering</td><td>*\$*\$*</td></tr><tr><td>Beach</td><td>.%%*%*</td><td></td><td>•</td></tr><tr><td></td><td>•</td><td></td><td></td></tr></tbody></table>

Note: pressing play also clears whatever code you have entered.

On the Subject of Cruel Piano Keys

The devil's interval approaches...

See Appendix A for indicator identification reference. See Appendix B for battery identification reference. See Appendix C for port identification reference. See the third page for serialism & music terminology reference.



- A cruel piano keys module will present with 4 musical symbols in the top indicator and a 12-note keyboard to input with.
- Each rule consists of one or more required symbol(s) and optional further requirements based on the bomb casing.
- Follow the list of rules down in Table 2 until one matches the criteria for the module and bomb.
- Then use the lookup criteria to find the prime 12-tone row from Table 1.
- Then apply the according transformation from Table 2 to the 12-tone row, and execute this final sequence.
- A failed attempt will require re-entry of the entire note sequence.

Table 1.

<u>#</u>	Prime 12-tone Sequence	<u>#</u>	Prime 12-tone Sequence
0	F D F# G# C B A# C# G E D# A	5	C D# F# D F C# B A G A# E G#
1	A [#] A C E C [#] D D [#] G B F [#] G [#] F	6	G# C A# C# E G B D# A D F F#
2	F# B A G# D C G C# F D# E A#	7	E A C [#] B G G [#] A [#] D [#] F [#] F C D
3	E D# D F# F A# G# C# C B G A	8	G# D# D E A# C# F# G F A C B
4	D E A A# C B C# G# F F# D# G	9	D# G# C B D C# F# A# F G A E

Table 2.

Required Symbol(s)	Further Requirements	Lookup Index	Transformation
o and ∞	2 or more indiciators (lit or unlit)	Left-most digit in serial number	RI
# or×	An empty port plate	Number of battery holders	P, transpose down by 'x' semitones, where 'x' = number of minutes remaining
∩ _{or} ⊓	2 or more of a certain type of port	Least significant digit of number of completed modules	I
3 and 3	2 or more port plates	9 minus the number of unlit indicators	R
¢ or C	Serial contains 1 or more vowels	Least significant digit of number of strikes	R, transpose down by 3 semitones
4 or **	Even number of batteries	DVI-D present: 7 Otherwise: 3	P, transpose up by 'x' semitones, where 'x' = number of ports*
b or }	An indicator with no vowels in the label	8	I
or 4	Less than 2 ports	4	R
∞ or×	(No other requirements)	5	P

If none of these rules apply, revert back to the $\underline{\text{Normal}}$ Piano Keys ruleset and play the given note sequence normally.

Notes:

^{*:} The Stereo RCA port does not count as 2 separate ports; the Red & White connectors are part of the same singular port.

Serialism & Music Terminology

To clarify, the note below a C would be a B, and similarly, the note after a B would be a C. The 12 tones on the piano essentially wrap around.

The <u>Prime</u> sequence (or 'P' for short), is the original or base form of the 12-tone row. No transformation takes place.

The <u>Retrograde</u> sequence (or 'R' for short), takes the <u>Prime</u> sequence, but executes it in reverse order. For example, the Retrograde of the Prime row A B C D E would be E D C B A.

The <u>Inverse</u> sequence (or '**T**' for short), takes the <u>Prime</u> sequence, but the intervals between the notes are inverted. For example, take the interval from A to B; the interval is +2 semitones, as it takes you 2 semitones to get from A to B (A goes to A[#] then B). The inversion of this interval would be -2 semitones. Therefore, the inverted sequence would be A then G, as G is -2 semitones away from A (A goes to G[#] then G).

As an extended example, the Inversion of the Prime row A B C D E would be A G F^{\sharp} E D; the first note always remains the same, and all the other notes get inverted relative to that note.

The <u>Retrograde Inverse</u> sequence (or '**RI**' for short), takes the <u>Inverse</u> sequence in Retrograde. For example, the Retrograde Inverse of the Prime row A B C D E would take the Inverse first (which is A G F E D), and then the Retrograde of this Inverse would be D E F G A.


<u>Transpositions</u> apply a translation of the tone row up or down by a given number of semitones. For example, the Prime row A B C D E transposed up by 1 semitone would be A^{\sharp} C C^{\sharp} D^{\sharp} F.

An <u>Interval</u> is the tonal distance between two distinct notes and is usually measured in semitones. For example, the interval from G to B is up 4 semitones.

On the Subject of Piano Keys

What do you get when you drop a piano down a mine shaft? A flat minor.

See Appendix A for indicator identification reference. See Appendix B for battery identification reference. See Appendix C for port identification reference. See the next page for piano/keyboard reference.




- A piano keys module will present with 3 musical symbols in the top indicator and a 12-note keyboard to input with.
- Each rule consists of one or more required symbol(s) and optional further requirements based on the bomb casing.
- Follow the list of rules down until one matches the criteria for the module; then execute the sequence of notes listed.
- A failed attempt will require re-entry of the entire note sequence.

Required Symbol(s)	Further Requirements	Note Sequence
b	Last digit of serial number is even	Bb Bb Bb Gb Ab Bb Ab Bb
c or #	2 or more battery holders	E P E D D E D E D D E D D E D D
and ?	(No other requirements)	E F# F# F# E E E
¢ or ∞	RCA port is present	Bb A Bb F Eb Bb A Bb F Eb
B	SND indicator is present and lit	EEECEGG .
* or ○ or C	3 or more batteries	C [#] D E F C [#] D E F B ^b A
b and #	(No other requirements)	GGCGGCGC
¢ or **	Serial number contains a 3, 7 or 8	AEFGFEDDFA
$ \sharp \text{ or } \sim \text{ or } 3 $	(No other requirements)	G G G E ^b B ^b G E ^b B ^b G
(No requirement)	(No other requirements)	BDAGABDA
`		

Piano/Keyboard Reference

Use the following graphic as a reference to how tones are mapped onto a standard 12-note piano/keyboard.



On the Subject of Cryptography

WLMY ETGXFD EQCD ED PQKW WT CMFF EZYDFB.

SEE APPENDIX CD43 FOR AN EXCERPT OF "A CHRISTMAS CAROL". SEE APPENDIX CD44 FOR FREQUENT LETTERS AND WORDS.

This module will display ciphertext which contains a sentence from Charles Dickens' "A Christmas Carol" (aka the plaintext). The plaintext has been encrypted via a substitution cypher, meaning each letter in the alphabet is substituted for a different letter.


- The letter E will always mean the letter E.
- Apart from the letter E, no letter can substitute itself.
- All punctuation has been removed from the ciphertext.
- Above the display are five keys each with a letter that is found in the plaintext.
- Once the ciphertext is decrypted, press each key only once, in order that they appear in the plaintext.
- Entering the incorrect sequence will gain a strike, try the sequence again from the beginning.

NOTE: The meaning of the word colors is currently unknown, however you can safely ignore them.

On the Subject of Adventure Games

This appears to be a strange interface for an old text adventure game. All of the inventory management puzzles you have come to know and love, but none of the story.

 The three screens show the enemy you are facing, a list of statistics about your character and the world, and a list of the objects in your inventory.



- In your inventory is three weapons, plus five miscellaneous items.
- You must decide which of the items to use to prepare for the battle, then which weapon to use.
- Use the left and right arrows to scroll through statistics and inventory.
- To use an item or weapon, press "USE" when is is displayed in the inventory.
- Use the item table below to determine whether or not to use each item.
- Items can be used in any order, but all applicable items must be used before a weapon is used to fight the enemy.
- Use the weapon table and the enemy statistic table to determine which weapon to use to fight the enemy.
- For each weapon, compare the player's relevant stat (STR, DEX, or INT), plus any bonus, to the enemy's same stat.
- To defeat the enemy most efficiently, use the weapon which has the highest stat advantage (or lowest disadvantage).
- If two weapons have the same stat advantage, either can be used.

Statistic	Description
5 STR	Strength (STR) of player, used in combat
5 DEX	Dexterity (DEX) of player, used in combat
5 INT	Intelligence (INT) of player, used in combat
5′ 5″	Height of player, in feet and inches
15°C	Temperature, in degrees Celsius
9.8 m/s ²	Force of gravity, in meters per second squared
101 kPa	Atmospheric pressure, in kilo pascals

Item	Use if		
Balloon	Gravity is less than 9.3 $\rm m/s^2$ or pressure is greater than 110 kPa, and not fighting an Eagle.		
Battery	There is at most 1 battery on the bomb, and fighting an enemy other than a Golem or a Wizard.		
Bellows	If fighting a Dragon or an Eagle, use if pressure is greater than 105 kPa. If fighting a different enemy, use if pressure is less than 95 kPa.		
Cheat code	Cheaters never prosper! Don't use these.		
Crystal ball	INT is greater than the last digit of the serial number, and not fighting a Wizard.		
Feather	DEX is greater than either STR or INT.		
Hard drive	There are two or more of the same port on the bomb.		
Lamp	Temperature is less than 12°C, and not fighting a Lizard.		
Moonstone	There are at least two unlit indicators on the bomb.		
Potion	Always use, but note that STR, DEX, and INT may change.		
Small dog	Fighting an enemy other than a Demon, a Dragon, or a Troll.		
Stepladder	The player is shorter than 4', and fighting an enemy other than a Goblin or a Lizard.		
Sunstone	There are at least two lit indicators on the bomb.		
Symbol	Fighting a Demon or a Golem, or if the temperature is greater than 31°C.		
Ticket	The player is 4' 6" or taller, and gravity is at least 9.2 m/s 2 , and at most 10.4 m/s 2 .		
Trophy	STR is greater than the first numeric digit of the serial number, or if fighting a Troll.		


Enemy	STR	DEX	INT
Demon	50	50	50
Dragon	10	11	13
Eagle	4	7	3
Goblin	3	6	5
Golem	9	4	7
Troll	8	5	4
Lizard	4	6	3
Wizard	4	3	8

Weapon	Uses	Bonus	
Broadsword	STR	+0	
Caber	STR	+2	
Nasty knife	DEX	+0	
Longbow	DEX	+2	
Magic orb	INT	+0	
Grimoire	INT	+2	

On the Subject of Orientation

If the bomb doesn't kill us a brain haemorrhage will.


In order to diffuse this part of the bomb you will need good 3D orientation skills. A virtual cube needs to be rotated into a specific orientation using the four keys along the bottom. Unfortunately there is no display to indicate the current orientation of the virtual cube so you will have to imagine the state of the cube yourself.




The two keys in the bottom left will yaw the cube clockwise or anti-clockwise, respective to looking at the cube from the top.

The two keys in the bottom right will roll the cube clockwise or anti-clockwise, respective to the virtual observer. The virtual observer's position is indicated on the module as an eye. NOTE: The virtual observer's position may change.

For example, if the eye is at the bottom then it is facing the 'FRONT' face. Pressing 'Roll clockwise' will place the 'LEFT' face where the 'TOP' face is.





If the serial number on the bomb contains the letter R:

Rotate the cube so that the initial left face is in the same position as the initial top face, then press the SET button.

Otherwise, if the bomb has a lit indicator with the label TRN or has it has a lit/unlit indicator with the label CAR:

Rotate the cube so that the initial bottom face is in the same position as the initial right face, then press the SET button.

Otherwise, if the bomb has a PS2 port or there have been one or more strikes:

Rotate the cube so that the initial bottom face is in the same position as the initial front face and the initial left face is in the same position as the initial bottom face, then press the SET button.

Otherwise, if the serial number on the bomb contains either the number 7 or 8:

Rotate the cube so that the initial right face is in the same position as the initial bottom face and the initial back face is in the same position as the initial front face, then press the SET button.

Otherwise, if there are more than two batteries on the bomb or the virtual observer's initial position is facing the initial left face:

Rotate the cube so that the initial top face is in the same position as the initial bottom face, then press the SET button.

Otherwise:

Rotate the cube so that the initial top face is in the same position as the initial left face, then press the SET button.


On a strike:

If you get strike then the virtual cube will be reset to the initial position, be aware you may need to select a new rule if the obersever is now in a different position.

On the Subject of Round Keypads

I think someone tried to make this module look really cool, but failed.

- The circular keypad contains 8 symbols from the columns below.
- Find the column below that contains the most symbols from the keypad.
- If two or more columns have the most symbols, use the right-most column•
- Press all buttons that have a symbol not present on the correct column.




Q	Ë	(C)	б	Ψ	б
A	Q	ů	•	ټ	Ë
入	Э	Q	Ъ	Ъ	*
4	Q	Ж	X	C	æ
₩.	\sim	3	Ж	T	Ψ
¥	×	X	5	3	Й
C	5	$\stackrel{\wedge}{\Longrightarrow}$	ټ	*	Ω

On the Subject of Morsematics

Get it? Because it uses morse and maths! I'll see myself out...

See Appendix MorseOP for mathematical operation reference.

- Interpret the signal from the flashing light using the Morse Code chart.
- The signal will play once upon pressing "Play".
- The signal will be a maths question, encoded in the format <a> <op> .
- A response to the signal is entered using the dot, dash, and space buttons. The answer is sumbitted by pressing "OK".
- Your response is shown in the display. If you make a mistake, press "NO" to clear it.
- Warning: "NO" can only be pressed when the correct answer has a matching number in the time remaining, or when less than 30 seconds remain.





On the Subject of Forget Me Not

This one likes attention, but not too much attention.

- The main display will update on each solved module. The current display stage is shown on the smaller display.
- Add the displayed number to the corresponding number gained from the chart below, and record the least significant digit from the total.
- When all other modules have been completed, the display will turn blank.
- Press the recorded numbers on the keypad in the order they were obtained.

First number:


- If the bomb has an unlit CAR indicator, the number is 2.
- Otherwise, if the bomb has more unlit indicators than lit indicators, the number is 7.
- Otherwise, if the bomb has no unlit indicators, the number is the amount of lit indicators.
- Otherwise, the number is the last digit of the serial.

Second number:

- If the bomb has a serial port and 3 or more digits in the serial, the number is 3.
- Otherwise, if the previous recorded number was even, the number is the previous recorded number plus 1.
- Otherwise, the number is the previous recorded number minus 1.

All other numbers:


- If either of the previous two recorded numbers were 0, the number is the largest digit in the serial.
- Otherwise, if both of the previous two recorded numbers were even, the number is the smallest odd digit in the serial, or 9 if no such digit exists.
- Otherwise, the number is the most significant digit of the sum of the previous two recorded numbers.



On the Subject of Plumbing

I'd wash your hands after this one...

- The module has 4 input pipes (left) and 4 output pipes (right). At least one input pipe and one output pipe will be active.
- The defuser must connect all active input pipes to all active output pipes, whilst taking care not to connect inactive pipes, using the 6 by 6 grid of pipes. Clicking on a pipe in the 6 by 6 grid will rotate it.
- All pipes connected to an active pipe must also correctly connect to other pipes. Any pipe with a connection not going into another pipe (or going into an inactive in/out pipe) will cause a strike upon checking the solution.
- Once the solution has been entered, press "CHECK" to verify the solution. An incorrect solution will cause a strike.
- Active input and output pipes are determined using the table below. If the pipe has more points for it than against, it is active.



Red Input

- For: Serial contains a 'l'
- For: Exactly 1 RJ45 port
- Against: Any duplicate ports
- Against: Any duplicate serial characters

Yellow Input

- For: Serial contains a '2'
- For: One or more Stereo RCA ports
- Against: No duplicate ports
- Against: Serial contains a 'l' or 'L'

Green Input

- For: Serial contains 3 or more numbers
- For: One or more DVI-D ports
- Against: Red Input is inactive
- Against: Yellow Input is inactive

Blue Input

- Note: Always active if all other inputs are inactive
- For: At least 4 unique ports
- For: At least 4 batteries
- Against: No ports
- Against: No batteries

Red Output

- For: One or more Serial ports
- For: Exactly one battery
- Against: Serial contains more than 2 numbers
- Against: More than 2 inputs are active

Yellow Output

- For: Any duplicate ports
- For: Serial contains a '4' or '8'
- Against: Serial doesn't contain a '2'
- Against: Green Input is active

Green Output

- For: Exactly 3 inputs are active
- For: Exactly 3 ports are present
- Against: Less than 3 ports are present
- Against: Serial contains more than 3 numbers


Blue Output

- Note: Always active if all other outputs are inactive
- For: All inputs are active
- For: Any other output is inactive
- Against: Less than 2 batteries
- Against: No Parallel port

On the Subject of the Safety Safe

This safe either contains immense riches, or is empty.

- All 6 dials must be oriented correctly to solve the module.
- Each dial has a tell, where it clicks louder. This is the starting location for each dial.
- Follow the rules below to determine how far to rotate each dial after the starting location.
- Turn the lever to check the solution. Any correct dials are indicated with a green light, and any incorrect dials are indicated with a red light.
- Starting at 0, add the number of unique ports on the bomb, multiplied by 7.
- Add the number of lit indicators with a matching letter in the serial, multiplied by 5.
- Add the number of unlit indicators with a matching letter in the serial.
- Add the number(s) obtained from the table on the next page, using both the position of the dial and the serial number as reference.
- Note: A full rotation takes 12 turns.




Diol	Top			Bottom		
Dial	Left	Middle	Right	Left	Middle	Right
Serial	First	Second	Third	Fourth	Fifth	All
A	8	3	4	8	9	0
В	10	1	3	7	3	8
C	2	1	1	5	3	6
D	11	6	11	11	7	7
E	0	5	5	8	2	1
F	4	2	7	7	1	5
G	7	4	4	2	10	5
H	8	3	6	6	6	5
I	0	11	0	0	9	10
J	2	11	8	0	5	6
K	5	2	5	1	0	4
L	1	9	8	11	11	11
M	1	7	9	5	6	2
N	9	5	1	4	4	9
0	5	9	8	10	2	8
P	3	10	9	1	9	7
Q	4	10	6	1	4	8
R	8	0	4	0	6	11
S	9	4	0	6	3	10
T	7	6	7	11	5	3
U	11	9	6	3	11	1
V	11	11	2	8	1	0
W	6	0	11	6	11	2
X	4	2	7	2	8	10
Y	10	7	10	10	8	9
Z	3	7	1	10	0	4
0	7	0	3	5	8	6
1	Ø	10	10	9	1	2
2	2	5	11	7	7	3
3	10	8	10	4	10	4
4	6	8	0	3	5	0
5	6	3	3	3	0	11
6	1	1	5	2	7	3
7	0	6	2	4	2	1
8	5	4	9	9	10	7
9	3	8	2	9	4	9

On the Subject of Simon States

I'm not sure this even qualifies as Simon Says...

- One or more colours will flash per stage.
- Each stage will also show the colours of previous stages.
- The current sequence will repeat after a short delay.
- When the sequence repeats, your input is not reset.
- If you press an incorrect button, your input is reset.
- Using the table on the next page, press the correct colour for each stage to advance.
- When a rule asks for colour priorities, use the table below to determine the correct colour.

Priority	Top-Left Button Colour				
FFIOFICY	Red	Yellow	Green	Blue	
Highest	Red	Blue	Green	Yellow	
High	Blue	Yellow	Red	Green	
Low	Green	Red	Yellow	Blue	
Lowest	Yellow	Green	Blue	Red	



Stage 1

- If one colour flashed, press that colour.
- Otherwise, if two colours flashed and one was blue, press the highest priority colour that flashed.
- Otherwise, if two colours flashed, press blue.
- Otherwise, if three colours flashed including red, press the lowest priority colour that flashed.
- Otherwise, if three colours flashed, press red.
- Otherwise, press the second highest priority colour.

Stage 2

- If only red and blue flashed, press the highest priority colour that didn't flash.
- Otherwise, if two colours flashed, press the lowest priority colour that didn't flash.
- Otherwise, if one colour flashed and it was not blue, press blue.
- Otherwise, if one colour flashed, press yellow.
- Otherwise, if all colours flashed, press the same colour as stage 1.
- Otherwise, press the colour that didn't flash.

Stage 3

- If three colours flashed and at least one was pressed in a previous stage, press the highest priority colour that flashed and hasn't been pressed.
- Otherwise, if three colours flashed, press the highest priority colour that flashed.
- Otherwise, if two colours flashed and both have been pressed, press the lowest priority colour that didn't flash.
- Otherwise, if two colours flashed, press the same colour as stage 1.
- Otherwise, if one colour flashed, press that colour.
- Otherwise, press the second lowest priority colour.


Stage 4

- If three unique colours have been pressed, press the fourth colour.
- Otherwise, if three colours flashed and exactly one hasn't been pressed, press that colour.
- Otherwise, if at least three colours flashed, press the lowest priority colour.
- Otherwise, if one colour flashed, press that colour.
- Otherwise, press green.

On the Subject of Number Pads

Try putting in 0000. No? Try 0001. Still not working? We might be here for a while...

See Appendix A for indicator identification reference. See Appendix B for battery identification reference. See Appendix C for port identification reference.



- Enter a 4-digit code using the numbered buttons.
- Press the green button labelled ENT to submit the entered code.
- Press the red button labelled CLR to discard the entered code.
- Perform the first action that applies on each level.
- The CLR and ENT buttons' colors are to be ignored.

Using the wheel chart, starting from the center, pick a path by following the instructions below for each level you are on. (center level is 1, next one out is 2, etc.) Each path you take is the code digit corresponding to its level number unless contradicted by higher levels' instructions. Follow the final instructions after you complete all four levels.

On the first level, the paths are in order from the upper-right corner going clockwise. On the rest of the levels, they are also in clockwise order.

Level 1:

If three or more of the numbered buttons are colored yellow, take the first path. If the all three of the numbered buttons 4, 5, and 6 are colored white, blue, or red, take the second path.

If the serial number contains a vowel, take the third path. Otherwise, take the fourth path.

Level 2:

If there are at least two blue numbered buttons and at least three green buttons, take the first path.

If the numbered button 5 isn't blue nor white, take the second path.

If there are less than two ports on the bomb, take the third path.

Otherwise, take the fourth path, and if the top row of buttons contains a green button, subtract 1 from the first digit (if it's 0, it becomes 9).

Level 3:

If there are more than two white numbered buttons and more than two yellow numbered buttons, take the first path.

Otherwise, take the second path and reverse the current 3-digit code.

Level 4:

If there are 2 or less yellow numbered buttons, take the first path and add 1 to each digit (if a digit is 9, it becomes 0).


Otherwise, take the second path.

Final Instructions:

(follow <u>all</u> instructions in this order)

If the last digit of the serial number is even, swap the first and third digits. If there are an odd number of batteries, swap the second and third digits. If both criteria above are not met, swap the first and fourth digits. Finally, if the sum of all the digits in the code is <u>even</u>, reverse the code.


Wheel Chart



On the Subject of Chess

Under pressure, chess can feel more like a game of battleships.

This module is based on a **6x6 chessboard** (referenced on the following page) and all figures follow the standard FIDE movement rules.



The chess module will present with a display and two rows of six buttons each.

- There are six unique coordinates that represent six positions on the chessboard.
- Use the numbered keys in the bottom row to browse through the different coordinates. A green LED below the button will indicate the position of the currently selected coordinate.
- Using the reference table below, each position can be assigned a certain chess figure.
- The chess figures will cover 35 of the 36 possible fields with their combined movesets.
- All chess figures are colorless but can block each other's movement.
- Find the one field that isn't covered by any of the chess figures and enter the coordinate to defuse the module.
- To enter the coordinate, press the letter first, then the number. The LEDs will turn red to confirm the input of a solution.

Use this table as reference to determine the correct figure for each position:

Position #1: Monarchy vs Theocracy

Occupied by a king if Position #5 is occupied by a queen. Otherwise, the field is occupied by a bishop.

Position #2: Commander of the Army

Occupied by a rook if the last digit of the serial number is odd. Otherwise, the field is occupied by a knight.

Position #3: A Matter of Regents

Occupied by a queen if there are less than two rooks on the board. Otherwise, the field is occupied by a king.

Position #4: The Iron Tower

Always occupied by a rook.

 $\hbox{"Neither of two evils must thy strike claim; Instead smite the darkness between the same."}$

Position #5: Conflict between Good and Evil

Occupied by a queen if the field is white. Otherwise, the field is occupied by a rook.


Position #6: The Scepter, the Sword and the Crosier

Occupied by a queen if there are no other queens on the board.

Otherwise, occupied by a knight if there are no other knights on the board. Otherwise, the field is occupied by a bishop.

Chess Board Reference

Use the following graphic as a reference for the chess board layout



On the Subject of 3D Maze

You are in a maze of twisty passages, all alike. Exits are to the north, south, east, and west.

- V2: Direction instructions have changed.
- The defuser starts in a random position and orientation in one of the ten mazes below.
- Locate the defuser using a 3D view of the maze walls, which also shows the symbol on the floor of the current space, and if there is a symbol in the space ahead.
- The maze map is cyclic; moving off one of the edges will take the defuser to the space on the opposite side, provided there is no wall in between the space.
- One of the walls is the goal, the rest will cause strikes if moved into.
- To defuse the module, locate the goal wall, and move through it from either side.
- Using the methods below, calculate a row (0-7, left to right), a column (0-7, top to bottom), and a direction; the goal wall will be the first wall from these coordinates in the given direction.

Row:


- Start with the first numeric digit in the serial number.
- Add 1 for every unlit indicator with a letter in "MAZE GAMER".
- If the row number is greater than 7, subtract 8.


Column:


- Start with the last numeric digit in the serial number.
- Add 1 for every lit indicator with a letter in "HELP IM LOST".
- If the column number is greater than 7, subtract 8.


Direction:


- Each maze contains three star icons marked on the map.
- On the floor in each of these locations is a letter, which maps to the direction to the goal wall: "N" becomes North, "S" becomes South, "E" becomes East, and "W" becomes West.
- Beware of letters not in these marked locations, they carry incorrect decoy instructions!






























On the Subject of Probing

Not that kind of probing...

This modules has six wires and two crocodile clips. Each wire carries three alternating currents (AKA 3-phase current), each phase a different frequency. The possible frequencies are 10Hz, 22Hz, 50Hz and 60Hz.



In order to probe the circuit you need to connect the red clip to a wire and the blue clip to a different wire. Common frequencies in both wires will cancel out and the display will show the remaining frequencies, in order from lowest to highest.

If the red and white wire contains a 50Hz current connect the red clip to the wire with the frequencies 10Hz, 22Hz and 60Hz, otherwise if the red and yellow wire does not contain a 10Hz current connect the red clip to the wire with the frequencies 22Hz, 50Hz and 60Hz, otherwise connect the red clip to the wire with the frequences 10Hz, 22Hz and 50Hz.

If the yellow and red wire contains a 10Hz current connect the blue clip to the wire with the frequencies 10Hz, 50Hz and 60Hz otherwise connect the blue clip to the wire that contains the frequencies 10Hz, 22Hz and 50Hz.

Leave the clips connected for at least six seconds to defuse. Leaving the incorrect wires connected for more than six seconds will cause a strike.

NOTE: Be aware that each time a strike is gained the frequencies in each wire may change.

On the Subject of the Mystic Square

- 1. "row/column" on this page alway refers to the table below.
- 2. Discovering the Skull before the knight will cause a strike.
- 3. No other action will cause a strike.
- 4. How to find the skull:
 - 1. If the middle position is empty, the skull is under the 7. Continue to step 4.
 - 2. The middle number determines which row/column to use. If the last digit in the serial number is in one of the five cross positions as shown in the picture on the right, use rows. Otherwise, use columns.

Х		Х
	X	
Х		Х

- 3. Start from the empty position on the module. Using the table below, consider each number in the row/column and check if it's a direct neighbour to the current position. If it is, continue from that position. The final position is where the skull is located.
- 4. To disarm the module, move the sliders into a target constellation. See next page. Take care not to uncover the skull before the knight has been been uncovered.

<

		last serial digit lies not on the cross-parts of the module								
	number in the middle of the module 1 2 3 4 5 6 7									
	1	1	3	5	4	6	7	2	8	
	2	2	5	7	3	8	1	4	6	
	3	6	4	8	1	7	3	5	2	
on the	4	8	1	2	5	3	4	6	7	
part	5	3	2	6	8	4	5	7	1	
	6	7	6	1	2	5	8	3	4	
	7	4	7	3	6	1	2	8	5	
	8	5	8	4	7	2	6	1	3	

"row/column" on this page always refers to the module.

Determining the desired constellation:

Before moving any sliders, use the sum of the rows as R1, R2 and R3 and the sum of the columns as C1, C2 and C3 to look up the target constellation in the table below. The following constellation is also always acceptable.




1	2	3
4	5	6
7	8	

	01 > 02,03			C2 > C1,C3			C3 > C1,C2				else				
		1	?	2		1	?	2	1	?	3		1	?	3
R1 > R2,R3		?-	?	?		?	?	?	?	?	?		?	?	?
		4	?	3		3	?	4	7	?	5		5	?	7
		?	1	?		?	1	?	?	2	?		?	2	?
R2 > R1,R3		4	۶۰	2		3	?	2	8	?	4		6	۶۰	4
		٠.	3	?		?	4	?	?	6	?		?	8	?
		1	?	?		?	?	3	3	?	?		?	?	1
R3 > R1,R2		?	2	?		?	2	?	?	2	?		?	2	?
		?	?	3		1	?	?	?	?	1		3	?	?
else		1.	2	3		1	?	?	?	5	?		?	?	1
		?	4	?		2	4	5	?	4	?		5	4	2
		?	5	?		3	?	?	1	2	3		?	?	3

On the Subject of Silly Slots

Sassy sally said sorry since soggy Steven slurped soup.

Only press the KEEP button when the slots are in a LEGAL state. Only pull the lever when the slots are in an ILLEGAL state. The module will automatically defuse after 4 pulls of the lever.



The slots are in an ILLEGAL state if any of these statements are true:


- There is a single Silly Sasusage.
- There is a single <u>Sassy Sally</u>, unless the slot in the same position 2 stages ago was <u>Soggy</u>.
- There are 2 or more Soggy Stevens.
- There are 3 Simons, unless any of them are Sassy.
- There is a Sausage adjacent to a Sally, unless Sally is Soggy.
- There are exactly 2 Silly slots, unless they are both Steven.
- There is a single <u>Soggy</u> slot, unless the previous stage had any number of <u>Sausage</u> slots.
- All 3 slots are the same symbol and colour, unless there has been a <u>Soggy</u> <u>Sausage</u> in any previous stage.
- All 3 slots are the same colour, unless any of them are <u>Sally</u> or there was a <u>Silly Steven</u> in the last stage.
- There are any number of <u>Silly Simons</u>, unless there has been a <u>Sassy Sausage</u> in any previous stage.


<u>UNDERLINED</u> words are placeholders, substitute them for the correct word using the matrix below and the keyword found on the module's display. This keyword changes when the lever is pulled.

		Placeholder								
		Sassy	Silly	Soggy	Sally	Simon	Sausage	Steven		
	Sassy	Blue	Red	Green	Cherry	Grape	Bomb	Coin		
	Silly	Blue	Green	Red	Coin	Bomb	Grape	Cherry		
••	Soggy	Green	Blue	Red	Coin	Cherry	Bomb	Grape		
Key Word	Sally	Red	Blue	Green	Grape	Cherry	Bomb	Coin		
	Simon	Red	Green	Blue	Bomb	Grape	Grape Cherry			
	Sausage	Red	Blue	Green	Grape	Bomb	Coin	Cherry		
`	Steven	Green	Red	Blue	Cherry	Bomb	Coin	Grape		

On the Subject of Tetris

Chances are you've already played many iterations of this game. At this point, how can we be sure that Tetris isn't some kind of meta-virus that propagates itself through game developers and modders?






- Pieces can be rotated, moved left and right, and placed using the arrow buttons.
- Pieces will not fall with time, but instead will be placed as far down as possible.
- Completely filling a row will cause that row to be removed, and other rows will fall down to fill the empty space.
- If the board fills up, the player will be unable to place new blocks, and will gain strikes.

On the Subject of Lights Out

Who knew turning out all the lights was a hard task?


- Press the buttons to switch off all the lights.
- When pressed, a button will invert the lit state of the button itself and the lit state of the adjacent buttons in the four major cardinal directions.



On the Subject of Motion Sense

Don't move. Its explosiveness is based on movement.


- When activated, this module will monitor all rotation activity of the bomb for the duration of the module activation.
- The more you rotate the bomb while active, the higher the needle will rise on the indicator.
- . A strike is given if the needle on the gauge reaches the end of the scale.
- The back-light of the gauge will change color and an audible sound will be made when the gauge reaches 80% or more.
- Setting the bomb down, or conversely picking the bomb up, will cause rotation activity and will cause the needle to rise when the module is active.



On the Subject of Math

Math is still easy. But is it easy when you have to answer questions over and over to stop an explosion? Only one way to find out.


Answer the question. Enter the numbers with the keypad and press '=' to submit your answer. Use '-' to toggle the sign. Don't blow up!



On the Subject of Rotary Phones

Hello, this is emergency services, please hold...


- The display will show 3 numbers, top to bottom, representing a single 3-digit number.
- Whenever the module activates, these numbers will change.
- Add the new number to the old one, take the 3 least significant digits, and enter the resulting number. This number is now your old number.
- If you gain a strike from this module, your old number is replaced with the currently displayed number.



On the Subject of Answering Questions

I hope you studied, it's quiz night!

• Respond to the computer prompts by pressing "Y" for "Yes" or "N" for "No".



APPENDIX CD43

Excerpt from Charles Dickens' "A Christmas Carol".

Scrooge knew he was dead? Of course he did. How could it be otherwise? Scrooge and he were partners for I don't know how many years. Scrooge was his sole executor, his sole administrator, his sole assign, his sole residuary legatee, his sole friend, and sole mourner. And even Scrooge was not so dreadfully cut up by the sad event, but that he was an excellent man of business on the very day of the funeral, and solemnised it with an undoubted bargain. The mention of Marley's funeral brings me back to the point I started from. There is no doubt that Marley was dead. This must be distinctly understood, or nothing wonderful can come of the story I am going to relate. If we were not perfectly convinced that Hamlet's Father died before the play began, there would be nothing more remarkable in his taking a stroll at night, in an easterly wind, upon his own ramparts, than there would be in any other middle-aged gentleman rashly turning out after dark in a breezy spot — say Saint Paul's Churchyard for instance — literally to astonish his son's weak mind.

Scrooge never painted out Old Marley's name. There it stood, years afterwards, above the warehouse door: Scrooge and Marley. The firm was known as Scrooge and Marley. Sometimes people new to the business called Scrooge Scrooge, and sometimes Marley, but he answered to both names. It was all the same to him.

Oh! But he was a tight-fisted hand at the grind-stone, Scrooge! A squeezing, wrenching, grasping, scraping, clutching, covetous, old sinner! Hard and sharp as flint, from which no steel had ever struck out generous fire; secret, and self-contained, and solitary as an oyster. The cold within him froze his old features, nipped his pointed nose, shrivelled his cheek, stiffened his gait; made his eyes red, his thin lips blue and spoke out shrewdly in his grating voice. A frosty rime was on his head, and on his eyebrows, and his wiry chin. He carried his own low temperature always about with him; he iced his office in the dogdays; and didn't thaw it one degree at Christmas.

External heat and cold had little influence on Scrooge. No warmth could warm, no wintry weather chill him. No wind that blew was bitterer than he, no falling snow was more intent upon its purpose, no pelting rain less open to entreaty. Foul weather didn't know where to have him. The heaviest rain, and snow, and hail, and sleet, could boast of the advantage over him in only one respect. They often 'came down' handsomely, and Scrooge never did.

Nobody ever stopped him in the street to say, with gladsome looks, My dear Scrooge, how are you? When will you come to see me?' No beggars implored him to bestow a trifle, no children asked him what it was o'clock, no man or woman ever once in all his life inquired the way to such and such a place, of Scrooge. Even the blind men's dogs appeared to know him; and when they saw him coming on, would tug their owners into doorways and up courts; and then would wag their tails as though they said, No eye at all is better than an evil eye, dark master!'

But what did Scrooge care! It was the very thing he liked. To edge his way along the crowded paths of life, warning all human sympathy to keep its distance, was what the knowing ones call nuts' to Scrooge.

APPENDIX CD44

Word and Letter Frequency in Charles Dickens' "A Christmas Carol".



Frequent 2 letter words

- Frequent 3 letter words
- 16x TO
- 11x NO
- 10x HE
- 9x IN
- 8x OF
- 7x IT

- 1. 23x AND
- 2. 22x THE
- 3. 22x HIS
- 4. 14x WAS
- 5. llx HIM
- 6. 4x OUT

Frequent 4 letter words

- 1.6x SOLE
- 2.4x THAT

Frequent 5 letter words

- 1. 4x THERE
- 2.4x WOULD

Frequent 6 letter words

1.4x MARLEY

Frequent 7 letter words

1. 12x SCROOGE

Frequent 8 letter words

1.2x BUSINESS

Frequent 9 letter words

1.2x SOMETIMES

Appendix MorseOP: Mathematical Operations

MULT, TIMES	Multiply the two numbers together.
OVER, DIV	Divide the first number by the second.
MOD, REM	Divide the first number by the second, and take the remainder.
POW, EXP	Take the first number, and apply the second number as a power.
XOR	Apply a bitwise XOR operation to the two numbers.