



**ÇANKAYA UNIVERSITY
FACULTY OF
ENGINEERING
COMPUTER ENGINEERING
DEPARTMENT**

**ÇANKAYA UNIVERSITY
FACULTY OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT**

Test Plan, Test Design Specifications and Test Cases
Version 1

CENG 408
Innovative System Design and Development II

appDermis

*Elif Başak Koç 201611038
Merve Talakacı 201511056
İlayda Selin Türk 201511062
Deniz Çınar 201511014*

Advisor: Gül Tokdemir

ÇANKAYA UNIVERSITY FACULTY OF ENGINEERING.....	1
Key words:.....	5
Anahtar Kelimeler:	6
1.1 Problem Statement.....	1
1.2 Background or Related Work.....	1
1.3 Solution Statement.....	1

1.4	Contribution.....	2
2.1	Abstract.....	3
	Keywords: Skin Cancer, Mobile Aplication, Classification, Melanoma, Feature Extracion, Segmentation.....	3
2.2	Introduction.....	3
2.3	Image Acquisition.....	4
2.4	Pre-processing.....	4
2.4.1	Grayscale Conversion.....	4
2.4.2	Hair Removal Methods.....	4
●	Median Filter.....	4
●	DullRazor Software.....	4
2.4.3	Contrast Enhancement.....	5
2.4.4	Other Image Enhancement Methods.....	5
2.5	Image Segmentation.....	5
2.6	Feature Extraction.....	5
2.7	Classification.....	6
2.8	Conclusion.....	7
3.1	Introduction.....	8
3.2	Overall Description.....	10
3.3	Requirements Specification.....	12
3.3.4	Non-functional Requirements.....	18
4.1	Overview.....	19
4.1.1	Scope.....	20
4.1.2	Purpose.....	20
4.1.3	Intended Audience.....	20
4.2	Definitions.....	21
4.3	Conceptual Model For Software Design Descriptions.....	22
4.4	Design Description Information Content.....	22
4.4.5	Design Viewpoints.....	23
4.4.6	Design Elements.....	23
4.4.7	Design Overlays.....	23
4.4.8	Design Rationale.....	24
4.4.9	Design Languages.....	24
4.5	Design Viewpoints.....	24
4.5.1	Introduction.....	24
4.5.2	Context Viewpoint.....	25
4.5.2.1	Design Concerns.....	25
4.5.2.2	Design Elements.....	25
4.5.2.2.1	Sign In.....	25
4.5.2.2.2	Sign Up.....	27
4.5.2.2.3	Logout.....	28
4.5.2.2.4	Edit Profile.....	29
4.5.2.2.5	Take Photo of Lesion.....	30

4.5.2.2.6 Add Photo To Album	31
4.5.2.2.7 Analyze Lesions	32
4.5.2.2.8 Check For Results	33
4.5.2.2.9 Create Album For Each Lesion	34
4.5.3 Composition Viewpoint	35
4.5.4 Logical Viewpoints	36
● 5.4.2.1 Class Relations	36
4.5.5 Dependency Viewpoint	40
4.5.6 Information Viewpoint	40
4.5.7 Patterns User Viewpoint	41
4.5.8 Interface Viewpoint	41
4.5.9 Interaction Viewpoint	45
4.5.10 State Dynamics Viewpoint	46
4.5.11 Algorithm Viewpoint	47
1.1. Introduction	48
1.1.1. Version Control	48
1.1.2. Overview	48
1.1.3. Scope	48
1.1.4. Terminology	48
1.2. FEATURES TO BE TESTED	48
6.2.1. Graphical User Interface (GUI)	48
1.3. Test Design Specification	49
1.3.1. User Interface (GUI)	49
1.3.1.2. Login (GUI.LG)	49
1.3.1.3. Profile (GUI.VP)	49
1.3.1.4. Edit Profile (GUI.EDT)	49
1.3.1.5. Album (GUI.VA)	49
1.3.1.6. Take Photo (GUI.TP)	49
1.3.1.7. Results (GUI.RES)	49
1.3.1.8. Analysis (GUI.ANS)	49
1.4. Test Cases	49
1.5. DETAILED TEST CASES	52
6.4.1. GUI.REG 01	52
6.4.2. GUI.LG 01	52
6.4.3. GUI.VP 01	53
6.4.4. GUI.EDT 01	53
6.4.5. GUI.VA 01	54
6.4.6. GUI.TP 01	54
6.4.7. GUI.RES 01	55
6.4.1. GUI.ANS 01	55

● Abstract

With a rapid enhancement rate of melanoma skin cancer, there is a demand for decision support systems to perceive it in its early phases, which would lead to better decisions in cleanse it successfully. Nevertheless, growing such systems is yet a challenging task for researchers. Several Computer Aided Diagnosis (CAD) systems have been recommend in the last two decades to increase the correctness of melanoma detection. What we want to do in this project is mainly develop an application for the people who want to follow-up their moles when they think there is a risk. The application will collect images of skin regularly and periodically send notifications to the user to scan his or her skin. Each time a new photo is added, application will compare with previous photos. If there is a change in mole's shape, colour, borders, asymmetry or size it will analyse it. With the personal gallery, users have the option to compare pictures over time and easily share their images with a doctor. It won't make any diagnosis.

Key words:

- Skin Cancer, Artificial Intelligence, Mobile Application, Machine Learning, Image Processing, Melanoma, CNN, Time Schedule, CAD, Incidence, Melanoma Detection, Dermoscopy Images, Automatic Segmentation, Deep Learning.

● Özet:

Bir cilt kanseri tipi olan melanomun hızla artma oranı, kanser teşhisine karar vermede yardımcı olan sistemler tarafından erken evrelerde keşfedilmesi için talep vardır, bu da hızlı bir iyileşmede daha iyi kararlar alınmasına yol açacaktır. Bununla birlikte, bu tür sistemleri geliştirmek araştırmacılar için henüz zor bir konudur. Melanom tespiti doğruluğunu arttırmak için son yirmi yılda birçok Bilgisayar Destekli Tanı (CAD) sistemi önerilmiştir. Bu projede yapmak istediğimiz, esas olarak benlerinde bir risk olduğunu düşündüklerinde benlerini takip etmek isteyen insanlar için bir uygulama geliştirmektir. Uygulama düzenli olarak cilt görüntülerini toplayacak ve periyodik olarak kullanıcıya cildini taramak için bildirim gönderecektir. Her yeni fotoğraf eklendiğinde, uygulama önceki fotoğraflarla karşılaştırır Benlerin şekli, rengi, sınırları, asimetrisi veya boyutunda bir değişiklik varsa, onu analiz edecektir. Kişisel galeri ile kullanıcılar zaman içinde resimleri karşılaştırma ve resimlerini bir doktorla kolayca paylaşma seçeneğine sahiptir. Teşhis koymaz.

Anahtar Kelimeler:

Cilt Kanseri, Yapay Zeka, Mobil Uygulama, Makine Öğrenmesi, Görüntü İşleme, Melanom, CNN, Zaman Çizelgesi, CAD, İnsidans, Melanom Saptama, Dermoskopi Görüntüleri, Otomatik Segmentasyon, Derin Öğrenme.

1. Introduction

1.1 Problem Statement

Many health systems around the world have fund seriously in the cure of different illness, but they yet fall behind when it comes to exploring ways to get ahead of them.

Melanoma is one of the fieriest tumors for humans and it might be deadly, if not diagnosed on time. The rate of melanoma amongst whole dermatologic cancers is 4%, while melanoma-induced death rate accounts for around 80% of deaths from skin cancer; only 14% of patients with metastatic melanoma survive for five years. Over and above, malignant melanoma has a treatment rate of more than 95% if detected at an early phase.

Even if people are in doubt of melanoma, they are afraid to go to the hospital or postpone going to the hospital. In this way, they prevent early detection and cause delay of treatment.

AppDermis provides it possible to perceive skin cancer in early phase when it's most treatable and has less costly cure options.

1.2 Background or Related Work

There are not many applications similar to the appDermis. Some of them are MoleMapper, UMSkinCheck, MoleScope, SkinVision. Most of these applications require a full fee to provide full service, while others do not work at all and are out of date.

1.3 Solution Statement

Early detection of melanoma might be importantly decrease both morbidity and death rate. The risk of death from the illness is straightly interested with the deepness of the cancer, that is directly related to the amount of time it has been accelerating unobserved. Therefore, earlier finding leads to thinner cancers and rescues lives. Luckily, dissimilar to most other cancers, skin cancers available on the skin are most frequently easily can be seen to the patient and the examiner.

AppDermis allows you to control your skin moles for symptoms of skin cancer within seconds. It enables you for record photos to keep in track of alters over time, assisting you to observe your

health in the long-range period. The effective and simple-to-use solution will be available for Android and assists to make skin monitoring a basic routine.

Our goal is to increase awareness of the significance of the early detection of skin cancer by letting you to be aware of your own skin, discover a mole potentially hazardous early, and follow-up and monitor your skin in a long period.

1.4 Contribution

State how your solution builds upon and extends current technology.

Sometimes, the introduction can be split into subsections or more than one section including the following parts: Background, Related Work and Motivation.

2. Literature Search

While working on our project we made literature review about artificial intelligence based skin cancer mobile applications and researches for the last 5 years.

2.1 Abstract

Skin cancers account for more than 40% of all malignancies all over the world, and the incidence continues to rise. Melanoma is considered the most dangerous type of skin cancer. There is a necessity to make decision support systems to detect it while it is still in early phases. Nevertheless, growing such kind of systems are challenging and complicated subject for researchers. Many Computer Aided- Diagnosis (CAD) systems have been recommended in the past two ten years to increment the correctness of melanoma finding. In this paper, we survey broad the Skin Cancer Detection literature. We identify more than 15 works determined by using PubMed, Google Scholar search tool, IEEE Xplore Digital Library conferences and journals.

Keywords: Skin Cancer, Mobile Application, Classification, Melanoma, Feature Extracion, Segmentation

2.2 Introduction

According to the American Cancer Society [7], the rates of melanoma have been increasing during the last 30 years. For years, different projects and applications have been developed for early detection of skin cancer. Some projects developed as mobile application and some projects are just machine learning algorithms to classify the type of lesion as melanoma or non-melanoma. But no studies done in this field in Turkey. We will develop a mobile application that users can follow up themselves when they think there is a risk of skin cancer. The application will scan the lesion and tell the user if the situation is risky. At the same time, users can create their own archives in the application so, application will tell the difference between the present and the past, it will make comparisons. It won't make any diagnosis. We have made researches covering the last five years for the steps we will follow while developing our application. We have examined many data sets and tried to find the most useful one. In the rest of this article, we explained which methods work better and which algorithms we should use. Five fundamental steps were mentioned; image acquisition, image pre-processing, image segmentation, feature extraction and image classification.

2.3 Image Acquisition

Image acquisition can be defined as the action of retrieving an image from some source, generally it can be a camera picture, so it can be passed through whatever processes need to occur afterward. Performing image acquisition in image processing is always the first step in the workflow sequence because, without an image, no processing is possible.

2.4 Pre-processing

The main purpose of image pre-processing is to increase readability of images and decrease undesirable distortions such as hair and artifacts. Also pre-processing is used to improve visibility of feature of interest. Therefore, various algorithms enhanced so as to improve performance.

2.4.1 Grayscale Conversion

Grayscale image is 8 bit image and each pixel includes 256 shades of gray combination. Grayscale images are more easy and more faster to process than coloured images[1]. Due to this reason, entire pre-processing methods are applied on grayscale images.

2.4.2 Hair Removal Methods

● Median Filter

In the literature[1] [4] [5] [14], Median Filter is used to remove hair and noise from an image. One of the non-linear digital filtering technique is median filter. The essential aim is used to improve results of afterward processing techniques. Median filters work like this; entire image pixels are considered by median filter. It specifies whether or not it is representative of its region and it is replaced region's pixel values with median value. Median filter is the most proper technique for medical images.

● DullRazor Software

In the literature[5][16], DullRazor is used by authors. The software uses to aim remove unwanted noise from an image. DullRazor Software consists of 3 steps.

- i. Noise such as hair is defined by grayscale morphological closing operations.
- ii. It confirms shape of noise pixels and replaced confirmed pixels. Bilinear interpolation is used for this step.

- iii. The DullRazor Software smooths replaced noise pixels by adaptive median filter.

2.4.3 Contrast Enhancement

Contrast enhancement is a technique to improve the visualization of images[5]. Original image with low contrast does not give better results so image visibility is increased by contrast enhancement. One of the contrast enhancement algorithm is Contrast Limited Adaptive Histogram Equalization (CLAHE). Contrast Limited Adaptive Histogram Equalization is applied on the image to get a contrast enhanced image, from which accurate features can be derived [14]. Every pixel of image is processed and the image contrast is improved. The output image is highly suitable for other process precisely.

2.4.4 Other Image Enhancement Methods

Gaussian filter [15], is used to reduce noise from an image. Also it used to smooth and blur images. Karhunen-loeve Transformation, Corner Space Transformation and Luminance Transformation [13] and Image Uneven Illumination Correction [16], Corner Detection[16] are used for increase quality of image.

2.5 Image Segmentation

Segmentation is the process of parting an image into significant specks, like the needed zone is segmented, from that can infer the essential information for upward processing. It simplifies description of an image so it makes easier to analyze. Image segmentation is the operation of partition or gathering an image into several pieces.

2.5.1 Otsu's Method

OTSU algorithm is an automatic threshold election region-based segmentation technique. It is commonly used because of its simplicity and effect and expected in finding the optimum value for the universal threshold. It is based principally over the image histogram, looking at the values of pixel and the zones to segment out, fairly than the image edges. It tries segmenting it by exercising the variance on each of the least classes. The process suits fine with images with two pixels classes, following a bi-modal histogram distribution.[2][4][3][14][9]

2.6 Feature Extraction

The feature extraction phase might be noted as data compression that extracts extra and disinterested information while protecting suitable information. Features selected in order to the

calculation of detected skin moles are based on the information and experimentation regarding to the properties and variations in look among the benign and malignant skin lesions. However, to discover the most necessary and efficient features, it extracts a large number of initial features.

2.6.1 Gray level co-occurrence matrix (GLCM)

The GLCM is a tabulation of how frequently several combinations of pixel luminance values (grey levels) be formed in a certain pixel pairing of image. Using a two-dimensional gray-level co-occurrence matrix is mostly and widely used in the area of texture analysis for finding the locative dependence of brightness (gray-level) values, that helps to find worthy information about the neighboring pixels in an image. The features extracted based on GLCM are: contrast, energy, homogeneity, correlation along with other statistical parameters such as mean, skewness, and kurtosis[7][10][15][16].

2.6.2 ABCD scale

The ABCD (Asymmetry, Border irregularities, Color variation and Diameter) criteria is used by medical doctors for diagnosing. Every criteria is multiplied with a dedicated weight factor to product Total Dermoscopy Score (TDS). TDS values smaller than 4.75 shows benign melanocytic lesion, values between 4.8 and 5.45 shows a doubtful lesion, and values of 5.45 or larger are extremely possible of melanoma. Formula for TDS: $[(A \text{ score} \times 1.3) + (B \text{ score} \times 0.1) + (C \text{ score} \times 0.5) + (D \text{ score} \times 0.5)]$.

2.7 Classification

After the feature extraction step, finally, we will use image classification to decide the lesion is cancerous or noncancerous. Last five years, most of the research showed machine learning and deep learning algorithms are the best way to detect skin cancer. After researching, classification algorithms with the highest accuracy value will be used in our mobile application. Every research has a different number of and type of classes.

2.7.1 Convolutional Neural Networks (CNNs):

Deep learning, particularly the convolutional neural network (CNN), has been widely applied to unravel several issues in computer vision [6]. There are different CNN architectures and they all have different results. AlexNet, GoogLeNet, VGG, ResNet are the most popular ones. Some of these architectures (e.g. GoogLeNet, ResNet) are available as pre-trained models also which were initially trained on approximately 1.28 million natural images from the dataset ImageNet. Thus, architectures can use the weights and biases from these pre-trained models. That is, if we fine-tune

all the layers of these models by going on with the backpropagation using our data, they can be applied to our specific classification task, as well. Other architectures as AlexNet and VGGNet are initialized so that their weights and biases are not influenced by visual information which may differ from skin images [17].

2.7.2 Support Vector Machine (SVM):

SVM is a supervised learning model. SVM is also a binary classification algorithm. Which means, the result can only belong to one of the two classes. In our case, classes will be cancerous and noncancerous. The purpose of SVM is to create hyperplane that separates two classes with a maximum gap between them [1]. Support Vector Machine requires training data in the form of instances called feature vectors and data output instances called labels [2]. Like the other algorithms, data is divided into two parts: training and test. The SVM algorithm is useful for noisy data and big data sets. For better CPU performance with large data sets, we can also use Linear SVM. In some cases, SVM is biased toward the class with a greater population [16].

2.8 Conclusion

We identify more than 15 works in this literature review and we selected "top papers" as shown in table. According to the table, these algorithms and methods are highly convenient to use for detection of skin cancer.

Reference	Pre-Processing Methods	Feature Extraction	Classification	Accuracy
[1]	Median Filter	GLCM	SVM	95%
[14]	Clahe&Median Filter	GLCM	SVM	90.44%
[7]	Resizing	GLCM	ANN	88%

3. Software Requirements Specification

3.1 Introduction

3.1.1 Purpose

The main purpose of this document is to give a elaborate explanation of the requirements for the “AppDermis” app. It will define the purpose and fulfil representation for the progress of system. It will additionally clarify system limitations, interfaces. This document is mainly designed to be proposed to the stakeholders and the developers of the system.

3.1.2 Scope of Project

This app will provide help for a people who have suspicious of melanoma. AppDermis intends to give a struggle towards one of the most mortal illness, skin cancer. The application will scan the lesion and tell if the situation is in risky or not. Nevertheless , users can create their own records in the application thus, it will notify the difference among the current and the previous situation of mole, it will make comparisons. The app classes each photo as either high or low risk. However, AppDermis is not a diagnostic tool and shall not be taken as the final judgment, as pointed out by the disclaimer at the end of every skin spot evaluation.

Furthermore, the app needs Internet connection for fetch and display results. Whole system information is maintained in a database, which is located on a cloud. The application also has the detailed information about the what is melanoma.

3.1.3 Glossary

Term	Definition
User	Someone who interacts with the mobile phone application.
Database	Collection of all the information monitored for this application.
Application	A mobile application, most commonly referred to as an app, is a type of application software designed to run on a mobile device, such as a smartphone or tablet computer.[18]
Software Requirements Specification	A document that entirely defines whole functions of a proposed system and the limitations under which it must operate. Of an example, this document.
Stakeholder	Any person with an interest for the project.
GLCM	The Gray Level Co-occurrence Matrix(GLCM) and associated texture feature calculations are image analysis techniques. Given an image composed of pixels each with an intensity (a specific gray level), the GLCM is a tabulation of how often different combinations of gray levels co-occur in an image or image section.[19]

■

3.1.4 Overview of Document

The rest of this document contains two chapters. The second chapter, the Overall Description section, of this document gives an overview of the functionality of the application. It defines the informal requirements and is used to establish a context for the technical requirements description in chapter. The third chapter, Requirements Specification section, of this document is written mainly for the developers and explains in technical expressions the details of the functionality of the application.

3.2 Overall Description

3.2.1 Product Perspective

Appdermis project is a mobile application aimed at early detection of skin cancer. Users can get information about skin cancer risk by taking a picture of their moles or adding pictures from the gallery.

3.2.1.1 User Interfaces

This mobile application is developed for everyone who want use. Users can download mobile application from mobile application store. After downloading the mobile application, users should be register to the system. After login to the mobile application, the main menu appears. The main menu is divided into sub-parts such as adding a new mole picture, adding mole picture from the gallery, updating personal information.

3.2.1.2 Hardware Interfaces

The application will work on mobile devices.

3.2.1.3 Software Interfaces

The application will work on Android, hence there will be no need another software interfaces.

3.2.1.4 Communication Interfaces

There is an internet connection is required to run this software.

3.2.1.5 Memory

Our application's minimum system requirements: 50 Mb or more memory 1.4 GHz Cpu – Quad Core or above 2 GB or more RAM Android 6.0 (Marshmallow) or above Operating System Stable Internet Connection.

3.2.2 Development Methodology

We will be using agile development methodology, scrum method. There will be daily scrum meetings and 1-4 weeks sprint meetings.

3.2.3 Product Functions

3.2.3.1 Sign-up

Sign-up: People who want to use this application, have to give information to agree to become involved. These informations are name, surname, e-mail, password, date of birth and skin color.

3.2.3.2 Sign In

Sign In: After user completes his/her registration to system, they can enter by e-mail and password.

3.2.3.3 Sign Out

Sign Out: If a user wants to sign out from system. They can do this operation by clicking the sign out button.

3.2.3.4 Take a Photo of Lesion:

Took Photo of Lesion: User clicks camera button and takes a photo of suspicious lesions. Photo analyzed for skin cancer risk and saved in the album.

3.2.3.5 Add Photo to Album

User clicks gallery button and add new photo from gallery for analyzing skin cancer risk. Every lesion has its own album to analyze and compare.

3.2.3.6 Edit Profile


User clicks his/her profile and can change the informations.

3.2.3.7 Analyze

User clicks the analyze tab. The user chooses an album to analyze the improvement of the lesion. Or the user can analyze the only one lesion.

3.2.3.8 Check for results

User clicks the results tab. The user chooses an results to see. Results will be shown in graphs and diagrams. Also there will be a written detailed report about results. And if there is a risky situation application will send a notification to the user.



3.2.4 Constraints

Appdermis mobile application has some constraints such as reliability, safety and security. Wrong risk analyze due to wrong taking photo is an important constraint for Appdermis Mobile Application. In addition to this, since the user information is stored in a database and this database can be hacked and user information will be no longer private to the user. So this is an important constraints for security.

3.2.5 Assumptions and Dependencies

During the use of the application, user add or take a picture with obeying the rules. The mobile application with the android operating system correctly analyzes the skin cancer according to the picture and sends it to the application. The mobile application algorithm works correctly and displays rate of skin cancer risk's.

3.3 Requirements Specification

3.3.1 External Interface Requirements

3.3.1.1 User interfaces

This mobile application is developed for everyone who want use. Users can download mobile application from mobile application store. After downloading the mobile application, users should be register to the system. After login to the mobile application, the main menu appears. The main

menu is divided into sub-parts such as adding a new mole picture, adding mole picture from the gallery, updating personal information.

3.3.1.2 *Hardware interfaces*

The application will work on mobile devices.

3.3.1.3 *Software interfaces*

The application will work on Android, hence there will be no need another software interfaces.

3.3.1.4 *Communications interfaces*

There is an internet connection is required to run this software.

3.3.2 Functional Requirements

3.3.2.1 *Sign Up*

Use Case Name	Sign Up
Trigger	User enters the application and pushes the sign up button.

Precondition	No preconditions
Basic Path	1.User enters the application. 2. User pushes the sign up button. 3. User enters his/her informations. 4. User saves the informations.
Post Condition	No post conditions.
Alternative Path	1. The user enters an invalid email form or leaves a blank space in form. 2. The application gives an error.
Other	None.

3.3.2.2 *Sign In*

Use Case Name	Sign In Use Case
Trigger	User assesses the application with sign in button.
Precondition	User has signed up system.
Basic Path	1. User enters email and password to login to the system. 2. If the password is valid for the user email, user enters the system. Otherwise user should re-login.
Post Condition	After a successful login operation user is directed to the Main Menu.
Other	None.

3.3.2.3 *Sign Out*

Use Case Name	Sign Out Use Case
Trigger	User exits system with sign out button.
Precondition	User has signed in the system.
Basic Path	1. User clicks sign out button and exits from the system.
Post Condition	No post conditions.
Other	None.

3.3.2.4 *Edit Profile*

Use Case Name	Edit Profile
Trigger	User enters the profile tab.
Precondition	User must sign in before trying to edit his/her profile.
Basic Path	1. User will sign in to the system. 2. User shall enter his/her profile. 3. User will change the profile info. 4. User will enter 'Edit Profile' button.
Post Condition	No post conditions.
Other	None.

3.3.2.5 *Take Photo of Lesion*

Use Case Name	Take Photo of Lesion Case
Trigger	User takes a picture of lesion with camera.
Precondition	The user has accessed the camera with main screen.
Basic Path	1. User clicks button and camera opens. 2.The user takes a photo of suspicious lesions. 3.Photo is saved in the album. 4. System calculates the cancer risk of the lesion.
Post Condition	The database is updated and rate of risk is showed.
Other	None.

3.3.2.6 *Add Photo to Album*

Use Case Name	Add Photo to Album
Trigger	User assesses with camera.
Precondition	User has taken picture of lesion with camera.
Basic Path	1. User clicks button and camera opens. 2.The user takes a photo of suspicious lesions. 3.Photo is saved in the album. 4. System calculates the cancer risk of the lesion.

Post Condition	The database is updated and photo is added album part.
Other	None.

3.3.2.7 *Analyze Lesion*

Use Case Name	Analyze Lesions
Trigger	User enters the analyze tab and selects an album to analyze or the moment user takes the photo, analyzes the photo.
Precondition	User must have an account and must sign in. If user wants to make a comparison, user must have previous photos of the lesion in the album or must take a photo to analyze.
Basic Path	1.User sign in. 2. User enters analyze tab. 3. User chooses an album to analyze. 4. User pushes the analyze button. 5.Analyze results will be saved to albums tab for each album.
Alternative Path	1.User enters the camera. 2. User takes a photo. 3. User can analyze the photo at that moment.
Post Condition	No post conditions.
Other	None.

3.3.2.8 *Check For Results*

Use Case Name	Check For Results
---------------	--------------------------

Trigger	User enters the check for results tab.
Precondition	The user must have more than one results of photos.
Basic Path	1. User selects check for results tab. 2. The system compares other results. 3. The result is showed on screen.
Post Condition	No post condition.
Other	None.

3.3.3 Performance Requirements

Our application appDermis will be working on android mobile devices. In normal workload, appDermis will use less than %30 of the CPU. Changing between pages will take 1 second.

3.3.4 Non-functional Requirements

appDermis will be on a mobil application server with high speed internet capability. The speed of the user's connection will depend on the hardware. appDermis will run on the user's smart phone and android operating system. The only one user uses the system at a time so there is no scalability requirement.

4. Software Design Description

4.1 Overview

This document ensures the software design descriptions for the purpose of AppDermis application project. This document is prepared according to the “IEEE Standard for Information Technology

– Systems Design – Software Design Descriptions – IEEE 1016 –2009”. This software design document provides the details of how the AppDermis software should have been done. The further particulars are offered by using graphical notations such as viewpoints, use case models, sequence diagrams, class diagrams, object behavior models and alternative supporting design knowledges.

4.1.1 Scope

Software Design Document (SDD) is for a ground level system which will work as a evidence of notion for the usage of building a system the supplies a ground level of functionality to represent applicability for wide scale production usege. Software Design is centered on the ground level system and crucial sections of the system. For this certain Software Design Document, the center is placed on generation of the documents and changes of the documents. The system will be used in association by other pre-actual systems and will be formed usually of a document interplay appearance that abstracts document interactions and usage of the document objects.

4.1.2 Purpose

Software Design Document (SDD) is for a ground level system which will work as a evidence of notion for the usage of building a system the supplies a ground level of functionality to represent applicability for wide scale production usege. Software Design is centered on the ground level system and crucial sections of the system. For this certain Software Design Document, the center is placed on generation of the documents and changes of the documents. The system will be used in association by other pre-actual systems and will be formed usually of a document interplay appearance that abstracts document interactions and usage of the document objects.

4.1.3 Intended Audience

In contradicton of the Software Requirements Specification (that is written for the purpose of client and user), most of this Software Design Description is written for engineers and designers or researchers who want to change and/or extend the existing reference implementation. In this way the Client is not going to be among the intended audience for this document, which is:

- Team
- Supervisor
- Auditors and Reviewers

4.2 Definitions

Term	Definition
User	Someone who interacts with the mobile phone application
Database	Collection of all the information monitored for this application
SDD	Software Design Description
SRS	A document that entirely defines whole functions of a proposed system and the limitations under which it must operate
Class Diagram	Describes the structure of a system
Use-case Diagrams	Illustrates the relationships between use cases
UML	Standardized modeling language enabling developers to specify, visualize, construct and document artifacts of a software system
Function	Identifies data elements that form part of the internal entity
Application	An application, or application program, is a software program that runs on your computer or phone
IEEE	Institution of Electrical Engineers

4.3 Conceptual Model For Software Design Descriptions

In this document, we will use a conceptual model for the SDD. Conceptual model mainly explains the context in which SDD is prepared and how it will be used. We planned to use multi-layered system architecture. Thus it will be easier to implement the project and add possible future features.

4.3.1 Software Design In Context

We planned to use object oriented approach and multi-layered system architecture. Thus we will increase to project implementation, adaptability and portability. Layers will help modularity, security and adaptability of the software. Using object oriented design and multilayered architecture will be improved portability and integrality between components.

4.3.2 Software Design Descriptions Within The Life Cycle

The key software life cycle product that drives this software design is the SRS we have prepared. The requirements in the SRS document (interface, functional, nonfunctional and logical database requirements) specify the design of the project.

4.4 Design Description Information Content

4.4.1 Introduction

Software Design Description of the AppDermis gives information about how AppDermis will be designed and implemented. This section will include information about SDD identification, identified design stakeholders and design concerns, selected design viewpoints with their type definitions of its allowed design elements and design languages, design views, design overlays and design rationale.

4.4.2 SDD Identification

This document is a first version of System Design Description for this project. This SDD report prepared based on created using Github. Draw.io and Github's markdown is used for drawing diagrams. In the first section an overview of SDD is given. Scope of the SDD report refers to the section 1.1, Purpose of the SDD report refers to section 1.2 and Intended Audience of this document refers to section 1.3. For design conceptual model for software design descriptions refer to the section 3. Lastly, for the design viewpoints including context, composition, logical, information, patterns use, interface, interaction, state dynamics and resource viewpoints refer to the section 5.

4.4.3 Design Stakeholders And Their Concerns

In AppDermis, design stakeholders are the developer team of AppDermis and their advisors. Our design stakeholders are the people who know and understand software development and our stakeholders are the part of the development. Our stakeholders' concerns are listed below:

- The implementation should be safe, secure, maintainability and open to future changes.
- The interface shall be easy to read and use.
- The desired results should be obtained from the developed system.
- Database should be simple and efficient.
- New features will be adapted into AppDermis, so software must be proper for it.

4.4.4 Design Views

In this SDD, for representing the diagrams of view, UML is used. Design views are design rational, contextual, composition, interface, logical and interaction views. These design views are explained in chapter 5.

4.4.5 Design Viewpoints

There are three viewpoints that are used in this project which are context, composition and interaction viewpoints. These viewpoints are explained detailly with UML diagrams in section 5.

- Context viewpoint defines the relationships, dependencies, and interactions between the system and its environment (the users, systems etc).
- Composition viewpoint describes the way the design subject is structured into constituent parts and establishes the roles of those parts.
- Interaction viewpoint defines strategies for interaction among entities, regarding why, where, how, and at what level actions occur.

4.4.6 Design Elements

The main design elements are entities, attributes and some other member associated with communication and relations between modules and user of our project. These main design elements are defined inside the related viewpoints in detail in chapter 5.

4.4.7 Design Overlays

The essential factors to explain design choices in appdermis is simplicity and sustainability. The features will add in the future so appDermis is designed with this vision. appDermis developers

document process of development so new developers can understand and modify or add features easily.

4.4.8 Design Rationale

The software has to be designed in a way that future models and features can be added and current models can be changed and updated independently. The object oriented design helps to classify the objects of the software so that a new object can easily be added to design or an existing component can be easily deleted. Developers of the system has to use comments in their code frequently, so that in the future other developers may understand code and the structure of the system. Also, while writing the code, function and variable names are intentionally chosen to specify what they do. Thus, their functionalities can be understood easily in future. While designing the database of the system, tables are created according to both ER Diagram and class diagram, shown in Section 5, in order to synchronize the database and models.

4.4.9 Design Languages

In this project, Unified Modeling Language (UML) is selected as a part of design viewpoint and it will be used for clarifying design viewpoints.

4.5 Design Viewpoints

4.5.1 Introduction

In this chapter, the viewpoints of the appDermis is explained in detail. UML diagrams will be used (Use case Diagrams, Class Diagrams, Sequence Diagrams, State Diagrams etc.). There is 13 viewpoints for our projects.

- Context viewpoint
- Composition viewpoint
- Logical viewpoint
- Dependency viewpoint
- Information viewpoint
- Patterns use viewpoint
- Interface viewpoint
- Structure viewpoint

- Interaction viewpoint
- State dynamics viewpoint
- Algorithm viewpoint
- Resource viewpoint


4.5.2 Context Viewpoint

4.5.2.1 Design Concerns


The main service category related to system which is User. Users are people who will use the application.

4.5.2.2 Design Elements

User and actions are design entities for application. As you can see, use case diagram is showed with whole functions.




4.5.2.2.1 Sign In



Use Case Number	1
Use Case	Sign In
Summary	User can sign in to the application.
Actor	User
Trigger	Sign In Button
Primary Scenario	User will enter the application. If user didn't sign in before, opening page will be SignIn page. After entering email and password, user will be redirected to profile page.
Alternative Scenario	No alternative scenarios.
Exceptional Scenario	Wrong e-mail and password combination or wrong e-mail format.
Pre-Conditions	User must register before trying to signing in to the system.
Post-Conditions	User will be redirected to her/his profile. User can use every function of the system after signing in.

Assumptions	User must be connected to the internet.
--------------------	---


4.5.2.2.2 Sign Up



Use Case Number	2
Use Case	Sign Up
Summary	User can sign up to the application
Actor	User
Trigger	Sign Up Button
Primary Scenario	User will enter the application. In the sign in page there will be a button for sign up page. After filling his/her information, user can sign up if he/she didn't sign up before.
Alternative Scenario	No alternative scenarios.
Exceptional Scenario	Email address is already taken or password doesn't meet the standards.
Pre-Conditions	No pre-conditions.
Post-Conditions	User can sign in to the application.


Assumptions	Valid e-mail address.
--------------------	-----------------------

4.5.2.2.3 Logout



Use Case Number	3
Use Case	Logout
Summary	User can logout from the application.
Actor	User
Trigger	Logout button in the Profile.
Primary Scenario	After signing in, user can log out from her/his profile.
Alternative Scenario	No alternative scenarios.
Exceptional Scenario	No exceptional scenarios.
Pre-Conditions	User must sign in to the system.
Post-Conditions	User will be redirected to Sign In page.
Assumptions	User has sign in to the system.


4.5.2.2.4 Edit Profile



Use Case Number	4
Use Case	Edit Profile
Summary	User can edit his/her informations.
Actor	User
Trigger	Edit button
Primary Scenario	User must register then login to system.
Alternative Scenario	None.

Exceptional Scenario	1. Not registered user.
Pre-Conditions	User must login to the system.
Post-Conditions	User will edit the information. User Profile will be updated.
Asumptions	User must be connected to the internet.

4.5.2.2.5 Take Photo of Lesion



Use Case Number	5
Use Case	Take Photo of Lesion
Summary	User can take photo of suspicious lesion then see the risk range about lesion.
Actor	User
Trigger	Camera button
Primary Scenario	User must login to system.
Alternative Scenario	None.
Exceptional Scenario	1. Not entered user.

Pre-Conditions	User must login to the system and push camera button.
Post-Conditions	Photo is saved in the album then system calculates the cancer risk of the lesion.
Asumptions	None


4.5.2.2.6 Add Photo To Album



Use Case Number	6
Use Case	Add Photo To Album
Summary	Every lesion has its own album. User can photos to album.
Actor	User
Trigger	Add To The Album button appears when a new photo is taken.
Primary Scenario	User signs in to the application. Every lesion has its own album. After taking a new photo, user can add photo to its album.
Alternative Scenario	No alternative scenarios.

Exceptional Scenario	No albums was created before for that lesion. In this case application will create a new album.
Pre-Conditions	User must take the photo of the lesion. There must be an album to save the photo.
Post-Conditions	User will be redirected to the camera.
Assumptions	User added right photo to right album.


4.5.2.2.7 Analyze Lesions



Use Case Number	7
Use Case	Analyze Lesions
Summary	If user wants to make a comparison, user must have previous photos of the lesion in the album or must take a new photo to analyze.
Actor	User
Trigger	Analyze button
Primary Scenario	User must take photo or have previous photos.
Alternative Scenario	User accesses the album then select a photo to analyze.

Exceptional Scenario	None.
Pre-Conditions	1. Login is required. 2. User must access analyze lesion part by button.
Post-Conditions	None.
Asumptions	None.


4.5.2.2.8 Check For Results



Use Case Number	8
Use Case	Check For Results
Summary	User can check for analyze results.
Actor	User
Trigger	User enters the check for results tab and enters the check for results button.
Primary Scenario	User enters the check for results tab. Results will be showed in 2 different ways. User can check for album results to see the development of a lesion or check for only one photo results. Also user can see the history of album.

Alternative Scenario	No alternative scenarios.
Exceptional Scenario	If no analysis done before,user can not check for any result.
Pre-Conditions	Analyze
Post-Conditions	No post conditions.
Assumptions	User analyzed at least 1 photo to check for results.

4.5.2.2.9 Create Album For Each Lesion



Use Case Number	9
Use Case	Create Album For Each Lesion
Summary	User must create an album for each lesion to see the development of that lesion.
Actor	User
Trigger	Create an album button at the Albums tab.
Primary Scenario	User enters the Albums tab. Pushes the Create an Album button.
Alternative Scenario	User can create a new album for a new photo after taking the photo if there is no album created for that lesion.


Exceptional Scenario	No exceptional scenarios.
Pre-Conditions	User must login.
Post-Conditions	After creating the album, user can add photos to the album.
Assumptions	Individual albums created for same lesion's photos.

4.5.3 Composition Viewpoint

4.5.3.1 Design Concerns

In this part, composition viewpoint will assist software process easily. There are three essential components in this software as you can see 5.3.2 Design Elements Part.

4.5.3.2 Design Elements



- Design Entities: The main components in system; database, application server and android application.
- Application Server: Establishing connection between application and database.
- Design Attributes will discuss next chapters.

4.5.4 Logical Viewpoints


4.5.4.1 Design Concerns

In this part, entire classes and relations are identified in detail. The main purpose is to explain and clarify appDermis system design. Complete class diagram includes classes and their relations. Entire classes and methods/fields are explained.

4.5.4.2 Design Elements

● 5.4.2.1 Class Relations

There are four classes; user, photo, analyze and album and they are related to each other. The class diagram includes only essential classes, on the other hand there are trivial classes. However these classes are not shown because of clarity.



4.5.4.2.2 User Class

Method/Field	Definition
int userid	Unique id for each user.
string name	User's name.

string surname	User's surname.
string email	Email of the user.
string gender	Gender of the user.
string skincolor	User's skin color.
date birthdate	Birthdate of the user.
string getNameSurname()	Returns name and surname
string getSkinColor()	Returns the skin color
string getGender()	Returns the gender.

4.5.4.2.3 Photo Class

Method/Field	Definition
int photoid	Unique id for each photo
blob photo	Photo of a lesion.

date datetime	Date of the photo.
int userid	Photo belongs to this user.
int albumid	Photo belongs to this album.
blob getPhoto()	Returns the photo.
date getDate()	Returns the date for that photo.

4.5.4.2.4 Analyze Class

Method/Field	Definition
int resultid	Unique id for each result
float accuracy	Accuracy of the results
int photoid	Results are belong to this photo
string algorithmresults	When the all machine learning algorithms run, results will be here.
string getAlgorithmResult()	Returns the results.
float getAccuracy()	Returns the accuracy.

4.5.4.2.5 Album Class

Method/Field	Definition
int albumid	Unique id for each album

int photoid	Photo id of the photo that belongs to this album
int resultid	Result id of the result that belongs to this album

4.5.5 Dependency Viewpoint

Dependency viewpoint explains dependencies and relationships between system design component.

4.5.5.1 Design Concerns

Defining dependencies of application and determining which subsystems are depends on other subsystems. It helps deciding the priorities in design entities.

4.5.5.2 Design Elements

Design Entities: Application server, database server and the client. Design Relationships: Each entities are related each other, application server is between the database and client.

4.5.5.3 Example Languages


You can see the diagram in section 5.3.2.

4.5.6 Information Viewpoint

4.5.6.1 Design Concerns

In this section, data management of the application and data structure will be shown. ER diagram is used. Design entities in this diagram are our tables. There are data types, data items, and extra information about data in every table. Design relationships are displayed with connections. Connections between tables show us how these tables are related to each other (one to one or one to many).

4.5.6.2 Design Elements



4.5.7 Patterns User Viewpoint

In appDermis server-client design pattern is used so the software reusable. The server-client design pattern is consisted two component client and server. The server listens to request from client and provide services.

4.5.8 Interface Viewpoint

4.5.8.1 Design Concerns


This viewpoint shows users how to use appDermis application. Every interface of the application has its own prototype and description. This will be very helpful for users and developers.

4.5.8.2 Design Elements

4.5.8.2.1 Welcome Page

After downloading and entering the application, the user will see this tab first. This page will consists of information about the application. And for the users who want to use the application,

there will be 2 options: Sign up and Sign in. It will be redirected to the next page, depending on the user's choice.




4.5.8.2.2 Sign Up Page

In this page, the user can sign up to the system by entering some personal information. After signing up, the user can edit, change or add information to his/her profile page.

A screenshot of a mobile application's sign-up page. The screen has a dark background. At the top, there is a blue header bar with a white hamburger menu icon on the left, the text "Sign Up" in white, and a white magnifying glass icon on the right. Below the header, there are five white input fields stacked vertically, labeled "Fullname", "Username", "Email", "Password", and "Confirm Password". Below these fields, the text "Already have an account? [Sign In](#)" is displayed. At the bottom of the screen, there is a blue button with the text "Sign Up" in white.


4.5.8.2.3 Sign In Page

In this page, the user can enter the application by entering his/her information if she/he is already signed up.




4.5.8.2.4 Profile

In this page, the user can see personal information, edit information or add more information to make our analysis better. Also, there will be an analysis history for the user's lesions.




4.5.8.2.5 Camera

The user will take his/lesion photos in this page. The camera will be activated when the user wants to take a new lesion photo. After every photo is taken, the application will ask user which album to save it.




4.5.8.2.6 Albums

Every lesion will have a specific album. So we can check how much it has changed. And every album will store statistical information about the lesion. When you click the album, you will be able to see information and lesion photos.




4.5.8.2.7 Analysis

In this page, users can choose one of the albums or one of the lesion photos and analyze them. After clicking the analyze button, user will be redirected to the results page.



4.5.8.2.8 Check For Results

This page contains information about all analyzed albums and lesions. Results will be showed in graphs, diagrams and also there will be a written explanation. If there is a risky situation, the application will notify the user for a doctor appointment.




4.5.9 Interaction Viewpoint

4.5.9.1 Design Concerns

Sequence Diagram is used to show communication between objects.

4.5.9.2 Design Elements



4.5.10 State Dynamics Viewpoint


4.5.10.1 Design Concern

The user starts the application, user is redirected sign up page. User can sign up if he/she has an account. When the user signs up the application, he/she can reach various feature of application.

4.5.10.2 Design Elements

Design entities and design relationships are observed with the state transition diagram particularly in the section bellow.

4.5.10.3 Example Languages



4.5.11 Algorithm Viewpoint

Algorithm viewpoint is not available.

4.5.12 Resource Viewpoint

Resource viewpoint is not available.

1. Software Design Description

1.1. Introduction

1.1.1. Version Control

Version No	Description of Changes	Date
1.0	First Version	Apr 2019

1.1.2. Overview

Usage status of exhibitor and manager AppDermis system users determined in SRS document will be tested

1.1.3. Scope

This document corresponds to the test plan, test design specifications, and test scenarios test plan of usage scenarios.

1.1.4. Terminology

Acronym	Definition
GUI	Graphical User Interface (GUI)

1.2. FEATURES TO BE TESTED

This part lists and describes a mini description of major properties for testing.

6.2.1. Graphical User Interface (GUI)

In this project, graphical user interface components are used. User registration is mandatory, so there are subdivisions that open after two main menus. Sign up or Login are the main home page. After that there are sections divided into the main menu and sub-sections. These sub-sections include Profile button, Edit Profile button, Take Photo button, View Results button, Album button, and Analysis button.

1.3. Test Design Specification

1.3.1. User Interface (GUI)

1.3.1.1. Registering user (GUI.RG)

The user who wants to use the system must give his/her required information to system.

1.3.1.2. Login (GUI.LG)

User who has done his/her registration can login with entering e-mail and password.

1.3.1.3. Profile (GUI.VP)

User will see the information about his/her own information such as age, gender and skin type.

1.3.1.4. Edit Profile (GUI.EDT)

User will be able to edit the information from here. This button takes part under the profile page.

1.3.1.5. Album (GUI.VA)

User will see the photos that taken at the past. There is also album information under each album section.

1.3.1.6. Take Photo (GUI.TP)

The user can take a picture of the region where the spot is located.

1.3.1.7. Results (GUI.RES)

User will see the results that taken photos from this page.

1.3.1.8. Analysis (GUI.ANS)

User will be able to see the progress of the melanoma.

1.4. Test Cases

TC ID	Requirement s	Priori ty	Scenario Description
GUI.RG 01		H	Enter the information that required and then click register button. Button redirecting login page.

Table 13: Test Cases

TC ID	Requirements	Priority	Scenario Description
GUILG 01	3.2.1	H	Enter username and password then login button redirects to Profile page.

Table 14: Test Cases

TC ID	Requirements	Priority	Scenario Description
GULVP 01	3.2.1	H	Display personal information of user

Table 15: Test Cases

TC ID	Requirements	Priority	Scenario Description
GULEDT 01	3.2.1	H	Editing all personal information

Table 16: Test Cases

TC ID	Requirements	Priority	Scenario Description
GULVA 01	3.2.1	H	Selecting Album button. Shows the photos that taken.

Table 17: Test Cases

TC ID	Requirements	Priority	Scenario Description
GULTP 01	3.2.1	H	Select “Take Photo” button. Able to take photo.

Table 18: Test Cases

TC ID	Requirements	Priority	Scenario Description
GUL.RES	3.2.1	H	Select “Results” button. Display the results of risk.

TC ID	Requirements	Priority	Scenario Description
GUL.ANS 01	3.2.1	H	Select “Analysis” button. Displays all results and analysis all process.

Table 18: Test Cases

1.5. DETAILED TEST CASES

6.4.1. GUI.REG 01

TC_ID	GUI.REG 01
Purpose	Enter the required information that system needs.
Requirements	3.2.1
Priority	High
Estimated Time Needed	No estimated time needed
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Enter register button, it directs login page.
Cleanup	No cleanup function

Table 19: GUI.REG 01

6.4.2. GUI.LG 01

TC_ID	GUI.LG 01
Purpose	Enter username and password
Requirements	3.2.1
Priority	High
Estimated Time Needed	No estimated time needed
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Enter login button it directs to profile page.
Cleanup	No cleanup function

Table 20: GUI.LG 01

6.4.3. GUI.VP 01

TC_ID	GUI.VP 01
Purpose	Display personal information of user.
Requirements	3.2.1
Priority	High
Estimated Time Needed	No estimated time needed
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Display personal information of user.
Cleanup	No cleanup function

Table 21: GUI.VP 01

6.4.4. GUI.EDT 01

TC_ID	GUI.EDT 01
Purpose	Editing personal information of user.
Requirements	3.2.1
Priority	High
Estimated Time Needed	1-3 second
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Select “Edit Profile” button from Profile page it directs to Edit Profile page.
Cleanup	Go back to previous page

Table 22: GUI.BCK_MAP_DISP 01

6.4.5. GUI.VA 01

TC_ID	GUI.VA 01
Purpose	Displays the photos that taken.
Requirements	3.2.1
Priority	High
Estimated Time Needed	1-2 second
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Select “Album” button. Display photos album list.
Cleanup	Go back to previous page

Table 23: GUI.VA 01

6.4.6. GUI.TP 01

TC_ID	GUI.TP 01
Purpose	Select “Take Photo” button.
Requirements	3.2.1
Priority	High
Estimated Time Needed	1-3 second
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Camera is opening and able to take photo.
Cleanup	Go back to previous page

Table 24: GUI.TP 01

6.4.7. GUI.RES 01

TC_ID	GUI.RES 01
Purpose	Select “Result” button.
Requirements	3.2.1
Priority	High
Estimated Time Needed	1-2 second
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Display the estimated risk of melanoma.
Cleanup	Go back to previous page

Table 25: GUI.RES 01

6.4.1. GUI.ANS 01

TC_ID	GUI.ANS 01
Purpose	Select “Analysis” button.
Requirements	3.2.1
Priority	High
Estimated Time Needed	1-2 second
Dependency	The simulation is executed
Setup	No setup installation needed
Procedure	Displaying analysis of whole process.
Cleanup	Go back to previous page

Table 26: GUI.ANS 01

