



**ÇANKAYA UNIVERSITY
FACULTY OF ENGINEERING
COMPUTER ENGINEERING DEPARTMENT**

Project Report
Version 1

CENG 407
Innovative System Design and Development I

202105
***Game Recommendation System using Machine Learning
Algorithms***

Tolga Bolat
201711008

Kutay Kabadaş
201711039

Berfin Varlı
201711068

Dr. Serdar ARSLAN

İçindekiler

Abstract	5
Öz	5
1. Literature Review	5
1.1 Introduction	5
Content-based Filtering	6
Collaborative Filtering	7
<i>User-Based Collaborative Filtering:</i>	7
<i>Item Based Collaborative Filtering:</i>	7
Hybrid Recommendation Systems	8
Popularity Based Recommendation Systems	9
<i>Merits of Popularity Based Recommendation System</i>	9
<i>Demerits of Popularity Based Recommendation System</i>	9
Classification Model	10
Knowledge-based Recommender Systems	10
1.2 Similar Works	11
Netflix's Recommendation System	11
Steam's Recommendation System	11
IMDb's Recommendation System	11
Amazon's Recommendation System	12
Python Libraries	12
1.3 Conclusion	12
2. Software Requirements Specification	13
2.1. INTRODUCTION	13
2.1.1 Purpose	13
2.1.2 Scope of the Project	13
2.1.3 Glossary	14
2.1.4 Overview of the Document	14
2.2. OVERALL DESCRIPTION	14
2.2.1 Product Perspective	14
2.2.2 User Characteristic	15

2.2.2.1 User.....	15
2.2.2.2 Admin	15
2.2.2.3 System	16
2.2.3 General Constraints and Assumptions.....	16
2.3. REQUIREMENTS SPECIFICATION	16
2.3.1 External Interface Requirements	16
2.3.1.1. User Interfaces.....	16
2.3.1.2. Hardware Interfaces.....	16
2.3.1.3. Software Interfaces	16
2.3.1.4. Communications Interfaces	16
2.3.2 Functional Requirements	17
2.3.3 Software System attributes.....	26
2.3.3.1. Portability.....	26
2.3.3.2. Usability.....	26
2.3.3.3. Adaptability.....	26
2.3.4 Safety Requirement	26
3. Software Design Document.....	27
3.1. Introduction	27
3.1.1 Purpose	27
3.1.2 Scope of Project.....	27
3.1.3 Glossary.....	27
3.2. ARCHITECTURE DESIGN.....	28
3.2.1 Technologies Used	28
3.2.2 Use Case Diagram.....	28
3.2.3 Activity Diagram.....	29
3.2.3.1 Admin Activity Diagram	29
3.2.3.2 User Activity Diagram.....	30
3.2.4 Class Diagram.....	31
3.2.5 Architectural Design	31
3.2.6 Sequence Diagram	32
2.6.1 Register and Login Diagram.....	32
2.6.2 Home Page Diagram	33

2.6.3 Game Page Diagram.....	34
3.3. User Interface	35
3.3.1 Register Page.....	35
3.3.2 User Tag Settings Page	36
3.3.3 User Liked Games Page	36
3.3.4 Login Page	38
3.3.5 Home Page	38
3.3.6 Profile Page.....	39
3.3.7 Game Profile Page	40
4.Conclusion	42
5.Work Plan.....	42
6.References.....	42

Abstract

The game industry evolved so much that there are 10.000 games being released every year. With this, game users can't even decide what's in their taste. It gives customers a very overwhelming and lost feeling in these large, detailed choices of products. A solution to this relies on building such systems that search desired but not yet discovered games. Thus, the hunger in the market led to these kinds of programs. Especially in recent years, we are using recommendation systems without our knowledge in many places that we don't even realize anymore. These systems are in a very important place, without them we would be lost. The aim of this project is to develop a system that can give game recommendations to people who are looking for games they may like based on the games they have liked before or the users that have similar history with the current user. The game is recommended to the current user based on the games that other users like. Within the scope of this project, we are conducting extensive research in machine learning, which is the application of artificial intelligence, in order to work more efficiently.

Öz


Oyun endüstrisi o kadar çok gelişti ki yılda 10.000'den fazla oyun çıkıyor. Bununla beraber kullanıcılar artık kendi zevklerini bile karar veremiyor. Bu geniş, ayrıntılı ürün seçeneklerinde müşteriler adeta kayboluyor. Buna bir çözüm olarak, istenen ancak henüz keşfedilmemiş oyunları arayan sistemleri oluşturmaya dayanır. Bu yüzden piyasadaki açlık bu tarz programlara sebep olmuştur. Günümüzde önerici sistemleri farkında olmadan hayatımızın her yerinde kullanıyoruz. Bu sistemler o kadar önemli bir noktadaki, onlar olmadan kayboluruz. Bu projenin amacı, daha önce beğendiği oyunlardan veya mevcut kullanıcıyla benzer bir geçmişi olan kullanıcılardan yola çıkarak beğenebileceği oyunları arayan kişilere oyun tavsiyeleri verebilecek bir sistem geliştirmektir. Kullanıcıya, diğer kullanıcıların ilgi duyduğu ve sevdiği oyunlara göre bir oyun önerilir. Bu proje kapsamında daha verimli çalışabilmek için yapay zeka uygulaması olan makine öğrenmesi konusunda kapsamlı araştırmalar yapıyoruz.

1. Literature Review

1.1 Introduction

Recommendation systems are algorithms that aim to suggest relevant items to users (games, movies, text to read, products to buy, etc.).[1] Recommender systems are a crucial feature in our world, as users are often overwhelmed by choice and need help finding what they're looking for. Recommender systems use related items user chose and other users history to give a good recommendation. In this case, it is going to

find many game users might like, by checking users with similar interests and tastes. Our goal is to make it as perfect as it can be. Recommender systems are one of the most used applications of machine learning technologies. Machine learning uses both user data and item data to build a sample dataset. By using this dataset, we train the methods we use to make a prediction. Machine learning algorithms in recommender systems are classified into three categories - content-based and collaborative filtering methods, but modern recommenders combine both approaches and this is called hybrid.



[2]

Content-based Filtering

Content-based approaches use additional information about users such as age, gender, location, etc. When a game is chosen by the user, with information such as age and gender, we can recommend another user with similar information, the same game. Another model is using keywords of the game, such as its title, tags, description, etc. We can make many models using the informations we have about users. With these models, we can make new suggestions for a user. In content-based filtering, recommendations are specific to each user. It is therefore scalable to a large user base. Such recommendations are often found under the "Similar products" or "Recommended items" tags. [3] As a result many websites ask you to indicate your date of birth, gender etc when registering, this is because you need to provide more data for their system to make better predictions. Limitation: The recommendation will be limited to what users liked, watched, interacted with before. It doesn't give users a chance to explore a new area they've never been to before. Also, all users who like item X will receive the same recommendation set. [4]

Collaborative Filtering

Collaborative filtering is a technique used by recommendation systems. Collaborative filtering is a method of making predictions about the user's interests using the preferences made. For example, if users A and B have played a game and liked it, the system will also recommend the game that user A has played to user B.[5] Thus, the input to a collaborative filtering system will be all historical data of user interactions with target items. This data is typically stored in a matrix where the rows are the users, and the columns are the items.[6] There are 2 types of Collaborative Filtering Systems :

User-Based Collaborative Filtering:

This technique is personalized, special to every user. User-Based Collaborative Filtering is a technique used to predict games a user might like based on whether they are liked or disliked by other users of similar taste. [7]

Item Based Collaborative Filtering:

Item-item collaborative filtering is a type of recommendation method that suggests a similar product that the user previously liked. It was developed by Amazon in 1998 and plays a huge role in Amazon's success. [8]



[6]

Since we have to make user-item interaction, we can describe it in 2 way. Explicit and implicit way.

- With explicit rating, we ask user to rate items based on their likings. We can understand users satisfaction directly for a specific item. For example we can ask user to rate a game, ranging from 1-5 scale, user's score would give us the data we can use on recommending other items to the same user as well as other users.
- The implicit rating is gathering the data from the user indirectly from users behaviour. For example a user can play a game for 10 minutes or 100 hours. We can see how much the user liked the product indirectly.

Hybrid Recommendation Systems

Hybrid approaches can be enforced in several ways, for illustration by making content-based filtering and collaborative filtering independently and combining

them, or by combining approaches into a single model, etc.[9] Almost all modern recommendation system implementations are hybrid.

Popularity Based Recommendation Systems

This type of recommendation system is using popularity as ranking what to recommend to users. It helps users to find what other combined users liked. It is a popular and trending type of working recommendation system. These systems recommend the most popular product, game, music, movie among users.

Top 10 Series In Your Country Today



[4]

Merits of Popularity Based Recommendation System

The user's historical data is not required. If the user is newly registered, Trends can help new users to recommend a product without any user activity occurred.

Demerits of Popularity Based Recommendation System

It is not personalized. The system recommends the same type of products to each user based only on popularity.


Example:

Google News: News filtered by trending and most popular news.

YouTube: Trending videos.

Classification Model


It predicts whether the user will like the product or not. To do this, it uses both product attributes and the user's information. If the user likes the product, the output will be 1 and if not, the output will be 0. [10]



[10]

Knowledge-based Recommender Systems

This kind of recommendation system with machine learning extracts a company's domain knowledge that is governed by 'if-this-then-that' rules. The USP of a knowledge-based recommendation system is that it can be constantly improved not by the user's history but its interaction with the system. This can happen through the underlying 'critique method' that enables users to assign feedback to recommendations for improving search results.



[3]

1.2 Similar Works

Netflix's Recommendation System


Netflix's Recommendation System is one of the biggest successes in the history of recommender systems. It has 80% stream time. Netflix uses hybrid recommendation system. Also, one of Netflix's biggest feature is recommending by the thumbnail of a show. Which means that, if a person is into action or violent movie this person will be recommended more violent frames from the show.[11]

Steam's Recommendation System

Steam's recommendation system is based on the user's history of chosen games. The idea of choosing this method is more like giving equal opportunities to the companies with less popularity. Steam is now the most used game store in the whole world. Because non-popular companies will have more chances to advertise their games.[12]

IMDb's Recommendation System

When we rate a TV show or movie on IMDb it recommends other shows or movies based on important details like cast, genre, sub-genre, plot and summary.



[2]

As we can see above, I was recommended to rate Frozen Planet because I've watched David Attenborough's wildlife documentary series. In this case, IMDb suggested this to me based on the cast of the series.

Amazon's Recommendation System

Item-item collaborative filtering, or item-based, or item-to-item, is a form of collaborative filtering for recommender system based on the similarity between items calculated using people's ratings of those items. Item-item collaborative filtering was invented and used by in 1998.[13]



[14]

Python Libraries

A number of Python libraries are available that are specifically created for recommendation purposes. Here are the most popular ones:

- Surprise: A Python scikit building and analyzing recommender systems.
- Implicit: Fast Python Collaborative Filtering for Implicit Datasets.
- LightFM: Python implementation of a number of popular recommendation algorithms for both implicit and explicit feedback.
- pyspark.mlib.recommendation: Apache Spark's Machine Learning API.[15]

1.3 Conclusion

Recommendation systems have a strong presence in our world. What is expected is to use them in a way that we can give users the best experience. Since we are dealing with user data, we need to use machine learning. By feeding sample data to model

based methods we get the best predictions. Using the methods content-based, collaborative and hybrid, we suggest users the best suggestions, thus increasing their enjoyment to maximum.

2. Software Requirements Specification

2.1.INTRODUCTION

2.1.1 Purpose

The purpose of this project is to design a recommender system that recommends video games to help users to see more similar games to their taste. After the user registers, the system shows the user a few game types and lists the games they may like according to the user's preferences. The user rates the games they played and liked before. In this way, the system can find games that are closest to the user's style. Our main purpose in this document is to explain the requirements and functions of our project. This system is going to be designed as a mobile application. Our mobile application is called 'RecoSystem'. Our goal is to find users that have drowned to find games. This topic is not just related to game industries, it is a general problem of many industries such as, movies, music, videos, etc.. The system will have core statistics about users and start recommending games. Each user will have a profile of their own where they can rate the recommended games, add a profile picture, and comment on recommended games.

2.1.2 Scope of the Project

The purpose of this project is to suggest games using certain algorithms based on games that people play and like. This system aims to help improve user interactions with the similar games that they have played before. With this system, the time it takes to get personalized advice will be reduced. With this system we aim to bring the feature to the Android platform in which users can access the application more easily. The project will contain specific Machine Learning algorithms to match the users history of played games. First of all, the system will ask the user to choose game genres the user likes. Then, the system will start suggesting games using machine learning algorithms based on the data, which is based on the preferences of other users, and is similar from the database that we will create for the application to the

information with the current user. In addition, users can rate the games the user has played and liked before, so the system will be able to make better suggestions. The application will be released to Android platforms, then other platforms in future versions.

2.1.3 Glossary

Term	Definition
App	Application
User	The person using and interacting with the system.
AI	Artificial Intelligence
ML	Machine Learning
Android	Android is a mobile operating system which is based on a derived Linux kernel. [16]
Python	Python is an interpreted high-level general-purpose programming language.[17]
Firebase Database	The Firebase Realtime Database is a cloud-hosted NoSQL database that lets you store and sync data between your users in real time.
React Native	React Native is an open-source UI software framework created by Meta Platforms, Inc.[18]
GUI	Graphical User Interface
API	API is an interface that utilizes communication between two clients [19]

2.1.4 Overview of the Document

This document is prepared in accordance with the IEEE Std 1016-2009 [20], IEEE Recommended Practice for Software Requirements Specifications [21]. This document has three main headings. The first main topic is Introduction. The introduction simply explains the main purpose of this project in general. The second main title is the Overall Description. This section considers the determining factors that influence requirements. The third part is Requirements Specification, it contains all the requirements of the system, design constraints etc.

2.2. OVERALL DESCRIPTION

2.2.1 Product Perspective

RecoSystem is developed with machine learning algorithms to recommend games which will be implemented using Python. It will be designed as a mobile application. The development of the RecoSystem application will be implemented with React Native. For the database Firebase Database will be used

- Users register to RecoSystem.
- User will choose tags that they like to play.
- RecoSystem will ask users to rate the games on a scale of 1-5 to see if they like the games. 5 means a like, 1 means a dislike at all.
- RecoSystem will check its data about the games user rates, obtain its tags, checks related games accordingly and, based on the algorithm gets the best results.
- RecoSystem will use the Python Pandas Data Analysis Library to check its datasets, and display recommendation algorithm results.
- RecoSystem redirects the user to the recommendation page which is the outcome of the algorithm.
- RecoSystem will also use Popularity-Based Recommendation Systems to show users the TOP10 most liked games to help users what the community is rating best.
- RecoSystem shows the user all the games the user can like, decreasing accordingly. Also shows users the Top 10 games most liked.
- Users can rate the games on this page and specify more.
- If the user views their profile they can see the games that's rated in the past, and the user can change ratings as they like.

2.2.2 User Characteristic

2.2.2.1 User

- Users must be familiar with mobile phones.
- Users will have to use an Android phone and download the application in order to access the system.
- Users must have an internet connection.
- When users register, they can choose the genres they like from the game types on the screen.
- Users can rate the recommended games.
- Users can navigate through sections like homepage, profile, game profile.

2.2.2.2 Admin

- Admins must be familiar with the interface.
- Admin can add newly released games.
- Admin can remove/hide offensive comments.

2.2.2.3 System

- System provides model with algorithm.
- System checks clock.

2.2.3 General Constraints and Assumptions

RecoSystem will be available to everyone with a mobile phone and an internet connection. The system will be released for android phones. Users must have an android phone. It will be assumed that users will have an internet connection. Internet connection is a restriction for the system.

2.3. REQUIREMENTS SPECIFICATION

2.3.1 External Interface Requirements

2.3.1.1. User Interfaces

The user interface of our application will be in English. However, in later versions there will be multiple language selection options. The system will be quite understandable and easy to use. RecoSystem will be necessary for users to register and login to the application. There will be a home screen, recommendation page, a profile section for users and a game profile section.

2.3.1.2. Hardware Interfaces

Mobile phones support 5.1 lollipop and higher and IOS version is to be decided.


2.3.1.3. Software Interfaces

The application will run on Android, Python ML libraries will be used.

2.3.1.4. Communications Interfaces

The user must have an internet connection and an android phone.

2.3.2 Functional Requirements



Use Case Number	1
Use case Name	Delete Games
Summary	Delete games from application
Actor	Admin
Trigger	Admin clicks on Delete Game button
Precondition	User must be an admin. Admin must have access to the internet. Admin must view the game profile. Admin must click on the Delete Game button. Admin must type "I AM SURE" to ensure it is not a misclick.
Scenario	Admin searches for the game that will be removed from the search box. Admin selects the game and views the game profile. At the bottom of the page there is a delete game button only available for admins. Admin clicks on the delete game button. Admin types "I AM SURE" via mobile phones keyboard.
Exceptional Situations & Alternative Flow	Lost connection to the internet.
Postcondition:	Actors can no longer view the game. Actors cannot access the game via the search box. Actors can no longer rate the game.

Use Case Number	2
Use case Name	Add New Games
Summary	Add new game to application
Actor	Admin
Trigger	Admin clicks on Add New Game button
Precondition	User must be an admin. Admin must have access to the internet. Admin must click on the Add New Game button. Admin must type the name of the new game. Admin must type a description of the new game. Admin must choose a tag for the game from the dropdown list. Admin must click on the confirm button.
Scenario:	Admin clicks on the 3 lines at the top left corner of the homepage. Admin enters the new games name. Admin enters new games description Admin can upload an image via mobile phone(not mandatory but advised). Admin clicks on the confirm button.
Exceptional Situations & Alternative Flow	Lost connection to the internet.
Postcondition	Actors can view and rate the game. Actors can access the game via the search box.

Use Case Number	3
Use case Name	Edit Game Profile
Summary	Edit the existing games profile
Actor	Admin
Trigger	Admin clicks on Edit Profile Button
Precondition	User must be an admin. Admin must have access to the internet. Admin must view the game profile. Admin clicks on Edit profile button Admin can change the game name. Admin can change the game description. Admin can change the tag of the game.
Scenario	Admin searches for the game that will be edited from the search box. Admin selects the game and views the game profile. Admin clicks on the edit profile button. Admin fills the "Name" and "Description" in text format. Admin selects a new tag from the dropdown list.
Exceptional Situations & Alternative Flow	Lost connection to the internet. Lack of the new tag in the system.
Postcondition	Actors recommendations will be changed. Updated tag will be displayed on the game's profile.

Use Case Number	4
Use case Name	Edit Profile
Summary	Edit users profile
Actor	User, Admin
Trigger	Actor clicks on Edit Profile Button
Precondition	Actors must have access to the internet. Actor must view his/her profile. Actor clicks Edit profile button Actors can upload a new profile picture. Actors can type a new description for their profile. Actor clicks on the save changes button.
Scenario	Actor clicks on the 3 lines from the top left corner. Actor clicks the view profile button. Actor clicks on the edit profile button. Actors can upload a new profile picture. Actors can type a new description for their profile. Actor clicks on the save changes button.
Exceptional Situations & Alternative Flow	Lost connection to the internet.
Postcondition	Actors' updated profiles will be displayed

Use Case Number	5
Use Case Name	Login
Summary	User logs in the system.
Actor	Admin, User
Trigger	Login button clicked.
Precondition	Actors must be connected to the internet. Actors must have an android phone. Actors must download the application. Actors must be registered.
Scenario	User enters already existing username and password. Click Login button.
Exceptional Situations & Alternative Flow	The actor's phone may not be connected to the Internet. Server could be under maintenance. The actor entered an incorrect username or password. There is no account with the entered username.
Postcondition	If it is the first login of the actor, it is directed to the first time login screen. If it's not the actor's first login, redirects to the home page.

Use Case Number	6
Use Case Name	Register
Summary	Actor registers to the system
Actor	Admin, User
Trigger	Register button clicked
Precondition	Actors must be connected to the internet. Actors must have an android phone. Actors must download the application.
Scenario	Actors must enter information such as username, age, gender, email, password, and location. The actor must re-enter the password for verification purposes. Email verification link will be sent to the actor. Actor registers to the system after clicking on the link.
Exceptional Situations & Alternative Flow	The actor's phone may not be connected to the Internet. Server could be under maintenance. The email or username entered by the user has been used before.
Postcondition	Actors redirect to the login page.

Use Case Number	7
Use Case Name	Choose Liked Games
Summary	Actors choose the games they have played and liked at the first login after registration
Actor	Admin, User
Trigger	After first time login
Precondition	Actors must be connected to the internet. Actors must have an android phone. Actors must download the application. Actors must be registered.
Actors must login to the system for the first time.	
Scenario	The first time screen appears when the actor logs into the system for the first time. Actor sees the names and pictures of many games on the screen. Actor chooses the games he has played before and likes. Clicks the Next button.
Exceptional Situations & Alternative Flow	The actor's phone may not be connected to the Internet. Actor must check the internet connection. Server could be under maintenance. Actor must restart the application.
Postcondition	Actors redirect to the select tag page.

Use Case Number	8
Use Case Name	Edit Liked Games
Summary	Edit the existing liked games
Actor	User, Admin
Trigger	Actors click on the Change Liked Games button on their profile
Precondition	Actors already liked some games on their first login
Scenario	Actors enter their profile. Actors click on Change Liked Games. Actors choose or discard their liked games. They click Save and redirect to their profile page.
Exceptional Situations & Alternative Flow	-
Postcondition	Actors change their liked games.

Use Case Number	9
Use Case Name	Search for Games
Summary	Actors write the keywords for the game they are looking for.
Actor	User, Admin
Trigger	Actors click on search bar.
Precondition	Any keyword must be entered before pressing Search button.
Scenario	Actors get into the home page. Actors click on the search bar and write keywords for the game they are looking for and click the Search button. Any games matched with keywords are shown.
Exceptional Situations & Alternative Flow	If there is nothing entered, and clicked search, nothing happens.
Postcondition	System finds and shows Actors the games they searched.

Use Case Number	10
Use Case Name	Rate the Games
Summary	Actors rate the games scaling from 1-5.
Actor	User, Admin
Trigger	Actors click on stars on the game's profile.
Precondition	-
Scenario	Actors find the game they want to rate. Actors click on the game and enter the game's profile. Actors choose how many stars they want to give to the game ranging from 1 to 5. Actors click on the star they want to give.
Exceptional Situations & Alternative Flow	If actors are already rated but want to change the rating, they can click on stars again with a different star chosen.
Postcondition	Rating to a game has given ranging from 1 to 5 by Actors.

Use Case Number	11
Use Case Name	Select Tags
Summary	Users select the tags of games that they like.
Actor	User, Admin
Trigger	After the first time login and choosing liked games, actor redirects to this page after clicking Next.
Precondition	-
Scenario	After Actors login for the first time and choose liked games, Actors redirect to this page. Actors can see and search any game on this page and choose the tags that they like. Actors click on the Done button and redirects to the home page.
Exceptional Situations & Alternative Flow	-
Postcondition	Actors can see related games on home screen according to what they selected from

Use Case Number	12
Use Case Name	Edit Liked Tags
Summary	Actors change what they liked before
Actor	User, Admin
Trigger	Actors click on the Change Liked Tags button on their profile
Precondition	Actors already liked some tags on their first login
Scenario	Actors enter their profile. Actors click on Change Liked Tags Actors choose or discard their liked tags. They click Save and redirect to their profile page.
Exceptional Situations & Alternative Flow	-
Postcondition	Actors change their liked tags.

Use Case Number	13
Use Case Name	Comment on Games
Summary	Actors can write comments on games
Actor	User, Admin
Trigger	Actors click on comment section
Precondition	-
Scenario	Actors click on the game they want to comment. Actors write on the section below the game profile. Actors click Send button to send the comment they wrote.
Exceptional Situations & Alternative Flow	-
Postcondition	Comment is shown on the game profile.

Use Case Number	14
Use Case Name	Check Recommended Games
Summary	Actors check the recommendation page to see recommended games.
Actor	User, Admin
Trigger	Actors click on the Recommended Games page.
Precondition	Actors chose tags and liked games when they first login.
Scenario	Actors click on the Recommended Games page button from the home page. Actors can see recommended games that algorithm has provided.
Exceptional Situations & Alternative Flow	-
Postcondition	Actors can see recommended games.

Use Case Number	15
Use Case Name	Create Model
Summary	System recommendation algorithm creates model
Actor	User, Admin, System
Trigger	After Actors's first time login process ends.
Precondition	First time login.
Scenario	Actors first time log in. After Actors chose tags and liked games, algorithm creates model.
Exceptional Situations & Alternative Flow	If no user or admin has logged in yet, Algorithm uses raw dataset to create model.
Postcondition	Model created for recommending games.

Use Case Number	16
Use Case Name	Update Model
Summary	Every 24 hours System updates model.
Actor	System
Trigger	Every 24 hours at 12am
Precondition	A model has been created before.
Scenario	System checks if the clock is 12am. System considers last 24 hours datas to update the model.
Exceptional Situations & Alternative Flow	Even though no new data processed last 24
Postcondition	New model created based on the old model.

Use Case Number	17
Use Case Name	Get Recommendations
Summary	User views the recommendations.
Actor	Admin, User
Trigger	View Recommendation Page
Precondition	Actor clicks the recommendation page by button of the home page.
Scenario	Actor logs in to the system. Actor clicks on the recommendation page from the button of the home page.
Exceptional Situations & Alternative Flow	-
Postcondition	Actor can view recommended games

2.3.3 Software System attributes

2.3.3.1. Portability

RecoSystem is designed for the devices Android version 5.1(Lollipop) and above, so RecoSystem can work for new versions of the Android platform. With the upcoming updates, we are going to release IOS versions.

2.3.3.2. Usability

- Software should be able to let users see images clearly.
- Software should be able to let users rate

2.3.3.3. Adaptability

There are 2 user types, both can use the application differently.

2.3.4 Safety Requirement

For security reasons, users can not access the database or add new games to the app. The users must choose at least 8 characters long, must include alphanumeric and special characters

3. Software Design Document

3.1. Introduction

3.1.1 Purpose

The purpose of this project is to design a recommender system that recommends video games. Building a system that suggests video games to any user with any taste is the main purpose. This documentation includes detailed information about the design of the project.

3.1.2 Scope of Project

The project aims to recommend video games using user data and applying certain algorithms. This document will show how system functions, data transferred and give details of implementation.

3.1.3 Glossary


Term	Definition
App	Application
User	The person using and interacting with the system.
ML	Machine Learning
Android	Android is a mobile operating system which is based on a derived Linux kernel. [22]
Python	Python is an interpreted high-level general-purpose programming language. [23]
Firebase Database	The Firebase Realtime Database is a cloud-hosted NoSQL database that lets you store and sync data between your users in real time.
HTML	The HyperText Markup Language (HTML) is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as CSS and JavaScript.
CSS	Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language such as HTML.
JavaScript	JavaScript is a dynamic programming language that is widely used in web browsers.
React Native	React Native is an open-source UI software framework created by Meta Platforms, Inc. [24]

3.2. ARCHITECTURE DESIGN

3.2.1 Technologies Used

RecoSystem uses many technologies and algorithms and combines all in a way that their best parts are used. RecoSystem uses Python Pandas Data Analysis Library to manage datasets and user data. RecoSystem uses Firebase database to manage databases and users. RecoSystem is developed with React Native and includes HTML, CSS, Javascript. Mobile phones support 5.1 lollipop and higher required.


3.2.2 Use Case Diagram




3.2.3 Activity Diagram

These Diagrams show how the user interacts with the system and the capabilities of Admin.


3.2.3.1 Admin Activity Diagram




3.2.3.2 User Activity Diagram



3.2.4 Class Diagram



3.2.5 Architectural Design




Application Server: An application server is used to keep the selections made for the recommendation, to keep the application up-to-date, such as the initial registration information.


Database Server: The data or backend layer of a web application is the database server, which handles system data and transports data to and from the system database.

3.2.6 Sequence Diagram


2.6.1 Register and Login Diagram



2.6.2 Home Page Diagram



2.6.3 Game Page Diagram



3.3. User Interface

3.3.1 Register Page

LOGIN TO RECOSYSTEM

Register

Username

Password

Re-type Password

E-mail


Gender ▼ Country ▼

Date of Birth Select ▼ Select ▼ Select ▼

CAPTCHA Register

3.3.2 User Tag Settings Page

After registering, this page will appear.



The screenshot shows a web page with a light blue background. At the top, there is a dark blue rectangular box with the word "RECOSYSTEM" in white, uppercase letters. Below this box, the text "Choose Game Tags You Like!" is written in a black, handwritten-style font. Underneath the text, there is a list of game tags, each preceded by a checkbox. The tags are arranged in two columns. The first column contains: FPS (checked), Arcade, Third Person (checked), RPG, MMORPG, Open World, Survival, Battle Royale, and Action. The second column contains: RogueLike, JRPG, Real-Time Strategy, and Turn-Based Strategy. At the bottom right of the page, there is a circular button with a blue background and a white right-pointing arrow.

RECOSYSTEM

Choose Game Tags You Like!

☒ FPS ☐ RogueLike

☐ Arcade ☐ JRPG

☒ Third Person ☐ Real-Time Strategy

☐ RPG ☐ Turn-Based Strategy

☐ MMORPG

☐ Open World

☐ Survival

☐ Battle Royale

☐ Action

Next

3.3.3 User Liked Games Page

After registering and choosing your favorite game tags, a page appears where you can rate the games you have played and liked before.

RECO SYSTEM

Choose Games You
Like!




3.3.4 Login Page

A hand-drawn login page design on a solid blue background. At the top, a white rectangular box with a black border contains the text "LOGIN TO RECOSYSTEM". Below this, the word "Login" is written in a handwritten style. Underneath, there are two white input fields with black borders; the first is labeled "Username" and the second is labeled "Password". To the right of the password field is a checkbox with a checkmark inside, followed by the text "Remember me". At the bottom left, there is a red rectangular button with the text "Not Registered?". To its right is a black rectangular button with the text "Sign in".


3.3.5 Home Page

After logging in, you will be directed to the homepage. On this page, there are recommendations given by the system based on your previous selections. You can also see the 10 most liked games on this page.



3.3.6 Profile Page

When you click the profile icon in the upper right, you will come to your profile page. You can see and change the tags you like from the games you have previously rated.



3.3.7 Game Profile Page

Each game will have its own page. Information about the game, comments and used rates can be seen here.



RECO SYSTEM



Grand Theft Auto V, Rockstar North tarafından geliştirilen ve Rockstar Games tarafından yayımlanan 2013 tarihli açık uçlu aksiyon-macera tarzı bir video oyunudur.



Overall Rating



Your Rating



☒ FPS

☒ Open-World

☒ Real-Time Strategy

☒ Card Games

User Comments



Gilmoras

22.12.2018

What a Great Game!

4. Conclusion

As a result, it can be said that a literature review for the system was made, the methods to be used were researched and reported, and the libraries to be used were decided. After the literature review, we prepared the software requirements specifications document. With SRS, information is given on many topics such as the general purpose of the system, functional requirements and security requirements. SDD is a software design explanation document that contains information about user interface design and system architecture. This report contains a lot of theoretical information about the game recommendation system. Then, a system covering the theoretical information in this document will be made.

5. Work Plan

Project/Week	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9	Week 10	Week 11	Week 12	Week 13	Week 14
Team Setup	All Members													
Project Proposal Form		All Members												
Project Selection Form		All Members												
Work Plan			All Members											
Literature Review				All Members	All Members									
Software Requirements Specification						All Members	All Members	All Members	All Members					
Project Webpage Design								All Members	All Members					
Software Design Description									All Members	All Members	All Members			
Project Report												All Members	All Members	
Project Tracking Form													All Members	
Presentation													All Members	All Members

6. References

- [1] Rocca, (2019, June 3). "Introduction to recommender systems", <https://towardsdatascience.com/introduction-to-recommender-systems-6c66cf15ada>
- [2] Badreesh Shetty, (2019, July 24). "An In-Depth Guide to How Recommender Systems Work", <https://builtin.com/data-science/recommender-systems>
- [3] Sanam Malhotra, (2020, August 25). "5 Unique Recommendation Systems with Machine Learning" <https://artificialintelligence.oddes.io/blogs/recommendation-systems-with-machine-learning/>
- [4] Pathairush Seeda, (2021, Oct 13). A Complete Guide To Recommender Systems — Tutorial with Sklearn, Surprise, Keras, Recommenders <https://towardsdatascience.com/a-complete-guide-to-recommender-system-tutorial-with-sklearn-surprise-keras-recommender-5e52e8ceace1>
- [5] Wikipedia: Collaborative filtering, (2021, Oct 29). https://en.wikipedia.org/wiki/Collaborative_filtering

- [6] George Seif, (2019, Sep). "An Easy Introduction to Machine Learning Recommender Systems", <https://www.kdnuggets.com/2019/09/machine-learning-recommender-systems.html>
- [7] Rachit Gupta, (2020, Jul 16). "User-Based Collaborative Filtering", <https://www.geeksforgeeks.org/user-based-collaborative-filtering/>
- [8] Gregory D. Linden Jennifer A. Jacobi Eric A. Benson, "Collaborative recommendations using item-to-item similarity mappings", 1998
- [9] Wikipedia: Recommender system, (2021, Sep 23). https://en.wikipedia.org/wiki/Recommender_system#cite_ref-65
- [10] Rohit Dwivedi, (2020, Apr 16). What Are Recommendation Systems in Machine Learning? <https://www.analyticssteps.com/blogs/what-are-recommendation-systems-machine-learning>
- [11] David Chong, (2020, Apr 30). "Deep Dive into Netflix's Recommender System", <https://towardsdatascience.com/deep-dive-into-netflixs-recommender-system-341806ae3b48>
- [12] Adi Robertson, (2019, July 11). "Steam's new Interactive Recommender is built for finding 'hidden gems'." <https://www.theverge.com/2019/7/11/20690231/valve-steam-labs-interactive-recommender-game-recommendation-machine-learning-tool>
- [13] Wikipedia: "Item-item collaborative filtering", (2020, Dec 9). https://en.wikipedia.org/wiki/Item-item_collaborative_filtering
- [14] Sanam Malhotra, (2020, Aug 25). "5 Unique Recommendation Systems with Machine Learning" <https://artificialintelligence.oodles.io/blogs/recommendation-systems-with-machine-learning/>
- [15] Parul Pandey, (2019, May 17). "Recommendation Systems in the Real world", <https://towardsdatascience.com/recommendation-systems-in-the-real-world-51e3948772f3>
- [16] Wikipedia: Android (operating system), (2021, Dec 6). [https://en.wikipedia.org/wiki/Android_\(operating_system\)](https://en.wikipedia.org/wiki/Android_(operating_system))
- [17] Wikipedia: Python (programming language), (2021, Dec 7). [https://en.wikipedia.org/wiki/Python_\(programming_language\)](https://en.wikipedia.org/wiki/Python_(programming_language))
- [18] Wikipedia: React Native, (2021, Nov 15). https://en.wikipedia.org/wiki/React_Native
- [19] MuleSoft: What is an API? (Application Programming Interface) (2021). <https://www.mulesoft.com/resources/api/what-is-an-api>
- [20] "IEEE 1016-2009 - IEEE Standard for Information Technology--Systems Design--Software Design Descriptions", Standards.ieee.org, 2020. [Online]. Available: <https://standards.ieee.org/standard/1016-2009.html>. [Accessed: 08- Dec- 2021].
- [21] "IEEE 830-1998 - IEEE Recommended Practice for Software Requirements Specifications", Standards.ieee.org, 2020. [Online]. Available: <https://standards.ieee.org/standard/830-1998.html>. [Accessed: 08- Dec- 2021].

- [22] Wikipedia: Android (operating system),(2021, Dec 6). [https://en.wikipedia.org/wiki/Android_\(operating_system\)](https://en.wikipedia.org/wiki/Android_(operating_system))
- [23] Wikipedia: Python (programming language),(2021, Dec 7). [https://en.wikipedia.org/wiki/Python_\(programming_language\)](https://en.wikipedia.org/wiki/Python_(programming_language))
- [24] Wikipedia: React Native,(2021, Nov 15). https://en.wikipedia.org/wiki/React_Native